

PW-RN401 PROWARE 150M Wireless N Router

Power: 9V --- 0.6A
Default Settings:
 IP: 192.168.1.1
 Username: admin
 Password: admin

Serial Number	
---------------	--

MAC Address	
-------------	--




PIN	
-----	--

FCC ID: WWMRN401XV3 Made in China
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

文字转曲线

深圳市普联技术有限公司				
名称	PW-RN401D产品规格标贴	颜 色	logo	黑色
版本	第一版		底色	
材质	80g艾利铜版纸+雾膜		文字	黑色
模具	MR5		其它	
机型版本号	PW-RN401D 3.0	设计	李倩	
完成日期	2011-4-11	审 核		
记录 与上一版的区别				



PW-RN401D PROWARE 150M Wireless N Router

Power: 9V --- 0.6A

Default Settings:

IP: 192.168.1.1

Username: admin

Password: admin

Serial Number	
---------------	--

MAC Address	
-------------	--

PIN	
-----	--



FCC ID: WWMRN401XV3

Made in China

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

文字转曲线

深圳市普联技术有限公司				
名称	PW-RN401D产品规格标贴	颜 色	logo	黑色
版本	第一版		底色	
材质	80g艾利铜版纸+雾膜		文字	黑色
模具	MR5		其它	
机型版本号	PW-RN401D 3.0	设计	李倩	
完成日期	2011-4-11	审 核		
记录 与上一版的区别				

14. PHOTOS OF THE EUT

Figure 1
General Appearance of the EUT



Figure 2
General Appearance of the EUT

