

3. Internal Photograph of Host

Host: Notebook Computer

(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)




Host: Notebook Computer

(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)




Host: Notebook Computer

(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)




Host: Notebook Computer

(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)




Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“***” can be 0-9, a-z, A-Z or Blank); FT3*** (“***” can be 0-9, a-z, A-Z or Blank); HSG1121)




Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“*” can be 0-9, a-z, A-Z or Blank); FT3*** (“*” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer
(FT2*** (“*” can be 0-9, a-z, A-Z or Blank); FT3*** (“*” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer
(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer


(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer


(FT2*** (“**”) can be 0-9, a-z, A-Z or Blank); FT3*** (“**”) can be 0-9, a-z, A-Z or Blank); HSG1121)

Bluetooth Antenna




Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer


(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)



Host: Notebook Computer

(FT2*** (“*” can be 0-9, a-z, A-Z or Blank); FT3*** (“*” can be 0-9, a-z, A-Z or Blank); HSG1121)

Bluetooth Antenna



Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)

WLAN Main Antenna





Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)

WLAN Aux. Antenna






Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)

WWAN Main Antenna





Host: Notebook Computer

(FT2*** (“**” can be 0-9, a-z, A-Z or Blank); FT3*** (“**” can be 0-9, a-z, A-Z or Blank); HSG1121)

WWAN Aux. Antenna

