

## Difference Document

**Product: DM ACX04G version 1**  
**FCCID:WYPACX04G**  
**ICID:8090A-ACX04G**

Versus



**Product: DM ACX04G version 1.1**  
**FCCID:WYPACX04G**  
**ICID:8090A-ACX04G**

Function:	FCC	Status:	Draft
Author:	Avena	Version:	1.0
Filename:	Diff doc of DM Version 1 vs 2	Document Date :	2010-10-09

Revision History

Version	Name	Date	Remarks
1.0	Avena Xu	2019-10-09	
1.1	Avena Xu	2019-10-24	FCCID/IC added.
1.2	Avena Xu	2019-10-29	HW version change only
1.3	Avena Xu	2019-11-12	SW change info and correct typo

**DM ACX04G Hardware change.**

Item	Change from	Change to	Remarks
1 Antenna	Stubby antenna 1/4 wave (length 1.5-inch)	Whip antenna 1/2 wave (length 6-inch)	The max gain can be referred from former TRP checking.
2 Antenna matches	Capacitors 10uF and 20uF	Resistor 0 ohm	
3 Rear housing	rear housing (pure plastic) 	rear housing with back plate (pure plastic) 	Only housing dimension change
4 HW revision	V1	V1.1	

**DM ACX04G software change.**

Item	Change from	Change to	Remarks
1 SW version	1.1	1.1.6 bug fix for user experience	Not impact RF performance



Avena Xu / Type approval manager  
Sonim Technologies, Inc.  
Tel: 86-10-65033324  
E-mail: [avena.xu@sonimtech.com](mailto:avena.xu@sonimtech.com)