



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	46.1721	-49.75	-63.33	-13.00	50.33	-13.58	Vertical
2	62.0207	-45.63	-61.80	-13.00	48.80	-16.17	Vertical
3	82.7209	-40.44	-58.20	-13.00	45.20	-17.76	Vertical
4	93.7179	-43.13	-57.00	-13.00	44.00	-13.87	Vertical
5	116.358	-49.56	-64.15	-13.00	51.15	-14.59	Vertical
6	292.957	-42.94	-55.38	-13.00	42.38	-12.44	Vertical

12A-66A Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2303.13	-47.80	-57.27	-13.00	44.27	-9.47	Horizontal
2	3167.71	-48.10	-55.01	-13.00	42.01	-6.91	Horizontal
3	5087.90	-48.96	-49.50	-13.00	36.50	-0.54	Horizontal
4	7642.96	-51.85	-43.76	-13.00	30.76	8.09	Horizontal
5	10627.6	-52.81	-38.08	-13.00	25.08	14.73	Horizontal
6	14658.8	-54.62	-34.10	-13.00	21.10	20.52	Horizontal

12A-66A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.5875	-49.07	-57.25	-13.00	44.25	-8.18	Horizontal
2	46.1721	-54.12	-59.09	-13.00	46.09	-4.97	Horizontal
3	65.5785	-51.62	-63.13	-13.00	50.13	-11.51	Horizontal
4	92.7476	-42.09	-59.43	-13.00	46.43	-17.34	Horizontal
5	236.678	-53.55	-64.55	-13.00	51.55	-11.00	Horizontal
6	289.076	-43.94	-56.18	-13.00	43.18	-12.24	Horizontal

12A-66A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2218.12	-47.96	-56.97	-13.00	43.97	-9.01	Vertical
2	3687.76	-48.12	-53.99	-13.00	40.99	-5.87	Vertical
3	4830.38	-48.35	-49.09	-13.00	36.09	-0.74	Vertical
4	7263.72	-52.09	-43.88	-13.00	30.88	8.21	Vertical
5	10705.6	-53.07	-38.70	-13.00	25.70	14.37	Vertical
6	14660.0	-54.79	-33.57	-13.00	20.57	21.22	Vertical

12A-66A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.2344	-52.61	-67.20	-13.00	54.20	-14.59	Vertical
2	46.1721	-50.69	-64.27	-13.00	51.27	-13.58	Vertical
3	69.4598	-44.83	-61.04	-13.00	48.04	-16.21	Vertical
4	92.7476	-41.42	-55.67	-13.00	42.67	-14.25	Vertical
5	114.741	-49.32	-64.07	-13.00	51.07	-14.75	Vertical
6	289.723	-42.38	-54.94	-13.00	41.94	-12.56	Vertical

12A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1964.09	-47.80	-60.14	-13.00	47.14	-12.34	Horizontal
2	3135.21	-47.68	-54.68	-13.00	41.68	-7.00	Horizontal
3	5181.91	-48.99	-49.49	-13.00	36.49	-0.50	Horizontal
4	8580.25	-52.77	-42.32	-13.00	29.32	10.45	Horizontal
5	10644.4	-53.67	-38.37	-13.00	25.37	15.30	Horizontal
6	14660.0	-55.12	-34.64	-13.00	21.64	20.48	Horizontal

13A-66A High H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.5875	-50.56	-58.74	-13.00	45.74	-8.18	Horizontal
2	45.8486	-54.74	-59.72	-13.00	46.72	-4.98	Horizontal
3	65.9020	-51.35	-63.04	-13.00	50.04	-11.69	Horizontal
4	93.0710	-42.14	-59.43	-13.00	46.43	-17.29	Horizontal
5	233.121	-53.02	-63.92	-13.00	50.92	-10.90	Horizontal
6	289.723	-44.27	-56.50	-13.00	43.50	-12.23	Horizontal


13A-66A High H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2177.11	-48.80	-58.11	-13.00	45.11	-9.31	Vertical
2	3793.77	-47.94	-52.91	-13.00	39.91	-4.97	Vertical
3	5559.45	-49.64	-48.24	-13.00	35.24	1.40	Vertical
4	8801.08	-52.62	-42.21	-13.00	29.21	10.41	Vertical
5	10628.8	-53.04	-38.23	-13.00	25.23	14.81	Vertical
6	17119.1	-55.00	-33.64	-13.00	20.64	21.36	Vertical


13A-66A High V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.91110	-50.78	-65.39	-13.00	52.39	-14.61	Vertical
2	45.8486	-50.32	-63.94	-13.00	50.94	-13.62	Vertical
3	73.6646	-41.86	-58.86	-13.00	45.86	-17.00	Vertical
4	92.7476	-42.35	-56.60	-13.00	43.60	-14.25	Vertical
5	104.391	-50.26	-63.23	-13.00	50.23	-12.97	Vertical
6	301.690	-44.26	-56.58	-13.00	43.58	-12.32	Vertical

13A-66A High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1629.06	-46.16	-59.88	-13.00	46.88	-13.72	Horizontal
2	3051.70	-48.25	-54.98	-13.00	41.98	-6.73	Horizontal
3	5562.95	-50.08	-49.68	-13.00	36.68	0.40	Horizontal
4	7248.12	-51.45	-44.04	-13.00	31.04	7.41	Horizontal
5	10621.6	-52.77	-38.25	-13.00	25.25	14.52	Horizontal
6	14673.2	-55.31	-35.30	-13.00	22.30	20.01	Horizontal

13A-66A Low H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.99	-58.32	-13.00	45.32	-8.33	Horizontal
2	45.8486	-53.81	-58.79	-13.00	45.79	-4.98	Horizontal
3	93.3945	-42.31	-59.56	-13.00	46.56	-17.25	Horizontal
4	113.771	-48.35	-65.20	-13.00	52.20	-16.85	Horizontal
5	257.379	-50.98	-63.70	-13.00	50.70	-12.72	Horizontal
6	289.723	-44.28	-56.51	-13.00	43.51	-12.23	Horizontal

13A-66A Low H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2234.62	-47.46	-56.59	-13.00	43.59	-9.13	Vertical
2	3175.21	-47.88	-54.24	-13.00	41.24	-6.36	Vertical
3	5549.45	-51.04	-49.10	-13.00	36.10	1.94	Vertical
4	7248.12	-51.49	-42.96	-13.00	29.96	8.53	Vertical
5	10678.0	-53.29	-38.38	-13.00	25.38	14.91	Vertical
6	14644.4	-55.42	-33.98	-13.00	20.98	21.44	Vertical

13A-66A Low V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.84	-64.50	-13.00	51.50	-14.66	Vertical
2	46.1721	-51.25	-64.83	-13.00	51.83	-13.58	Vertical
3	65.5785	-45.78	-61.82	-13.00	48.82	-16.04	Vertical
4	82.0740	-39.32	-57.30	-13.00	44.30	-17.98	Vertical
5	93.0710	-42.57	-56.69	-13.00	43.69	-14.12	Vertical
6	293.604	-42.99	-55.41	-13.00	42.41	-12.42	Vertical

13A-66A Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2953.19	-47.38	-55.87	-13.00	42.87	-8.49	Horizontal
2	4808.38	-49.53	-50.64	-13.00	37.64	-1.11	Horizontal
3	5859.98	-50.54	-48.06	-13.00	35.06	2.48	Horizontal
4	8517.85	-50.76	-42.04	-13.00	29.04	8.72	Horizontal
5	10655.2	-53.41	-38.05	-13.00	25.05	15.36	Horizontal
6	14664.8	-55.14	-34.83	-13.00	21.83	20.31	Horizontal

13A-66A Mid H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9110	-50.37	-58.41	-13.00	45.41	-8.04	Horizontal
2	45.8486	-53.89	-58.87	-13.00	45.87	-4.98	Horizontal
3	67.5192	-50.34	-62.92	-13.00	49.92	-12.58	Horizontal
4	93.3945	-42.13	-59.38	-13.00	46.38	-17.25	Horizontal
5	228.916	-54.20	-65.19	-13.00	52.19	-10.99	Horizontal
6	290.693	-44.22	-56.45	-13.00	43.45	-12.23	Horizontal


13A-66A Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2246.62	-48.44	-57.66	-13.00	44.66	-9.22	Vertical
2	3180.21	-48.43	-54.79	-13.00	41.79	-6.36	Vertical
3	5085.90	-49.86	-50.54	-13.00	37.54	-0.68	Vertical
4	6583.25	-51.17	-47.02	-13.00	34.02	4.15	Vertical
5	9897.98	-52.97	-39.30	-13.00	26.30	13.67	Vertical
6	14658.8	-55.21	-33.94	-13.00	20.94	21.27	Vertical


13A-66A Mid V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	45.8486	-50.24	-63.86	-13.00	50.86	-13.62	Vertical
2	58.4628	-47.11	-62.90	-13.00	49.90	-15.79	Vertical
3	77.2224	-40.14	-58.04	-13.00	45.04	-17.90	Vertical
4	92.7476	-42.40	-56.65	-13.00	43.65	-14.25	Vertical
5	113.771	-50.76	-65.57	-13.00	52.57	-14.81	Vertical
6	295.545	-43.14	-55.51	-13.00	42.51	-12.37	Vertical

13A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2187.06	-60.44	-69.45	-13.00	56.45	-9.01	Horizontal
2	3799.08	-61.70	-66.29	-13.00	53.29	-4.59	Horizontal
3	5869.31	-63.65	-61.34	-13.00	48.34	2.31	Horizontal
4	8054.89	-66.02	-57.16	-13.00	44.16	8.86	Horizontal
5	10645.8	-66.89	-51.55	-13.00	38.55	15.34	Horizontal
6	14664.9	-69.41	-49.11	-13.00	36.11	20.30	Horizontal

66A-71A High H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-50.08	-58.41	-13.00	45.41	-8.33	Horizontal
2	44.8783	-59.28	-64.28	-13.00	51.28	-5.00	Horizontal
3	64.6082	-47.27	-58.28	-13.00	45.28	-11.01	Horizontal
4	74.6349	-42.05	-57.14	-13.00	44.14	-15.09	Horizontal
5	113.447	-54.56	-71.38	-13.00	58.38	-16.82	Horizontal
6	202.070	-52.39	-67.05	-13.00	54.05	-14.66	Horizontal

66A-71A High H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2253.75	-60.36	-69.66	-13.00	56.66	-9.30	Vertical
2	2903.30	-60.96	-68.22	-13.00	55.22	-7.26	Vertical
3	4746.86	-63.47	-64.04	-13.00	51.04	-0.57	Vertical
4	7141.46	-64.95	-57.06	-13.00	44.06	7.89	Vertical
5	10647.1	-67.00	-51.55	-13.00	38.55	15.45	Vertical
6	14650.2	-69.71	-48.15	-13.00	35.15	21.56	Vertical

66A-71A High V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	36.1454	-49.75	-64.11	-13.00	51.11	-14.36	Vertical
2	53.9346	-49.60	-63.94	-13.00	50.94	-14.34	Vertical
3	67.1957	-39.71	-55.82	-13.00	42.82	-16.11	Vertical
4	125.091	-48.28	-63.49	-13.00	50.49	-15.21	Vertical
5	197.866	-50.10	-65.96	-13.00	52.96	-15.86	Vertical
6	280.020	-47.57	-60.60	-13.00	47.60	-13.03	Vertical

66A-71A High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2198.39	-60.58	-69.44	-13.00	56.44	-8.86	Horizontal
2	3049.67	-61.77	-68.50	-13.00	55.50	-6.73	Horizontal
3	5198.91	-63.06	-63.15	-13.00	50.15	-0.09	Horizontal
4	7146.79	-64.98	-57.96	-13.00	44.96	7.02	Horizontal
5	10647.1	-67.25	-51.86	-13.00	38.86	15.39	Horizontal
6	14654.2	-69.60	-48.92	-13.00	35.92	20.68	Horizontal

66A-71A Low H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	36.4688	-51.40	-65.73	-13.00	52.73	-14.33	Vertical
2	50.0534	-51.28	-64.36	-13.00	51.36	-13.08	Vertical
3	68.4895	-37.66	-53.83	-13.00	40.83	-16.17	Vertical
4	74.9583	-35.64	-52.91	-13.00	39.91	-17.27	Vertical
5	116.035	-48.36	-62.99	-13.00	49.99	-14.63	Vertical
6	276.138	-43.67	-56.84	-13.00	43.84	-13.17	Vertical


66A-71A Low H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2245.08	-60.42	-69.62	-13.00	56.62	-9.20	Vertical
2	2916.63	-60.33	-67.83	-13.00	54.83	-7.50	Vertical
3	5011.89	-62.50	-63.20	-13.00	50.20	-0.70	Vertical
4	7149.46	-65.14	-56.95	-13.00	43.95	8.19	Vertical
5	10663.1	-66.72	-51.47	-13.00	38.47	15.25	Vertical
6	14654.2	-69.83	-48.40	-13.00	35.40	21.43	Vertical


66A-71A Low V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9110	-45.66	-60.27	-13.00	47.27	-14.61	Vertical
2	53.9346	-46.27	-60.61	-13.00	47.61	-14.34	Vertical
3	74.9583	-36.56	-53.83	-13.00	40.83	-17.27	Vertical
4	120.563	-48.29	-62.59	-13.00	49.59	-14.30	Vertical
5	191.397	-50.97	-66.14	-13.00	53.14	-15.17	Vertical
6	277.432	-47.24	-60.36	-13.00	47.36	-13.12	Vertical

66A-71A Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2201.06	-60.60	-69.45	-13.00	56.45	-8.85	Horizontal
2	2989.32	-60.39	-68.35	-13.00	55.35	-7.96	Horizontal
3	5032.55	-62.93	-63.31	-13.00	50.31	-0.38	Horizontal
4	7260.14	-65.05	-57.87	-13.00	44.87	7.18	Horizontal
5	10648.5	-67.21	-51.78	-13.00	38.78	15.43	Horizontal
6	14648.9	-69.83	-49.02	-13.00	36.02	20.81	Horizontal

66A-71A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-50.85	-59.18	-13.00	46.18	-8.33	Horizontal
2	45.5252	-57.73	-62.72	-13.00	49.72	-4.99	Horizontal
3	55.5519	-53.49	-60.61	-13.00	47.61	-7.12	Horizontal
4	64.9316	-47.26	-58.42	-13.00	45.42	-11.16	Horizontal
5	115.711	-53.73	-70.70	-13.00	57.70	-16.97	Horizontal
6	200.130	-53.84	-68.68	-13.00	55.68	-14.84	Horizontal

66A-71A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2204.40	-60.84	-69.75	-13.00	56.75	-8.91	Vertical
2	3145.34	-61.43	-67.84	-13.00	54.84	-6.41	Vertical
3	5552.95	-63.36	-61.56	-13.00	48.56	1.80	Vertical
4	7237.47	-65.29	-57.01	-13.00	44.01	8.28	Vertical
5	10644.5	-67.23	-51.88	-13.00	38.88	15.35	Vertical
6	14654.2	-69.66	-48.23	-13.00	35.23	21.43	Vertical

66A-71A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	31.9406	-45.58	-60.26	-13.00	47.26	-14.68	Vertical
2	51.0237	-49.29	-62.68	-13.00	49.68	-13.39	Vertical
3	74.9583	-36.69	-53.96	-13.00	40.96	-17.27	Vertical
4	118.622	-48.66	-63.00	-13.00	50.00	-14.34	Vertical
5	192.044	-50.51	-65.75	-13.00	52.75	-15.24	Vertical
6	273.551	-46.58	-59.88	-13.00	46.88	-13.30	Vertical

66A-71A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2172.11	-47.93	-57.13	-25.00	32.13	-9.20	Horizontal
2	3029.70	-47.81	-54.97	-25.00	29.97	-7.16	Horizontal
3	5009.40	-49.83	-50.45	-25.00	25.45	-0.62	Horizontal
4	6262.82	-47.13	-44.58	-25.00	19.58	2.55	Horizontal
5	10627.6	-52.82	-38.09	-25.00	13.09	14.73	Horizontal
6	14650.4	-55.43	-34.61	-25.00	9.61	20.82	Horizontal

41C High H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.01	-57.34	-25.00	32.34	-8.33	Horizontal
2	45.8486	-53.54	-58.52	-25.00	33.52	-4.98	Horizontal
3	93.0710	-42.36	-59.65	-25.00	34.65	-17.29	Horizontal
4	113.447	-48.70	-65.52	-25.00	40.52	-16.82	Horizontal
5	237.325	-53.03	-64.05	-25.00	39.05	-11.02	Horizontal
6	289.076	-43.75	-55.99	-25.00	30.99	-12.24	Horizontal


41C High H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2212.62	-48.29	-57.26	-25.00	32.26	-8.97	Vertical
2	3053.70	-48.29	-54.70	-25.00	29.70	-6.41	Vertical
3	5109.41	-48.26	-49.22	-25.00	24.22	-0.96	Vertical
4	6579.65	-50.53	-46.44	-25.00	21.44	4.09	Vertical
5	9883.58	-53.25	-39.40	-25.00	14.40	13.85	Vertical
6	14655.2	-54.96	-33.57	-25.00	8.57	21.39	Vertical


41C High V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	46.1721	-51.18	-64.76	-25.00	39.76	-13.58	Vertical
2	62.9910	-45.23	-61.35	-25.00	36.35	-16.12	Vertical
3	83.0443	-39.61	-57.26	-25.00	32.26	-17.65	Vertical
4	92.7476	-42.44	-56.69	-25.00	31.69	-14.25	Vertical
5	117.005	-49.80	-64.32	-25.00	39.32	-14.52	Vertical
6	289.723	-42.65	-55.21	-25.00	30.21	-12.56	Vertical

41C High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2179.61	-48.36	-57.46	-25.00	32.46	-9.10	Horizontal
2	3173.71	-48.01	-54.88	-25.00	29.88	-6.87	Horizontal
3	4825.38	-49.84	-50.92	-25.00	25.92	-1.08	Horizontal
4	6261.62	-48.20	-45.63	-25.00	20.63	2.57	Horizontal
5	10633.6	-53.61	-38.68	-25.00	13.68	14.93	Horizontal
6	14649.2	-54.90	-34.08	-25.00	9.08	20.82	Horizontal

41C Low H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9110	-50.19	-58.23	-25.00	33.23	-8.04	Horizontal
2	45.8486	-53.45	-58.43	-25.00	33.43	-4.98	Horizontal
3	65.9020	-51.53	-63.22	-25.00	38.22	-11.69	Horizontal
4	92.7476	-42.44	-59.78	-25.00	34.78	-17.34	Horizontal
5	234.091	-53.32	-64.25	-25.00	39.25	-10.93	Horizontal
6	290.693	-44.30	-56.53	-25.00	31.53	-12.23	Horizontal

41C Low H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2322.13	-47.62	-57.36	-25.00	32.36	-9.74	Vertical
2	3173.71	-48.53	-54.88	-25.00	29.88	-6.35	Vertical
3	5549.45	-50.84	-48.90	-25.00	23.90	1.94	Vertical
4	7248.12	-51.82	-43.29	-25.00	18.29	8.53	Vertical
5	10622.8	-52.35	-37.75	-25.00	12.75	14.60	Vertical
6	16845.4	-56.28	-33.98	-25.00	8.98	22.30	Vertical

41C Low V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	42.9376	-53.73	-67.59	-25.00	42.59	-13.86	Vertical
2	63.9613	-45.02	-61.09	-25.00	36.09	-16.07	Vertical
3	75.6052	-40.84	-58.29	-25.00	33.29	-17.45	Vertical
4	93.0710	-42.70	-56.82	-25.00	31.82	-14.12	Vertical
5	114.418	-50.21	-64.98	-25.00	39.98	-14.77	Vertical
6	291.340	-42.69	-55.19	-25.00	30.19	-12.50	Vertical

41C Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2308.13	-47.97	-57.40	-25.00	32.40	-9.43	Horizontal
2	3050.70	-47.78	-54.50	-25.00	29.50	-6.72	Horizontal
3	5128.91	-48.15	-49.17	-25.00	24.17	-1.02	Horizontal
4	7650.16	-51.59	-43.32	-25.00	18.32	8.27	Horizontal
5	10628.8	-53.19	-38.42	-25.00	13.42	14.77	Horizontal
6	14654.0	-54.89	-34.20	-25.00	9.20	20.69	Horizontal

41C Mid H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.5875	-50.08	-58.26	-25.00	33.26	-8.18	Horizontal
2	45.8486	-54.20	-59.18	-25.00	34.18	-4.98	Horizontal
3	93.0710	-42.15	-59.44	-25.00	34.44	-17.29	Horizontal
4	105.038	-49.63	-66.08	-25.00	41.08	-16.45	Horizontal
5	237.325	-53.45	-64.47	-25.00	39.47	-11.02	Horizontal
6	290.693	-43.78	-56.01	-25.00	31.01	-12.23	Horizontal


41C Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2600.16	-48.23	-56.80	-25.00	31.80	-8.57	Vertical
2	3649.76	-48.03	-53.66	-25.00	28.66	-5.63	Vertical
3	5183.41	-49.08	-49.83	-25.00	24.83	-0.75	Vertical
4	7245.72	-51.62	-43.15	-25.00	18.15	8.47	Vertical
5	11222.9	-52.77	-37.87	-25.00	12.87	14.90	Vertical
6	14673.2	-55.39	-34.63	-25.00	9.63	20.76	Vertical


41C Mid V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	46.1721	-51.00	-64.58	-25.00	39.58	-13.58	Vertical
2	61.6972	-45.19	-61.38	-25.00	36.38	-16.19	Vertical
3	75.2818	-41.18	-58.54	-25.00	33.54	-17.36	Vertical
4	93.0710	-42.77	-56.89	-25.00	31.89	-14.12	Vertical
5	115.388	-50.49	-65.19	-25.00	40.19	-14.70	Vertical
6	292.310	-42.51	-54.97	-25.00	29.97	-12.46	Vertical

41C Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2184.61	-48.05	-57.09	-40.00	17.09	-9.04	Horizontal
2	3197.21	-48.11	-54.81	-40.00	14.81	-6.70	Horizontal
3	5095.40	-48.77	-49.38	-40.00	9.38	-0.61	Horizontal
4	8595.85	-62.36	-51.62	-40.00	11.62	10.74	Horizontal
5	10666.0	-63.54	-48.43	-40.00	8.43	15.11	Horizontal
6	14654.0	-64.69	-44.00	-40.00	4.00	20.69	Horizontal

48C High H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-48.77	-57.10	-40.00	17.10	-8.33	Horizontal
2	55.2284	-56.27	-63.26	-40.00	23.26	-6.99	Horizontal
3	92.4241	-42.12	-59.50	-40.00	19.50	-17.38	Horizontal
4	115.065	-49.28	-66.23	-40.00	26.23	-16.95	Horizontal
5	236.032	-52.57	-63.55	-40.00	23.55	-10.98	Horizontal
6	291.340	-44.21	-56.45	-40.00	16.45	-12.24	Horizontal

48C High H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2236.12	-48.20	-57.34	-40.00	17.34	-9.14	Vertical
2	3049.70	-47.80	-54.15	-40.00	14.15	-6.35	Vertical
3	5173.91	-49.17	-50.24	-40.00	10.24	-1.07	Vertical
4	7452.14	-61.73	-53.60	-40.00	13.60	8.13	Vertical
5	10632.4	-63.05	-48.11	-40.00	8.11	14.94	Vertical
6	14648.0	-65.53	-44.00	-40.00	4.00	21.53	Vertical

48C High V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	45.8486	-50.48	-64.10	-40.00	24.10	-13.62	Vertical
2	62.6676	-45.50	-61.64	-40.00	21.64	-16.14	Vertical
3	82.7209	-39.90	-57.66	-40.00	17.66	-17.76	Vertical
4	93.0710	-42.24	-56.36	-40.00	16.36	-14.12	Vertical
5	117.005	-50.43	-64.95	-40.00	24.95	-14.52	Vertical
6	289.076	-42.74	-55.31	-40.00	15.31	-12.57	Vertical

48C High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2268.62	-47.77	-57.17	-40.00	17.17	-9.40	Horizontal
2	3803.28	-48.05	-52.64	-40.00	12.64	-4.59	Horizontal
3	5210.92	-48.81	-49.12	-40.00	9.12	-0.31	Horizontal
4	8387.03	-61.86	-53.74	-40.00	13.74	8.12	Horizontal
5	10621.6	-62.25	-47.73	-40.00	7.73	14.52	Horizontal
6	14648.0	-65.48	-44.69	-40.00	4.69	20.79	Horizontal

48C Low H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.86	-58.19	-40.00	18.19	-8.33	Horizontal
2	45.8486	-53.73	-58.71	-40.00	18.71	-4.98	Horizontal
3	64.2848	-51.61	-62.47	-40.00	22.47	-10.86	Horizontal
4	93.7179	-42.50	-59.71	-40.00	19.71	-17.21	Horizontal
5	233.121	-52.66	-63.56	-40.00	23.56	-10.90	Horizontal
6	290.046	-43.86	-56.09	-40.00	16.09	-12.23	Horizontal


48C Low H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2227.62	-48.10	-57.18	-40.00	17.18	-9.08	Vertical
2	3152.71	-48.07	-54.39	-40.00	14.39	-6.32	Vertical
3	5210.92	-48.96	-49.25	-40.00	9.25	-0.29	Vertical
4	7646.56	-62.18	-53.34	-40.00	13.34	8.84	Vertical
5	10674.4	-63.77	-48.78	-40.00	8.78	14.99	Vertical
6	14651.6	-65.91	-44.39	-40.00	4.39	21.52	Vertical

48C Low V 1G-18G






**Suspected Data List**


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	45.5252	-49.99	-63.65	-40.00	23.65	-13.66	Vertical
2	57.4925	-48.58	-64.06	-40.00	24.06	-15.48	Vertical
3	71.0770	-44.38	-60.84	-40.00	20.84	-16.46	Vertical
4	93.0710	-42.15	-56.27	-40.00	16.27	-14.12	Vertical
5	115.711	-49.59	-64.25	-40.00	24.25	-14.66	Vertical
6	293.281	-42.40	-54.83	-40.00	14.83	-12.43	Vertical

48C Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3207.72	-47.91	-54.75	-40.00	14.75	-6.84	Horizontal
2	3801.78	-48.46	-53.03	-40.00	13.03	-4.57	Horizontal
3	5203.42	-50.21	-50.35	-40.00	10.35	-0.14	Horizontal
4	8586.25	-62.22	-51.66	-40.00	11.66	10.56	Horizontal
5	10670.8	-63.82	-48.82	-40.00	8.82	15.00	Horizontal
6	14652.8	-65.10	-44.37	-40.00	4.37	20.73	Horizontal

48C Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9110	-50.34	-58.38	-40.00	18.38	-8.04	Horizontal
2	45.8486	-54.44	-59.42	-40.00	19.42	-4.98	Horizontal
3	93.3945	-42.57	-59.82	-40.00	19.82	-17.25	Horizontal
4	115.388	-50.12	-67.08	-40.00	27.08	-16.96	Horizontal
5	235.061	-52.39	-63.34	-40.00	23.34	-10.95	Horizontal
6	288.752	-44.31	-56.55	-40.00	16.55	-12.24	Horizontal

48C Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2178.61	-48.42	-57.70	-40.00	17.70	-9.28	Vertical
2	3146.21	-48.25	-54.65	-40.00	14.65	-6.40	Vertical
3	4770.37	-49.62	-50.19	-40.00	10.19	-0.57	Vertical
4	7248.12	-62.08	-53.55	-40.00	13.55	8.53	Vertical
5	10574.8	-62.87	-48.28	-40.00	8.28	14.59	Vertical
6	14658.8	-65.39	-44.12	-40.00	4.12	21.27	Vertical


48C Mid V 1G-18G



**Suspected Data List**


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.59	-64.25	-40.00	24.25	-14.66	Vertical
2	45.8486	-49.98	-63.60	-40.00	23.60	-13.62	Vertical
3	74.9583	-41.82	-59.09	-40.00	19.09	-17.27	Vertical
4	93.0710	-42.36	-56.48	-40.00	16.48	-14.12	Vertical
5	115.065	-50.03	-64.76	-40.00	24.76	-14.73	Vertical
6	291.663	-42.57	-55.06	-40.00	15.06	-12.49	Vertical

48C Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2296.62	-47.55	-57.03	-13.00	44.03	-9.48	Horizontal
2	3064.70	-48.70	-55.47	-13.00	42.47	-6.77	Horizontal
3	4583.35	-48.78	-51.75	-13.00	38.75	-2.97	Horizontal
4	6261.62	-47.29	-44.72	-13.00	31.72	2.57	Horizontal
5	9842.78	-53.90	-40.08	-13.00	27.08	13.82	Horizontal
6	14656.4	-55.16	-34.55	-13.00	21.55	20.61	Horizontal

66B High H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.79	-58.12	-13.00	45.12	-8.33	Horizontal
2	45.8486	-54.55	-59.53	-13.00	46.53	-4.98	Horizontal
3	94.0413	-42.57	-59.74	-13.00	46.74	-17.17	Horizontal
4	114.741	-48.77	-65.70	-13.00	52.70	-16.93	Horizontal
5	233.444	-52.74	-63.65	-13.00	50.65	-10.91	Horizontal
6	292.310	-44.25	-56.49	-13.00	43.49	-12.24	Horizontal


66B High H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2172.11	-47.62	-57.02	-13.00	44.02	-9.40	Vertical
2	3156.71	-48.12	-54.45	-13.00	41.45	-6.33	Vertical
3	5059.90	-49.98	-50.53	-13.00	37.53	-0.55	Vertical
4	7263.72	-51.20	-42.99	-13.00	29.99	8.21	Vertical
5	10638.4	-53.22	-38.08	-13.00	25.08	15.14	Vertical
6	14655.2	-55.85	-34.46	-13.00	21.46	21.39	Vertical


66B High V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.31	-63.97	-13.00	50.97	-14.66	Vertical
2	46.1721	-50.09	-63.67	-13.00	50.67	-13.58	Vertical
3	74.6349	-41.74	-58.94	-13.00	45.94	-17.20	Vertical
4	93.0710	-42.83	-56.95	-13.00	43.95	-14.12	Vertical
5	115.065	-50.84	-65.57	-13.00	52.57	-14.73	Vertical
6	291.663	-43.01	-55.50	-13.00	42.50	-12.49	Vertical

66B High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2276.12	-47.84	-57.26	-13.00	44.26	-9.42	Horizontal
2	3192.71	-48.16	-54.89	-13.00	41.89	-6.73	Horizontal
3	5007.90	-49.84	-50.48	-13.00	37.48	-0.64	Horizontal
4	8024.60	-52.34	-44.00	-13.00	31.00	8.34	Horizontal
5	10554.4	-53.09	-38.10	-13.00	25.10	14.99	Horizontal
6	14648.0	-55.41	-34.62	-13.00	21.62	20.79	Horizontal

66B Low H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.28	-57.61	-13.00	44.61	-8.33	Horizontal
2	45.8486	-54.75	-59.73	-13.00	46.73	-4.98	Horizontal
3	92.1007	-41.69	-59.11	-13.00	46.11	-17.42	Horizontal
4	114.741	-47.91	-64.84	-13.00	51.84	-16.93	Horizontal
5	234.738	-52.61	-63.55	-13.00	50.55	-10.94	Horizontal
6	289.399	-44.40	-56.63	-13.00	43.63	-12.23	Horizontal

66B Low H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2686.66	-47.52	-56.26	-13.00	43.26	-8.74	Vertical
2	3831.78	-48.62	-53.34	-13.00	40.34	-4.72	Vertical
3	5542.45	-50.29	-48.90	-13.00	35.90	1.39	Vertical
4	7419.74	-51.12	-43.53	-13.00	30.53	7.59	Vertical
5	10631.2	-53.06	-38.17	-13.00	25.17	14.89	Vertical
6	14657.6	-55.01	-33.70	-13.00	20.70	21.31	Vertical

66B Low V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-48.54	-63.20	-13.00	50.20	-14.66	Vertical
2	46.1721	-50.56	-64.14	-13.00	51.14	-13.58	Vertical
3	65.2551	-44.56	-60.59	-13.00	47.59	-16.03	Vertical
4	83.0443	-40.20	-57.85	-13.00	44.85	-17.65	Vertical
5	96.6289	-47.23	-59.93	-13.00	46.93	-12.70	Vertical
6	291.987	-42.32	-54.80	-13.00	41.80	-12.48	Vertical

66B Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2555.15	-47.78	-56.92	-13.00	43.92	-9.14	Horizontal
2	3803.28	-48.06	-52.65	-13.00	39.65	-4.59	Horizontal
3	5085.90	-48.62	-49.14	-13.00	36.14	-0.52	Horizontal
4	7263.72	-51.54	-44.47	-13.00	31.47	7.07	Horizontal
5	10621.6	-53.02	-38.50	-13.00	25.50	14.52	Horizontal
6	14644.4	-55.63	-34.93	-13.00	21.93	20.70	Horizontal

66B Mid H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-50.72	-59.05	-13.00	46.05	-8.33	Horizontal
2	45.8486	-54.07	-59.05	-13.00	46.05	-4.98	Horizontal
3	65.2551	-51.37	-62.70	-13.00	49.70	-11.33	Horizontal
4	93.3945	-42.15	-59.40	-13.00	46.40	-17.25	Horizontal
5	244.764	-52.14	-63.94	-13.00	50.94	-11.80	Horizontal
6	291.663	-44.02	-56.26	-13.00	43.26	-12.24	Horizontal


66B Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2120.61	-47.67	-57.81	-13.00	44.81	-10.14	Vertical
2	3166.71	-48.71	-55.05	-13.00	42.05	-6.34	Vertical
3	5027.40	-49.64	-50.26	-13.00	37.26	-0.62	Vertical
4	7260.12	-51.73	-43.42	-13.00	30.42	8.31	Vertical
5	9884.78	-54.07	-40.24	-13.00	27.24	13.83	Vertical
6	17075.9	-56.35	-34.31	-13.00	21.31	22.04	Vertical


66B Mid V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.52	-64.18	-13.00	51.18	-14.66	Vertical
2	45.8486	-49.07	-62.69	-13.00	49.69	-13.62	Vertical
3	65.5785	-44.70	-60.74	-13.00	47.74	-16.04	Vertical
4	92.4241	-42.69	-57.07	-13.00	44.07	-14.38	Vertical
5	115.711	-49.64	-64.30	-13.00	51.30	-14.66	Vertical
6	292.957	-42.77	-55.21	-13.00	42.21	-12.44	Vertical

66B Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2654.16	-47.52	-56.25	-13.00	43.25	-8.73	Horizontal
2	4078.80	-47.55	-52.30	-13.00	39.30	-4.75	Horizontal
3	5090.40	-49.50	-50.06	-13.00	37.06	-0.56	Horizontal
4	7638.16	-51.99	-44.04	-13.00	31.04	7.95	Horizontal
5	10630.0	-53.61	-38.80	-13.00	25.80	14.81	Horizontal
6	14664.8	-55.17	-34.86	-13.00	21.86	20.31	Horizontal

66C High H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.5579	-54.21	-61.95	-13.00	48.95	-7.74	Horizontal
2	45.8486	-53.62	-58.60	-13.00	45.60	-4.98	Horizontal
3	54.5815	-57.22	-63.95	-13.00	50.95	-6.73	Horizontal
4	92.7476	-42.34	-59.68	-13.00	46.68	-17.34	Horizontal
5	233.121	-53.05	-63.95	-13.00	50.95	-10.90	Horizontal
6	290.370	-44.39	-56.62	-13.00	43.62	-12.23	Horizontal

66C High H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2275.12	-48.30	-57.95	-13.00	44.95	-9.65	Vertical
2	3715.27	-47.43	-53.44	-13.00	40.44	-6.01	Vertical
3	4733.37	-48.89	-50.19	-13.00	37.19	-1.30	Vertical
4	7264.92	-50.94	-42.76	-13.00	29.76	8.18	Vertical
5	9852.38	-53.62	-39.38	-13.00	26.38	14.24	Vertical
6	14645.6	-56.43	-34.96	-13.00	21.96	21.47	Vertical

66C High V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.69	-64.35	-13.00	51.35	-14.66	Vertical
2	45.8486	-50.72	-64.34	-13.00	51.34	-13.62	Vertical
3	75.2818	-41.29	-58.65	-13.00	45.65	-17.36	Vertical
4	92.1007	-42.00	-56.50	-13.00	43.50	-14.50	Vertical
5	115.711	-49.77	-64.43	-13.00	51.43	-14.66	Vertical
6	292.957	-43.16	-55.60	-13.00	42.60	-12.44	Vertical

66C High V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2292.62	-47.83	-57.30	-13.00	44.30	-9.47	Horizontal
2	3123.21	-48.13	-55.09	-13.00	42.09	-6.96	Horizontal
3	4854.38	-49.98	-51.10	-13.00	38.10	-1.12	Horizontal
4	6261.62	-47.68	-45.11	-13.00	32.11	2.57	Horizontal
5	10618.0	-53.38	-38.98	-13.00	25.98	14.40	Horizontal
6	14649.2	-55.53	-34.71	-13.00	21.71	20.82	Horizontal

66C Low H 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-50.15	-58.48	-13.00	45.48	-8.33	Horizontal
2	45.8486	-53.48	-58.46	-13.00	45.46	-4.98	Horizontal
3	68.8129	-50.03	-63.32	-13.00	50.32	-13.29	Horizontal
4	93.3945	-42.60	-59.85	-13.00	46.85	-17.25	Horizontal
5	234.414	-52.86	-63.79	-13.00	50.79	-10.93	Horizontal
6	287.135	-44.30	-56.55	-13.00	43.55	-12.25	Horizontal


66C Low H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2990.69	-48.35	-55.99	-13.00	42.99	-7.64	Vertical
2	3811.28	-48.61	-53.38	-13.00	40.38	-4.77	Vertical
3	5189.91	-49.75	-50.27	-13.00	37.27	-0.52	Vertical
4	7257.72	-51.59	-43.22	-13.00	30.22	8.37	Vertical
5	9889.58	-52.50	-38.73	-13.00	25.73	13.77	Vertical
6	14654.0	-55.51	-34.08	-13.00	21.08	21.43	Vertical


66C Low V 1G-18G






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.71	-64.37	-13.00	51.37	-14.66	Vertical
2	46.1721	-49.97	-63.55	-13.00	50.55	-13.58	Vertical
3	72.0473	-43.15	-59.81	-13.00	46.81	-16.66	Vertical
4	92.7476	-42.94	-57.19	-13.00	44.19	-14.25	Vertical
5	117.329	-50.44	-64.92	-13.00	51.92	-14.48	Vertical
6	294.898	-43.00	-55.37	-13.00	42.37	-12.37	Vertical

66C Low V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2965.19	-48.05	-56.37	-13.00	43.37	-8.32	Horizontal
2	3928.79	-48.09	-52.75	-13.00	39.75	-4.66	Horizontal
3	5561.95	-49.63	-49.19	-13.00	36.19	0.44	Horizontal
4	7447.34	-51.44	-44.45	-13.00	31.45	6.99	Horizontal
5	10628.8	-52.75	-37.98	-13.00	24.98	14.77	Horizontal
6	14654.0	-55.32	-34.63	-13.00	21.63	20.69	Horizontal

66C Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.2641	-49.82	-58.15	-13.00	45.15	-8.33	Horizontal
2	45.8486	-53.57	-58.55	-13.00	45.55	-4.98	Horizontal
3	67.1957	-49.98	-62.38	-13.00	49.38	-12.40	Horizontal
4	94.3648	-42.07	-59.19	-13.00	46.19	-17.12	Horizontal
5	233.444	-53.76	-64.67	-13.00	51.67	-10.91	Horizontal
6	290.370	-44.02	-56.25	-13.00	43.25	-12.23	Horizontal

66C Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2225.12	-47.96	-57.02	-13.00	44.02	-9.06	Vertical
2	3180.21	-48.27	-54.63	-13.00	41.63	-6.36	Vertical
3	5039.90	-49.72	-50.27	-13.00	37.27	-0.55	Vertical
4	7275.72	-51.26	-43.36	-13.00	30.36	7.90	Vertical
5	10630.0	-52.93	-38.08	-13.00	25.08	14.85	Vertical
6	14660.0	-55.04	-33.82	-13.00	20.82	21.22	Vertical

66C Mid V 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	46.1721	-50.09	-63.67	-13.00	50.67	-13.58	Vertical
2	65.2551	-44.66	-60.69	-13.00	47.69	-16.03	Vertical
3	81.4271	-39.87	-58.07	-13.00	45.07	-18.20	Vertical
4	93.0710	-42.87	-56.99	-13.00	43.99	-14.12	Vertical
5	104.391	-50.37	-63.34	-13.00	50.34	-12.97	Vertical
6	291.017	-42.92	-55.43	-13.00	42.43	-12.51	Vertical

66C Mid V 30M-1G

## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	$\pm 2.22$ dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77$ dB
Band Edge	$\pm 2.77$ dB
Equivalent Isotropic Radiated Power	$\pm 2.22$ dB
Radiated Spurious Emissions	$\pm 6$ dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Laboratory Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
<b>Telephone:</b>	+86 755 36698555
<b>Facsimile:</b>	+86 755 36698525

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



#### 4. Test Equipments Utilized

##### 4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Attenuator 1	(N/A.)	10dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY51511149	N9020A	Agilent	2023.06.21	2024.06.20
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2023.10.07	2024.10.06
System Simulator	6261830572	MT8821C	Anritsu	2023.02.09	2024.02.08
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Computer	T430i	Think Pad	Lenovo	N/A	N/A





#### 4.2 List of Software Used

Description	Manufacturer	Software Version
Morlab FCC LTE Test System	MORLAB	V7.89
MORLAB EMCR	MORLAB	V1.2

**4.3 Radiated Test Equipments**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
System Simulator	152038	CMW500	R&S	2023.10.17	2024.10.16
Receiver	MY54130016	N9038A	Agilent	2023.06.21	2024.06.20
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2023.07.01	2024.06.30
Test Antenna - Horn	9120D-963	BBHA 9120D	Schwarzbeck	2023.06.27	2024.06.26
Coaxial cable (N male) (9KHz-30MHz)	CB04	EMC04	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB02	EMC02	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB03	EMC03	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-40GHz)	CB05	EMC05	Morlab	N/A	N/A
1-18GHz pre-Amplifier	61171/61172	S020180L320 3	Tonscend	2023.06.27	2024.06.26
18-26.5GHz pre-Amplifier	46732	S10M100L380 2	Tonscend	2023.06.27	2024.06.26
Bi-Log Antenna	9163-274	VULB 9163	SCHWARZBECK	2023.06.27	2024.06.26
Horn Antenna	9120D-963	BBHA 9120D	SCHWARZBECK	2023.06.27	2024.06.26
Receiver	MY54130016	N9038A	Agilent	2023.06.21	2024.06.20
Preamplifier (2GHz-18GHz)	61171.61172	S020180L320 3	LUCIX CORP.	2023.06.27	2024.06.26
Preamplifier (10MHz-6GHz)	46732	S10M100L380 2	LUCIX CORP.	2023.06.27	2024.06.26
RF Coaxial Cable (DC-18GHz)	MRE001	PE330	Pasternack	2023.06.27	2024.06.26

END OF REPORT