





**n261, Module 0, 100MHz, HIGH CH, PUSCH DFT QPSK (99% BW)****n261, Module 0, 100MHz, HIGH CH, PUSCH DFT 16QAM (99% BW)**





n261, Module 0, 100MHz, HIGH CH, PUSCH DFT 64QAM (99% BW)



n261, Module 0, 100MHz, HIGH CH, CP-OFDM QPSK (99% BW)




**n261, Module 0, 100MHz, HIGH CH, CP-OFDM 16QAM (99% BW)****n261, Module 0, 100MHz, HIGH CH, CP-OFDM 64QAM (99% BW)**




n261, Module 0, SCS=120kHz, Beam ID: 18+146							
BW (MHz)	RB allocation	Modulation	Frequency (MHz)	99% BW(MHz)			
				Pi/2 BPSK	QPSK	16QAM	64QAM
50	Full RB	DFT-s-OFDM	27525	44.79	44.76	44.85	45.08
			27924.96	44.15	44.70	44.59	44.53
			28324.92	45.31	45.40	44.96	44.86
		CP-OFDM	27525	/	44.98	45.01	44.91
			27924.96	/	45.10	44.68	44.72
			28324.92	/	45.22	45.13	45.10
100	Full RB	DFT-s-OFDM	27550.08	90.57	91.42	90.84	90.41
			27924.96	90.60	91.10	91.15	91.34
			28299.96	91.33	91.61	91.35	91.34
		CP-OFDM	27550.08	/	94.02	93.70	93.66
			27924.96	/	94.65	94.56	94.45
			28299.96	/	94.55	94.64	94.52



n261, Module 0, 50MHz, LOW CH, PUSCH DFT BPSK (99% BW)




n261, Module 0, 50MHz, LOW CH, PUSCH DFT QPSK (99% BW)










n261, Module 0, 50MHz, LOW CH, PUSCH DFT 16QAM (99% BW)



n261, Module 0, 50MHz, LOW CH, PUSCH DFT 64QAM (99% BW)




**n261, Module 0, 50MHz, LOW CH, CP-OFDM QPSK (99% BW)****n261, Module 0, 50MHz, LOW CH, CP-OFDM 16QAM (99% BW)**


**n261, Module 0, 50MHz, LOW CH, CP-OFDM 64QAM (99% BW)****n261, Module 0, 50MHz, MID CH, PUSCH DFT BPSK (99% BW)**






n261, Module 0, 50MHz, MID CH, PUSCH DFT QPSK (99% BW)



n261, Module 0, 50MHz, MID CH, PUSCH DFT 16QAM (99% BW)



**n261, Module 0, 50MHz, MID CH, PUSCH DFT 64QAM (99% BW)****n261, Module 0, 50MHz, MID CH, CP-OFDM QPSK (99% BW)**

**n261, Module 0, 50MHz, MID CH, CP-OFDM 16QAM (99% BW)****n261, Module 0, 50MHz, MID CH, CP-OFDM 64QAM (99% BW)**