




Occupied Bandwidth


Mode	LTE Band 71 : 99%OBW(MHz)	
BW	5MHz	
Mod.	QPSK	16QAM
Middle CH	4.47	4.49
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	10MHz	
Mod.	QPSK	16QAM
Middle CH	9.09	8.99
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	15MHz	
Mod.	QPSK	16QAM
Middle CH	13.46	13.49
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	20MHz	
Mod.	QPSK	16QAM
Middle CH	18.50	18.58






LTE Band 71

Middle Channel / 10MHz / QPSK



Date: 22_JAN,2022 16:45:38


Middle Channel / 10MHz / 16QAM



Date: 22_JAN,2022 16:44:45


LTE Band 71

Middle Channel / 15MHz / QPSK



Date: 22_JAN,2022 16:42:46


Middle Channel / 15MHz / 16QAM



Date: 22_JAN,2022 16:43:47


LTE Band 71

Middle Channel / 20MHz / QPSK



Date: 22_JAN,2022 16:38:36


Middle Channel / 20MHz / 16QAM



Date: 22_JAN,2022 16:40:11




Conducted Band Edge






LTE Band 71 / 5MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 14:52:43

Highest Band Edge / 1 RB




Date: 22.JAN.2022 14:59:35

Lowest Band Edge / Full RB



Date: 22.JAN.2022 14:56:09





Highest Band Edge / Full RB



Date: 22.JAN.2022 15:03:02




LTE Band 71 / 5MHz / 64QAM






LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:11:37

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:18:28

Lowest Band Edge / Full RB



Date: 22.JAN.2022 15:15:02

Highest Band Edge / Full RB




Date: 22.JAN.2022 15:27:21




LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:13:19

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:25:38

Lowest Band Edge / Full RB



Date: 22.JAN.2022 15:16:44

Highest Band Edge / Full RB




Date: 22.JAN.2022 15:29:04




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:30:47

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:34:12

Lowest Band Edge / Full RB



Date: 22.JAN.2022 15:32:29

Highest Band Edge / Full RB




Date: 22.JAN.2022 15:35:55




LTE Band 71 / 15MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:39:21

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:46:12

Lowest Band Edge / Full RB



Date: 22.JAN.2022 15:42:46

Highest Band Edge / Full RB




Date: 22.JAN.2022 15:49:37




LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:51:20

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:54:46

Lowest Band Edge / Full RB



Date: 22.JAN.2022 15:53:03

Highest Band Edge / Full RB




Date: 22.JAN.2022 15:56:29




LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB




Date: 22.JAN.2022 15:58:12




Date: 22.JAN.2022 16:05:05

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 22.JAN.2022 16:01:40




Date: 22.JAN.2022 16:10:14




LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 15:59:56

Highest Band Edge / 1RB




Date: 22.JAN.2022 16:06:48

Lowest Band Edge / Full RB



Date: 22.JAN.2022 16:03:22

Highest Band Edge / Full RB




Date: 22.JAN.2022 16:08:31




LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 22.JAN.2022 16:11:57

Highest Band Edge / 1 RB




Date: 22.JAN.2022 16:15:23

Lowest Band Edge / Full RB



Date: 22.JAN.2022 16:13:40



Highest Band Edge / Full RB



Date: 22.JAN.2022 16:17:06



Conducted Spurious Emission







LTE Band 71 / 10MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 22. JAN. 2022 16:23:52



Date: 22. JAN. 2022 16:25:33

Highest Channel / QPSK




Date: 22. JAN. 2022 16:27:14




LTE Band 71 / 15MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 22.JAN.2022 16:28:56



Date: 22.JAN.2022 16:30:38

Highest Channel / QPSK




Date: 22.JAN.2022 16:32:19




LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 22. JAN. 2022 16:34:01



Date: 22. JAN. 2022 16:35:42

Highest Channel / QPSK



Date: 23. JAN. 2022 01:36:20



Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0037	PASS
40	Normal Voltage	0.0021	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0021	
0	Normal Voltage	0.0015	
-10	Normal Voltage	0.0013	
-20	Normal Voltage	0.0038	
-30	Normal Voltage	0.0013	
20	Maximum Voltage	0.0021	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0005	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	22~23°C
		Relative Humidity :	41~42%

For Sample 1:

LTE Band 7 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-55.82	-25	-30.82	-66.03	3.03	13.24	H
	7500	-59.46	-25	-34.46	-68.91	3.56	13.01	H
	10006	-61.12	-25	-36.12	-70.64	3.92	13.44	H
	5008	-59.01	-25	-34.01	-69.22	3.03	13.24	V
	7500	-59.74	-25	-34.74	-69.19	3.56	13.01	V
	10006	-62.28	-25	-37.28	-71.80	3.92	13.44	V
Middle	5050	-55.63	-25	-30.63	-65.84	3.03	13.24	H
	7584	-61.36	-25	-36.36	-70.81	3.56	13.01	H
	10104	-61.39	-25	-36.39	-70.91	3.92	13.44	H
	5050	-58.90	-25	-33.90	-69.11	3.03	13.24	V
	7584	-60.38	-25	-35.38	-69.83	3.56	13.01	V
	10104	-62.04	-25	-37.04	-71.56	3.92	13.44	V
Highest	5106	-56.97	-25	-31.97	-67.18	3.03	13.24	H
	7654	-60.39	-25	-35.39	-69.84	3.56	13.01	H
	10202	-61.06	-25	-36.06	-70.58	3.92	13.44	H
	5106	-57.82	-25	-32.82	-68.03	3.03	13.24	V
	7654	-59.79	-25	-34.79	-69.24	3.56	13.01	V
	10202	-60.37	-25	-35.37	-69.89	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-60.65	-13	-47.65	-67.62	1.58	10.70	H
	2096	-60.41	-13	-47.41	-68.66	2.102	12.50	H
	2800	-59.22	-13	-46.22	-68.11	2.856	13.90	H
	3496	-59.56	-13	-46.56	-68.02	2.689	13.30	H
	1400	-60.62	-13	-47.62	-67.59	1.58	10.70	V
	2096	-59.96	-13	-46.96	-68.21	2.10	12.50	V
	2800	-58.89	-13	-45.89	-67.78	2.86	13.90	V
	3496	-59.37	-13	-46.37	-67.83	2.69	13.30	V
Middle	1408	-62.04	-13	-49.04	-69.01	1.58	10.70	H
	2112	-61.21	-13	-48.21	-69.46	2.102	12.50	H
	2808	-59.28	-13	-46.28	-68.17	2.856	13.90	H
	3512	-58.82	-13	-45.82	-67.28	2.689	13.30	H
	1408	-57.81	-13	-44.81	-64.78	1.58	10.70	V
	2112	-60.30	-13	-47.30	-68.55	2.10	12.50	V
	2808	-58.90	-13	-45.90	-67.79	2.86	13.90	V
	3512	-59.57	-13	-46.57	-68.03	2.69	13.30	V
Highest	1416	-62.39	-13	-49.39	-69.36	1.58	10.70	H
	2120	-61.41	-13	-48.41	-69.66	2.102	12.50	H
	2824	-59.46	-13	-46.46	-68.35	2.856	13.90	H
	3528	-59.14	-13	-46.14	-67.60	2.689	13.30	H
	1416	-60.04	-13	-47.04	-67.01	1.58	10.70	V
	2120	-60.45	-13	-47.45	-68.70	2.10	12.50	V
	2824	-59.30	-13	-46.30	-68.19	2.86	13.90	V
	3528	-59.02	-13	-46.02	-67.48	2.69	13.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 5MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-63.93	-13	-50.93	-66.56	1.09	5.87	H
	2328	-61.17	-13	-48.17	-63.57	1.37	5.92	H
	3112	-60.06	-13	-47.06	-63.95	1.64	7.68	H
	1552	-62.36	-13	-49.36	-64.99	1.09	5.87	V
	2328	-59.57	-13	-46.57	-61.97	1.37	5.92	V
	3112	-60.00	-13	-47.00	-63.89	1.64	7.68	V
Middle	1560	-57.94	-42.15	-15.79	-60.57	1.09	5.87	H
	2336	-61.58	-13	-48.58	-63.98	1.37	5.92	H
	3120	-60.01	-13	-47.01	-63.90	1.64	7.68	H
	1560	-52.23	-42.15	-10.08	-54.86	1.09	5.87	V
	2336	-60.05	-13	-47.05	-62.45	1.37	5.92	V
	3120	-58.75	-13	-45.75	-62.64	1.64	7.68	V
Highest	1560	-64.40	-42.15	-22.25	-67.03	1.09	5.87	H
	2344	-61.91	-13	-48.91	-64.31	1.37	5.92	H
	3128	-60.28	-13	-47.28	-64.17	1.64	7.68	H
	1560	-62.32	-42.15	-20.17	-64.95	1.09	5.87	V
	2344	-60.16	-13	-47.16	-62.56	1.37	5.92	V
	3128	-59.77	-13	-46.77	-63.66	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-63.70	-13	-50.70	-66.33	1.09	5.87	H
	2328	-61.18	-13	-48.18	-63.58	1.37	5.92	H
	3112	-60.18	-13	-47.18	-64.07	1.64	7.68	H
	1552	-61.31	-13	-48.31	-63.94	1.09	5.87	V
	2328	-59.97	-13	-46.97	-62.37	1.37	5.92	V
	3112	-59.86	-13	-46.86	-63.75	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-56.73	-13	-43.73	-68.99	2.64	14.90	H
	5550	-54.79	-13	-41.79	-66.65	2.94	14.80	H
	7410	-53.21	-13	-40.21	-62.98	3.39	13.16	H
	3705	-56.57	-13	-43.57	-68.83	2.64	14.90	V
	5550	-55.98	-13	-42.98	-67.84	2.94	14.80	V
	7410	-53.36	-13	-40.36	-63.13	3.39	13.16	V
Middle	3735	-56.57	-13	-43.57	-68.83	2.64	14.90	H
	5610	-55.66	-13	-42.66	-67.52	2.94	14.80	H
	7485	-51.67	-13	-38.67	-61.44	3.39	13.16	H
	3735	-56.22	-13	-43.22	-68.48	2.64	14.90	V
	5610	-55.80	-13	-42.80	-67.66	2.94	14.80	V
	7485	-52.88	-13	-39.88	-62.65	3.39	13.16	V
Highest	3795	-57.47	-13	-44.47	-69.73	2.64	14.90	H
	5685	-55.41	-13	-42.41	-67.27	2.94	14.80	H
	7590	-53.07	-13	-40.07	-62.84	3.39	13.16	H
	3795	-56.84	-13	-43.84	-69.10	2.64	14.90	V
	5685	-55.92	-13	-42.92	-67.78	2.94	14.80	V
	7590	-53.25	-13	-40.25	-63.02	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 26 / 15MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-65.60	-13	-52.60	-72.57	1.58	10.70	H
	2472	-61.06	-13	-48.06	-69.31	2.102	12.50	H
	3296	-59.91	-13	-46.91	-68.80	2.856	13.90	H
	1648	-64.52	-13	-51.52	-71.49	1.58	10.70	V
	2472	-59.33	-13	-46.33	-67.58	2.10	12.50	V
	3296	-59.92	-13	-46.92	-68.81	2.86	13.90	V
Middle	1656	-64.69	-13	-51.69	-71.66	1.58	10.70	H
	2488	-60.25	-13	-47.25	-68.50	2.102	12.50	H
	3320	-59.68	-13	-46.68	-68.57	2.856	13.90	H
	1656	-64.58	-13	-51.58	-71.55	1.58	10.70	V
	2488	-59.36	-13	-46.36	-67.61	2.10	12.50	V
	3320	-60.10	-13	-47.10	-68.99	2.86	13.90	V
Highest	1672	-65.60	-13	-52.60	-72.57	1.58	10.70	H
	2504	-60.60	-13	-47.60	-68.85	2.102	12.50	H
	3336	-60.00	-13	-47.00	-68.89	2.856	13.90	H
	1672	-64.17	-13	-51.17	-71.14	1.58	10.70	V
	2504	-59.43	-13	-46.43	-67.68	2.10	12.50	V
	3336	-59.67	-13	-46.67	-68.56	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-48.70	-25	-23.70	-58.91	3.03	13.24	H
	7486	-53.20	-25	-28.20	-62.65	3.56	13.01	H
	9992	-60.29	-25	-35.29	-69.81	3.92	13.44	H
	4994	-52.26	-25	-27.26	-62.47	3.03	13.24	V
	7486	-54.74	-25	-29.74	-64.19	3.56	13.01	V
	9992	-62.18	-25	-37.18	-71.70	3.92	13.44	V
Middle	5162	-55.02	-25	-30.02	-65.23	3.03	13.24	H
	7752	-51.99	-25	-26.99	-61.44	3.56	13.01	H
	10342	-60.25	-25	-35.25	-69.77	3.92	13.44	H
	5162	-57.06	-25	-32.06	-67.27	3.03	13.24	V
	7752	-51.94	-25	-26.94	-61.39	3.56	13.01	V
	10342	-60.07	-25	-35.07	-69.59	3.92	13.44	V
Highest	5344	-53.98	-25	-28.98	-64.19	3.03	13.24	H
	8018	-51.53	-25	-26.53	-60.98	3.56	13.01	H
	10678	-61.20	-25	-36.20	-70.72	3.92	13.44	H
	5344	-54.80	-25	-29.80	-65.01	3.03	13.24	V
	8018	-54.83	-25	-29.83	-64.28	3.56	13.01	V
	10678	-60.44	-25	-35.44	-69.96	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-49.57	-13	-36.57	-60.31	2.604	13.34	H
	5130	-55.23	-13	-42.23	-65.74	3.011	13.52	H
	6840	-54.68	-13	-41.68	-64.88	3.271	13.47	H
	3420	-49.73	-13	-36.73	-60.47	2.604	13.34	V
	5130	-55.14	-13	-42.14	-65.65	3.011	13.52	V
	6840	-54.84	-13	-41.84	-65.04	3.271	13.47	V
Middle	3465	-47.20	-13	-34.20	-57.94	2.604	13.34	H
	5205	-54.78	-13	-41.78	-65.29	3.011	13.52	H
	6945	-53.63	-13	-40.63	-63.83	3.271	13.47	H
	3465	-46.94	-13	-33.94	-57.68	2.604	13.34	V
	5205	-54.75	-13	-41.75	-65.26	3.011	13.52	V
	6945	-54.57	-13	-41.57	-64.77	3.271	13.47	V
Highest	3525	-49.50	-13	-36.50	-60.24	2.604	13.34	H
	5280	-55.43	-13	-42.43	-65.94	3.011	13.52	H
	7050	-54.18	-13	-41.18	-64.38	3.271	13.47	H
	3525	-48.69	-13	-35.69	-59.43	2.604	13.34	V
	5280	-55.21	-13	-42.21	-65.72	3.011	13.52	V
	7050	-54.36	-13	-41.36	-64.56	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71 / 20MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-64.44	-13	-51.44	-66.19	1.02	4.92	H
	1992	-62.82	-13	-49.82	-64.79	1.27	5.39	H
	2656	-59.55	-13	-46.55	-62.48	1.49	6.57	H
	1328	-59.93	-13	-46.93	-61.68	1.02	4.92	V
	1992	-61.84	-13	-48.84	-63.81	1.27	5.39	V
	2656	-59.81	-13	-46.81	-62.74	1.49	6.57	V
Middle	1344	-65.25	-13	-52.25	-67.00	1.02	4.92	H
	2016	-62.32	-13	-49.32	-64.29	1.27	5.39	H
	2688	-60.21	-13	-47.21	-63.14	1.49	6.57	H
	1344	-62.18	-13	-49.18	-63.93	1.02	4.92	V
	2016	-61.98	-13	-48.98	-63.95	1.27	5.39	V
	2688	-59.77	-13	-46.77	-62.70	1.49	6.57	V
Highest	1360	-64.76	-13	-51.76	-66.51	1.02	4.92	H
	2040	-61.93	-13	-48.93	-63.90	1.27	5.39	H
	2720	-59.94	-13	-46.94	-62.87	1.49	6.57	H
	1360	-61.53	-13	-48.53	-63.28	1.02	4.92	V
	2040	-60.87	-13	-47.87	-62.84	1.27	5.39	V
	2720	-59.48	-13	-46.48	-62.41	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

For Sample 2:

LTE Band 13 / 5MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1560	-60.83	-42.15	-18.68	-63.46	1.09	5.87	H
	2344	-61.18	-13	-48.18	-63.58	1.37	5.92	H
	3120	-59.60	-13	-46.60	-63.49	1.64	7.68	H
	1560	-60.29	-42.15	-18.14	-62.92	1.09	5.87	V
	2344	-60.19	-13	-47.19	-62.59	1.37	5.92	V
	3120	-59.64	-13	-46.64	-63.53	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.