

Difference Document

Product: XP3300 Z1

SW Version 500030SW03A00_Ex-Handy_07_2 (SV01)

MS Types: P24C005AJ/P25C005AJ

HW Version: A

Verses

Product: XP3330 Z1 PTT

SW Version 500030SW06A00_Ex-Handy_07_5 (SV05)

MS Types: P24C005AJ/P25C005AJ

HW Version: A

| | | | |
|-----------|---|-----------------|-----------|
| Function: | | Status: | Draft |
| Author: | Sonim | Version: | 0.1 |
| Filename: | 1.2.1.2 HW-SW Difference Document for XP3300 Z1X-XP3330 Z1X.doc | Document Date : | 08Jun2011 |

Revision History

| Version | Name | Date | Remarks |
|---------|---------|-----------|-----------------|
| 0.1 | Vrijlal | 08Jun2011 | Initial release |

This Sonim document has been submitted under terms of our Non-Disclosure Agreement. It is not for use by any other persons. It may not be reproduced, stored, or copied in any form. By accepting delivery of this summary, the recipient acknowledges and agrees that: I) in the event the recipient does not wish to pursue this matter, the recipient will return this copy to Sonim technologies, Inc., at the address listed below as soon as practical; or delete files containing this plan that were sent via electronic mail; ii) the recipient will not copy, fax, reproduce, or distribute this Proposal, in whole or in part, without permission; iii) all of the information contained herein will be treated as strictly confidential material.

Contents

| | | |
|----------|---|----------|
| <i>1</i> | <i>About the document</i> | <i>4</i> |
| <i>2</i> | <i>Detailed Descriptions of the SW Changes.....</i> | <i>4</i> |
| <i>3</i> | <i>Detailed Descriptions of the HW Changes.....</i> | <i>5</i> |

1 About the document

This document lists the SW/HW differences between Sonim XP3300 Z1 and Sonim XP3330 Z1 PTT. Sonim XP3330 Z1 PTT comes out in two models Sonim XP3330-E-X1 and Sonim XP3330-A-X1.

| Implementation 1 (XP3300 Z1) | | | |
|-------------------------------------|----------------|------------------------------------|------------------|
| Model Name | Type Number(s) | SW Version (SW1) | HW Version (HW1) |
| Sonim XP3300-E-X1 | P24C005AJ | 500030SW03A00_Ex-Handy_07_2 (SV01) | A |
| Sonim XP3300-A-X1 | P25C005AJ | 500030SW03A00_Ex-Handy_07_2 (SV01) | A |

and

| Implementation 2 (XP3330 Sentinel Z1 PTT) | | | |
|--|----------------|------------------------------------|------------------|
| Model Name | Type Number(s) | SW Version (SW2) | HW Version (HW2) |
| Sonim XP3330-E-X1 | P24C005AJ | 500030SW06A00_Ex-Handy_07_5 (SV05) | A |
| Sonim XP3330-A-X1 | P25C005AJ | 500030SW06A00_Ex-Handy_07_5 (SV05) | A |

Based on these differences, and if needed, a retesting scope for Implementation 2 is suggested.

2 Detailed Descriptions of the SW Changes

SW2 is a direct line derivate from the previously type approved SW1.

The executable software build of SW2 is the same as the one of SW1, except for the differences listed below.

Please note that each section of software change is concluded with a statement that either 1) contains Sonim's suggestion of the impacted by the change area for retest, or 2) declares that the change does not result in any retesting.

| 3. | Circuit Switched PTT Application | |
|--|---|---|
| | Description | Details |
| | Kodiak CS PTT as an additional feature | Additional new PTT Application using Kodiak DCE would be integrated into the phone. Using Kodiak PTT, the user would be able to call another PTT user with Kodiak enables PTT. Other features like group call (multi party), Presence (view the availability of other PTT user), etc. |
| | Sonim Assessment | |
| No impact to the NW performance due to this change – no retesting needed | | |

3 Detailed Descriptions of the HW Changes

The hardware design of HW2 is similar to the hardware design of HW1 in all details.