

## EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G


WIFI2.4G- Horizontal-TX

### EUT Name:

Project Number: SHE20090007-02GE

Test Time: 2021-02-24\_17.49.48

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Test Engineer:	Xiang Cheng Jie
Temp.(oC):	20.1	Test Standard:	FCC
Hum.:	54%	Work Addition:	Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.819	27.97	-22.27	40.0	-12.03	Peak	283.60	100	Horizontal	Pass
2	47.941	30.77	-19.41	40.0	-9.23	Peak	297.40	100	Horizontal	Pass
3	120.006	35.20	-22.71	43.5	-8.30	Peak	360.00	100	Horizontal	Pass
3*	120.006	33.68	-22.71	43.5	-9.82	QP	360.00	100	Horizontal	Pass
4	215.951	29.53	-20.82	43.5	-13.97	Peak	294.90	100	Horizontal	Pass
5	359.960	37.15	-16.37	46.0	-8.85	Peak	322.50	100	Horizontal	Pass
6	551.972	36.62	-11.31	46.0	-9.38	Peak	347.60	100	Horizontal	Pass

WiFi2.4G-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-24\_17.53.27

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Test Engineer: Xiang Cheng Jie


Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal

R Emission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.819	28.04	-22.27	40.0	-11.96	Peak	316.40	100	Vertical	Pass
2	59.820	30.14	-20.75	40.0	-9.86	Peak	306.70	100	Vertical	Pass
3	120.006	35.06	-22.71	43.5	-8.44	Peak	334.60	100	Vertical	Pass
3*	120.006	33.49	-22.71	43.5	-10.01	QP	334.60	100	Vertical	Pass
4	215.951	28.89	-20.82	43.5	-14.61	Peak	325.60	100	Vertical	Pass
5	359.960	36.84	-16.37	46.0	-9.16	Peak	302.30	100	Vertical	Pass
6	551.972	36.83	-11.31	46.0	-9.17	Peak	251.50	100	Vertical	Pass

1-18G

WIFI2.4G-B- Low channel-Horizontal-TX

## Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_13.46.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1078.740	45.16	-13.60	74.0	-28.84	Peak	36.90	100	Horizontal	Pass
1**	1078.740	35.35	-13.60	54.0	-18.65	AV	36.90	100	Horizontal	Pass
2	1573.928	44.23	-12.87	74.0	-29.77	Peak	261.70	100	Horizontal	Pass
2**	1573.928	34.00	-12.87	54.0	-20.00	AV	261.70	100	Horizontal	Pass
3	2402.075	49.17	-4.49	74.0	-24.83	Peak	122.90	100	Horizontal	Pass
3**	2402.075	43.92	-4.49	54.0	-10.08	AV	122.90	100	Horizontal	Pass
4	2897.013	49.64	-3.91	74.0	-24.36	Peak	349.50	100	Horizontal	Pass
4**	2897.013	39.57	-3.91	54.0	-14.43	AV	349.50	100	Horizontal	Pass
5	3586.500	48.58	-3.13	74.0	-25.42	Peak	197.50	100	Horizontal	Pass
5**	3586.500	38.00	-3.13	54.0	-16.00	AV	197.50	100	Horizontal	Pass
6	5114.000	50.79	0.35	74.0	-23.21	Peak	360.00	100	Horizontal	Pass
6**	5114.000	39.72	0.35	54.0	-14.28	AV	360.00	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.19.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9171.957	42.11	10.75	74.0	-31.89	Peak	2.10	150	Horizontal	Pass
1**	9171.957	33.99	10.75	54.0	-20.01	AV	2.10	150	Horizontal	Pass
2	10139.715	45.35	13.15	74.0	-28.65	Peak	271.00	150	Horizontal	Pass
2**	10139.715	36.87	13.15	54.0	-17.13	AV	271.00	150	Horizontal	Pass
3	10887.528	46.05	14.75	74.0	-27.95	Peak	359.70	150	Horizontal	Pass
3**	10887.528	37.56	14.75	54.0	-16.44	AV	359.70	150	Horizontal	Pass
4	12501.375	49.19	16.37	74.0	-24.81	Peak	137.00	150	Horizontal	Pass
4**	12501.375	40.05	16.37	54.0	-13.95	AV	137.00	150	Horizontal	Pass
5	13177.706	51.11	18.52	74.0	-22.89	Peak	346.20	150	Horizontal	Pass
5**	13177.706	43.26	18.52	54.0	-10.74	AV	346.20	150	Horizontal	Pass
6	14205.949	54.20	21.94	74.0	-19.80	Peak	100.20	150	Horizontal	Pass
6**	14205.949	45.53	21.94	54.0	-8.47	AV	100.20	150	Horizontal	Pass

WiFi2.4G-B-Low channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_13.49.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.226	44.77	-12.86	74.0	-29.23	Peak	42.90	100	Vertical	Pass
1**	1188.226	33.76	-12.86	54.0	-20.24	AV	42.90	100	Vertical	Pass
2	1374.703	45.03	-12.87	74.0	-28.97	Peak	287.70	100	Vertical	Pass
2**	1374.703	34.40	-12.87	54.0	-19.60	AV	287.70	100	Vertical	Pass
3	2401.575	50.39	-4.49	74.0	-23.61	Peak	344.70	100	Vertical	Pass
3**	2401.575	44.44	-4.49	54.0	-9.56	AV	344.70	100	Vertical	Pass
4	2999.500	49.17	-2.80	74.0	-24.83	Peak	256.90	100	Vertical	Pass
4**	2999.500	39.80	-2.80	54.0	-14.20	AV	256.90	100	Vertical	Pass
5	4897.000	51.23	-0.82	74.0	-22.77	Peak	334.10	100	Vertical	Pass
5**	4897.000	39.81	-0.82	54.0	-14.19	AV	334.10	100	Vertical	Pass
6	6024.000	54.42	2.04	74.0	-19.58	Peak	334.10	100	Vertical	Pass
6**	6024.000	43.58	2.04	54.0	-10.42	AV	334.10	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.38.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8963.009	42.42	11.17	74.0	-31.58	Peak	198.80	150	Vertical	Pass
1**	8963.009	34.15	11.17	54.0	-19.85	AV	198.80	150	Vertical	Pass
2	10112.222	45.29	13.30	74.0	-28.71	Peak	198.80	150	Vertical	Pass
2**	10112.222	36.40	13.30	54.0	-17.60	AV	198.80	150	Vertical	Pass
3	11629.843	47.64	14.80	74.0	-26.36	Peak	101.70	150	Vertical	Pass
3**	11629.843	38.85	14.80	54.0	-15.15	AV	101.70	150	Vertical	Pass
4	13185.954	50.63	18.51	74.0	-23.37	Peak	189.90	150	Vertical	Pass
4**	13185.954	42.08	18.51	54.0	-11.92	AV	189.90	150	Vertical	Pass
5	14769.558	54.40	21.45	74.0	-19.60	Peak	36.90	150	Vertical	Pass
5**	14769.558	44.79	21.45	54.0	-9.21	AV	36.90	150	Vertical	Pass
6	17824.044	58.13	24.34	74.0	-15.87	Peak	64.10	150	Vertical	Pass
6**	17824.044	49.75	24.34	54.0	-4.25	AV	64.10	150	Vertical	Pass


WIFI2.4G-B-Middle channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.00.51

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Test Engineer:	Xiang Cheng Jie
Temp.(oC):	20.1	Test Standard:	FCC
Hum.:	54%	Work Addition:	Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.978	44.84	-12.81	74.0	-29.16	Peak	52.20	100	Horizontal	Pass
1**	1178.978	35.70	-12.81	54.0	-18.30	AV	52.20	100	Horizontal	Pass
2	1586.677	45.15	-12.95	74.0	-28.85	Peak	192.50	100	Horizontal	Pass
2**	1586.677	35.15	-12.95	54.0	-18.85	AV	192.50	100	Horizontal	Pass
3	2392.076	49.16	-4.35	74.0	-24.84	Peak	220.00	100	Horizontal	Pass
3**	2392.076	38.64	-4.35	54.0	-15.36	AV	220.00	100	Horizontal	Pass
4	2996.750	49.23	-2.86	74.0	-24.77	Peak	3.70	100	Horizontal	Pass
4**	2996.750	39.07	-2.86	54.0	-14.93	AV	3.70	100	Horizontal	Pass
5	5117.500	51.16	0.33	74.0	-22.84	Peak	328.10	100	Horizontal	Pass
5**	5117.500	40.21	0.33	54.0	-13.79	AV	328.10	100	Horizontal	Pass
6	6681.000	56.19	3.60	74.0	-17.81	Peak	272.60	100	Horizontal	Pass
6**	6681.000	44.53	3.60	54.0	-9.47	AV	272.60	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.27.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9317.671	43.89	10.80	74.0	-30.11	Peak	97.20	150	Horizontal	Pass
1**	9317.671	34.38	10.80	54.0	-19.62	AV	97.20	150	Horizontal	Pass
2	10158.960	45.00	13.01	74.0	-29.00	Peak	45.50	150	Horizontal	Pass
2**	10158.960	36.71	13.01	54.0	-17.29	AV	45.50	150	Horizontal	Pass
3	12443.639	49.93	17.11	74.0	-24.07	Peak	185.40	150	Horizontal	Pass
3**	12443.639	40.37	17.11	54.0	-13.63	AV	185.40	150	Horizontal	Pass
4	13169.458	50.67	18.52	74.0	-23.33	Peak	148.20	150	Horizontal	Pass
4**	13169.458	42.59	18.52	54.0	-11.41	AV	148.20	150	Horizontal	Pass
5	14186.703	53.00	22.33	74.0	-21.00	Peak	138.50	150	Horizontal	Pass
5**	14186.703	45.13	22.33	54.0	-8.87	AV	138.50	150	Horizontal	Pass
6	17807.548	58.50	24.83	74.0	-15.50	Peak	138.50	150	Horizontal	Pass
6**	17807.548	50.36	24.83	54.0	-3.64	AV	138.50	150	Horizontal	Pass




WIFI2.4G-B-Middle channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_14.58.23

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Test Engineer:	Xiang Cheng Jie
Temp.(oC):	20.1	Test Standard:	FCC
Hum.:	54%	Work Addition:	Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.740	46.03	-13.60	74.0	-27.97	Peak	47.70	100	Vertical	Pass
1**	1081.740	36.13	-13.60	54.0	-17.87	AV	47.70	100	Vertical	Pass
2	1593.176	43.60	-12.98	74.0	-30.40	Peak	188.70	100	Vertical	Pass
2**	1593.176	34.19	-12.98	54.0	-19.81	AV	188.70	100	Vertical	Pass
3	1899.388	46.82	-11.54	74.0	-27.18	Peak	360.00	100	Vertical	Pass
3**	1899.388	38.84	-11.54	54.0	-15.16	AV	360.00	100	Vertical	Pass
4	2391.326	48.62	-5.35	74.0	-25.38	Peak	356.00	100	Vertical	Pass
4**	2391.326	38.60	-5.35	54.0	-15.40	AV	356.00	100	Vertical	Pass
5	2992.751	48.93	-2.95	74.0	-25.07	Peak	29.50	100	Vertical	Pass
5**	2992.751	39.47	-2.95	54.0	-14.53	AV	29.50	100	Vertical	Pass
6	4262.000	48.60	-2.45	74.0	-25.40	Peak	162.40	100	Vertical	Pass
6**	4262.000	38.04	-2.45	54.0	-15.96	AV	162.40	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10:52:47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8850.287	42.18	9.10	74.0	-31.82	Peak	331.30	150	Vertical	Pass
1**	8850.287	33.16	9.10	54.0	-20.84	AV	331.30	150	Vertical	Pass
2	9947.263	45.56	13.37	74.0	-28.44	Peak	192.10	150	Vertical	Pass
2**	9947.263	36.04	13.37	54.0	-17.96	AV	192.10	150	Vertical	Pass
3	11316.421	46.53	15.53	74.0	-27.47	Peak	62.20	150	Vertical	Pass
3**	11316.421	37.46	15.53	54.0	-16.54	AV	62.20	150	Vertical	Pass
4	12449.138	48.83	17.13	74.0	-25.17	Peak	359.70	150	Vertical	Pass
4**	12449.138	40.80	17.13	54.0	-13.20	AV	359.70	150	Vertical	Pass
5	14164.709	53.53	21.66	74.0	-20.47	Peak	3.70	150	Vertical	Pass
5**	14164.709	44.42	21.66	54.0	-9.58	AV	3.70	150	Vertical	Pass
6	16034.241	54.47	20.58	74.0	-19.53	Peak	316.70	150	Vertical	Pass
6**	16034.241	45.11	20.58	54.0	-8.89	AV	316.70	150	Vertical	Pass

WiFi2.4G-B-High channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.18.33

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1068.741	45.94	-13.67	74.0	-28.06	Peak	45.40	100	Horizontal	Pass
1**	1068.741	36.47	-13.67	54.0	-17.53	AV	45.40	100	Horizontal	Pass
2	1392.451	44.21	-12.82	74.0	-29.79	Peak	303.00	100	Horizontal	Pass
2**	1392.451	33.79	-12.82	54.0	-20.21	AV	303.00	100	Horizontal	Pass
3	2129.859	47.90	-8.89	74.0	-26.10	Peak	359.60	100	Horizontal	Pass
3**	2129.859	37.52	-8.89	54.0	-16.48	AV	359.60	100	Horizontal	Pass
4	2400.825	49.52	-4.48	74.0	-24.48	Peak	262.80	100	Horizontal	Pass
4**	2400.825	39.43	-4.48	54.0	-14.57	AV	262.80	100	Horizontal	Pass
5	2995.001	48.91	-2.90	74.0	-25.09	Peak	192.10	100	Horizontal	Pass
5**	2995.001	39.16	-2.90	54.0	-14.84	AV	192.10	100	Horizontal	Pass
6	5104.000	50.94	0.33	74.0	-23.06	Peak	108.10	100	Horizontal	Pass
6**	5104.000	40.70	0.33	54.0	-13.30	AV	108.10	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.55.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9422.144	43.49	11.49	74.0	-30.51	Peak	138.90	150	Horizontal	Pass
1**	9422.144	35.22	11.49	54.0	-18.78	AV	138.90	150	Horizontal	Pass
2	10835.291	46.80	14.51	74.0	-27.20	Peak	348.00	150	Horizontal	Pass
2**	10835.291	37.51	14.51	54.0	-16.49	AV	348.00	150	Horizontal	Pass
3	13191.452	50.23	18.51	74.0	-23.77	Peak	208.50	150	Horizontal	Pass
3**	13191.452	42.00	18.51	54.0	-12.00	AV	208.50	150	Horizontal	Pass
4	14192.202	53.25	22.26	74.0	-20.75	Peak	4.20	150	Horizontal	Pass
4**	14192.202	45.06	22.26	54.0	-8.94	AV	4.20	150	Horizontal	Pass
5	15861.035	53.06	19.34	74.0	-20.94	Peak	171.30	150	Horizontal	Pass
5**	15861.035	43.85	19.34	54.0	-10.15	AV	171.30	150	Horizontal	Pass
6	17815.796	58.15	24.58	74.0	-15.85	Peak	360.00	150	Horizontal	Pass
6**	17815.796	49.43	24.58	54.0	-4.57	AV	360.00	150	Horizontal	Pass

## WiFi2.4G-B-High channel-Vertical-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.27.35

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1075.991	46.51	-13.59	74.0	-27.49	Peak	49.60	100	Vertical	Pass
1**	1075.991	36.92	-13.59	54.0	-17.08	AV	49.60	100	Vertical	Pass
2	1786.902	44.91	-12.26	74.0	-29.09	Peak	0.50	100	Vertical	Pass
2**	1786.902	34.01	-12.26	54.0	-19.99	AV	0.50	100	Vertical	Pass
3	2392.826	48.22	-4.36	74.0	-25.78	Peak	41.00	100	Vertical	Pass
3**	2392.826	38.03	-4.36	54.0	-15.97	AV	41.00	100	Vertical	Pass
4	2997.750	49.27	-2.84	74.0	-24.73	Peak	197.30	100	Vertical	Pass
4**	2997.750	39.10	-2.84	54.0	-14.90	AV	197.30	100	Vertical	Pass
5	3653.500	48.72	-2.27	74.0	-25.28	Peak	162.80	100	Vertical	Pass
5**	3653.500	37.93	-2.27	54.0	-16.07	AV	162.80	100	Vertical	Pass
6	5767.500	52.08	1.41	74.0	-21.92	Peak	328.10	100	Vertical	Pass
6**	5767.500	42.75	1.41	54.0	-11.25	AV	328.10	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.44.13

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8935.516	42.34	10.29	74.0	-31.66	Peak	181.30	150	Vertical	Pass
1**	8935.516	32.92	10.29	54.0	-21.08	AV	181.30	150	Vertical	Pass
2	10131.467	45.60	13.21	74.0	-28.40	Peak	245.70	150	Vertical	Pass
2**	10131.467	36.63	13.21	54.0	-17.37	AV	245.70	150	Vertical	Pass
3	11247.688	46.94	15.19	74.0	-27.06	Peak	319.30	150	Vertical	Pass
3**	11247.688	38.48	15.19	54.0	-15.52	AV	319.30	150	Vertical	Pass
4	12416.146	49.10	17.00	74.0	-24.90	Peak	314.90	150	Vertical	Pass
4**	12416.146	39.69	17.00	54.0	-14.31	AV	314.90	150	Vertical	Pass
5	13177.706	51.43	18.52	74.0	-22.57	Peak	204.00	150	Vertical	Pass
5**	13177.706	42.24	18.52	54.0	-11.76	AV	204.00	150	Vertical	Pass
6	14717.321	53.27	20.94	74.0	-20.73	Peak	358.20	150	Vertical	Pass
6**	14717.321	44.16	20.94	54.0	-9.84	AV	358.20	150	Vertical	Pass

WIFI2.4G-G-Low channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_14.07.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.479	45.84	-12.70	74.0	-28.16	Peak	43.00	100	Horizontal	Pass
1**	1171.479	35.61	-12.70	54.0	-18.39	AV	43.00	100	Horizontal	Pass
2	1746.407	44.62	-12.46	74.0	-29.38	Peak	302.00	100	Horizontal	Pass
2**	1746.407	35.05	-12.46	54.0	-18.95	AV	302.00	100	Horizontal	Pass
3	2392.076	63.25	-4.35	74.0	-10.75	Peak	0.70	100	Horizontal	Pass
3**	2392.076	50.37	-4.35	54.0	-3.63	AV	0.70	100	Horizontal	Pass
4	3191.000	49.26	-5.46	74.0	-24.74	Peak	308.80	100	Horizontal	Pass
4**	3191.000	36.54	-5.46	54.0	-17.46	AV	308.80	100	Horizontal	Pass
5	5083.000	52.70	0.24	74.0	-21.30	Peak	197.90	100	Horizontal	Pass
5**	5083.000	40.46	0.24	54.0	-13.54	AV	197.90	100	Horizontal	Pass
6	6041.500	53.96	2.05	74.0	-20.04	Peak	308.80	100	Horizontal	Pass
6**	6041.500	43.80	2.05	54.0	-10.20	AV	308.80	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.15.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8492.877	39.94	7.28	74.0	-34.06	Peak	16.80	150	Horizontal	Pass
1**	8492.877	31.92	7.28	54.0	-22.08	AV	16.80	150	Horizontal	Pass
2	10081.980	44.72	13.18	74.0	-29.28	Peak	220.40	150	Horizontal	Pass
2**	10081.980	36.35	13.18	54.0	-17.65	AV	220.40	150	Horizontal	Pass
3	11060.735	46.81	13.47	74.0	-27.19	Peak	2.20	150	Horizontal	Pass
3**	11060.735	35.74	13.47	54.0	-18.26	AV	2.20	150	Horizontal	Pass
4	12454.636	49.53	17.15	74.0	-24.47	Peak	280.30	150	Horizontal	Pass
4**	12454.636	40.92	17.15	54.0	-13.08	AV	280.30	150	Horizontal	Pass
5	14186.703	52.78	22.33	74.0	-21.22	Peak	81.90	150	Horizontal	Pass
5**	14186.703	44.97	22.33	54.0	-9.03	AV	81.90	150	Horizontal	Pass
6	17802.049	57.78	25.00	74.0	-16.22	Peak	156.00	150	Horizontal	Pass
6**	17802.049	50.21	25.00	54.0	-3.79	AV	156.00	150	Horizontal	Pass



WIFI2.4G-G-Low channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_14.04.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.490	45.18	-13.60	74.0	-28.82	Peak	30.20	100	Vertical	Pass
1**	1079.490	36.12	-13.60	54.0	-17.88	AV	30.20	100	Vertical	Pass
2	1373.953	44.87	-12.86	74.0	-29.13	Peak	16.80	100	Vertical	Pass
2**	1373.953	35.27	-12.86	54.0	-18.73	AV	16.80	100	Vertical	Pass
3	2125.609	48.35	-8.89	74.0	-25.65	Peak	12.30	100	Vertical	Pass
3**	2125.609	38.08	-8.89	54.0	-15.92	AV	12.30	100	Vertical	Pass
4	2390.326	61.29	-6.06	74.0	-12.71	Peak	291.80	100	Vertical	Pass
4**	2390.326	46.55	-6.06	54.0	-7.45	AV	291.80	100	Vertical	Pass
5	2996.000	49.11	-2.88	74.0	-24.89	Peak	144.80	100	Vertical	Pass
5**	2996.000	38.71	-2.88	54.0	-15.29	AV	144.80	100	Vertical	Pass
6	4660.500	50.14	-1.14	74.0	-23.86	Peak	197.50	100	Vertical	Pass
6**	4660.500	38.98	-1.14	54.0	-15.02	AV	197.50	100	Vertical	Pass


# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.08.49

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7945.764	39.56	7.08	74.0	-34.44	Peak	22.40	150	Vertical	Pass
1**	7945.764	31.14	7.08	54.0	-22.86	AV	22.40	150	Vertical	Pass
2	9455.136	44.43	11.55	74.0	-29.57	Peak	268.80	150	Vertical	Pass
2**	9455.136	35.29	11.55	54.0	-18.71	AV	268.80	150	Vertical	Pass
3	11627.093	47.84	14.81	74.0	-26.16	Peak	2.10	150	Vertical	Pass
3**	11627.093	38.71	14.81	54.0	-15.29	AV	2.10	150	Vertical	Pass
4	13095.226	50.87	18.46	74.0	-23.13	Peak	49.90	150	Vertical	Pass
4**	13095.226	41.85	18.46	54.0	-12.15	AV	49.90	150	Vertical	Pass
5	14186.703	53.50	22.33	74.0	-20.50	Peak	179.10	150	Vertical	Pass
5**	14186.703	45.13	22.33	54.0	-8.87	AV	179.10	150	Vertical	Pass
6	17813.047	58.73	24.67	74.0	-15.27	Peak	95.70	150	Vertical	Pass
6**	17813.047	50.42	24.67	54.0	-3.58	AV	95.70	150	Vertical	Pass

WIFI2.4G-G-Middle channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.04.05

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.728	44.95	-12.77	74.0	-29.05	Peak	56.30	100	Horizontal	Pass
1**	1177.728	35.36	-12.77	54.0	-18.64	AV	56.30	100	Horizontal	Pass
2	1569.679	44.84	-12.84	74.0	-29.16	Peak	29.10	100	Horizontal	Pass
2**	1569.679	34.76	-12.84	54.0	-19.24	AV	29.10	100	Horizontal	Pass
3	2131.859	47.57	-8.88	74.0	-26.43	Peak	205.80	100	Horizontal	Pass
3**	2131.859	37.62	-8.88	54.0	-16.38	AV	205.80	100	Horizontal	Pass
4	2401.575	48.94	-4.49	74.0	-25.06	Peak	142.20	100	Horizontal	Pass
4**	2401.575	39.05	-4.49	54.0	-14.95	AV	142.20	100	Horizontal	Pass
5	2998.250	50.14	-2.83	74.0	-23.86	Peak	173.80	100	Horizontal	Pass
5**	2998.250	39.18	-2.83	54.0	-14.82	AV	173.80	100	Horizontal	Pass
6	4978.000	49.67	-0.64	74.0	-24.33	Peak	0.00	100	Horizontal	Pass
6**	4978.000	39.73	-0.64	54.0	-14.27	AV	0.00	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.25.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9336.916	43.45	11.10	74.0	-30.55	Peak	314.90	150	Horizontal	Pass
1**	9336.916	34.68	11.10	54.0	-19.32	AV	314.90	150	Horizontal	Pass
2	10059.985	45.70	13.09	74.0	-28.30	Peak	8.60	150	Horizontal	Pass
2**	10059.985	36.87	13.09	54.0	-17.13	AV	8.60	150	Horizontal	Pass
3	12465.634	49.52	17.20	74.0	-24.48	Peak	227.10	150	Horizontal	Pass
3**	12465.634	40.31	17.20	54.0	-13.69	AV	227.10	150	Horizontal	Pass
4	14170.207	53.28	21.83	74.0	-20.72	Peak	222.60	150	Horizontal	Pass
4**	14170.207	44.19	21.83	54.0	-9.81	AV	222.60	150	Horizontal	Pass
5	16036.991	53.51	20.57	74.0	-20.49	Peak	213.30	150	Horizontal	Pass
5**	16036.991	44.90	20.57	54.0	-9.10	AV	213.30	150	Horizontal	Pass
6	17799.300	58.47	25.06	74.0	-15.53	Peak	194.70	150	Horizontal	Pass
6**	17799.300	49.97	25.06	54.0	-4.03	AV	194.70	150	Horizontal	Pass

WiFi2.4G-G-Middle channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.06.43

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.478	44.75	-12.71	74.0	-29.25	Peak	55.10	100	Vertical	Pass
1**	1175.478	36.21	-12.71	54.0	-17.79	AV	55.10	100	Vertical	Pass
2	1582.427	44.14	-12.92	74.0	-29.86	Peak	28.30	100	Vertical	Pass
2**	1582.427	35.04	-12.92	54.0	-18.96	AV	28.30	100	Vertical	Pass
3	2455.568	48.59	-4.96	74.0	-25.41	Peak	3.70	100	Vertical	Pass
3**	2455.568	38.92	-4.96	54.0	-15.08	AV	3.70	100	Vertical	Pass
4	2991.251	48.81	-2.98	74.0	-25.19	Peak	317.10	100	Vertical	Pass
4**	2991.251	38.69	-2.98	54.0	-15.31	AV	317.10	100	Vertical	Pass
5	3991.000	47.14	-1.83	74.0	-26.86	Peak	328.10	100	Vertical	Pass
5**	3991.000	36.72	-1.83	54.0	-17.28	AV	328.10	100	Vertical	Pass
6	5631.000	50.72	1.11	74.0	-23.28	Peak	218.30	100	Vertical	Pass
6**	5631.000	40.70	1.11	54.0	-13.30	AV	218.30	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.54.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8556.111	41.66	7.29	74.0	-32.34	Peak	197.70	150	Vertical	Pass
1**	8556.111	32.06	7.29	54.0	-21.94	AV	197.70	150	Vertical	Pass
2	10125.969	45.05	13.25	74.0	-28.95	Peak	300.80	150	Vertical	Pass
2**	10125.969	36.94	13.25	54.0	-17.06	AV	300.80	150	Vertical	Pass
3	11635.341	47.71	14.81	74.0	-26.29	Peak	146.30	150	Vertical	Pass
3**	11635.341	38.65	14.81	54.0	-15.35	AV	146.30	150	Vertical	Pass
4	13097.976	51.06	18.49	74.0	-22.94	Peak	310.10	150	Vertical	Pass
4**	13097.976	43.15	18.49	54.0	-10.85	AV	310.10	150	Vertical	Pass
5	14189.453	53.22	22.33	74.0	-20.78	Peak	183.50	150	Vertical	Pass
5**	14189.453	45.17	22.33	54.0	-8.83	AV	183.50	150	Vertical	Pass
6	17835.041	58.71	24.01	74.0	-15.29	Peak	240.10	150	Vertical	Pass
6**	17835.041	48.96	24.01	54.0	-5.04	AV	240.10	150	Vertical	Pass

WiFi2.4G-G-High channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.22.13

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.492	45.70	-13.80	74.0	-28.30	Peak	46.20	100	Horizontal	Pass
1**	1064.492	35.95	-13.80	54.0	-18.05	AV	46.20	100	Horizontal	Pass
2	1593.926	45.00	-12.99	74.0	-29.00	Peak	186.80	100	Horizontal	Pass
2**	1593.926	34.70	-12.99	54.0	-19.30	AV	186.80	100	Horizontal	Pass
3	2125.109	48.96	-8.89	74.0	-25.04	Peak	208.80	100	Horizontal	Pass
3**	2125.109	38.73	-8.89	54.0	-15.27	AV	208.80	100	Horizontal	Pass
4	2819.023	48.12	-4.55	74.0	-25.88	Peak	355.40	100	Horizontal	Pass
4**	2819.023	38.65	-4.55	54.0	-15.35	AV	355.40	100	Horizontal	Pass
5	4132.000	48.73	-1.99	74.0	-25.27	Peak	273.30	100	Horizontal	Pass
5**	4132.000	37.77	-1.99	54.0	-16.23	AV	273.30	100	Horizontal	Pass
6	5085.000	50.62	0.25	74.0	-23.38	Peak	0.00	100	Horizontal	Pass
6**	5085.000	40.32	0.25	54.0	-13.68	AV	0.00	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.58.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8869.533	42.08	9.10	74.0	-31.92	Peak	0.00	150	Horizontal	Pass
1**	8869.533	33.57	9.10	54.0	-20.43	AV	0.00	150	Horizontal	Pass
2	9911.522	45.60	13.48	74.0	-28.40	Peak	253.50	150	Horizontal	Pass
2**	9911.522	35.87	13.48	54.0	-18.13	AV	253.50	150	Horizontal	Pass
3	12416.146	49.62	17.00	74.0	-24.38	Peak	169.40	150	Horizontal	Pass
3**	12416.146	40.20	17.00	54.0	-13.80	AV	169.40	150	Horizontal	Pass
4	13235.441	51.08	18.52	74.0	-22.92	Peak	287.00	150	Horizontal	Pass
4**	13235.441	42.02	18.52	54.0	-11.98	AV	287.00	150	Horizontal	Pass
5	14164.709	53.39	21.66	74.0	-20.61	Peak	310.00	150	Horizontal	Pass
5**	14164.709	44.11	21.66	54.0	-9.89	AV	310.00	150	Horizontal	Pass
6	17824.044	58.25	24.34	74.0	-15.75	Peak	358.10	150	Horizontal	Pass
6**	17824.044	49.52	24.34	54.0	-4.48	AV	358.10	150	Horizontal	Pass



WiFi2.4G-G-High channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.32.47

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.490	46.23	-13.60	74.0	-27.77	Peak	47.00	100	Vertical	Pass
1**	1080.490	36.23	-13.60	54.0	-17.77	AV	47.00	100	Vertical	Pass
2	1572.928	45.30	-12.87	74.0	-28.70	Peak	29.80	100	Vertical	Pass
2**	1572.928	33.84	-12.87	54.0	-20.16	AV	29.80	100	Vertical	Pass
3	2133.108	49.94	-8.88	74.0	-24.06	Peak	307.10	100	Vertical	Pass
3**	2133.108	38.98	-8.88	54.0	-15.02	AV	307.10	100	Vertical	Pass
4	2401.575	49.58	-4.49	74.0	-24.42	Peak	262.80	100	Vertical	Pass
4**	2401.575	40.03	-4.49	54.0	-13.97	AV	262.80	100	Vertical	Pass
5	3197.500	46.84	-5.52	74.0	-27.16	Peak	218.60	100	Vertical	Pass
5**	3197.500	35.59	-5.52	54.0	-18.41	AV	218.60	100	Vertical	Pass
6	4964.500	51.68	-0.54	74.0	-22.32	Peak	0.00	100	Vertical	Pass
6**	4964.500	40.26	-0.54	54.0	-13.74	AV	0.00	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.48.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8960.260	42.04	11.08	74.0	-31.96	Peak	196.90	150	Vertical	Pass
1**	8960.260	33.40	11.08	54.0	-20.60	AV	196.90	150	Vertical	Pass
2	10131.467	45.02	13.21	74.0	-28.98	Peak	360.00	150	Vertical	Pass
2**	10131.467	36.93	13.21	54.0	-17.07	AV	360.00	150	Vertical	Pass
3	11214.696	47.05	14.77	74.0	-26.95	Peak	215.50	150	Vertical	Pass
3**	11214.696	38.08	14.77	54.0	-15.92	AV	215.50	150	Vertical	Pass
4	12479.380	48.57	16.89	74.0	-25.43	Peak	304.90	150	Vertical	Pass
4**	12479.380	40.40	16.89	54.0	-13.60	AV	304.90	150	Vertical	Pass
5	13196.951	50.64	18.51	74.0	-23.36	Peak	58.10	150	Vertical	Pass
5**	13196.951	42.13	18.51	54.0	-11.87	AV	58.10	150	Vertical	Pass
6	14183.954	53.05	22.24	74.0	-20.95	Peak	300.00	150	Vertical	Pass
6**	14183.954	44.69	22.24	54.0	-9.31	AV	300.00	150	Vertical	Pass

WiFi2.4G-N-Low channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_14.30.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1068.991	45.05	-13.67	74.0	-28.95	Peak	35.80	100	Horizontal	Pass
1**	1068.991	36.21	-13.67	54.0	-17.79	AV	35.80	100	Horizontal	Pass
2	1584.177	43.95	-12.93	74.0	-30.05	Peak	267.30	100	Horizontal	Pass
2**	1584.177	34.75	-12.93	54.0	-19.25	AV	267.30	100	Horizontal	Pass
3	2130.109	50.61	-8.89	74.0	-23.39	Peak	4.50	100	Horizontal	Pass
3**	2130.109	40.03	-8.89	54.0	-13.97	AV	4.50	100	Horizontal	Pass
4	2391.576	49.85	-4.98	74.0	-24.15	Peak	0.00	100	Horizontal	Pass
4**	2391.576	40.10	-4.98	54.0	-13.90	AV	0.00	100	Horizontal	Pass
5	2945.007	48.44	-3.58	74.0	-25.56	Peak	339.10	100	Horizontal	Pass
5**	2945.007	38.41	-3.58	54.0	-15.59	AV	339.10	100	Horizontal	Pass
6	3764.500	48.21	-2.63	74.0	-25.79	Peak	142.10	100	Horizontal	Pass
6**	3764.500	38.32	-2.63	54.0	-15.68	AV	142.10	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.12.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9383.654	44.09	11.48	74.0	-29.91	Peak	29.10	150	Horizontal	Pass
1**	9383.654	34.81	11.48	54.0	-19.19	AV	29.10	150	Horizontal	Pass
2	10103.974	46.20	13.26	74.0	-27.80	Peak	0.00	150	Horizontal	Pass
2**	10103.974	35.99	13.26	54.0	-18.01	AV	0.00	150	Horizontal	Pass
3	12427.143	49.47	17.04	74.0	-24.53	Peak	307.10	150	Horizontal	Pass
3**	12427.143	41.07	17.04	54.0	-12.93	AV	307.10	150	Horizontal	Pass
4	13218.945	50.87	18.53	74.0	-23.13	Peak	187.60	150	Horizontal	Pass
4**	13218.945	42.35	18.53	54.0	-11.65	AV	187.60	150	Horizontal	Pass
5	14181.205	53.68	22.16	74.0	-20.32	Peak	246.10	150	Horizontal	Pass
5**	14181.205	44.94	22.16	54.0	-9.06	AV	246.10	150	Horizontal	Pass
6	17824.044	58.55	24.34	74.0	-15.45	Peak	116.20	150	Horizontal	Pass
6**	17824.044	49.31	24.34	54.0	-4.69	AV	116.20	150	Horizontal	Pass

## WiFi2.4G-N-Low channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_14.27.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

R Emission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.978	45.53	-12.65	74.0	-28.47	Peak	47.00	100	Vertical	Pass
1**	1172.978	36.30	-12.65	54.0	-17.70	AV	47.00	100	Vertical	Pass
2	1586.677	44.16	-12.95	74.0	-29.84	Peak	183.90	100	Vertical	Pass
2**	1586.677	35.25	-12.95	54.0	-18.75	AV	183.90	100	Vertical	Pass
3	2132.858	49.72	-8.88	74.0	-24.28	Peak	311.20	100	Vertical	Pass
3**	2132.858	38.90	-8.88	54.0	-15.10	AV	311.20	100	Vertical	Pass
4	2392.076	49.79	-4.35	74.0	-24.21	Peak	358.90	100	Vertical	Pass
4**	2392.076	39.99	-4.35	54.0	-14.01	AV	358.90	100	Vertical	Pass
5	2995.501	49.56	-2.89	74.0	-24.44	Peak	0.00	100	Vertical	Pass
5**	2995.501	39.10	-2.89	54.0	-14.90	AV	0.00	100	Vertical	Pass
6	6073.500	53.62	2.06	74.0	-20.38	Peak	31.60	100	Vertical	Pass
6**	6073.500	43.16	2.06	54.0	-10.84	AV	31.60	100	Vertical	Pass


# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.02.37

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8965.759	41.93	11.26	74.0	-32.07	Peak	217.40	150	Vertical	Pass
1**	8965.759	33.06	11.26	54.0	-20.94	AV	217.40	150	Vertical	Pass
2	10183.704	45.73	12.95	74.0	-28.27	Peak	260.20	150	Vertical	Pass
2**	10183.704	37.24	12.95	54.0	-16.76	AV	260.20	150	Vertical	Pass
3	10862.784	46.36	14.69	74.0	-27.64	Peak	58.90	150	Vertical	Pass
3**	10862.784	37.64	14.69	54.0	-16.36	AV	58.90	150	Vertical	Pass
4	12383.154	48.62	16.81	74.0	-25.38	Peak	343.60	150	Vertical	Pass
4**	12383.154	40.36	16.81	54.0	-13.64	AV	343.60	150	Vertical	Pass
5	13152.962	50.28	18.53	74.0	-23.72	Peak	101.30	150	Vertical	Pass
5**	13152.962	42.77	18.53	54.0	-11.23	AV	101.30	150	Vertical	Pass
6	14203.199	53.29	22.00	74.0	-20.71	Peak	152.60	150	Vertical	Pass
6**	14203.199	44.86	22.00	54.0	-9.14	AV	152.60	150	Vertical	Pass

WIFI2.4G-N-Middle channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.14.06

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.978	45.87	-12.67	74.0	-28.13	Peak	54.00	100	Horizontal	Pass
1**	1173.978	35.99	-12.67	54.0	-18.01	AV	54.00	100	Horizontal	Pass
2	1787.902	44.11	-12.27	74.0	-29.89	Peak	0.00	100	Horizontal	Pass
2**	1787.902	34.26	-12.27	54.0	-19.74	AV	0.00	100	Horizontal	Pass
3	2128.859	49.17	-8.89	74.0	-24.83	Peak	240.50	100	Horizontal	Pass
3**	2128.859	38.35	-8.89	54.0	-15.65	AV	240.50	100	Horizontal	Pass
4	2458.568	49.10	-4.98	74.0	-24.90	Peak	97.90	100	Horizontal	Pass
4**	2458.568	39.49	-4.98	54.0	-14.51	AV	97.90	100	Horizontal	Pass
5	3665.000	48.35	-2.39	74.0	-25.65	Peak	0.00	100	Horizontal	Pass
5**	3665.000	37.95	-2.39	54.0	-16.05	AV	0.00	100	Horizontal	Pass
6	5118.500	50.65	0.33	74.0	-23.35	Peak	217.90	100	Horizontal	Pass
6**	5118.500	40.64	0.33	54.0	-13.36	AV	217.90	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.24.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9182.954	42.53	10.62	74.0	-31.47	Peak	4.00	150	Horizontal	Pass
1**	9182.954	34.37	10.62	54.0	-19.63	AV	4.00	150	Horizontal	Pass
2	10087.478	45.36	13.20	74.0	-28.64	Peak	133.70	150	Horizontal	Pass
2**	10087.478	36.48	13.20	54.0	-17.52	AV	133.70	150	Horizontal	Pass
3	12468.383	49.76	17.15	74.0	-24.24	Peak	291.40	150	Horizontal	Pass
3**	12468.383	40.36	17.15	54.0	-13.64	AV	291.40	150	Horizontal	Pass
4	13224.444	51.08	18.54	74.0	-22.92	Peak	110.60	150	Horizontal	Pass
4**	13224.444	41.97	18.54	54.0	-12.03	AV	110.60	150	Horizontal	Pass
5	14192.202	53.17	22.26	74.0	-20.83	Peak	4.00	150	Horizontal	Pass
5**	14192.202	45.65	22.26	54.0	-8.35	AV	4.00	150	Horizontal	Pass
6	17815.796	58.36	24.58	74.0	-15.64	Peak	231.90	150	Horizontal	Pass
6**	17815.796	49.66	24.58	54.0	-4.34	AV	231.90	150	Horizontal	Pass



## WiFi2.4G-N-Middle channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.09.35

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Test Engineer: Xiang Cheng Jie


Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.490	45.09	-13.60	74.0	-28.91	Peak	40.30	100	Vertical	Pass
1**	1080.490	36.10	-13.60	54.0	-17.90	AV	40.30	100	Vertical	Pass
2	1572.178	44.47	-12.86	74.0	-29.53	Peak	27.20	100	Vertical	Pass
2**	1572.178	34.28	-12.86	54.0	-19.72	AV	27.20	100	Vertical	Pass
3	2398.325	48.55	-4.45	74.0	-25.45	Peak	1.00	100	Vertical	Pass
3**	2398.325	39.01	-4.45	54.0	-14.99	AV	1.00	100	Vertical	Pass
4	3759.000	47.84	-2.64	74.0	-26.16	Peak	273.00	100	Vertical	Pass
4**	3759.000	37.29	-2.64	54.0	-16.71	AV	273.00	100	Vertical	Pass
5	5069.000	51.37	-0.07	74.0	-22.63	Peak	360.00	100	Vertical	Pass
5**	5069.000	40.29	-0.07	54.0	-13.71	AV	360.00	100	Vertical	Pass
6	6001.500	53.22	1.78	74.0	-20.78	Peak	162.80	100	Vertical	Pass
6**	6001.500	43.16	1.78	54.0	-10.84	AV	162.80	100	Vertical	Pass


# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.56.13

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9427.643	42.92	11.49	74.0	-31.08	Peak	133.70	150	Vertical	Pass
1**	9427.643	35.64	11.49	54.0	-18.36	AV	133.70	150	Vertical	Pass
2	10112.222	45.48	13.30	74.0	-28.52	Peak	303.40	150	Vertical	Pass
2**	10112.222	36.76	13.30	54.0	-17.24	AV	303.40	150	Vertical	Pass
3	11874.531	47.67	15.95	74.0	-26.33	Peak	156.70	150	Vertical	Pass
3**	11874.531	39.65	15.95	54.0	-14.35	AV	156.70	150	Vertical	Pass
4	12476.631	50.03	16.95	74.0	-23.97	Peak	152.30	150	Vertical	Pass
4**	12476.631	40.28	16.95	54.0	-13.72	AV	152.30	150	Vertical	Pass
5	14192.202	53.83	22.26	74.0	-20.17	Peak	335.80	150	Vertical	Pass
5**	14192.202	44.84	22.26	54.0	-9.16	AV	335.80	150	Vertical	Pass
6	16020.495	54.43	20.61	74.0	-19.57	Peak	243.50	150	Vertical	Pass
6**	16020.495	44.58	20.61	54.0	-9.42	AV	243.50	150	Vertical	Pass

WiFi2.4G-N-High channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.24.19

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.978	44.94	-12.65	74.0	-29.06	Peak	60.00	100	Horizontal	Pass
1**	1172.978	34.81	-12.65	54.0	-19.19	AV	60.00	100	Horizontal	Pass
2	1376.703	44.79	-12.87	74.0	-29.21	Peak	306.30	100	Horizontal	Pass
2**	1376.703	34.77	-12.87	54.0	-19.23	AV	306.30	100	Horizontal	Pass
3	1832.646	46.61	-12.15	74.0	-27.39	Peak	333.50	100	Horizontal	Pass
3**	1832.646	35.03	-12.15	54.0	-18.97	AV	333.50	100	Horizontal	Pass
4	2127.109	49.46	-8.89	74.0	-24.54	Peak	6.50	100	Horizontal	Pass
4**	2127.109	39.07	-8.89	54.0	-14.93	AV	6.50	100	Horizontal	Pass
5	2402.325	49.05	-4.49	74.0	-24.95	Peak	337.90	100	Horizontal	Pass
5**	2402.325	39.54	-4.49	54.0	-14.46	AV	337.90	100	Horizontal	Pass
6	5064.000	50.14	-0.18	74.0	-23.86	Peak	52.70	100	Horizontal	Pass
6**	5064.000	40.74	-0.18	54.0	-13.26	AV	52.70	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_12.58.16

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8938.265	42.25	10.38	74.0	-31.75	Peak	95.70	150	Horizontal	Pass
1**	8938.265	32.56	10.38	54.0	-21.44	AV	95.70	150	Horizontal	Pass
2	10109.473	45.58	13.29	74.0	-28.42	Peak	146.30	150	Horizontal	Pass
2**	10109.473	36.62	13.29	54.0	-17.38	AV	146.30	150	Horizontal	Pass
3	11825.044	47.21	15.24	74.0	-26.79	Peak	183.20	150	Horizontal	Pass
3**	11825.044	38.23	15.24	54.0	-15.77	AV	183.20	150	Horizontal	Pass
4	13207.948	50.78	18.52	74.0	-23.22	Peak	25.40	150	Horizontal	Pass
4**	13207.948	42.73	18.52	54.0	-11.27	AV	25.40	150	Horizontal	Pass
5	14181.205	53.49	22.16	74.0	-20.51	Peak	226.00	150	Horizontal	Pass
5**	14181.205	44.53	22.16	54.0	-9.47	AV	226.00	150	Horizontal	Pass
6	17455.636	57.48	24.89	74.0	-16.52	Peak	63.30	150	Horizontal	Pass
6**	17455.636	48.57	24.89	54.0	-5.43	AV	63.30	150	Horizontal	Pass

## WiFi2.4G-N-High channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_15.52.25

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1068.991	45.51	-13.67	74.0	-28.49	Peak	46.90	100	Vertical	Pass
1**	1068.991	36.21	-13.67	54.0	-17.79	AV	46.90	100	Vertical	Pass
2	1393.451	44.23	-12.82	74.0	-29.77	Peak	302.60	100	Vertical	Pass
2**	1393.451	34.12	-12.82	54.0	-19.88	AV	302.60	100	Vertical	Pass
3	1991.376	44.67	-10.52	74.0	-29.33	Peak	338.30	100	Vertical	Pass
3**	1991.376	34.53	-10.52	54.0	-19.47	AV	338.30	100	Vertical	Pass
4	2127.109	50.12	-8.89	74.0	-23.88	Peak	214.40	100	Vertical	Pass
4**	2127.109	38.67	-8.89	54.0	-15.33	AV	214.40	100	Vertical	Pass
5	2456.068	49.06	-4.97	74.0	-24.94	Peak	201.00	100	Vertical	Pass
5**	2456.068	38.99	-4.97	54.0	-15.01	AV	201.00	100	Vertical	Pass
6	4940.500	50.47	-0.57	74.0	-23.53	Peak	273.40	100	Vertical	Pass
6**	4940.500	40.10	-0.57	54.0	-13.90	AV	273.40	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.49.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9169.208	42.97	10.79	74.0	-31.03	Peak	288.10	150	Vertical	Pass
1**	9169.208	33.49	10.79	54.0	-20.51	AV	288.10	150	Vertical	Pass
2	10095.726	45.50	13.23	74.0	-28.50	Peak	149.70	150	Vertical	Pass
2**	10095.726	37.77	13.23	54.0	-16.23	AV	149.70	150	Vertical	Pass
3	11632.592	47.34	14.81	74.0	-26.66	Peak	274.00	150	Vertical	Pass
3**	11632.592	38.38	14.81	54.0	-15.62	AV	274.00	150	Vertical	Pass
4	13172.207	51.12	18.52	74.0	-22.88	Peak	279.20	150	Vertical	Pass
4**	13172.207	42.33	18.52	54.0	-11.67	AV	279.20	150	Vertical	Pass
5	14194.951	53.16	22.20	74.0	-20.84	Peak	88.70	150	Vertical	Pass
5**	14194.951	44.56	22.20	54.0	-9.44	AV	88.70	150	Vertical	Pass
6	17439.140	58.01	24.73	74.0	-15.99	Peak		150	Vertical	Pass
6**	17439.140	48.75	24.73	54.0	-5.25	AV	17.90	150	Vertical	Pass


## WiFi2.4G-N40-Low channel-Horizontal-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.22.57

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Test Engineer:	Xiang Cheng Jie
Temp.(oC):	20.1	Test Standard:	FCC
Hum.:	54%	Work Addition:	Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.990	45.39	-13.60	74.0	-28.61	Peak	44.70	100	Horizontal	Pass
1**	1081.990	36.31	-13.60	54.0	-17.69	AV	44.70	100	Horizontal	Pass
2	1376.703	43.63	-12.87	74.0	-30.37	Peak	310.00	100	Horizontal	Pass
2**	1376.703	34.51	-12.87	54.0	-19.49	AV	310.00	100	Horizontal	Pass
3	1587.177	44.51	-12.95	74.0	-29.49	Peak	123.20	100	Horizontal	Pass
3**	1587.177	33.28	-12.95	54.0	-20.72	AV	123.20	100	Horizontal	Pass
4	2391.076	56.10	-5.73	74.0	-17.90	Peak	357.10	100	Horizontal	Pass
4**	2391.076	43.90	-5.73	54.0	-10.10	AV	357.10	100	Horizontal	Pass
5	2427.072	48.03	-4.71	74.0	-25.97	Peak	278.40	100	Horizontal	Pass
5**	2427.072	38.64	-4.71	54.0	-15.36	AV	278.40	100	Horizontal	Pass
6	4961.000	50.53	-0.53	74.0	-23.47	Peak	0.00	100	Horizontal	Pass
6**	4961.000	40.53	-0.53	54.0	-13.47	AV	0.00	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.10.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9314.921	43.59	10.76	74.0	-30.41	Peak	4.00	150	Horizontal	Pass
1**	9314.921	34.58	10.76	54.0	-19.42	AV	4.00	150	Horizontal	Pass
2	10824.294	45.99	14.36	74.0	-28.01	Peak	52.50	150	Horizontal	Pass
2**	10824.294	37.20	14.36	54.0	-16.80	AV	52.50	150	Horizontal	Pass
3	12468.383	48.83	17.15	74.0	-25.17	Peak	227.80	150	Horizontal	Pass
3**	12468.383	40.56	17.15	54.0	-13.44	AV	227.80	150	Horizontal	Pass
4	13174.956	50.81	18.52	74.0	-23.19	Peak	223.40	150	Horizontal	Pass
4**	13174.956	42.66	18.52	54.0	-11.34	AV	223.40	150	Horizontal	Pass
5	14192.202	54.38	22.26	74.0	-19.62	Peak	117.30	150	Horizontal	Pass
5**	14192.202	45.28	22.26	54.0	-8.72	AV	117.30	150	Horizontal	Pass
6	17818.545	58.80	24.50	74.0	-15.20	Peak	312.30	150	Horizontal	Pass
6**	17818.545	49.41	24.50	54.0	-4.59	AV	312.30	150	Horizontal	Pass



WIFI2.4G-N40-Low channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.34.27

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1075.741	42.72	-13.59	74.0	-31.28	Peak	316.80	100	Vertical	Pass
1**	1075.741	32.59	-13.59	54.0	-21.41	AV	316.80	100	Vertical	Pass
2	1739.908	45.12	-12.46	74.0	-28.88	Peak	293.70	100	Vertical	Pass
2**	1739.908	34.59	-12.46	54.0	-19.41	AV	293.70	100	Vertical	Pass
3	2391.576	56.38	-4.98	74.0	-17.62	Peak	348.40	100	Vertical	Pass
3**	2391.576	44.45	-4.98	54.0	-9.55	AV	348.40	100	Vertical	Pass
4	2428.321	48.19	-4.72	74.0	-25.81	Peak	359.00	100	Vertical	Pass
4**	2428.321	38.74	-4.72	54.0	-15.26	AV	359.00	100	Vertical	Pass
5	3133.500	46.62	-5.53	74.0	-27.38	Peak	358.70	100	Vertical	Pass
5**	3133.500	36.16	-5.53	54.0	-17.84	AV	358.70	100	Vertical	Pass
6	4800.000	49.10	-1.61	74.0	-24.90	Peak	308.40	100	Vertical	Pass
6**	4800.000	39.04	-1.61	54.0	-14.96	AV	308.40	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.04.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8965.759	41.55	11.26	74.0	-32.45	Peak	277.30	150	Vertical	Pass
1**	8965.759	33.30	11.26	54.0	-20.70	AV	277.30	150	Vertical	Pass
2	10046.238	45.34	13.03	74.0	-28.66	Peak	75.60	150	Vertical	Pass
2**	10046.238	36.56	13.03	54.0	-17.44	AV	75.60	150	Vertical	Pass
3	11244.939	47.02	15.15	74.0	-26.98	Peak	320.80	150	Vertical	Pass
3**	11244.939	38.05	15.15	54.0	-15.95	AV	320.80	150	Vertical	Pass
4	13114.471	51.14	18.54	74.0	-22.86	Peak	263.50	150	Vertical	Pass
4**	13114.471	42.02	18.54	54.0	-11.98	AV	263.50	150	Vertical	Pass
5	14175.706	53.24	21.99	74.0	-20.76	Peak	335.00	150	Vertical	Pass
5**	14175.706	45.31	21.99	54.0	-8.69	AV	335.00	150	Vertical	Pass
6	16067.233	54.55	20.50	74.0	-19.45	Peak	14.90	150	Vertical	Pass
6**	16067.233	44.66	20.50	54.0	-9.34	AV	14.90	150	Vertical	Pass


## WiFi2.4G-N40-Middle channel-Horizontal-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.40.54

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Test Engineer:	Xiang Cheng Jie
Temp.(oC):	20.1	Test Standard:	FCC
Hum.:	54%	Work Addition:	Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.990	45.90	-13.60	74.0	-28.10	Peak	49.20	100	Horizontal	Pass
1**	1081.990	36.76	-13.60	54.0	-17.24	AV	49.20	100	Horizontal	Pass
2	1582.677	44.79	-12.92	74.0	-29.21	Peak	185.70	100	Horizontal	Pass
2**	1582.677	33.80	-12.92	54.0	-20.20	AV	185.70	100	Horizontal	Pass
3	2401.075	48.25	-4.48	74.0	-25.75	Peak	35.80	100	Horizontal	Pass
3**	2401.075	39.04	-4.48	54.0	-14.96	AV	35.80	100	Horizontal	Pass
4	2997.500	48.97	-2.85	74.0	-25.03	Peak	208.80	100	Horizontal	Pass
4**	2997.500	39.10	-2.85	54.0	-14.90	AV	208.80	100	Horizontal	Pass
5	4072.500	48.72	-1.19	74.0	-25.28	Peak	107.00	100	Horizontal	Pass
5**	4072.500	38.30	-1.19	54.0	-15.70	AV	107.00	100	Horizontal	Pass
6	5270.000	51.01	-0.14	74.0	-22.99	Peak	162.40	100	Horizontal	Pass
6**	5270.000	40.02	-0.14	54.0	-13.98	AV	162.40	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.22.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9389.153	43.81	11.50	74.0	-30.19	Peak	202.90	150	Horizontal	Pass
1**	9389.153	35.15	11.50	54.0	-18.85	AV	202.90	150	Horizontal	Pass
2	10879.280	46.51	14.73	74.0	-27.49	Peak	127.30	150	Horizontal	Pass
2**	10879.280	37.44	14.73	54.0	-16.56	AV	127.30	150	Horizontal	Pass
3	12443.639	50.25	17.11	74.0	-23.75	Peak	356.00	150	Horizontal	Pass
3**	12443.639	41.30	17.11	54.0	-12.70	AV	356.00	150	Horizontal	Pass
4	14200.450	53.57	22.07	74.0	-20.43	Peak	314.90	150	Horizontal	Pass
4**	14200.450	44.70	22.07	54.0	-9.30	AV	314.90	150	Horizontal	Pass
5	16045.239	53.35	20.55	74.0	-20.65	Peak	80.50	150	Horizontal	Pass
5**	16045.239	44.91	20.55	54.0	-9.09	AV	80.50	150	Horizontal	Pass
6	17804.799	58.19	24.91	74.0	-15.81	Peak	235.60	150	Horizontal	Pass
6**	17804.799	49.61	24.91	54.0	-4.39	AV	235.60	150	Horizontal	Pass

WIFI2.4G-N40-Middle channel-Vertical-TX

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.38.57

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.992	46.07	-13.81	74.0	-27.93	Peak	46.20	100	Vertical	Pass
1**	1063.992	35.64	-13.81	54.0	-18.36	AV	46.20	100	Vertical	Pass
2	1589.926	44.66	-12.96	74.0	-29.34	Peak	183.10	100	Vertical	Pass
2**	1589.926	34.30	-12.96	54.0	-19.70	AV	183.10	100	Vertical	Pass
3	2044.369	45.88	-9.62	74.0	-28.12	Peak	205.80	100	Vertical	Pass
3**	2044.369	36.55	-9.62	54.0	-17.45	AV	205.80	100	Vertical	Pass
4	2399.825	49.00	-4.47	74.0	-25.00	Peak	297.70	100	Vertical	Pass
4**	2399.825	39.05	-4.47	54.0	-14.95	AV	297.70	100	Vertical	Pass
5	3591.000	48.90	-3.09	74.0	-25.10	Peak	328.10	100	Vertical	Pass
5**	3591.000	37.21	-3.09	54.0	-16.79	AV	328.10	100	Vertical	Pass
6	4978.500	49.94	-0.65	74.0	-24.06	Peak	51.90	100	Vertical	Pass
6**	4978.500	40.66	-0.65	54.0	-13.34	AV	51.90	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.59.34

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9331.417	43.22	11.02	74.0	-30.78	Peak	125.90	150	Vertical	Pass
1**	9331.417	34.20	11.02	54.0	-19.80	AV	125.90	150	Vertical	Pass
2	9941.765	45.48	13.40	74.0	-28.52	Peak	279.90	150	Vertical	Pass
2**	9941.765	36.70	13.40	54.0	-17.30	AV	279.90	150	Vertical	Pass
3	10835.291	46.89	14.51	74.0	-27.11	Peak	42.90	150	Vertical	Pass
3**	10835.291	37.44	14.51	54.0	-16.56	AV	42.90	150	Vertical	Pass
4	12482.129	49.69	16.82	74.0	-24.31	Peak	47.30	150	Vertical	Pass
4**	12482.129	40.05	16.82	54.0	-13.95	AV	47.30	150	Vertical	Pass
5	14203.199	53.73	22.00	74.0	-20.27	Peak	325.30	150	Vertical	Pass
5**	14203.199	45.30	22.00	54.0	-8.70	AV	325.30	150	Vertical	Pass
6	17452.887	57.64	24.86	74.0	-16.36	Peak	187.30	150	Vertical	Pass
6**	17452.887	48.10	24.86	54.0	-5.90	AV	187.30	150	Vertical	Pass

## WiFi2.4G-N40-High channel-Horizontal-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.43.36

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.978	44.78	-12.70	74.0	-29.22	Peak	53.70	100	Horizontal	Pass
1**	1174.978	35.63	-12.70	54.0	-18.37	AV	53.70	100	Horizontal	Pass
2	1379.203	44.58	-12.86	74.0	-29.42	Peak	26.10	100	Horizontal	Pass
2**	1379.203	34.43	-12.86	54.0	-19.57	AV	26.10	100	Horizontal	Pass
3	2128.859	48.79	-8.89	74.0	-25.21	Peak	297.80	100	Horizontal	Pass
3**	2128.859	38.02	-8.89	54.0	-15.98	AV	297.80	100	Horizontal	Pass
4	2426.072	48.52	-4.70	74.0	-25.48	Peak	279.20	100	Horizontal	Pass
4**	2426.072	38.45	-4.70	54.0	-15.55	AV	279.20	100	Horizontal	Pass
5	2892.013	49.57	-3.90	74.0	-24.43	Peak	342.80	100	Horizontal	Pass
5**	2892.013	38.85	-3.90	54.0	-15.15	AV	342.80	100	Horizontal	Pass
6	5086.500	51.18	0.25	74.0	-22.82	Peak	0.00	100	Horizontal	Pass
6**	5086.500	40.83	0.25	54.0	-13.17	AV	0.00	100	Horizontal	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_11.56.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Height (cm)	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)		Antenna	Verdict
1	9446.888	44.34	11.52	74.0	-29.66	Peak	56.30	150	Horizontal	Pass
1**	9446.888	34.38	11.52	54.0	-19.62	AV	56.30	150	Horizontal	Pass
2	10167.208	45.72	12.99	74.0	-28.28	Peak	287.40	150	Horizontal	Pass
2**	10167.208	36.38	12.99	54.0	-17.62	AV	287.40	150	Horizontal	Pass
3	11629.843	47.01	14.80	74.0	-26.99	Peak	226.30	150	Horizontal	Pass
3**	11629.843	37.94	14.80	54.0	-16.06	AV	226.30	150	Horizontal	Pass
4	12471.132	49.34	17.08	74.0	-24.66	Peak	146.00	150	Horizontal	Pass
4**	12471.132	40.77	17.08	54.0	-13.23	AV	146.00	150	Horizontal	Pass
5	14170.207	52.83	21.83	74.0	-21.17	Peak	193.60	150	Horizontal	Pass
5**	14170.207	44.83	21.83	54.0	-9.17	AV	193.60	150	Horizontal	Pass
6	17810.297	59.29	24.75	74.0	-14.71	Peak	108.40	150	Horizontal	Pass
6**	17810.297	50.13	24.75	54.0	-3.87	AV	108.40	150	Horizontal	Pass



## WiFi2.4G-N40-High channel-Vertical-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-23\_16.46.04

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A


Test Engineer: Xiang Cheng Jie

Temp.(oC): 20.1

Test Standard: FCC

Hum.: 54%

Work Addition: Normal



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1078.490	45.43	-13.59	74.0	-28.57	Peak	48.80	100	Vertical	Pass
1**	1078.490	35.95	-13.59	54.0	-18.05	AV	48.80	100	Vertical	Pass
2	1381.952	44.43	-12.85	74.0	-29.57	Peak	297.80	100	Vertical	Pass
2**	1381.952	34.22	-12.85	54.0	-19.78	AV	297.80	100	Vertical	Pass
3	2128.609	52.13	-8.89	74.0	-21.87	Peak	306.70	100	Vertical	Pass
3**	2128.609	40.65	-8.89	54.0	-13.35	AV	306.70	100	Vertical	Pass
4	2426.072	49.45	-4.70	74.0	-24.55	Peak	62.20	100	Vertical	Pass
4**	2426.072	38.89	-4.70	54.0	-15.11	AV	62.20	100	Vertical	Pass
5	3658.000	48.86	-2.30	74.0	-25.14	Peak	218.30	100	Vertical	Pass
5**	3658.000	38.11	-2.30	54.0	-15.89	AV	218.30	100	Vertical	Pass
6	5760.500	52.80	1.33	74.0	-21.20	Peak	0.00	100	Vertical	Pass
6**	5760.500	42.42	1.33	54.0	-11.58	AV	0.00	100	Vertical	Pass

# Test result

Project Number: SHE20090007-02GE

Test Time: 2021-02-18\_10.45.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8968.508	41.66	11.34	74.0	-32.34	Peak	360.00	150	Vertical	Pass
1**	8968.508	33.36	11.34	54.0	-20.64	AV	360.00	150	Vertical	Pass
2	10103.974	45.33	13.26	74.0	-28.67	Peak	359.00	150	Vertical	Pass
2**	10103.974	36.78	13.26	54.0	-17.22	AV	359.00	150	Vertical	Pass
3	11492.377	46.90	15.55	74.0	-27.10	Peak	328.30	150	Vertical	Pass
3**	11492.377	37.95	15.55	54.0	-16.05	AV	328.30	150	Vertical	Pass
4	12460.135	49.25	17.18	74.0	-24.75	Peak	309.70	150	Vertical	Pass
4**	12460.135	40.44	17.18	54.0	-13.56	AV	309.70	150	Vertical	Pass
5	14192.202	53.89	22.26	74.0	-20.11	Peak	2.60	150	Vertical	Pass
5**	14192.202	45.77	22.26	54.0	-8.23	AV	2.60	150	Vertical	Pass
6	17477.631	57.83	25.10	74.0	-16.17	Peak	173.50	150	Vertical	Pass
6**	17477.631	49.11	25.10	54.0	-4.89	AV	173.50	150	Vertical	Pass

## WiFi2.4G-Bandedge -B-Low channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.03.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	44.33	-10.38	74.0	-29.67	Peak	4.32	150	Horizontal	Pass
1**	2390.000	35.48	-10.38	54.0	-18.52	AV	4.32	150	Horizontal	Pass

## WiFi2.4G-Bandedge -B-Low channel- Vertical -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_12.01.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	44.10	-10.38	74.0	-29.90	Peak	241.37	150	Vertical	Pass
1**	2390.000	35.54	-10.38	54.0	-18.46	AV	241.37	150	Vertical	Pass

## WiFi2.4G-Bandedge -B-High channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.14.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	44.47	-9.97	74.0	-29.53	Peak	316.48	150	Horizontal	Pass
1**	2483.500	35.58	-9.97	54.0	-18.42	AV	316.48	150	Horizontal	Pass


## WiFi2.4G-Bandedge -B-High channel- Vertical-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.12.56

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	22.5	Load:	N.A
Hum.:	51%	Remark:	DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	44.93	-9.97	74.0	-29.07	Peak	59.16	150	Vertical	Pass
1**	2483.500	35.78	-9.97	54.0	-18.22	AV	59.16	150	Vertical	Pass

## WiFi2.4G-Bandedge -G-Low channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.28.07

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.51	-10.38	74.0	-18.49	Peak	327.54	150	Horizontal	Pass
1**	2390.000	41.67	-10.38	54.0	-12.33	AV	327.54	150	Horizontal	Pass

WIFI2.4G-Bandedge -G-Low channel- Vertical -TX

## Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.25.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400  
1.0E+2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.97	-10.38	74.0	-20.03	Peak	7.90	150	Vertical	Pass
1**	2390.000	42.56	-10.38	54.0	-11.44	AV	7.90	150	Vertical	Pass



## WiFi2.4G-Bandedge -G-High channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.17.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.67	-9.97	74.0	-10.33	Peak	325.93	150	Horizontal	Pass
1**	2483.500	50.04	-9.97	54.0	-3.96	AV	325.93	150	Horizontal	Pass

## WiFi2.4G-Bandedge -G-High channel- Vertical-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.19.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
2	2483.500	61.60	-9.97	74.0	-12.40	Peak	234.50	150	Vertical	Pass
2**	2483.500	51.11	-9.97	54.0	-2.89	AV	234.50	150	Vertical	Pass

## WiFi2.4G-Bandedge -N-Low channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.29.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.58	-10.38	74.0	-17.42	Peak	68.73	150	Horizontal	Pass
1**	2390.000	45.77	-10.38	54.0	-8.23	AV	68.73	150	Horizontal	Pass

## WiFi2.4G-Bandedge -N-Low channel- Vertical -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.32.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.18	-10.38	74.0	-11.82	Peak	1.23	150	Vertical	Pass
1**	2390.000	45.76	-10.38	54.0	-8.24	AV	1.23	150	Vertical	Pass

WiFi2.4G-Bandedge -N-High channel- Horizontal -TX

## Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.39.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.53	-9.97	74.0	-14.47	Peak	330.12	150	Horizontal	Pass
1**	2483.500	47.33	-9.97	54.0	-6.67	AV	330.12	150	Horizontal	Pass

WIFI2.4G-Bandedge -N-High channel- Vertical-TX

## Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.37.29

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.73	-9.97	74.0	-18.27	Peak	355.87	150	Vertical	Pass
1**	2483.500	44.70	-9.97	54.0	-9.30	AV	355.87	150	Vertical	Pass

## WiFi2.4G-Bandedge -N40-Low channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.43.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.01	-10.38	74.0	-17.99	Peak	2.62	150	Horizontal	Pass
1**	2390.000	44.76	-10.38	54.0	-9.24	AV	2.62	150	Horizontal	Pass

## WiFi2.4G-Bandedge -N40-Low channel- Vertical -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.47.00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.64	-10.38	74.0	-18.36	Peak	1.29	150	Vertical	Pass
1**	2390.000	44.82	-10.38	54.0	-9.18	AV	1.29	150	Vertical	Pass



## WiFi2.4G-Bandedge –N40-High channel- Horizontal -TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.52.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.93	-9.97	74.0	-18.07	Peak	243.73	150	Horizontal	Pass
1**	2483.500	45.48	-9.97	54.0	-8.52	AV	243.73	150	Horizontal	Pass

## WiFi2.4G-Bandedge –N40-High channel- Vertical-TX

### Test result

Project Number: SHE20090007-02GE

Test Time: 2021-03-04\_13.49.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

REmission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.68	-9.97	74.0	-18.32	Peak	193.83	150	Vertical	Pass
1**	2483.500	45.95	-9.97	54.0	-8.05	AV	193.83	150	Vertical	Pass