


## **Annex A. Conducted Spurious Emission**

## 1. 802.11a\_20M\_Band1\_L

### 1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	778.077	-58.9	-27	Pass	9700
1000	5150	1	Peak	5096.987	-45.21	-27	Pass	4150
5150	5350	1	Peak	5185	8.12	24	Pass	601
5350	10300	1	Peak	9620.863	-47.38	-27	Pass	4950
10300	10700	1	Peak	10337.333	-47.89	-27	Pass	601
10700	25000	1	Peak	24768.984	-36.12	-27	Pass	14300



## 2. 802.11a\_20M\_Band1\_M

### 2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	925.092	-59.02	-27	Pass	9700
1000	5150	1	Peak	3160.521	-45.29	-27	Pass	4150
5150	5350	1	Peak	5215.333	7.24	24	Pass	601
5350	10300	1	Peak	6110.154	-47.29	-27	Pass	4950
10300	10700	1	Peak	10316.667	-47.66	-27	Pass	601
10700	25000	1	Peak	24668.977	-37.66	-27	Pass	14300



## 3. 802.11a\_20M\_Band1\_H

### 3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	912.591	-58.65	-27	Pass	9700
1000	5150	1	Peak	2684.406	-44.98	-27	Pass	4150
5150	5350	1	Peak	5247	8.41	24	Pass	601
5350	10300	1	Peak	6035.138	-47.03	-27	Pass	4950
10300	10700	1	Peak	10544	-47.48	-27	Pass	601
10700	25000	1	Peak	24769.984	-36.49	-27	Pass	14300



## 4. 802.11n\_20M\_Band1\_L

### 4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	940.794	-58.47	-27	Pass	9700
1000	5150	1	Peak	5127.995	-44.89	-27	Pass	4150
5150	5350	1	Peak	5173.667	6.95	24	Pass	601
5350	10300	1	Peak	6005.132	-47.38	-27	Pass	4950
10300	10700	1	Peak	10434	-48.25	-27	Pass	601
10700	25000	1	Peak	24735.982	-36.72	-27	Pass	14300



## 5. 802.11n\_20M\_Band1\_M

### 5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	872.587	-59.63	-27	Pass	9700
1000	5150	1	Peak	3051.494	-45.29	-27	Pass	4150
5150	5350	1	Peak	5213.667	7.08	24	Pass	601
5350	10300	1	Peak	5630.057	-47.56	-27	Pass	4950
10300	10700	1	Peak	10571.333	-47.14	-27	Pass	601
10700	25000	1	Peak	24797.986	-37.16	-27	Pass	14300



## 6. 802.11n\_20M\_Band1\_H

### 6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	776.877	-58.63	-27	Pass	9700
1000	5150	1	Peak	1903.218	-37.76	-27	Pass	4150
5150	5350	1	Peak	5244.333	7.86	24	Pass	601
5350	10300	1	Peak	5609.052	-47.72	-27	Pass	4950
10300	10700	1	Peak	10524.667	-47.36	-27	Pass	601
10700	25000	1	Peak	24736.982	-36.67	-27	Pass	14300



## 7. 802.11n\_40M\_Band1\_L

### 7.2. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	930.793	-59.43	-27	Pass	9700
1000	5150	1	Peak	5149	-43.75	-27	Pass	4150
5150	5350	1	Peak	5187.333	4.54	24	Pass	601
5350	10300	1	Peak	6003.132	-47.35	-27	Pass	4950
10300	10700	1	Peak	10468	-47.77	-27	Pass	601
10700	25000	1	Peak	24709.98	-36.95	-27	Pass	14300






## 8. 802.11n\_40M\_Band1\_H

### 8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	752.374	-59.36	-27	Pass	9700
1000	5150	1	Peak	3045.493	-45.73	-27	Pass	4150
5150	5350	1	Peak	5235.667	3.79	24	Pass	601
5350	10300	1	Peak	6055.142	-47.43	-27	Pass	4950
10300	10700	1	Peak	10371.333	-48.2	-27	Pass	601
10700	25000	1	Peak	24718.98	-37.2	-27	Pass	14300



## 9. 802.11ac\_20M\_Band1\_L

### 9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	995.5	-59.75	-27	Pass	9700
1000	5150	1	Peak	5126.994	-44.22	-27	Pass	4150
5150	5350	1	Peak	5187	7.43	24	Pass	601
5350	10300	1	Peak	5670.065	-47.51	-27	Pass	4950
10300	10700	1	Peak	10316	-48.11	-27	Pass	601
10700	25000	1	Peak	24773.984	-37.14	-27	Pass	14300



## 10. 802.11ac\_20M\_Band1\_M

### 10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	418.34	-59.62	-27	Pass	9700
1000	5150	1	Peak	3216.534	-45.65	-27	Pass	4150
5150	5350	1	Peak	5227	7.56	24	Pass	601
5350	10300	1	Peak	6307.193	-47.38	-27	Pass	4950
10300	10700	1	Peak	10308.667	-47.69	-27	Pass	601
10700	25000	1	Peak	24765.984	-36.8	-27	Pass	14300



## 11. 802.11ac\_20M\_Band1\_H

### 11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	789.378	-59.16	-27	Pass	9700
1000	5150	1	Peak	3194.529	-45.6	-27	Pass	4150
5150	5350	1	Peak	5247	7.56	24	Pass	601
5350	10300	1	Peak	10115.963	-47.59	-27	Pass	4950
10300	10700	1	Peak	10392	-48.01	-27	Pass	601
10700	25000	1	Peak	24800.986	-37.05	-27	Pass	14300



## 12. 802.11ac\_40M\_Band1\_L

### 12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	897.489	-59.67	-27	Pass	9700
1000	5150	1	Peak	5146.999	-44.23	-27	Pass	4150
5150	5350	1	Peak	5187.667	4.83	24	Pass	601
5350	10300	1	Peak	10133.966	-46.74	-27	Pass	4950
10300	10700	1	Peak	10634.667	-47.63	-27	Pass	601
10700	25000	1	Peak	24692.979	-37.18	-27	Pass	14300



## 13. 802.11ac\_40M\_Band1\_H

### 13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	407.139	-59.17	-27	Pass	9700
1000	5150	1	Peak	2723.415	-45.32	-27	Pass	4150
5150	5350	1	Peak	5227.667	4.36	24	Pass	601
5350	10300	1	Peak	9671.873	-46.92	-27	Pass	4950
10300	10700	1	Peak	10556	-47.71	-27	Pass	601
10700	25000	1	Peak	24729.981	-37.13	-27	Pass	14300



## 14. 802.11ac\_80M\_Band1\_M

### 14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	902.59	-52.97	-27	Pass	9700
1000	5150	1	Peak	5144.999	-39.17	-27	Pass	4150
5150	5350	1	Peak	5203.333	0.98	24	Pass	601
5350	10300	1	Peak	5934.118	-47.58	-27	Pass	4950
10300	10700	1	Peak	10370	-48.04	-27	Pass	601
10700	25000	1	Peak	24809.987	-37.54	-27	Pass	14300



## 15. 802.11a\_20M\_Band4\_L

### 15.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	429.441	-59.72	-27	Pass	9700
1000	5650	1	Peak	2728.372	-45.35	-27	Pass	4650
5650	5700	1	Peak	5650.5	-48.39	-26.63	Pass	601
5700	5720	1	Peak	5702.567	-47.8	10.72	Pass	601
5720	5725	1	Peak	5720.158	-43.46	15.96	Pass	601
5725	5850	1	Peak	5739.792	7.85	30	Pass	601
5850	5855	1	Peak	5854.667	-48.24	16.36	Pass	601
5855	5875	1	Peak	5873.167	-48.61	10.51	Pass	601
5875	5925	1	Peak	5924.667	-48.64	-26.75	Pass	601
5925	25000	1	Peak	24786.989	-36.67	-27	Pass	19075






## 16. 802.11a\_20M\_Band4\_M

### 16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	938.194	-58.95	-27	Pass	9700
1000	5650	1	Peak	1903.194	-43.92	-27	Pass	4650
5650	5700	1	Peak	5650.25	-49.13	-26.82	Pass	601
5700	5720	1	Peak	5702.633	-48.19	10.74	Pass	601
5720	5725	1	Peak	5720.733	-46.33	17.27	Pass	601
5725	5850	1	Peak	5781.042	8.79	30	Pass	601
5850	5855	1	Peak	5854.967	-49.29	15.68	Pass	601
5855	5875	1	Peak	5873.167	-47.88	10.51	Pass	601
5875	5925	1	Peak	5924.167	-48.61	-26.38	Pass	601
5925	25000	1	Peak	24805.99	-36.3	-27	Pass	19075



## 17. 802.11a\_20M\_Band4\_H

### 17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	781.077	-59.62	-27	Pass	9700
1000	5650	1	Peak	1728.157	-42.05	-27	Pass	4650
5650	5700	1	Peak	5650.167	-48.37	-26.88	Pass	601
5700	5720	1	Peak	5702.433	-48.28	10.68	Pass	601
5720	5725	1	Peak	5720.225	-47.76	16.11	Pass	601
5725	5850	1	Peak	5819.583	8.35	30	Pass	601
5850	5855	1	Peak	5854.875	-46.63	15.88	Pass	601
5855	5875	1	Peak	5873.5	-47.26	10.42	Pass	601
5875	5925	1	Peak	5924.583	-48.08	-26.69	Pass	601
5925	25000	1	Peak	24730.986	-36.52	-27	Pass	19075



## 18. 802.11n\_20M\_Band4\_L

### 18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	812.681	-58.14	-27	Pass	9700
1000	5650	1	Peak	2988.428	-46.51	-27	Pass	4650
5650	5700	1	Peak	5650.917	-47.3	-26.32	Pass	601
5700	5720	1	Peak	5704.567	-46.71	11.28	Pass	601
5720	5725	1	Peak	5720.092	-43.02	15.81	Pass	601
5725	5850	1	Peak	5749.375	6.89	30	Pass	601
5850	5855	1	Peak	5854.925	-48.73	15.77	Pass	601
5855	5875	1	Peak	5871.833	-48.49	10.89	Pass	601
5875	5925	1	Peak	5924.917	-49.02	-26.94	Pass	601
5925	25000	1	Peak	24824.991	-36.62	-27	Pass	19075



## 19. 802.11n\_20M\_Band4\_M

### 19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	888.489	-59.02	-27	Pass	9700
1000	5650	1	Peak	2563.336	-45.99	-27	Pass	4650
5650	5700	1	Peak	5650.917	-47.72	-26.32	Pass	601
5700	5720	1	Peak	5701.233	-48.47	10.35	Pass	601
5720	5725	1	Peak	5720.408	-46.02	16.53	Pass	601
5725	5850	1	Peak	5792.292	6.86	30	Pass	601
5850	5855	1	Peak	5854.908	-49.27	15.81	Pass	601
5855	5875	1	Peak	5874.233	-48.59	10.21	Pass	601
5875	5925	1	Peak	5924.75	-48.98	-26.82	Pass	601
5925	25000	1	Peak	24744.987	-36.28	-27	Pass	19075



## 20. 802.11n\_20M\_Band4\_H

### 20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	851.985	-58.98	-27	Pass	9700
1000	5650	1	Peak	3044.44	-45.85	-27	Pass	4650
5650	5700	1	Peak	5650.25	-48.9	-26.82	Pass	601
5700	5720	1	Peak	5700.133	-48.44	10.04	Pass	601
5720	5725	1	Peak	5720.117	-47.58	15.87	Pass	601
5725	5850	1	Peak	5818.75	6.74	30	Pass	601
5850	5855	1	Peak	5854.967	-47.11	15.68	Pass	601
5855	5875	1	Peak	5874.7	-48.73	10.08	Pass	601
5875	5925	1	Peak	5924.75	-49	-26.82	Pass	601
5925	25000	1	Peak	24751.987	-36.52	-27	Pass	19075



## 21. 802.11n\_40M\_Band4\_L

### 21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	936.994	-59.26	-27	Pass	9700
1000	5650	1	Peak	2680.361	-45.94	-27	Pass	4650
5650	5700	1	Peak	5651.083	-46.36	-26.2	Pass	601
5700	5720	1	Peak	5719.267	-38.05	15.39	Pass	601
5720	5725	1	Peak	5721.975	-35.02	20.1	Pass	601
5725	5850	1	Peak	5741.875	4.18	30	Pass	601
5850	5855	1	Peak	5854.975	-49.38	15.66	Pass	601
5855	5875	1	Peak	5872.4	-48.24	10.73	Pass	601
5875	5925	1	Peak	5924.583	-48.54	-26.69	Pass	601
5925	25000	1	Peak	24724.986	-35.65	-27	Pass	19075



## 22. 802.11n\_40M\_Band4\_H

### 22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	452.844	-58.98	-27	Pass	9700
1000	5650	1	Peak	3187.47	-46.18	-27	Pass	4650
5650	5700	1	Peak	5650.333	-48.97	-26.75	Pass	601
5700	5720	1	Peak	5701.033	-48.23	10.29	Pass	601
5720	5725	1	Peak	5720.458	-47.13	16.64	Pass	601
5725	5850	1	Peak	5788.125	4.06	30	Pass	601
5850	5855	1	Peak	5854.958	-48.05	15.7	Pass	601
5855	5875	1	Peak	5873.633	-48.41	10.38	Pass	601
5875	5925	1	Peak	5924.583	-48.12	-26.69	Pass	601
5925	25000	1	Peak	24777.988	-36.27	-27	Pass	19075



## 23. 802.11ac\_20M\_Band4\_L

### 23.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	440.942	-59.38	-27	Pass	9700
1000	5650	1	Peak	2960.422	-45.83	-27	Pass	4650
5650	5700	1	Peak	5650.5	-48.42	-26.63	Pass	601
5700	5720	1	Peak	5703.533	-46.93	10.99	Pass	601
5720	5725	1	Peak	5720.008	-42.83	15.62	Pass	601
5725	5850	1	Peak	5739.375	7.59	30	Pass	601
5850	5855	1	Peak	5854.725	-48.94	16.23	Pass	601
5855	5875	1	Peak	5872.3	-47.75	10.76	Pass	601
5875	5925	1	Peak	5923.417	-48.3	-25.83	Pass	601
5925	25000	1	Peak	24708.985	-37.6	-27	Pass	19075






## 24. 802.11ac\_20M\_Band4\_M

### 24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	983.498	-59.39	-27	Pass	9700
1000	5650	1	Peak	3178.468	-46.18	-27	Pass	4650
5650	5700	1	Peak	5650.5	-47.6	-26.63	Pass	601
5700	5720	1	Peak	5701.9	-48.12	10.53	Pass	601
5720	5725	1	Peak	5720.1	-47.75	15.83	Pass	601
5725	5850	1	Peak	5779.375	7.47	30	Pass	601
5850	5855	1	Peak	5854.983	-48.92	15.64	Pass	601
5855	5875	1	Peak	5873.733	-48.3	10.35	Pass	601
5875	5925	1	Peak	5924.917	-48.01	-26.94	Pass	601
5925	25000	1	Peak	24789.989	-36.55	-27	Pass	19075



## 25. 802.11ac\_20M\_Band4\_H

### 25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	848.284	-58.24	-27	Pass	9700
1000	5650	1	Peak	3458.529	-46.3	-27	Pass	4650
5650	5700	1	Peak	5652.167	-47.63	-25.4	Pass	601
5700	5720	1	Peak	5701.933	-48.4	10.54	Pass	601
5720	5725	1	Peak	5720.008	-48.39	15.62	Pass	601
5725	5850	1	Peak	5820.417	8.38	30	Pass	601
5850	5855	1	Peak	5854.7	-45.2	16.28	Pass	601
5855	5875	1	Peak	5874.367	-47.41	10.18	Pass	601
5875	5925	1	Peak	5924	-48.47	-26.26	Pass	601
5925	25000	1	Peak	24750.987	-36.76	-27	Pass	19075



## 26. 802.11ac\_40M\_Band4\_L

### 26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	220.32	-59.05	-27	Pass	9700
1000	5650	1	Peak	1729.157	-38.53	-27	Pass	4650
5650	5700	1	Peak	5650.333	-46.58	-26.75	Pass	601
5700	5720	1	Peak	5720	-36.1	15.6	Pass	601
5720	5725	1	Peak	5720.483	-34.36	16.7	Pass	601
5725	5850	1	Peak	5741.667	6.86	30	Pass	601
5850	5855	1	Peak	5854.717	-48.11	16.25	Pass	601
5855	5875	1	Peak	5871.567	-48.12	10.96	Pass	601
5875	5925	1	Peak	5923.917	-47.31	-26.2	Pass	601
5925	25000	1	Peak	24777.988	-36.68	-27	Pass	19075



## 27. 802.11ac\_40M\_Band4\_H

### 27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	839.183	-59.12	-27	Pass	9700
1000	5650	1	Peak	3196.472	-45.37	-27	Pass	4650
5650	5700	1	Peak	5650.5	-49.16	-26.63	Pass	601
5700	5720	1	Peak	5704.033	-47.45	11.13	Pass	601
5720	5725	1	Peak	5720	-48.1	15.6	Pass	601
5725	5850	1	Peak	5792.5	5.13	30	Pass	601
5850	5855	1	Peak	5854.858	-47.39	15.92	Pass	601
5855	5875	1	Peak	5874.133	-48.59	10.24	Pass	601
5875	5925	1	Peak	5924.833	-48.64	-26.88	Pass	601
5925	25000	1	Peak	24746.987	-36.58	-27	Pass	19075



## 28. 802.11ac\_80M\_Band4\_M

### 28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.591	-59.25	-27	Pass	9700
1000	5650	1	Peak	2464.315	-45.98	-27	Pass	4650
5650	5700	1	Peak	5650	-48.54	-27	Pass	601
5700	5720	1	Peak	5703.633	-41.06	11.02	Pass	601
5720	5725	1	Peak	5720.042	-39.54	15.7	Pass	601
5725	5850	1	Peak	5748.125	1.62	30	Pass	601
5850	5855	1	Peak	5854.717	-46.75	16.25	Pass	601
5855	5875	1	Peak	5871.433	-46.31	11	Pass	601
5875	5925	1	Peak	5925	-48.76	-27	Pass	601
5925	25000	1	Peak	24766.988	-36.7	-27	Pass	19075



END