

EXHIBIT E- Field Strength of Spurious Radiation

1. GSM 850

1.1 GSM 850 LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_13.53.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.881	-80.19	-14.08	-13.0	-67.19	92.40	Horizontal	Vertical	Pass
200.435	-60.64	-9.07	-13.0	-47.64	147.50	Horizontal	Vertical	Pass
238.013	-61.04	-4.05	-13.0	-48.04	113.70	Horizontal	Vertical	Pass
869.083	-45.36	4.38	-13.0	-32.36	108.20	Horizontal	Vertical	Pass
2288.178	-56.97	-2.64	-13.0	-43.97	157.30	Horizontal	Vertical	Pass
4800.550	-41.87	1.97	-13.0	-28.87	181.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_13.56.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-72.26	-14.34	-13.0	-59.26	4.00	Vertical	Vertical	Pass
164.796	-67.43	-15.92	-13.0	-54.43	37.50	Vertical	Vertical	Pass
241.165	-67.64	-3.62	-13.0	-54.64	21.50	Vertical	Vertical	Pass
651.857	-70.67	-0.03	-13.0	-57.67	113.10	Vertical	Vertical	Pass
869.083	-44.86	4.38	-13.0	-31.86	153.90	Vertical	Vertical	Pass
2283.679	-57.03	-2.80	-13.0	-44.03	204.50	Vertical	Vertical	Pass

1.2 GSM 850 MCH

Test result

Project Number: Certification

Test Time: 2020-11-09_13.40.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.427	-84.83	-18.89	-13.0	-71.83	83.20	Horizontal	Vertical	Pass
239.225	-67.20	-3.60	-13.0	-54.20	106.00	Horizontal	Vertical	Pass
452.087	-73.89	-3.06	-13.0	-60.89	0.00	Horizontal	Vertical	Pass
881.447	-51.53	2.28	-13.0	-38.53	107.70	Horizontal	Vertical	Pass
2222.694	-57.84	-3.98	-13.0	-44.84	209.50	Horizontal	Vertical	Pass
4691.577	-41.78	1.42	-13.0	-28.78	103.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_13.37.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.215	-77.74	-18.41	-13.0	-64.74	66.70	Vertical	Vertical	Pass
163.342	-79.57	-15.87	-13.0	-66.57	65.00	Vertical	Vertical	Pass
237.528	-72.10	-4.22	-13.0	-59.10	360.00	Vertical	Vertical	Pass
881.447	-47.67	2.28	-13.0	-34.67	199.90	Vertical	Vertical	Pass
2289.678	-55.31	-2.59	-13.0	-42.31	186.80	Vertical	Vertical	Pass
4775.556	-40.95	1.86	-13.0	-27.95	276.10	Vertical	Vertical	Pass

1.3 GSM 850 HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_13.19.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-77.66	-10.67	-13.0	-64.66	342.70	Horizontal	Vertical	Pass
75.094	-79.10	-19.89	-13.0	-66.10	33.80	Horizontal	Vertical	Pass
239.953	-72.30	-3.34	-13.0	-59.30	260.40	Horizontal	Vertical	Pass
856.233	-63.40	5.41	-13.0	-50.40	272.50	Horizontal	Vertical	Pass
893.812	-49.82	1.56	-13.0	-36.82	109.40	Horizontal	Vertical	Pass
2285.179	-56.48	-2.75	-13.0	-43.48	173.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_13.22.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
52.062	-73.14	-12.35	-13.0	-60.14	180.30	Vertical	Vertical	Pass
124.794	-78.77	-15.38	-13.0	-65.77	83.50	Vertical	Vertical	Pass
235.589	-71.21	-4.93	-13.0	-58.21	6.10	Vertical	Vertical	Pass
364.324	-70.97	-9.27	-13.0	-57.97	103.00	Vertical	Vertical	Pass
893.569	-48.45	1.54	-13.0	-35.45	299.90	Vertical	Vertical	Pass
4105.724	-42.60	0.94	-13.0	-29.60	180.70	Vertical	Vertical	Pass

GSM 1900

1.4 GSM 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_14.10.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-81.14	-14.74	-13.0	-68.14	343.50	Horizontal	Vertical	Pass
160.917	-68.59	-16.28	-13.0	-55.59	92.40	Horizontal	Vertical	Pass
241.407	-62.12	-3.92	-13.0	-49.12	101.30	Horizontal	Vertical	Pass
448.935	-73.51	-3.50	-13.0	-60.51	191.20	Horizontal	Vertical	Pass
1385.904	-50.75	-6.31	-13.0	-37.75	6.30	Horizontal	Vertical	Pass
1929.768	-57.44	-8.28	-13.0	-44.44	203.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.16.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-64.92	9.59	-13.0	-51.92	275.90	Horizontal	Vertical	Pass
9400.150	-59.33	15.31	-13.0	-46.33	33.60	Horizontal	Vertical	Pass
10816.046	-57.34	16.49	-13.0	-44.34	145.00	Horizontal	Vertical	Pass
13185.954	-57.09	15.77	-13.0	-44.09	95.80	Horizontal	Vertical	Pass
14791.552	-48.07	25.62	-13.0	-35.07	190.20	Horizontal	Vertical	Pass
16837.041	-46.14	25.92	-13.0	-33.14	243.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.03.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-71.36	-14.74	-13.0	-58.36	150.90	Vertical	Vertical	Pass
164.069	-69.73	-16.30	-13.0	-56.73	65.90	Vertical	Vertical	Pass
239.953	-67.87	-3.57	-13.0	-54.87	0.60	Vertical	Vertical	Pass
1929.768	-57.42	-8.28	-13.0	-44.42	211.00	Vertical	Vertical	Pass
3146.963	-54.81	-2.26	-13.0	-41.81	171.40	Vertical	Vertical	Pass
5236.441	-50.37	2.09	-13.0	-37.37	69.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.20.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.75	9.76	-13.0	-52.75	47.10	Vertical	Vertical	Pass
9400.150	-59.73	15.31	-13.0	-46.73	326.80	Vertical	Vertical	Pass
10827.043	-56.74	16.64	-13.0	-43.74	177.30	Vertical	Vertical	Pass
12762.559	-58.80	14.78	-13.0	-45.80	13.30	Vertical	Vertical	Pass
14808.048	-47.85	25.72	-13.0	-34.85	91.80	Vertical	Vertical	Pass
16889.278	-45.98	26.19	-13.0	-32.98	357.30	Vertical	Vertical	Pass

1.5 GSM 1900 MCH

Test result

Project Number: Certification

Test Time: 2020-11-09_14.58.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.941	-71.04	-12.01	-13.0	-58.04	261.80	Horizontal	Vertical	Pass
71.942	-79.21	-19.00	-13.0	-66.21	44.30	Horizontal	Vertical	Pass
119.945	-56.50	-13.37	-13.0	-43.50	61.80	Horizontal	Vertical	Pass
239.953	-63.03	-3.57	-13.0	-50.03	58.40	Horizontal	Vertical	Pass
426.146	-66.32	-6.93	-13.0	-53.32	91.70	Horizontal	Vertical	Pass
1959.760	-57.71	-8.31	-13.0	-44.71	294.70	Horizontal	Vertical	Pass
5024.494	-51.37	2.89	-13.0	-38.37	18.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.53.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-65.70	10.20	-13.0	-52.70	142.60	Horizontal	Vertical	Pass
9400.150	-59.18	15.31	-13.0	-46.18	63.00	Horizontal	Vertical	Pass
10466.883	-57.71	16.38	-13.0	-44.71	357.40	Horizontal	Vertical	Pass
12487.628	-59.20	13.27	-13.0	-46.20	95.20	Horizontal	Vertical	Pass
14775.056	-47.19	25.41	-13.0	-34.19	345.50	Horizontal	Vertical	Pass
16853.537	-46.37	26.20	-13.0	-33.37	17.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.02.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.941	-59.66	-12.01	-13.0	-46.66	359.70	Vertical	Vertical	Pass
71.942	-69.97	-19.00	-13.0	-56.97	212.80	Vertical	Vertical	Pass
119.945	-60.44	-13.37	-13.0	-47.44	180.40	Vertical	Vertical	Pass
155.826	-72.02	-16.05	-13.0	-59.02	274.30	Vertical	Vertical	Pass
467.846	-75.92	-4.90	-13.0	-62.92	41.00	Vertical	Vertical	Pass
1959.760	-58.44	-8.31	-13.0	-45.44	329.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.51.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.81	9.44	-13.0	-52.81	292.80	Vertical	Vertical	Pass
9408.398	-59.30	15.14	-13.0	-46.30	146.50	Vertical	Vertical	Pass
10851.787	-56.86	16.94	-13.0	-43.86	319.00	Vertical	Vertical	Pass
13172.207	-57.93	15.47	-13.0	-44.93	227.30	Vertical	Vertical	Pass
14706.323	-48.14	25.23	-13.0	-35.14	126.00	Vertical	Vertical	Pass
16713.322	-46.03	25.55	-13.0	-33.03	33.30	Vertical	Vertical	Pass


1.6 GSM 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_15.13.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.365	-76.19	-14.65	-13.0	-63.19	0.80	Horizontal	Vertical	Pass
198.738	-63.84	-10.25	-13.0	-50.84	346.40	Horizontal	Vertical	Pass
239.225	-62.15	-3.86	-13.0	-49.15	108.70	Horizontal	Vertical	Pass
858.658	-67.14	4.32	-13.0	-54.14	92.70	Horizontal	Vertical	Pass
1989.253	-56.58	-7.86	-13.0	-43.58	332.40	Horizontal	Vertical	Pass
5025.494	-50.63	2.89	-13.0	-37.63	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.15.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7844.039	-65.54	8.70	-13.0	-52.54	22.00	Horizontal	Vertical	Pass
8853.037	-63.26	11.52	-13.0	-50.26	358.60	Horizontal	Vertical	Pass
10150.712	-59.43	13.61	-13.0	-46.43	12.30	Horizontal	Vertical	Pass
11192.702	-57.20	15.96	-13.0	-44.20	359.20	Horizontal	Vertical	Pass
13207.948	-56.57	16.03	-13.0	-43.57	23.70	Horizontal	Vertical	Pass
14552.362	-48.17	24.25	-13.0	-35.17	316.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.09.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.668	-70.60	-14.02	-13.0	-57.60	56.60	Vertical	Vertical	Pass
93.277	-76.37	-14.33	-13.0	-63.37	44.00	Vertical	Vertical	Pass
240.437	-66.77	-3.67	-13.0	-53.77	0.80	Vertical	Vertical	Pass
659.858	-71.53	0.00	-13.0	-58.53	359.60	Vertical	Vertical	Pass
1989.753	-56.69	-7.84	-13.0	-43.69	332.20	Vertical	Vertical	Pass
4159.710	-53.50	0.12	-13.0	-40.50	337.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.17.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-65.32	10.17	-13.0	-52.32	16.60	Vertical	Vertical	Pass
9422.144	-60.27	14.86	-13.0	-47.27	39.10	Vertical	Vertical	Pass
10876.531	-56.65	16.61	-13.0	-43.65	357.70	Vertical	Vertical	Pass
13191.452	-56.40	15.89	-13.0	-43.40	8.90	Vertical	Vertical	Pass
14601.850	-47.99	24.59	-13.0	-34.99	14.90	Vertical	Vertical	Pass
16707.823	-47.19	25.65	-13.0	-34.19	346.90	Vertical	Vertical	Pass

EDGE 850


1.7 EDGE 850 LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_11.43.04

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-81.15	-10.53	-13.0	-68.15	91.40	Horizontal	Vertical	Pass
124.794	-82.94	-15.38	-13.0	-69.94	195.90	Horizontal	Vertical	Pass
249.893	-75.26	-5.84	-13.0	-62.26	334.50	Horizontal	Vertical	Pass
869.083	-46.97	4.38	-13.0	-33.97	4.30	Horizontal	Vertical	Pass
2290.677	-56.91	-2.59	-13.0	-43.91	306.80	Horizontal	Vertical	Pass
5043.489	-41.54	2.81	-13.0	-28.54	298.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.39.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.578	-70.70	-16.99	-13.0	-57.70	168.00	Vertical	Vertical	Pass
87.701	-66.40	-16.82	-13.0	-53.40	309.60	Vertical	Vertical	Pass
199.950	-79.93	-8.89	-13.0	-66.93	334.80	Vertical	Vertical	Pass
453.542	-74.90	-3.16	-13.0	-61.90	357.00	Vertical	Vertical	Pass
869.083	-47.06	4.38	-13.0	-34.06	47.50	Vertical	Vertical	Pass
2282.179	-56.93	-2.86	-13.0	-43.93	2.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.53.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-78.33	-10.67	-13.0	-65.33	359.20	Horizontal	Vertical	Pass
124.794	-80.31	-15.38	-13.0	-67.31	252.70	Horizontal	Vertical	Pass
249.893	-72.83	-5.84	-13.0	-59.83	303.40	Horizontal	Vertical	Pass
881.447	-49.95	2.28	-13.0	-36.95	110.90	Horizontal	Vertical	Pass
2278.180	-56.60	-3.01	-13.0	-43.60	359.60	Horizontal	Vertical	Pass
4999.500	-40.30	2.98	-13.0	-27.30	80.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.57.58

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-71.40	-10.99	-13.0	-58.40	56.30	Vertical	Vertical	Pass
81.397	-80.68	-19.50	-13.0	-67.68	44.20	Vertical	Vertical	Pass
239.225	-74.78	-3.60	-13.0	-61.78	311.50	Vertical	Vertical	Pass
450.147	-73.25	-2.92	-13.0	-60.25	243.80	Vertical	Vertical	Pass
881.447	-47.35	2.28	-13.0	-34.35	296.90	Vertical	Vertical	Pass
2284.679	-56.86	-2.77	-13.0	-43.86	197.10	Vertical	Vertical	Pass

1.8 EDGE 850 HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_13.05.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-75.90	-10.72	-13.0	-62.90	316.40	Horizontal	Vertical	Pass
124.794	-83.12	-15.38	-13.0	-70.12	43.90	Horizontal	Vertical	Pass
239.953	-73.88	-3.34	-13.0	-60.88	294.70	Horizontal	Vertical	Pass
893.812	-50.18	1.56	-13.0	-37.18	115.10	Horizontal	Vertical	Pass
2283.179	-57.01	-2.82	-13.0	-44.01	19.40	Horizontal	Vertical	Pass
4096.726	-42.96	0.95	-13.0	-29.96	58.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_12.02.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-71.17	-10.72	-13.0	-58.17	277.40	Vertical	Vertical	Pass
108.793	-76.71	-12.00	-13.0	-63.71	140.00	Vertical	Vertical	Pass
239.953	-74.77	-3.34	-13.0	-61.77	0.50	Vertical	Vertical	Pass
893.569	-48.40	1.54	-13.0	-35.40	296.90	Vertical	Vertical	Pass
2282.679	-57.23	-2.84	-13.0	-44.23	303.90	Vertical	Vertical	Pass
5017.496	-40.75	2.92	-13.0	-27.75	120.70	Vertical	Vertical	Pass

EDGE 1900

1.9 EDGE 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_14.28.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.487	-69.37	-18.45	-13.0	-56.37	344.90	Horizontal	Vertical	Pass
201.890	-64.38	-10.11	-13.0	-51.38	147.50	Horizontal	Vertical	Pass
239.225	-61.56	-3.86	-13.0	-48.56	80.30	Horizontal	Vertical	Pass
1182.954	-58.42	-4.37	-13.0	-45.42	177.80	Horizontal	Vertical	Pass
1929.768	-56.62	-8.28	-13.0	-43.62	202.80	Horizontal	Vertical	Pass
3028.993	-55.17	-1.39	-13.0	-42.17	202.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.25.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7948.513	-65.47	8.73	-13.0	-52.47	12.60	Horizontal	Vertical	Pass
9402.899	-60.00	15.25	-13.0	-47.00	332.60	Horizontal	Vertical	Pass
10508.123	-58.23	16.46	-13.0	-45.23	157.70	Horizontal	Vertical	Pass
12141.215	-58.93	14.73	-13.0	-45.93	159.40	Horizontal	Vertical	Pass
14692.577	-47.03	25.24	-13.0	-34.03	18.30	Horizontal	Vertical	Pass
16498.875	-47.55	24.97	-13.0	-34.55	44.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.32.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-65.53	-11.41	-13.0	-52.53	286.90	Vertical	Vertical	Pass
58.608	-71.90	-14.74	-13.0	-58.90	57.10	Vertical	Vertical	Pass
163.342	-70.27	-16.29	-13.0	-57.27	37.60	Vertical	Vertical	Pass
239.710	-65.10	-3.66	-13.0	-52.10	13.10	Vertical	Vertical	Pass
1929.768	-57.06	-8.28	-13.0	-44.06	208.80	Vertical	Vertical	Pass
3190.952	-55.90	-1.32	-13.0	-42.90	45.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.23.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-65.45	9.09	-13.0	-52.45	261.90	Vertical	Vertical	Pass
9400.150	-59.35	15.31	-13.0	-46.35	233.80	Vertical	Vertical	Pass
10466.883	-57.54	16.38	-13.0	-44.54	19.10	Vertical	Vertical	Pass
11621.595	-58.30	15.98	-13.0	-45.30	96.20	Vertical	Vertical	Pass
13243.689	-57.23	15.81	-13.0	-44.23	337.20	Vertical	Vertical	Pass
14791.552	-48.21	25.62	-13.0	-35.21	358.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.43.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.941	-71.10	-12.01	-13.0	-58.10	231.80	Horizontal	Vertical	Pass
71.942	-79.26	-19.00	-13.0	-66.26	7.90	Horizontal	Vertical	Pass
119.945	-59.61	-13.37	-13.0	-46.61	355.10	Horizontal	Vertical	Pass
239.953	-64.53	-3.57	-13.0	-51.53	186.10	Horizontal	Vertical	Pass
658.160	-71.38	-0.09	-13.0	-58.38	326.90	Horizontal	Vertical	Pass
1959.260	-58.27	-8.31	-13.0	-45.27	336.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.45.28

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-65.42	9.62	-13.0	-52.42	63.80	Horizontal	Vertical	Pass
9364.409	-58.97	14.81	-13.0	-45.97	284.60	Horizontal	Vertical	Pass
10851.787	-57.35	16.94	-13.0	-44.35	73.10	Horizontal	Vertical	Pass
12251.187	-59.51	14.18	-13.0	-46.51	308.80	Horizontal	Vertical	Pass
14819.045	-47.57	25.71	-13.0	-34.57	312.50	Horizontal	Vertical	Pass
16864.534	-46.44	26.20	-13.0	-33.44	148.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.40.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.819	-60.80	-11.42	-13.0	-47.80	36.30	Vertical	Vertical	Pass
47.941	-58.50	-12.01	-13.0	-45.50	225.30	Vertical	Vertical	Pass
71.942	-69.08	-19.00	-13.0	-56.08	332.90	Vertical	Vertical	Pass
119.945	-58.18	-13.37	-13.0	-45.18	255.20	Vertical	Vertical	Pass
239.953	-69.78	-3.57	-13.0	-56.78	343.60	Vertical	Vertical	Pass
1959.760	-57.96	-8.31	-13.0	-44.96	294.90	Vertical	Vertical	Pass
3001.000	-54.51	-0.66	-13.0	-41.51	137.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_14.48.18

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7833.042	-65.28	8.57	-13.0	-52.28	86.50	Vertical	Vertical	Pass
9386.403	-60.13	15.12	-13.0	-47.13	82.50	Vertical	Vertical	Pass
10516.371	-58.33	16.40	-13.0	-45.33	360.00	Vertical	Vertical	Pass
11613.347	-58.62	16.20	-13.0	-45.62	28.20	Vertical	Vertical	Pass
14192.202	-52.07	20.64	-13.0	-39.07	72.90	Vertical	Vertical	Pass
16501.625	-47.26	24.96	-13.0	-34.26	359.70	Vertical	Vertical	Pass

1.10EDGE 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_15.27.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-75.94	-14.74	-13.0	-62.94	225.80	Horizontal	Vertical	Pass
114.854	-77.00	-11.57	-13.0	-64.00	134.10	Horizontal	Vertical	Pass
201.162	-65.28	-9.71	-13.0	-52.28	340.10	Horizontal	Vertical	Pass
448.693	-74.28	-3.54	-13.0	-61.28	127.20	Horizontal	Vertical	Pass
1201.450	-58.10	-3.66	-13.0	-45.10	3.40	Horizontal	Vertical	Pass
1989.753	-57.49	-7.84	-13.0	-44.49	335.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.22.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-65.61	9.62	-13.0	-52.61	315.30	Horizontal	Vertical	Pass
9400.150	-59.81	15.31	-13.0	-46.81	323.00	Horizontal	Vertical	Pass
10508.123	-58.13	16.46	-13.0	-45.13	147.90	Horizontal	Vertical	Pass
12715.821	-59.13	14.57	-13.0	-46.13	208.20	Horizontal	Vertical	Pass
14651.337	-48.06	25.17	-13.0	-35.06	354.90	Horizontal	Vertical	Pass
16699.575	-47.04	25.79	-13.0	-34.04	108.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.30.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-70.54	-14.74	-13.0	-57.54	293.30	Vertical	Vertical	Pass
167.221	-72.87	-16.54	-13.0	-59.87	56.40	Vertical	Vertical	Pass
239.953	-67.30	-3.57	-13.0	-54.30	15.90	Vertical	Vertical	Pass
849.688	-66.96	4.59	-13.0	-53.96	155.10	Vertical	Vertical	Pass
1989.253	-57.33	-7.86	-13.0	-44.33	329.30	Vertical	Vertical	Pass
5174.456	-51.52	2.88	-13.0	-38.52	86.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_15.19.44

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7745.064	-65.22	8.11	-13.0	-52.22	1.80	Vertical	Vertical	Pass
9397.401	-59.95	15.27	-13.0	-46.95	336.70	Vertical	Vertical	Pass
10989.253	-57.26	16.91	-13.0	-44.26	249.70	Vertical	Vertical	Pass
12743.314	-58.67	14.72	-13.0	-45.67	65.40	Vertical	Vertical	Pass
14739.315	-47.99	25.13	-13.0	-34.99	108.70	Vertical	Vertical	Pass
16952.512	-46.11	26.51	-13.0	-33.11	139.00	Vertical	Vertical	Pass