

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA


Note : Transmit frequency is ignore ,mark →
 LTE-B2-1.4-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_15.43.39

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-79.24	-11.57	-13.0	-66.24	342.60	Horizontal	Vertical	Pass
98.125	-81.57	-12.88	-13.0	-68.57	141.90	Horizontal	Vertical	Pass
249.893	-74.73	-6.15	-13.0	-61.73	3.10	Horizontal	Vertical	Pass
639.978	-71.82	-1.02	-13.0	-58.82	189.40	Horizontal	Vertical	Pass
1879.780	-42.64	-8.18	-13.0	-29.64	198.10	Horizontal	Vertical	Pass
1959.760	-41.48	-8.31	-13.0	-28.48	247.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_15.45.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-65.49	9.50	-13.0	-52.49	277.80	Horizontal	Vertical	Pass
9411.147	-59.30	15.08	-13.0	-46.30	340.00	Horizontal	Vertical	Pass
10505.374	-57.01	16.48	-13.0	-44.01	309.90	Horizontal	Vertical	Pass
13183.204	-58.11	15.71	-13.0	-45.11	238.50	Horizontal	Vertical	Pass
14687.078	-47.27	25.23	-13.0	-34.27	214.20	Horizontal	Vertical	Pass
16501.625	-47.10	24.96	-13.0	-34.10	359.40	Horizontal	Vertical	Pass

LTE-B2-1.4-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_15.39.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-78.20	-10.98	-13.0	-65.20	10.30	Vertical	Vertical	Pass
106.611	-84.26	-12.90	-13.0	-71.26	329.40	Vertical	Vertical	Pass
239.953	-72.28	-3.57	-13.0	-59.28	72.30	Vertical	Vertical	Pass
857.446	-68.06	4.36	-13.0	-55.06	343.50	Vertical	Vertical	Pass
1879.780	-43.09	-8.18	-13.0	-30.09	197.70	Vertical	Vertical	Pass
1959.760	-40.33	-8.31	-13.0	-27.33	252.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_15.46.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8085.979	-65.65	9.94	-13.0	-52.65	227.10	Vertical	Vertical	Pass
9394.651	-59.91	15.23	-13.0	-46.91	145.80	Vertical	Vertical	Pass
10851.787	-57.01	16.94	-13.0	-44.01	359.80	Vertical	Vertical	Pass
12737.816	-58.80	14.69	-13.0	-45.80	331.10	Vertical	Vertical	Pass
14824.544	-47.74	25.71	-13.0	-34.74	310.40	Vertical	Vertical	Pass
16696.826	-47.58	25.75	-13.0	-34.58	243.90	Vertical	Vertical	Pass

LTE-B2-3-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_16.55.58

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-78.93	-11.62	-13.0	-65.93	200.30	Horizontal	Vertical	Pass
124.794	-83.18	-15.68	-13.0	-70.18	35.90	Horizontal	Vertical	Pass
249.893	-75.52	-6.15	-13.0	-62.52	344.40	Horizontal	Vertical	Pass
658.645	-71.78	-0.06	-13.0	-58.78	346.30	Horizontal	Vertical	Pass
1878.780	-47.48	-8.17	-13.0	-34.48	181.30	Horizontal	Vertical	Pass
1959.260	-39.89	-8.31	-13.0	-26.89	243.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_16.48.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8138.215	-65.50	9.70	-13.0	-52.50	316.10	Horizontal	Vertical	Pass
9397.401	-59.59	15.27	-13.0	-46.59	274.80	Horizontal	Vertical	Pass
10802.299	-56.75	16.29	-13.0	-43.75	303.00	Horizontal	Vertical	Pass
13851.287	-55.05	17.64	-13.0	-42.05	107.40	Horizontal	Vertical	Pass
14662.334	-48.21	25.19	-13.0	-35.21	190.00	Horizontal	Vertical	Pass
16512.622	-47.40	24.59	-13.0	-34.40	146.70	Horizontal	Vertical	Pass

LTE-B2-3-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_16.59.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.304	-79.27	-11.73	-13.0	-66.27	336.80	Vertical	Vertical	Pass
124.794	-83.75	-15.68	-13.0	-70.75	335.10	Vertical	Vertical	Pass
239.953	-74.87	-3.57	-13.0	-61.87	56.70	Vertical	Vertical	Pass
462.027	-75.11	-4.17	-13.0	-62.11	155.20	Vertical	Vertical	Pass
1878.780	-47.35	-8.17	-13.0	-34.35	206.20	Vertical	Vertical	Pass
1959.760	-39.89	-8.31	-13.0	-26.89	242.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_16.25.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-65.46	9.93	-13.0	-52.46	240.70	Vertical	Vertical	Pass
9369.908	-59.96	14.89	-13.0	-46.96	319.50	Vertical	Vertical	Pass
10865.534	-57.23	16.76	-13.0	-44.23	174.90	Vertical	Vertical	Pass
12781.805	-58.93	14.83	-13.0	-45.93	340.20	Vertical	Vertical	Pass
14843.789	-47.47	25.70	-13.0	-34.47	309.80	Vertical	Vertical	Pass
16683.079	-46.93	25.53	-13.0	-33.93	360.00	Vertical	Vertical	Pass

LTE-B2-5-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_17.38.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-77.74	-11.62	-13.0	-64.74	287.20	Horizontal	Vertical	Pass
124.794	-82.80	-15.68	-13.0	-69.80	267.90	Horizontal	Vertical	Pass
249.893	-74.91	-6.15	-13.0	-61.91	30.20	Horizontal	Vertical	Pass
670.282	-71.18	-0.67	-13.0	-58.18	105.80	Horizontal	Vertical	Pass
1879.280	-48.22	-8.18	-13.0	-35.22	185.90	Horizontal	Vertical	Pass
1960.760	-39.09	-8.28	-13.0	-26.09	262.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification
 Test Time: 2020-11-17_17.23.54
 EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54
 Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal

Load: full load
 Remark: DR-RSE01-E20090007-01#01
 Name:
 Project Template:
 Manufacture:
 Model Name:
 Templ.(oC):
 Hum:
 Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8160.210	-65.05	9.41	-13.0	-52.05	252.30	Horizontal	Vertical	Pass
9397.401	-59.88	15.27	-13.0	-46.88	220.40	Horizontal	Vertical	Pass
10480.630	-57.55	16.44	-13.0	-44.55	126.50	Horizontal	Vertical	Pass
12622.344	-58.81	14.25	-13.0	-45.81	98.10	Horizontal	Vertical	Pass
14849.288	-47.70	25.70	-13.0	-34.70	94.40	Horizontal	Vertical	Pass
16883.779	-45.65	26.19	-13.0	-32.65	188.60	Horizontal	Vertical	Pass

LTE-B2-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_17.34.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-75.67	-11.46	-13.0	-62.67	0.60	Vertical	Vertical	Pass
98.368	-82.39	-12.83	-13.0	-69.39	319.70	Vertical	Vertical	Pass
238.013	-75.38	-4.33	-13.0	-62.38	255.80	Vertical	Vertical	Pass
850.415	-66.99	4.61	-13.0	-53.99	81.80	Vertical	Vertical	Pass
1879.780	-49.11	-8.18	-13.0	-36.11	136.30	Vertical	Vertical	Pass
1960.260	-39.86	-8.30	-13.0	-26.86	263.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_17.22.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7967.758	-64.97	8.81	-13.0	-51.97	134.60	Vertical	Vertical	Pass
9413.897	-60.18	15.03	-13.0	-47.18	236.00	Vertical	Vertical	Pass
10802.299	-57.90	16.29	-13.0	-44.90	266.40	Vertical	Vertical	Pass
12685.579	-58.37	14.51	-13.0	-45.37	247.40	Vertical	Vertical	Pass
14582.604	-47.94	24.45	-13.0	-34.94	61.20	Vertical	Vertical	Pass
16683.079	-46.75	25.53	-13.0	-33.75	327.10	Vertical	Vertical	Pass


LTE-B2-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_18.04.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-79.30	-11.62	-13.0	-66.30	280.30	Horizontal	Vertical	Pass
124.794	-83.11	-15.68	-13.0	-70.11	121.30	Horizontal	Vertical	Pass
240.195	-74.96	-3.60	-13.0	-61.96	298.10	Horizontal	Vertical	Pass
847.748	-67.68	4.40	-13.0	-54.68	163.50	Horizontal	Vertical	Pass
1880.280	-50.54	-8.19	-13.0	-37.54	135.60	Horizontal	Vertical	Pass
1957.261	-37.89	-8.31	-13.0	-24.89	237.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_17.53.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-65.60	9.59	-13.0	-52.60	348.30	Horizontal	Vertical	Pass
9386.403	-58.78	15.12	-13.0	-45.78	126.50	Horizontal	Vertical	Pass
10879.280	-57.59	16.57	-13.0	-44.59	150.50	Horizontal	Vertical	Pass
13183.204	-57.35	15.71	-13.0	-44.35	184.60	Horizontal	Vertical	Pass
14805.299	-47.50	25.72	-13.0	-34.50	0.30	Horizontal	Vertical	Pass
16685.829	-47.04	25.57	-13.0	-34.04	47.10	Horizontal	Vertical	Pass

LTE-B2-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-17_18.00.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.334	-77.05	-11.49	-13.0	-64.05	6.60	Vertical	Vertical	Pass
98.368	-82.61	-12.83	-13.0	-69.61	320.60	Vertical	Vertical	Pass
239.953	-74.50	-3.57	-13.0	-61.50	57.50	Vertical	Vertical	Pass
659.373	-71.83	-0.02	-13.0	-58.83	250.90	Vertical	Vertical	Pass
1878.780	-49.82	-8.17	-13.0	-36.82	184.40	Vertical	Vertical	Pass
1963.759	-38.78	-8.19	-13.0	-25.78	239.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-17_17.56.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-65.60	9.59	-13.0	-52.60	348.30	Vertical	Vertical	Pass
9386.403	-58.78	15.12	-13.0	-45.78	126.50	Vertical	Vertical	Pass
10521.870	-57.92	16.36	-13.0	-44.92	282.70	Vertical	Vertical	Pass
12094.476	-59.59	14.86	-13.0	-46.59	9.40	Vertical	Vertical	Pass
14805.299	-47.50	25.72	-13.0	-34.50	0.30	Vertical	Vertical	Pass
16509.873	-47.39	24.68	-13.0	-34.39	77.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_17.50.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-74.92	-10.93	-13.0	-61.92	108.20	Horizontal	Vertical	Pass
163.099	-66.84	-16.29	-13.0	-53.84	227.80	Horizontal	Vertical	Pass
238.255	-59.44	-4.24	-13.0	-46.44	266.30	Horizontal	Vertical	Pass
1194.451	-57.99	-3.82	-13.0	-44.99	280.70	Horizontal	Vertical	Pass
1836.291	-49.24	-8.20	-13.0	-36.24	175.20	Horizontal	Vertical	Pass
1955.761	-37.71	-8.31	-13.0	-24.71	113.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_17.32.58

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7846.788	-65.51	8.74	-13.0	-52.51	210.50	Horizontal	Vertical	Pass
9408.398	-59.54	15.14	-13.0	-46.54	359.60	Horizontal	Vertical	Pass
10843.539	-57.00	16.87	-13.0	-44.00	115.60	Horizontal	Vertical	Pass
13205.199	-57.40	16.05	-13.0	-44.40	212.50	Horizontal	Vertical	Pass
14841.040	-48.32	25.70	-13.0	-35.32	27.90	Horizontal	Vertical	Pass
16496.126	-46.85	24.86	-13.0	-33.85	359.90	Horizontal	Vertical	Pass

LTE-B2-15-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_17.45.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.911	-72.44	-14.11	-13.0	-59.44	4.90	Vertical	Vertical	Pass
162.372	-73.64	-16.29	-13.0	-60.64	274.30	Vertical	Vertical	Pass
238.255	-63.20	-4.24	-13.0	-50.20	1.70	Vertical	Vertical	Pass
450.390	-70.71	-3.34	-13.0	-57.71	139.80	Vertical	Vertical	Pass
1835.791	-49.06	-8.24	-13.0	-36.06	170.70	Vertical	Vertical	Pass
1962.259	-37.03	-8.24	-13.0	-24.03	116.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_17.31.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7940.265	-65.40	8.91	-13.0	-52.40	220.60	Vertical	Vertical	Pass
9397.401	-59.52	15.27	-13.0	-46.52	190.00	Vertical	Vertical	Pass
10854.536	-57.69	16.90	-13.0	-44.69	345.70	Vertical	Vertical	Pass
13152.962	-57.00	15.05	-13.0	-44.00	42.00	Vertical	Vertical	Pass
14689.828	-47.39	25.23	-13.0	-34.39	0.70	Vertical	Vertical	Pass
17257.686	-45.34	27.02	-13.0	-32.34	253.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_11.57.09

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Addition: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.153	-76.39	-12.06	-13.0	-63.39	287.60	Horizontal	Vertical	Pass
115.339	-79.03	-11.68	-13.0	-66.03	314.10	Horizontal	Vertical	Pass
239.710	-68.39	-3.66	-13.0	-55.39	345.70	Horizontal	Vertical	Pass
856.718	-63.03	4.38	-13.0	-50.03	331.60	Horizontal	Vertical	Pass
1840.290	-46.23	-7.89	-13.0	-33.23	176.80	Horizontal	Vertical	Pass
1976.256	-40.30	-8.06	-13.0	-27.30	284.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_11.09.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8118.970	-65.41	9.97	-13.0	-52.41	217.70	Horizontal	Vertical	Pass
9391.902	-59.62	15.20	-13.0	-46.62	64.90	Horizontal	Vertical	Pass
10860.035	-56.48	16.83	-13.0	-43.48	123.50	Horizontal	Vertical	Pass
12652.587	-58.93	14.59	-13.0	-45.93	23.70	Horizontal	Vertical	Pass
14830.042	-48.00	25.71	-13.0	-35.00	70.60	Horizontal	Vertical	Pass
16853.537	-45.82	26.20	-13.0	-32.82	103.00	Horizontal	Vertical	Pass

LTE-B2-20-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_11.03.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-67.20	-11.68	-13.0	-54.20	177.40	Vertical	Vertical	Pass
91.337	-77.53	-15.30	-13.0	-64.53	352.80	Vertical	Vertical	Pass
242.377	-68.52	-4.18	-13.0	-55.52	349.40	Vertical	Vertical	Pass
448.208	-70.96	-3.62	-13.0	-57.96	152.70	Vertical	Vertical	Pass
1840.290	-40.72	-7.89	-13.0	-27.72	174.10	Vertical	Vertical	Pass
1952.762	-41.89	-8.31	-13.0	-28.89	284.30	Vertical	Vertical	Pass
4980.505	-51.54	2.71	-13.0	-38.54	25.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_11.10.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-65.52	9.17	-13.0	-52.52	319.30	Vertical	Vertical	Pass
9408.398	-59.85	15.14	-13.0	-46.85	355.10	Vertical	Vertical	Pass
10505.374	-57.53	16.48	-13.0	-44.53	313.60	Vertical	Vertical	Pass
12165.959	-58.10	14.42	-13.0	-45.10	283.20	Vertical	Vertical	Pass
14747.563	-47.74	25.11	-13.0	-34.74	321.20	Vertical	Vertical	Pass
16493.377	-45.79	24.75	-13.0	-32.79	88.10	Vertical	Vertical	Pass

LTE-B4-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-02_09.53.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.18	-14.53	-13.0	-61.18	161.70	Vertical	Vertical	Pass
240.680	-70.78	-2.76	-13.0	-57.78	325.70	Vertical	Vertical	Pass
854.294	-62.92	5.34	-13.0	-49.92	0.00	Vertical	Vertical	Pass
1203.975	-51.70	2.15	-13.0	-38.70	40.40	Vertical	Vertical	Pass
1762.905	-52.66	-1.01	-13.0	-39.66	87.30	Vertical	Vertical	Pass
2132.608	-34.67	1.71	-13.0	-21.67	173.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.18.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8209.698	-56.94	19.05	-13.0	-43.94	224.60	Horizontal	Vertical	Pass
10109.473	-50.53	24.26	-13.0	-37.53	42.00	Horizontal	Vertical	Pass
11497.876	-50.11	24.63	-13.0	-37.11	284.20	Horizontal	Vertical	Pass
12484.879	-47.50	25.41	-13.0	-34.50	213.10	Horizontal	Vertical	Pass
13708.323	-46.37	27.83	-13.0	-33.37	284.20	Horizontal	Vertical	Pass
14689.828	-45.62	27.70	-13.0	-32.62	0.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试
 Test Time: 2021-02-02_10.00.35
 EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.27	-14.53	-13.0	-61.27	204.20	Vertical	Vertical	Pass
241.165	-70.91	-2.89	-13.0	-57.91	346.60	Vertical	Vertical	Pass
863.507	-62.86	4.78	-13.0	-49.86	89.30	Vertical	Vertical	Pass
1193.476	-51.11	1.78	-13.0	-38.11	360.30	Vertical	Vertical	Pass
1743.407	-53.72	-1.03	-13.0	-40.72	0.00	Vertical	Vertical	Pass
2132.358	-35.15	1.72	-13.0	-22.15	145.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.42.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9405.649	-54.70	19.91	-13.0	-41.70	226.40	Vertical	Vertical	Pass
10109.473	-50.17	24.26	-13.0	-37.17	182.00	Vertical	Vertical	Pass
11473.132	-50.01	24.18	-13.0	-37.01	270.30	Vertical	Vertical	Pass
12473.882	-47.98	25.45	-13.0	-34.98	359.80	Vertical	Vertical	Pass
14175.706	-44.97	28.73	-13.0	-31.97	74.20	Vertical	Vertical	Pass
14700.825	-44.94	28.09	-13.0	-31.94	219.00	Vertical	Vertical	Pass

LTE-B4-3-MCH-H

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.12.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.672	-78.93	-10.66	-13.0	-65.93	304.50	Horizontal	Vertical	Pass
240.195	-73.66	-2.62	-13.0	-60.66	302.00	Horizontal	Vertical	Pass
860.840	-67.04	5.04	-13.0	-54.04	173.10	Horizontal	Vertical	Pass
1195.226	-52.07	1.90	-13.0	-39.07	122.60	Horizontal	Vertical	Pass
1759.155	-55.59	-1.01	-13.0	-42.59	42.00	Horizontal	Vertical	Pass
2132.608	-35.72	1.71	-13.0	-22.72	173.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.16.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9430.392	-54.55	19.50	-13.0	-41.55	147.40	Horizontal	Vertical	Pass
10101.225	-50.62	24.32	-13.0	-37.62	112.10	Horizontal	Vertical	Pass
11184.454	-49.63	23.07	-13.0	-36.63	54.50	Horizontal	Vertical	Pass
12471.132	-48.35	25.46	-13.0	-35.35	247.50	Horizontal	Vertical	Pass
14159.210	-44.67	28.83	-13.0	-31.67	0.00	Horizontal	Vertical	Pass
14700.825	-45.44	28.09	-13.0	-32.44	135.90	Horizontal	Vertical	Pass

LTE-B4-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.08.43

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-75.96	-11.65	-13.0	-62.96	351.60	Vertical	Vertical	Pass
240.922	-73.82	-2.82	-13.0	-60.82	59.00	Vertical	Vertical	Pass
1192.726	-51.81	1.73	-13.0	-38.81	297.90	Vertical	Vertical	Pass
1745.157	-54.84	-1.03	-13.0	-41.84	185.50	Vertical	Vertical	Pass
2131.859	-35.40	1.74	-13.0	-22.40	169.10	Vertical	Vertical	Pass
4510.311	-32.79	11.31	-13.0	-19.79	71.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.39.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8182.204	-56.49	18.70	-13.0	-43.49	1.30	Vertical	Vertical	Pass
10145.214	-49.79	23.67	-13.0	-36.79	359.80	Vertical	Vertical	Pass
11115.721	-50.48	23.20	-13.0	-37.48	285.50	Vertical	Vertical	Pass
11869.033	-48.99	25.38	-13.0	-35.99	133.90	Vertical	Vertical	Pass
12487.628	-48.21	25.40	-13.0	-35.21	211.40	Vertical	Vertical	Pass
14161.960	-45.08	28.81	-13.0	-32.08	175.90	Vertical	Vertical	Pass

LTE-B4-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.16.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
219.103	-62.48	-11.20	-13.0	-49.48	30.10	Horizontal	Vertical	Pass
449.178	-73.82	-2.31	-13.0	-60.82	36.60	Horizontal	Vertical	Pass
1190.476	-52.18	1.58	-13.0	-39.18	250.10	Horizontal	Vertical	Pass
1789.901	-54.17	-0.98	-13.0	-41.17	308.10	Horizontal	Vertical	Pass
2133.358	-35.36	1.69	-13.0	-22.36	167.00	Horizontal	Vertical	Pass
3477.940	-35.14	8.14	-13.0	-22.14	260.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.15.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10125.969	-50.52	24.03	-13.0	-37.52	77.60	Horizontal	Vertical	Pass
11165.209	-50.46	23.10	-13.0	-37.46	230.20	Horizontal	Vertical	Pass
11852.537	-48.87	25.16	-13.0	-35.87	42.00	Horizontal	Vertical	Pass
12460.135	-47.81	25.33	-13.0	-34.81	195.30	Horizontal	Vertical	Pass
14101.475	-45.03	29.16	-13.0	-32.03	270.30	Horizontal	Vertical	Pass
14519.370	-46.09	26.31	-13.0	-33.09	16.10	Horizontal	Vertical	Pass

LTE-B4-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.20.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Work Addition:


Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-75.98	-11.65	-13.0	-62.98	259.30	Vertical	Vertical	Pass
238.740	-74.84	-3.08	-13.0	-61.84	326.60	Vertical	Vertical	Pass
454.269	-72.64	-2.42	-13.0	-59.64	307.80	Vertical	Vertical	Pass
852.112	-66.51	5.43	-13.0	-53.51	67.50	Vertical	Vertical	Pass
1790.401	-54.97	-0.98	-13.0	-41.97	31.50	Vertical	Vertical	Pass
2132.358	-36.08	1.72	-13.0	-23.08	168.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.36.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.56	18.86	-13.0	-43.56	119.90	Vertical	Vertical	Pass
9386.403	-54.60	19.72	-13.0	-41.60	32.80	Vertical	Vertical	Pass
10106.723	-50.88	24.28	-13.0	-37.88	358.50	Vertical	Vertical	Pass
11489.628	-50.18	24.48	-13.0	-37.18	357.40	Vertical	Vertical	Pass
12504.124	-47.76	25.25	-13.0	-34.76	265.30	Vertical	Vertical	Pass
14120.720	-44.46	29.05	-13.0	-31.46	178.60	Vertical	Vertical	Pass

LTE-B4-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.27.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-76.74	-11.65	-13.0	-63.74	145.80	Horizontal	Vertical	Pass
239.710	-74.99	-2.69	-13.0	-61.99	0.00	Horizontal	Vertical	Pass
849.930	-67.25	5.50	-13.0	-54.25	132.50	Horizontal	Vertical	Pass
1221.222	-52.47	1.42	-13.0	-39.47	360.30	Horizontal	Vertical	Pass
1702.662	-50.38	-1.07	-13.0	-37.38	154.70	Horizontal	Vertical	Pass
2130.109	-34.29	1.79	-13.0	-21.29	168.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.13.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8215.196	-57.16	18.82	-13.0	-44.16	187.80	Horizontal	Vertical	Pass
10145.214	-50.27	23.67	-13.0	-37.27	226.40	Horizontal	Vertical	Pass
11143.214	-50.28	23.15	-13.0	-37.28	82.00	Horizontal	Vertical	Pass
12457.386	-48.20	25.27	-13.0	-35.20	60.70	Horizontal	Vertical	Pass
13713.822	-46.70	27.74	-13.0	-33.70	112.30	Horizontal	Vertical	Pass
14450.637	-45.41	27.14	-13.0	-32.41	121.60	Horizontal	Vertical	Pass

LTE-B4-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.24.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-76.32	-11.65	-13.0	-63.32	36.00	Vertical	Vertical	Pass
240.195	-74.68	-2.62	-13.0	-61.68	355.30	Vertical	Vertical	Pass
846.778	-67.08	5.19	-13.0	-54.08	148.70	Vertical	Vertical	Pass
1197.475	-52.69	2.08	-13.0	-39.69	336.20	Vertical	Vertical	Pass
1702.912	-50.51	-1.07	-13.0	-37.51	1.50	Vertical	Vertical	Pass
2128.359	-34.87	1.82	-13.0	-21.87	178.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.33.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8165.709	-56.26	18.23	-13.0	-43.26	46.50	Vertical	Vertical	Pass
9386.403	-55.05	19.72	-13.0	-42.05	25.80	Vertical	Vertical	Pass
10156.211	-50.60	23.46	-13.0	-37.60	297.00	Vertical	Vertical	Pass
11866.283	-48.65	25.37	-13.0	-35.65	317.70	Vertical	Vertical	Pass
12482.129	-47.78	25.42	-13.0	-34.78	28.20	Vertical	Vertical	Pass
13763.309	-45.57	26.91	-13.0	-32.57	268.80	Vertical	Vertical	Pass

LTE-B4-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.30.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
106.611	-77.63	-11.75	-13.0	-64.63	6.20	Horizontal	Vertical	Pass
242.619	-74.52	-3.29	-13.0	-61.52	293.50	Horizontal	Vertical	Pass
457.663	-73.11	-2.62	-13.0	-60.11	179.50	Horizontal	Vertical	Pass
851.627	-66.87	5.44	-13.0	-53.87	286.70	Horizontal	Vertical	Pass
1700.162	-40.65	-1.55	-13.0	-27.65	149.40	Horizontal	Vertical	Pass
2136.358	-34.92	1.60	-13.0	-21.92	154.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.11.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9405.649	-54.43	19.91	-13.0	-41.43	354.90	Horizontal	Vertical	Pass
10123.219	-50.44	24.08	-13.0	-37.44	193.70	Horizontal	Vertical	Pass
11099.225	-50.66	23.17	-13.0	-37.66	138.70	Horizontal	Vertical	Pass
11896.526	-48.19	25.49	-13.0	-35.19	100.70	Horizontal	Vertical	Pass
12465.634	-47.57	25.47	-13.0	-34.57	181.90	Horizontal	Vertical	Pass
13722.069	-45.44	27.60	-13.0	-32.44	349.70	Horizontal	Vertical	Pass

LTE-B4-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.34.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E2009007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
106.611	-76.33	-11.75	-13.0	-63.33	210.70	Vertical	Vertical	Pass
239.953	-74.52	-2.59	-13.0	-61.52	78.20	Vertical	Vertical	Pass
858.415	-66.50	5.18	-13.0	-53.50	194.60	Vertical	Vertical	Pass
1196.225	-52.52	1.98	-13.0	-39.52	265.30	Vertical	Vertical	Pass
1700.412	-40.14	-1.42	-13.0	-27.14	149.40	Vertical	Vertical	Pass
2136.608	-34.16	1.59	-13.0	-21.16	149.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.30.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.452	-57.06	18.94	-13.0	-44.06	17.50	Vertical	Vertical	Pass
10183.704	-50.88	22.94	-13.0	-37.88	109.50	Vertical	Vertical	Pass
11134.966	-50.57	23.16	-13.0	-37.57	171.00	Vertical	Vertical	Pass
11893.777	-48.91	25.48	-13.0	-35.91	62.30	Vertical	Vertical	Pass
12457.386	-47.68	25.27	-13.0	-34.68	193.90	Vertical	Vertical	Pass
14161.960	-44.44	28.81	-13.0	-31.44	342.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_12.16.09

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8058.485	-65.14	9.37	-13.0	-52.14	170.00	Horizontal	Vertical	Pass
9386.403	-59.31	15.12	-13.0	-46.31	120.30	Horizontal	Vertical	Pass
10818.795	-56.73	16.53	-13.0	-43.73	50.90	Horizontal	Vertical	Pass
12674.581	-59.28	14.54	-13.0	-46.28	10.10	Horizontal	Vertical	Pass
14555.111	-48.29	24.27	-13.0	-35.29	2.70	Horizontal	Vertical	Pass
16754.561	-47.06	24.89	-13.0	-34.06	79.50	Horizontal	Vertical	Pass

LTE-B4-20-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_11.41.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.638	-74.61	-10.30	-13.0	-61.61	340.30	Vertical	Vertical	Pass
155.826	-75.80	-12.99	-13.0	-62.80	195.40	Vertical	Vertical	Pass
239.468	-66.07	-1.78	-13.0	-53.07	338.50	Vertical	Vertical	Pass
455.239	-68.95	-1.01	-13.0	-55.95	227.30	Vertical	Vertical	Pass
1700.912	-38.87	-9.84	-13.0	-25.87	187.60	Vertical	Vertical	Pass
2133.858	-40.28	-5.09	-13.0	-27.28	294.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_12.11.29

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7860.535	-65.86	8.99	-13.0	-52.86	52.70	Vertical	Vertical	Pass
9419.395	-60.08	14.92	-13.0	-47.08	63.00	Vertical	Vertical	Pass
10464.134	-58.07	16.37	-13.0	-45.07	67.00	Vertical	Vertical	Pass
12828.543	-58.63	14.78	-13.0	-45.63	285.70	Vertical	Vertical	Pass
14819.045	-47.81	25.71	-13.0	-34.81	331.10	Vertical	Vertical	Pass
16872.782	-45.71	26.20	-13.0	-32.71	349.70	Vertical	Vertical	Pass

LTE-B5-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.03.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
238.255	-74.52	-2.93	-13.0	-61.52	131.00	Horizontal	Vertical	Pass
835.869	-61.32	7.43	-13.0	-48.32	299.00	Horizontal	Vertical	Pass
881.447	-58.84	3.27	-13.0	-45.84	8.10	Horizontal	Vertical	Pass
1224.944	-52.12	1.18	-13.0	-39.12	302.00	Horizontal	Vertical	Pass
2509.623	-40.27	3.26	-13.0	-27.27	216.10	Horizontal	Vertical	Pass
6987.003	-27.79	14.22	-13.0	-14.79	28.60	Horizontal	Vertical	Pass

LTE-B5-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_10.58.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.437	-74.37	-2.33	-13.0	-61.37	42.10	Vertical	Vertical	Pass
835.869	-61.92	7.43	-13.0	-48.92	304.30	Vertical	Vertical	Pass
880.962	-58.30	3.32	-13.0	-45.30	80.10	Vertical	Vertical	Pass
1198.450	-52.20	2.23	-13.0	-39.20	65.70	Vertical	Vertical	Pass
2509.123	-42.79	3.29	-13.0	-29.79	218.00	Vertical	Vertical	Pass
4499.625	-33.29	11.19	-13.0	-20.29	301.60	Vertical	Vertical	Pass

LTE-B5-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.10.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E2009007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-76.41	-11.42	-13.0	-63.41	186.60	Horizontal	Vertical	Pass
239.710	-74.37	-2.33	-13.0	-61.37	151.40	Horizontal	Vertical	Pass
835.141	-62.74	7.24	-13.0	-49.74	210.70	Horizontal	Vertical	Pass
880.962	-56.30	3.32	-13.0	-43.30	117.10	Horizontal	Vertical	Pass
1202.449	-51.04	2.22	-13.0	-38.04	19.40	Horizontal	Vertical	Pass
2505.624	-42.40	3.48	-13.0	-29.40	209.70	Horizontal	Vertical	Pass

LTE-B5-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.33.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.437	-73.99	-2.33	-13.0	-60.99	162.80	Vertical	Vertical	Pass
835.141	-62.84	7.24	-13.0	-49.84	291.30	Vertical	Vertical	Pass
880.477	-56.82	3.38	-13.0	-43.82	113.40	Vertical	Vertical	Pass
1201.450	-52.66	2.27	-13.0	-39.66	262.10	Vertical	Vertical	Pass
2505.624	-48.56	3.48	-13.0	-35.56	30.70	Vertical	Vertical	Pass
5801.300	-29.66	12.74	-13.0	-16.66	129.60	Vertical	Vertical	Pass

LTE-B5-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.43.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer:

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E2009007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.650	-74.08	-2.67	-13.0	-61.08	360.00	Horizontal	Vertical	Pass
834.171	-58.85	7.00	-13.0	-45.85	300.30	Horizontal	Vertical	Pass
879.750	-56.19	3.47	-13.0	-43.19	110.30	Horizontal	Vertical	Pass
1230.942	-52.58	0.99	-13.0	-39.58	1.00	Horizontal	Vertical	Pass
2782.054	-49.01	5.82	-13.0	-36.01	32.70	Horizontal	Vertical	Pass
4533.617	-32.99	10.70	-13.0	-19.99	234.30	Horizontal	Vertical	Pass

LTE-B5-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.38.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.407	-72.79	-2.60	-13.0	-59.79	329.10	Vertical	Vertical	Pass
834.171	-57.99	7.00	-13.0	-44.99	288.70	Vertical	Vertical	Pass
880.477	-56.55	3.38	-13.0	-43.55	112.00	Vertical	Vertical	Pass
1207.448	-51.69	1.99	-13.0	-38.69	33.60	Vertical	Vertical	Pass
3793.802	-34.78	9.59	-13.0	-21.78	350.20	Vertical	Vertical	Pass
6962.009	-27.38	13.83	-13.0	-14.38	276.70	Vertical	Vertical	Pass

LTE-B5-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_12.37.20

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.182	-80.38	-10.56	-13.0	-67.38	295.40	Horizontal	Vertical	Pass
111.702	-82.73	-11.52	-13.0	-69.73	31.80	Horizontal	Vertical	Pass
249.893	-73.98	-5.84	-13.0	-60.98	101.90	Horizontal	Vertical	Pass
832.959	-44.27	3.67	-13.0	-31.27	227.40	Horizontal	Vertical	Pass
878.053	-41.88	2.80	-13.0	-28.88	98.00	Horizontal	Vertical	Pass
4520.620	-41.70	1.28	-13.0	-28.70	57.70	Horizontal	Vertical	Pass

LTE-B5-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_12.40.59

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.790	-81.55	-17.46	-13.0	-68.55	353.10	Vertical	Vertical	Pass
244.074	-75.72	-4.36	-13.0	-62.72	271.30	Vertical	Vertical	Pass
461.057	-75.36	-3.75	-13.0	-62.36	91.60	Vertical	Vertical	Pass
832.959	-51.21	3.67	-13.0	-38.21	123.20	Vertical	Vertical	Pass
881.205	-41.70	2.30	-13.0	-28.70	71.60	Vertical	Vertical	Pass
1666.833	-58.16	-9.88	-13.0	-45.16	186.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.48.44

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-75.86	-11.00	-25.0	-50.86	353.40	Horizontal	Vertical	Pass
240.437	-74.39	-1.63	-25.0	-49.39	266.00	Horizontal	Vertical	Pass
848.718	-67.21	7.36	-25.0	-42.21	101.10	Horizontal	Vertical	Pass
1203.949	-50.80	3.74	-25.0	-25.80	175.10	Horizontal	Vertical	Pass
2533.117	-43.13	8.36	-25.0	-18.13	6.40	Horizontal	Vertical	Pass
5072.482	-39.37	11.29	-25.0	-14.37	256.80	Horizontal	Vertical	Pass

LTE-B7-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.53.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.548	-76.38	-16.06	-25.0	-51.38	225.30	Vertical	Vertical	Pass
248.680	-73.12	-3.74	-25.0	-48.12	187.90	Vertical	Vertical	Pass
853.082	-66.92	7.39	-25.0	-41.92	262.70	Vertical	Vertical	Pass
2533.617	-43.30	8.35	-25.0	-18.30	18.40	Vertical	Vertical	Pass
2631.092	-47.03	7.23	-25.0	-22.03	281.60	Vertical	Vertical	Pass
5069.483	-39.29	11.23	-25.0	-14.29	189.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_13.12.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-75.53	-11.00	-25.0	-50.53	358.30	Horizontal	Vertical	Pass
240.437	-74.41	-1.63	-25.0	-49.41	218.20	Horizontal	Vertical	Pass
846.778	-67.14	7.14	-25.0	-42.14	317.30	Horizontal	Vertical	Pass
2531.617	-44.51	8.39	-25.0	-19.51	10.70	Horizontal	Vertical	Pass
2664.084	-46.20	7.52	-25.0	-21.20	26.20	Horizontal	Vertical	Pass
5072.482	-40.75	11.29	-25.0	-15.75	255.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_11.56.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-76.53	-11.00	-25.0	-51.53	287.70	Vertical	Vertical	Pass
238.255	-75.48	-2.21	-25.0	-50.48	51.10	Vertical	Vertical	Pass
449.663	-74.05	-0.85	-25.0	-49.05	343.40	Vertical	Vertical	Pass
1196.451	-51.28	3.60	-25.0	-26.28	303.90	Vertical	Vertical	Pass
2532.117	-44.75	8.38	-25.0	-19.75	2.00	Vertical	Vertical	Pass
5069.483	-40.93	11.23	-25.0	-15.93	187.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_13.18.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.892	-74.63	-2.00	-25.0	-49.63	174.40	Horizontal	Vertical	Pass
449.905	-74.16	-0.82	-25.0	-49.16	344.60	Horizontal	Vertical	Pass
846.051	-67.74	7.05	-25.0	-42.74	232.20	Horizontal	Vertical	Pass
1193.952	-51.11	3.48	-25.0	-26.11	191.70	Horizontal	Vertical	Pass
2540.615	-43.12	8.20	-25.0	-18.12	26.50	Horizontal	Vertical	Pass
5075.481	-41.77	11.36	-25.0	-16.77	258.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_13.21.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.437	-75.19	-1.63	-25.0	-50.19	253.40	Vertical	Vertical	Pass
851.627	-66.12	7.44	-25.0	-41.12	356.90	Vertical	Vertical	Pass
1198.950	-51.39	3.80	-25.0	-26.39	60.50	Vertical	Vertical	Pass
2067.233	-49.92	3.94	-25.0	-24.92	284.40	Vertical	Vertical	Pass
2541.115	-42.74	8.19	-25.0	-17.74	5.80	Vertical	Vertical	Pass
2790.552	-45.91	8.98	-25.0	-20.91	266.80	Vertical	Vertical	Pass

LTE-B7-20-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_13.10.30

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.212	-72.22	-11.18	-25.0	-47.22	181.10	Horizontal	Vertical	Pass
198.253	-77.29	-9.29	-25.0	-52.29	330.10	Horizontal	Vertical	Pass
249.893	-71.91	-4.43	-25.0	-46.91	292.50	Horizontal	Vertical	Pass
416.691	-70.13	-6.49	-25.0	-45.13	81.80	Horizontal	Vertical	Pass
2526.118	-48.70	2.49	-25.0	-23.70	359.90	Horizontal	Vertical	Pass
4796.551	-52.14	1.95	-25.0	-27.14	240.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_13.05.46

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.455	-67.02	-11.14	-25.0	-42.02	125.60	Vertical	Vertical	Pass
56.668	-78.08	-13.09	-25.0	-53.08	326.70	Vertical	Vertical	Pass
152.189	-76.65	-14.94	-25.0	-51.65	275.10	Vertical	Vertical	Pass
242.862	-67.00	-2.73	-25.0	-42.00	308.70	Vertical	Vertical	Pass
451.602	-69.30	-1.56	-25.0	-44.30	292.60	Vertical	Vertical	Pass
1128.968	-55.68	-5.03	-25.0	-30.68	257.50	Vertical	Vertical	Pass
2526.618	-48.29	2.48	-25.0	-23.29	100.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-05_13.33.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
707.133	0.03	-0.75	-13.0	13.03	131.80	Horizontal	Vertical	N.A
737.196	-54.16	0.11	-13.0	-41.16	116.40	Horizontal	Vertical	Pass
1413.897	-24.07	-2.19	-13.0	-11.07	4.60	Horizontal	Vertical	Pass
2122.219	-18.72	1.84	-13.0	-5.72	42.90	Horizontal	Vertical	Pass
2830.042	-28.13	5.69	-13.0	-15.13	33.60	Horizontal	Vertical	Pass
3536.866	-43.04	9.17	-13.0	-30.04	358.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.29.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8209.698	-57.03	19.05	-13.0	-44.03	343.80	Horizontal	Vertical	Pass
10136.966	-50.39	23.82	-13.0	-37.39	23.50	Horizontal	Vertical	Pass
11121.220	-50.48	23.19	-13.0	-37.48	358.40	Horizontal	Vertical	Pass
11871.782	-48.35	25.40	-13.0	-35.35	111.90	Horizontal	Vertical	Pass
13711.072	-46.26	27.79	-13.0	-33.26	279.00	Horizontal	Vertical	Pass
14186.703	-45.26	28.67	-13.0	-32.26	72.90	Horizontal	Vertical	Pass

LTE-B12-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-05_13.28.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.680	-73.88	-2.40	-13.0	-60.88	212.20	Vertical	Vertical	Pass
707.133	0.30	-0.75	-13.0	13.30	223.30	Vertical	Vertical	N.A
737.681	-55.61	0.13	-13.0	-42.61	337.10	Vertical	Vertical	Pass
1413.897	-24.07	-2.19	-13.0	-11.07	28.90	Vertical	Vertical	Pass
2122.219	-18.99	1.84	-13.0	-5.99	37.60	Vertical	Vertical	Pass
2829.543	-27.80	5.69	-13.0	-14.80	39.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.43.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9383.654	-54.95	19.66	-13.0	-41.95	352.90	Vertical	Vertical	Pass
10117.721	-50.55	24.19	-13.0	-37.55	269.50	Vertical	Vertical	Pass
11137.716	-50.21	23.16	-13.0	-37.21	10.30	Vertical	Vertical	Pass
12479.380	-47.19	25.43	-13.0	-34.19	41.80	Vertical	Vertical	Pass
14104.224	-45.12	29.14	-13.0	-32.12	115.60	Vertical	Vertical	Pass
14714.571	-45.79	27.28	-13.0	-32.79	122.70	Vertical	Vertical	Pass

LTE-B12-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-08_14.14.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.588	-3.24	-0.69	-13.0	9.76	165.00	Horizontal	Vertical	N.A
737.438	-60.09	0.12	-13.0	-47.09	0.00	Horizontal	Vertical	Pass
1413.397	-24.06	-2.18	-13.0	-11.06	43.30	Horizontal	Vertical	Pass
2124.219	-18.85	1.79	-13.0	-5.85	46.80	Horizontal	Vertical	Pass
2830.042	-25.38	5.69	-13.0	-12.38	38.10	Horizontal	Vertical	Pass
6996.001	-39.04	14.46	-13.0	-26.04	3.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.27.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.22	19.10	-13.0	-43.22	335.60	Horizontal	Vertical	Pass
9369.908	-55.22	19.37	-13.0	-42.22	37.60	Horizontal	Vertical	Pass
10117.721	-50.28	24.19	-13.0	-37.28	32.70	Horizontal	Vertical	Pass
11118.470	-50.18	23.20	-13.0	-37.18	138.10	Horizontal	Vertical	Pass
12484.879	-47.71	25.41	-13.0	-34.71	352.20	Horizontal	Vertical	Pass
13716.571	-45.42	27.69	-13.0	-32.42	185.00	Horizontal	Vertical	Pass

LTE-B12-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-08_13.42.57

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-74.04	-11.42	-13.0	-61.04	147.00	Vertical	Vertical	Pass
708.345	-3.26	-0.70	-13.0	9.74	18.60	Vertical	Vertical	N.A
737.923	-59.05	0.13	-13.0	-46.05	262.90	Vertical	Vertical	Pass
1413.397	-24.06	-2.18	-13.0	-11.06	93.20	Vertical	Vertical	Pass
2124.719	-20.03	1.78	-13.0	-7.03	102.10	Vertical	Vertical	Pass
2830.042	-27.76	5.69	-13.0	-14.76	100.20	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.00.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-56.93	19.18	-13.0	-43.93	17.40	Vertical	Vertical	Pass
10125.969	-50.14	24.03	-13.0	-37.14	340.80	Vertical	Vertical	Pass
11151.462	-49.38	23.13	-13.0	-36.38	87.90	Vertical	Vertical	Pass
11904.774	-49.53	25.24	-13.0	-36.53	296.70	Vertical	Vertical	Pass
12495.876	-47.32	25.37	-13.0	-34.32	7.60	Vertical	Vertical	Pass
14131.717	-45.18	28.99	-13.0	-32.18	19.90	Vertical	Vertical	Pass

LTE-B12-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-08_14.20.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-72.95	-2.23	-13.0	-59.95	71.70	Horizontal	Vertical	Pass
707.861	-5.14	-0.72	-13.0	7.86	12.40	Horizontal	Vertical	N.A
738.893	-59.67	0.16	-13.0	-46.67	69.70	Horizontal	Vertical	Pass
1414.896	-24.09	-2.21	-13.0	-11.09	94.50	Horizontal	Vertical	Pass
2126.718	-21.40	1.74	-13.0	-8.40	49.30	Horizontal	Vertical	Pass
2835.541	-30.70	5.65	-13.0	-17.70	40.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.32.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load


Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8179.455	-56.87	18.62	-13.0	-43.87	52.20	Horizontal	Vertical	Pass
10101.225	-50.67	24.32	-13.0	-37.67	0.30	Horizontal	Vertical	Pass
11459.385	-50.23	23.93	-13.0	-37.23	356.50	Horizontal	Vertical	Pass
12506.873	-48.21	25.19	-13.0	-35.21	251.20	Horizontal	Vertical	Pass
14115.221	-44.80	29.08	-13.0	-31.80	66.40	Horizontal	Vertical	Pass
14508.373	-44.84	26.59	-13.0	-31.84	348.20	Horizontal	Vertical	Pass

LTE-B12-5-MCH-V-TX



Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.58.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8039.240	-56.97	18.23	-13.0	-43.97	141.50	Vertical	Vertical	Pass
10134.216	-49.07	23.88	-13.0	-36.07	300.20	Vertical	Vertical	Pass
11165.209	-49.58	23.10	-13.0	-36.58	1.00	Vertical	Vertical	Pass
12449.138	-47.74	25.07	-13.0	-34.74	64.30	Vertical	Vertical	Pass
14106.973	-44.49	29.13	-13.0	-31.49	179.20	Vertical	Vertical	Pass
14706.323	-46.07	27.77	-13.0	-33.07	132.50	Vertical	Vertical	Pass

LTE-B12-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_13.45.51

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.182	-77.22	-10.56	-13.0	-64.22	321.90	Horizontal	Vertical	Pass
239.953	-74.83	-3.34	-13.0	-61.83	256.20	Horizontal	Vertical	Pass
703.012	-0.31	-1.91	-13.0	12.69	184.60	Horizontal	Vertical	N.A
1405.899	-27.99	-6.08	-13.0	-14.99	279.60	Horizontal	Vertical	Pass
2110.722	-34.31	-5.32	-13.0	-21.31	281.80	Horizontal	Vertical	Pass
2813.547	-43.84	-1.67	-13.0	-30.84	281.80	Horizontal	Vertical	Pass
3516.871	-45.97	-2.46	-13.0	-32.97	211.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.37.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-56.43	19.18	-13.0	-43.43	114.10	Horizontal	Vertical	Pass
10114.971	-49.94	24.23	-13.0	-36.94	284.60	Horizontal	Vertical	Pass
11181.705	-50.74	23.08	-13.0	-37.74	50.50	Horizontal	Vertical	Pass
12498.625	-48.42	25.36	-13.0	-35.42	0.40	Horizontal	Vertical	Pass
14109.723	-44.76	29.11	-13.0	-31.76	3.20	Horizontal	Vertical	Pass
14695.326	-45.98	27.94	-13.0	-32.98	111.60	Horizontal	Vertical	Pass

LTE-B12-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_13.41.54

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-73.95	-10.53	-13.0	-60.95	66.70	Vertical	Vertical	Pass
133.279	-80.90	-15.97	-13.0	-67.90	123.80	Vertical	Vertical	Pass
239.953	-73.98	-3.34	-13.0	-60.98	324.90	Vertical	Vertical	Pass
703.739	-0.05	-1.89	-13.0	12.95	248.60	Vertical	Vertical	N.A
1405.899	-27.99	-6.08	-13.0	-14.99	283.00	Vertical	Vertical	Pass
2110.722	-32.48	-5.32	-13.0	-19.48	283.00	Vertical	Vertical	Pass
2814.046	-42.93	-1.70	-13.0	-29.93	283.00	Vertical	Vertical	Pass
3516.871	-45.72	-2.46	-13.0	-32.72	212.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.55.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-56.34	19.02	-13.0	-43.34	33.50	Vertical	Vertical	Pass
10153.462	-50.57	23.51	-13.0	-37.57	98.30	Vertical	Vertical	Pass
11492.377	-49.71	24.53	-13.0	-36.71	277.50	Vertical	Vertical	Pass
12432.642	-47.31	24.67	-13.0	-34.31	168.50	Vertical	Vertical	Pass
14101.475	-45.37	29.16	-13.0	-32.37	105.50	Vertical	Vertical	Pass
14678.830	-45.40	27.23	-13.0	-32.40	242.00	Vertical	Vertical	Pass

LTE-B13-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-08_14.50.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
249.893	-73.79	-4.98	-13.0	-60.79	66.20	Horizontal	Vertical	Pass
748.590	-59.85	0.05	-13.0	-46.85	97.50	Horizontal	Vertical	Pass
783.987	-4.98	0.08	-13.0	8.02	336.90	Horizontal	Vertical	N.A
1566.358	-22.67	-1.54	-13.0	-9.67	72.50	Horizontal	Vertical	Pass
2173.707	-39.90	1.11	-13.0	-26.90	77.50	Horizontal	Vertical	Pass
2349.163	-16.00	1.59	-13.0	-3.00	34.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_17.35.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9416.646	-55.46	19.73	-13.0	-42.46	300.70	Horizontal	Vertical	Pass
10120.470	-50.52	24.14	-13.0	-37.52	14.40	Horizontal	Vertical	Pass
11184.454	-49.28	23.07	-13.0	-36.28	183.40	Horizontal	Vertical	Pass
12440.890	-47.72	24.87	-13.0	-34.72	54.60	Horizontal	Vertical	Pass
14098.725	-44.45	29.12	-13.0	-31.45	45.00	Horizontal	Vertical	Pass
14687.078	-46.07	27.59	-13.0	-33.07	81.40	Horizontal	Vertical	Pass

LTE-B13-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-02-08_14.45.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E2009007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
752.469	-58.75	-0.00	-13.0	-45.75	84.60	Vertical	Vertical	Pass
781.562	-3.94	0.03	-13.0	9.06	316.60	Vertical	Vertical	N.A
1565.859	-22.64	-1.55	-13.0	-9.64	39.80	Vertical	Vertical	Pass
2167.708	-37.20	1.18	-13.0	-24.20	68.50	Vertical	Vertical	Pass
2349.163	-16.08	1.59	-13.0	-3.08	31.10	Vertical	Vertical	Pass
5906.273	-41.69	11.86	-13.0	-28.69	157.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-02-01_16.51.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8074.981	-56.82	17.92	-13.0	-43.82	268.50	Vertical	Vertical	Pass
10098.475	-50.10	24.27	-13.0	-37.10	80.30	Vertical	Vertical	Pass
11495.126	-49.75	24.58	-13.0	-36.75	155.10	Vertical	Vertical	Pass
12454.636	-47.62	25.20	-13.0	-34.62	356.80	Vertical	Vertical	Pass
14095.976	-44.33	29.03	-13.0	-31.33	0.20	Vertical	Vertical	Pass
14687.078	-45.23	27.59	-13.0	-32.23	258.90	Vertical	Vertical	Pass

LTE-B13-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_14.28.41

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.884	-81.83	-11.27	-13.0	-68.83	143.50	Horizontal	Vertical	Pass
249.893	-73.35	-5.84	-13.0	-60.35	26.40	Horizontal	Vertical	Pass
777.926	0.09	-1.09	-13.0	13.09	24.20	Horizontal	Vertical	N.A
1557.361	-30.43	-9.25	-13.0	-17.43	278.60	Horizontal	Vertical	Pass
2335.666	-21.33	-3.62	-13.0	-8.33	198.00	Horizontal	Vertical	Pass
4980.505	-51.13	2.71	-13.0	-38.13	206.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_14.24.26

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7978.755	-65.93	8.88	-13.0	-52.93	34.30	Horizontal	Vertical	Pass
9397.401	-59.66	15.27	-13.0	-46.66	350.50	Horizontal	Vertical	Pass
11145.964	-57.06	15.55	-13.0	-44.06	139.10	Horizontal	Vertical	Pass
13227.193	-57.61	15.91	-13.0	-44.61	285.00	Horizontal	Vertical	Pass
14802.549	-48.03	25.72	-13.0	-35.03	85.20	Horizontal	Vertical	Pass
16509.873	-47.42	24.68	-13.0	-34.42	332.20	Horizontal	Vertical	Pass

LTE-B13-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-11-07_14.33.10

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-73.10	-10.61	-13.0	-60.10	268.60	Vertical	Vertical	Pass
124.794	-81.25	-15.38	-13.0	-68.25	157.40	Vertical	Vertical	Pass
239.953	-74.55	-3.34	-13.0	-61.55	272.60	Vertical	Vertical	Pass
778.168	0.04	-1.09	-13.0	13.04	0.00	Vertical	Vertical	N.A
846.051	-22.59	5.52	-13.0	-9.59	193.00	Vertical	Vertical	Pass
1556.861	-30.43	-9.26	-13.0	-17.43	294.90	Vertical	Vertical	Pass
2335.666	-21.33	-3.62	-13.0	-8.33	185.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-07_14.22.22

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.22	9.76	-13.0	-52.22	326.90	Vertical	Vertical	Pass
9402.899	-60.39	15.25	-13.0	-47.39	203.40	Vertical	Vertical	Pass
10843.539	-57.59	16.87	-13.0	-44.59	35.10	Vertical	Vertical	Pass
13229.943	-56.61	15.90	-13.0	-43.61	248.40	Vertical	Vertical	Pass
14821.795	-47.79	25.71	-13.0	-34.79	2.60	Vertical	Vertical	Pass
16496.126	-47.30	24.86	-13.0	-34.30	51.20	Vertical	Vertical	Pass