

## EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark

LTE-B25-1.4-MCH-H-TX

### Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.04.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
238.498	-73.87	-2.93	-13.0	-60.87	110.40	Horizontal	Vertical	Pass
855.749	-67.04	5.61	-13.0	-54.04	19.00	Horizontal	Vertical	Pass
1219.945	-52.37	1.37	-13.0	-39.37	148.20	Horizontal	Vertical	Pass
1881.780	-40.56	1.29	-13.0	-27.56	25.20	Horizontal	Vertical	Pass
1962.259	-52.05	-1.44	-13.0	-39.05	291.50	Horizontal	Vertical	Pass
2791.052	-49.43	6.01	-13.0	-36.43	284.70	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.19.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8058.485	-56.66	18.18	-13.0	-43.66	152.70	Horizontal	Vertical	Pass
10106.723	-50.68	24.28	-13.0	-37.68	129.60	Horizontal	Vertical	Pass
11154.211	-49.82	23.13	-13.0	-36.82	268.20	Horizontal	Vertical	Pass
11893.777	-48.34	25.48	-13.0	-35.34	277.50	Horizontal	Vertical	Pass
12465.634	-47.75	25.47	-13.0	-34.75	317.30	Horizontal	Vertical	Pass
14120.720	-44.95	29.05	-13.0	-31.95	71.20	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.01.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CCE FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
242.377	-74.30	-2.95	-13.0	-61.30	21.60	Vertical	Vertical	Pass
448.693	-73.83	-2.11	-13.0	-60.83	5.70	Vertical	Vertical	Pass
840.475	-66.98	4.87	-13.0	-53.98	81.30	Vertical	Vertical	Pass
1200.950	-52.23	2.27	-13.0	-39.23	360.50	Vertical	Vertical	Pass
1881.780	-41.49	1.29	-13.0	-28.49	25.30	Vertical	Vertical	Pass
1962.759	-52.05	-1.44	-13.0	-39.05	298.30	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_16.49.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9400.150	-54.41	20.00	-13.0	-41.41	360.00	Vertical	Vertical	Pass
10134.216	-50.20	23.88	-13.0	-37.20	0.00	Vertical	Vertical	Pass
11129.468	-50.11	23.17	-13.0	-37.11	143.10	Vertical	Vertical	Pass
12465.634	-48.49	25.47	-13.0	-35.49	230.20	Vertical	Vertical	Pass
14142.714	-45.19	28.92	-13.0	-32.19	272.20	Vertical	Vertical	Pass
14469.883	-45.02	27.23	-13.0	-32.02	185.80	Vertical	Vertical	Pass

LTE-B25-3-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.08.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-73.43	-11.44	-13.0	-60.43	8.70	Horizontal	Vertical	Pass
240.437	-74.17	-2.43	-13.0	-61.17	347.50	Horizontal	Vertical	Pass
852.839	-65.91	5.72	-13.0	-52.91	358.40	Horizontal	Vertical	Pass
1199.450	-52.79	2.27	-13.0	-39.79	36.10	Horizontal	Vertical	Pass
1881.280	-41.24	1.28	-13.0	-28.24	177.20	Horizontal	Vertical	Pass
1961.760	-50.40	-1.44	-13.0	-37.40	197.30	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.22.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.82	19.10	-13.0	-43.82	0.60	Horizontal	Vertical	Pass
10150.712	-50.15	23.56	-13.0	-37.15	239.40	Horizontal	Vertical	Pass
11497.876	-49.37	24.63	-13.0	-36.37	156.30	Horizontal	Vertical	Pass
12449.138	-47.69	25.07	-13.0	-34.69	253.60	Horizontal	Vertical	Pass
14112.472	-45.24	29.10	-13.0	-32.24	355.20	Horizontal	Vertical	Pass
14717.321	-46.20	27.12	-13.0	-33.20	358.20	Horizontal	Vertical	Pass

LTE-B25-3-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.11.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
242.619	-73.21	-3.02	-13.0	-60.21	131.40	Vertical	Vertical	Pass
450.632	-73.62	-1.93	-13.0	-60.62	298.20	Vertical	Vertical	Pass
851.870	-66.37	5.76	-13.0	-53.37	15.90	Vertical	Vertical	Pass
1188.953	-52.67	1.54	-13.0	-39.67	67.80	Vertical	Vertical	Pass
1881.280	-40.65	1.28	-13.0	-27.65	27.70	Vertical	Vertical	Pass
1961.760	-51.83	-1.44	-13.0	-38.83	0.20	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_16.46.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9405.649	-55.21	19.91	-13.0	-42.21	300.50	Vertical	Vertical	Pass
10109.473	-50.61	24.26	-13.0	-37.61	317.50	Vertical	Vertical	Pass
11844.289	-48.59	24.96	-13.0	-35.59	168.70	Vertical	Vertical	Pass
12468.383	-47.61	25.47	-13.0	-34.61	173.60	Vertical	Vertical	Pass
14128.968	-44.92	29.00	-13.0	-31.92	300.50	Vertical	Vertical	Pass
14516.621	-45.61	26.38	-13.0	-32.61	170.80	Vertical	Vertical	Pass



LTE-B25-5-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.18.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-73.35	-11.44	-13.0	-60.35	194.00	Horizontal	Vertical	Pass
239.710	-73.54	-2.43	-13.0	-60.54	118.40	Horizontal	Vertical	Pass
850.415	-66.61	5.81	-13.0	-53.61	344.50	Horizontal	Vertical	Pass
1199.450	-52.39	2.27	-13.0	-39.39	0.00	Horizontal	Vertical	Pass
1881.280	-41.77	1.28	-13.0	-28.77	175.00	Horizontal	Vertical	Pass
1960.760	-50.94	-1.43	-13.0	-37.94	271.70	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.25.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-56.07	18.86	-13.0	-43.07	247.80	Horizontal	Vertical	Pass
10136.966	-49.91	23.82	-13.0	-36.91	168.10	Horizontal	Vertical	Pass
11134.966	-49.86	23.16	-13.0	-36.86	233.90	Horizontal	Vertical	Pass
12443.639	-48.16	24.94	-13.0	-35.16	287.90	Horizontal	Vertical	Pass
14120.720	-44.61	29.05	-13.0	-31.61	156.30	Horizontal	Vertical	Pass
14538.615	-45.91	25.84	-13.0	-32.91	266.30	Horizontal	Vertical	Pass

LTE-B25-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_15.14.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-74.11	-11.44	-13.0	-61.11	56.30	Vertical	Vertical	Pass
241.650	-73.90	-2.76	-13.0	-60.90	138.40	Vertical	Vertical	Pass
855.021	-66.97	5.64	-13.0	-53.97	230.80	Vertical	Vertical	Pass
1201.450	-52.62	2.25	-13.0	-39.62	13.20	Vertical	Vertical	Pass
1880.780	-41.63	1.27	-13.0	-28.63	21.90	Vertical	Vertical	Pass
1960.760	-51.27	-1.43	-13.0	-38.27	60.50	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.49.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8028.243	-57.01	18.01	-13.0	-44.01	228.10	Vertical	Vertical	Pass
9400.150	-54.59	20.00	-13.0	-41.59	71.40	Vertical	Vertical	Pass
10120.470	-51.09	24.14	-13.0	-38.09	343.00	Vertical	Vertical	Pass
11176.206	-50.46	23.08	-13.0	-37.46	21.00	Vertical	Vertical	Pass
12498.625	-48.33	25.36	-13.0	-35.33	216.60	Vertical	Vertical	Pass
14436.891	-44.86	27.09	-13.0	-31.86	125.80	Vertical	Vertical	Pass

LTE-B25-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_16.44.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.922	-69.82	-2.56	-13.0	-56.82	177.10	Horizontal	Vertical	Pass
665.676	-66.42	0.79	-13.0	-53.42	259.30	Horizontal	Vertical	Pass
1226.943	-51.33	1.04	-13.0	-38.33	38.50	Horizontal	Vertical	Pass
1878.780	-40.69	1.23	-13.0	-27.69	8.30	Horizontal	Vertical	Pass
1961.260	-46.76	-1.43	-13.0	-33.76	321.70	Horizontal	Vertical	Pass
4511.622	-32.70	11.30	-13.0	-19.70	290.60	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.23.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
10101.225	-50.00	24.32	-13.0	-37.00	275.60	Horizontal	Vertical	Pass
11167.958	-50.80	23.10	-13.0	-37.80	355.30	Horizontal	Vertical	Pass
11885.529	-49.23	25.45	-13.0	-36.23	33.10	Horizontal	Vertical	Pass
12454.636	-48.33	25.20	-13.0	-35.33	42.40	Horizontal	Vertical	Pass
14090.477	-45.01	28.85	-13.0	-32.01	273.50	Horizontal	Vertical	Pass
14491.877	-45.44	26.93	-13.0	-32.44	107.60	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试  
 Test Time: 2021-02-08\_16.37.03  
 EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-69.98	-2.33	-13.0	-56.98	319.90	Vertical	Vertical	Pass
459.118	-70.19	-2.42	-13.0	-57.19	38.50	Vertical	Vertical	Pass
853.567	-61.85	5.69	-13.0	-48.85	20.20	Vertical	Vertical	Pass
1878.780	-42.51	1.23	-13.0	-29.51	2.50	Vertical	Vertical	Pass
1965.759	-46.97	-1.47	-13.0	-33.97	272.00	Vertical	Vertical	Pass
5792.302	-24.51	12.66	-13.0	-11.51	252.00	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.47.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9400.150	-55.81	20.00	-13.0	-42.81	112.90	Vertical	Vertical	Pass
10150.712	-49.32	23.56	-13.0	-36.32	52.00	Vertical	Vertical	Pass
11852.537	-48.06	25.16	-13.0	-35.06	216.00	Vertical	Vertical	Pass
12476.631	-47.83	25.44	-13.0	-34.83	68.70	Vertical	Vertical	Pass
13724.819	-44.91	27.56	-13.0	-31.91	177.40	Vertical	Vertical	Pass
14700.825	-45.77	28.09	-13.0	-32.77	285.80	Vertical	Vertical	Pass



LTE-B25-15-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_16.47.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-70.47	-2.33	-13.0	-57.47	268.20	Horizontal	Vertical	Pass
857.931	-62.11	5.53	-13.0	-49.11	359.60	Horizontal	Vertical	Pass
1196.951	-50.18	2.09	-13.0	-37.18	86.40	Horizontal	Vertical	Pass
1836.791	-47.46	-2.74	-13.0	-34.46	199.80	Horizontal	Vertical	Pass
1879.780	-47.29	1.25	-13.0	-34.29	199.80	Horizontal	Vertical	Pass
4500.625	-33.65	11.21	-13.0	-20.65	30.50	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.40.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.04	19.18	-13.0	-44.04	180.70	Horizontal	Vertical	Pass
10139.715	-49.74	23.77	-13.0	-36.74	43.00	Horizontal	Vertical	Pass
11176.206	-50.38	23.08	-13.0	-37.38	265.00	Horizontal	Vertical	Pass
11880.030	-49.33	25.43	-13.0	-36.33	288.80	Horizontal	Vertical	Pass
12473.882	-47.60	25.45	-13.0	-34.60	274.90	Horizontal	Vertical	Pass
14106.973	-44.97	29.13	-13.0	-31.97	87.50	Horizontal	Vertical	Pass

LTE-B25-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_16.50.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.892	-70.40	-2.82	-13.0	-57.40	240.20	Vertical	Vertical	Pass
849.203	-62.15	5.74	-13.0	-49.15	222.30	Vertical	Vertical	Pass
1199.450	-51.13	2.27	-13.0	-38.13	360.00	Vertical	Vertical	Pass
1882.279	-39.57	1.30	-13.0	-26.57	9.20	Vertical	Vertical	Pass
1959.260	-47.33	-1.42	-13.0	-34.33	321.70	Vertical	Vertical	Pass
3777.806	-34.81	9.72	-13.0	-21.81	359.60	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-01\_17.45.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-57.14	19.10	-13.0	-44.14	274.90	Vertical	Vertical	Pass
10131.467	-50.58	23.93	-13.0	-37.58	33.10	Vertical	Vertical	Pass
11112.972	-50.27	23.21	-13.0	-37.27	64.00	Vertical	Vertical	Pass
11803.049	-50.14	23.99	-13.0	-37.14	42.30	Vertical	Vertical	Pass
12501.375	-47.73	25.32	-13.0	-34.73	47.00	Vertical	Vertical	Pass
14145.464	-44.77	28.91	-13.0	-31.77	172.70	Vertical	Vertical	Pass

LTE-B25-20-MCH-H-TX

# Test result

Project Number: Certification

Test Time: 2020-11-07\_15.07.00

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.279	-82.99	-16.29	-13.0	-69.99	56.10	Horizontal	Vertical	Pass
249.893	-73.88	-6.15	-13.0	-60.88	230.30	Horizontal	Vertical	Pass
656.463	-71.07	-0.18	-13.0	-58.07	86.20	Horizontal	Vertical	Pass
1839.290	-41.79	-7.94	-13.0	-28.79	189.40	Horizontal	Vertical	Pass
1961.760	-43.68	-8.25	-13.0	-30.68	149.30	Horizontal	Vertical	Pass
5402.399	-39.04	2.50	-13.0	-26.04	130.80	Horizontal	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-11-07\_15.14.39

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8146.463	-65.57	9.58	-13.0	-52.57	16.80	Horizontal	Vertical	Pass
9400.150	-60.11	15.31	-13.0	-47.11	170.80	Horizontal	Vertical	Pass
10312.922	-57.80	15.98	-13.0	-44.80	232.10	Horizontal	Vertical	Pass
11486.878	-56.65	16.36	-13.0	-43.65	78.60	Horizontal	Vertical	Pass
14810.797	-47.91	25.72	-13.0	-34.91	260.50	Horizontal	Vertical	Pass
16515.371	-47.18	24.50	-13.0	-34.18	41.30	Horizontal	Vertical	Pass

LTE-B25-20-MCH-V-TX

# Test result

Project Number: Certification

Test Time: 2020-11-07\_15.10.39

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CCE FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-74.69	-11.14	-13.0	-61.69	0.70	Vertical	Vertical	Pass
124.794	-79.26	-15.68	-13.0	-66.26	191.90	Vertical	Vertical	Pass
265.409	-76.50	-7.65	-13.0	-63.50	243.80	Vertical	Vertical	Pass
653.312	-70.19	-0.34	-13.0	-57.19	175.90	Vertical	Vertical	Pass
1839.290	-42.32	-7.94	-13.0	-29.32	153.10	Vertical	Vertical	Pass
1969.758	-44.05	-8.00	-13.0	-31.05	14.50	Vertical	Vertical	Pass
4705.574	-41.28	1.55	-13.0	-28.28	158.00	Vertical	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-11-07\_15.12.55

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7758.810	-66.01	8.16	-13.0	-53.01	321.00	Vertical	Vertical	Pass
9422.144	-59.85	14.86	-13.0	-46.85	273.60	Vertical	Vertical	Pass
10464.134	-57.86	16.37	-13.0	-44.86	359.40	Vertical	Vertical	Pass
12812.047	-58.73	14.83	-13.0	-45.73	277.80	Vertical	Vertical	Pass
14731.067	-47.52	25.16	-13.0	-34.52	335.60	Vertical	Vertical	Pass
16861.785	-46.37	26.20	-13.0	-33.37	105.80	Vertical	Vertical	Pass



## Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.11.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.945	-70.04	-10.16	-25.0	-45.04	275.80	Horizontal	Vertical	Pass
241.650	-62.44	-2.08	-25.0	-37.44	114.70	Horizontal	Vertical	Pass
641.675	-57.39	1.44	-25.0	-32.39	356.20	Horizontal	Vertical	Pass
858.173	-52.08	7.12	-25.0	-27.08	318.20	Horizontal	Vertical	Pass
2503.624	-44.68	8.60	-25.0	-19.68	154.60	Horizontal	Vertical	Pass
2594.101	-46.13	6.89	-25.0	-21.13	230.80	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.11.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8199.700	-57.09	19.21	-25.0	-32.09	339.80	Horizontal	Vertical	Pass
10092.227	-50.88	24.05	-25.0	-25.88	135.50	Horizontal	Vertical	Pass
11498.875	-49.75	24.65	-25.0	-24.75	73.80	Horizontal	Vertical	Pass
12452.637	-47.55	25.15	-25.0	-22.55	210.70	Horizontal	Vertical	Pass
14090.227	-45.19	28.84	-25.0	-20.19	102.00	Horizontal	Vertical	Pass
16588.603	-49.63	22.31	-25.0	-24.63	359.40	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.05.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC\_GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19865.784	-20.05	22.41	-13.0	-7.05	266.90	Horizontal	Vertical	Pass
20183.704	-20.74	22.60	-13.0	-7.74	99.40	Horizontal	Vertical	Pass
22133.217	-21.26	23.73	-13.0	-8.26	133.30	Horizontal	Vertical	Pass
23146.963	-20.11	24.33	-13.0	-7.11	263.90	Horizontal	Vertical	Pass
24514.621	-19.09	25.12	-13.0	-6.09	156.00	Horizontal	Vertical	Pass
25830.292	-19.04	25.89	-13.0	-6.04	198.00	Horizontal	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2021-04-07\_09.38.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.698	-71.31	-10.39	-25.0	-46.31	240.70	Vertical	Vertical	Pass
124.794	-68.01	-13.88	-25.0	-43.01	0.30	Vertical	Vertical	Pass
242.619	-63.72	-2.33	-25.0	-38.72	158.20	Vertical	Vertical	Pass
850.172	-52.13	7.39	-25.0	-27.13	163.90	Vertical	Vertical	Pass
2435.141	-37.60	5.32	-25.0	-12.60	95.40	Vertical	Vertical	Pass
2543.614	-43.91	7.85	-25.0	-18.91	179.70	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.06.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8493.627	-57.29	16.62	-25.0	-32.29	198.00	Vertical	Vertical	Pass
10107.223	-50.75	24.28	-25.0	-25.75	246.00	Vertical	Vertical	Pass
11171.957	-50.22	23.09	-25.0	-25.22	299.60	Vertical	Vertical	Pass
12434.641	-48.05	24.72	-25.0	-23.05	93.50	Vertical	Vertical	Pass
14135.216	-45.10	28.97	-25.0	-20.10	217.70	Vertical	Vertical	Pass
14699.075	-46.51	28.10	-25.0	-21.51	12.00	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.02.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19833.792	-19.60	22.40	-13.0	-6.60	317.30	Vertical	Vertical	Pass
21497.376	-21.70	23.36	-13.0	-8.70	246.70	Vertical	Vertical	Pass
22495.126	-20.57	23.95	-13.0	-7.57	61.40	Vertical	Vertical	Pass
23162.959	-20.18	24.33	-13.0	-7.18	206.10	Vertical	Vertical	Pass
24490.627	-19.36	25.11	-13.0	-6.36	43.90	Vertical	Vertical	Pass
25814.296	-18.78	25.88	-13.0	-5.78	21.20	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.23.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
117.036	-70.07	-10.42	-25.0	-45.07	224.70	Horizontal	Vertical	Pass
346.868	-60.72	-5.63	-25.0	-35.72	334.10	Horizontal	Vertical	Pass
852.839	-51.40	7.30	-25.0	-26.40	68.90	Horizontal	Vertical	Pass
1194.451	-49.54	3.24	-25.0	-24.54	264.00	Horizontal	Vertical	Pass
2568.108	-45.06	7.38	-25.0	-20.06	355.90	Horizontal	Vertical	Pass
5822.294	-41.30	12.57	-25.0	-16.30	3.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.13.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.702	-57.60	19.04	-25.0	-32.60	219.60	Horizontal	Vertical	Pass
10143.214	-50.56	23.71	-25.0	-25.56	328.20	Horizontal	Vertical	Pass
11858.785	-48.92	25.30	-25.0	-23.92	205.40	Horizontal	Vertical	Pass
12512.622	-48.28	25.05	-25.0	-23.28	303.20	Horizontal	Vertical	Pass
13712.322	-45.66	27.77	-25.0	-20.66	353.50	Horizontal	Vertical	Pass
14141.215	-44.86	28.93	-25.0	-19.86	110.20	Horizontal	Vertical	Pass



# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.46.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19861.785	-20.08	22.41	-13.0	-7.08	232.50	Horizontal	Vertical	Pass
20211.697	-20.98	22.62	-13.0	-7.98	1.70	Horizontal	Vertical	Pass
20907.523	-21.57	23.02	-13.0	-8.57	19.80	Horizontal	Vertical	Pass
21793.302	-21.52	23.54	-13.0	-8.52	53.60	Horizontal	Vertical	Pass
22521.120	-20.35	23.96	-13.0	-7.35	152.90	Horizontal	Vertical	Pass
24490.627	-19.13	25.11	-13.0	-6.13	0.00	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.20.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.793	-70.52	-10.34	-25.0	-45.52	288.50	Vertical	Vertical	Pass
240.680	-61.83	-1.83	-25.0	-36.83	28.40	Vertical	Vertical	Pass
850.415	-52.38	7.39	-25.0	-27.38	45.10	Vertical	Vertical	Pass
2523.119	-44.32	8.23	-25.0	-19.32	189.70	Vertical	Vertical	Pass
2609.598	-46.16	6.88	-25.0	-21.16	113.40	Vertical	Vertical	Pass
4494.626	-43.28	11.00	-25.0	-18.28	137.20	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.15.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8172.707	-57.13	18.43	-25.0	-32.13	280.70	Vertical	Vertical	Pass
10137.216	-50.76	23.82	-25.0	-25.76	185.40	Vertical	Vertical	Pass
12227.693	-48.91	24.97	-25.0	-23.91	137.80	Vertical	Vertical	Pass
14108.223	-44.73	29.12	-25.0	-19.73	171.60	Vertical	Vertical	Pass
14669.083	-45.88	26.81	-25.0	-20.88	137.80	Vertical	Vertical	Pass
16582.604	-50.57	21.88	-25.0	-25.57	188.40	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.47.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19869.783	-19.42	22.42	-13.0	-6.42	59.60	Vertical	Vertical	Pass
21361.410	-21.82	23.28	-13.0	-8.82	232.70	Vertical	Vertical	Pass
22223.194	-20.81	23.79	-13.0	-7.81	275.10	Vertical	Vertical	Pass
23142.964	-20.24	24.32	-13.0	-7.24	359.40	Vertical	Vertical	Pass
24494.626	-19.00	25.11	-13.0	-6.00	311.90	Vertical	Vertical	Pass
25836.291	-19.02	25.89	-13.0	-6.02	79.70	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.26.07

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-70.55	-9.91	-25.0	-45.55	124.70	Horizontal	Vertical	Pass
240.922	-61.44	-1.89	-25.0	-36.44	359.30	Horizontal	Vertical	Pass
346.626	-60.39	-5.64	-25.0	-35.39	302.20	Horizontal	Vertical	Pass
858.173	-51.29	7.12	-25.0	-26.29	228.60	Horizontal	Vertical	Pass
2488.128	-40.19	6.66	-25.0	-15.19	203.10	Horizontal	Vertical	Pass
2587.103	-45.76	7.02	-25.0	-20.76	352.70	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.21.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.704	-57.22	18.78	-25.0	-32.22	174.60	Horizontal	Vertical	Pass
9375.406	-54.95	19.49	-25.0	-29.95	166.10	Horizontal	Vertical	Pass
10152.212	-50.26	23.54	-25.0	-25.26	132.20	Horizontal	Vertical	Pass
11861.785	-49.24	25.36	-25.0	-24.24	325.70	Horizontal	Vertical	Pass
12467.633	-47.81	25.47	-25.0	-22.81	253.10	Horizontal	Vertical	Pass
14108.223	-44.49	29.12	-25.0	-19.49	211.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.42.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19837.791	-20.53	22.40	-13.0	-7.53	269.80	Horizontal	Vertical	Pass
20231.692	-20.59	22.63	-13.0	-7.59	333.10	Horizontal	Vertical	Pass
23172.957	-18.69	24.34	-13.0	-5.69	59.20	Horizontal	Vertical	Pass
24538.615	-19.12	25.14	-13.0	-6.12	175.70	Horizontal	Vertical	Pass
25826.293	-18.89	25.89	-13.0	-5.89	164.20	Horizontal	Vertical	Pass
26828.043	-17.74	26.47	-13.0	-4.74	357.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.29.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.793	-70.10	-10.34	-25.0	-45.10	30.20	Vertical	Vertical	Pass
348.565	-61.19	-5.62	-25.0	-36.19	343.10	Vertical	Vertical	Pass
846.536	-52.35	7.01	-25.0	-27.35	55.50	Vertical	Vertical	Pass
1196.451	-48.81	3.34	-25.0	-23.81	233.20	Vertical	Vertical	Pass
2426.143	-37.35	5.37	-25.0	-12.35	315.10	Vertical	Vertical	Pass
2588.103	-45.34	7.00	-25.0	-20.34	278.60	Vertical	Vertical	Pass



# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.19.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.704	-57.42	18.78	-25.0	-32.42	101.60	Vertical	Vertical	Pass
10128.218	-50.55	23.99	-25.0	-25.55	168.60	Vertical	Vertical	Pass
11495.876	-49.60	24.59	-25.0	-24.60	239.30	Vertical	Vertical	Pass
12497.626	-47.00	25.36	-25.0	-22.00	76.70	Vertical	Vertical	Pass
13739.315	-45.86	27.31	-25.0	-20.86	329.00	Vertical	Vertical	Pass
14702.074	-45.53	28.02	-25.0	-20.53	23.50	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.43.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19843.789	-19.77	22.40	-13.0	-6.77	210.00	Vertical	Vertical	Pass
20247.688	-20.32	22.64	-13.0	-7.32	30.60	Vertical	Vertical	Pass
21507.373	-21.70	23.37	-13.0	-8.70	272.90	Vertical	Vertical	Pass
23150.962	-19.34	24.33	-13.0	-6.34	158.20	Vertical	Vertical	Pass
24512.622	-19.10	25.12	-13.0	-6.10	290.00	Vertical	Vertical	Pass
25816.296	-17.09	25.88	-13.0	-4.09	7.10	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_11.42.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC LTE B38



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
54.244	-71.64	-11.93	-25.0	-46.64	299.80	Horizontal	Vertical	Pass
108.550	-71.95	-10.76	-25.0	-46.95	270.10	Horizontal	Vertical	Pass
240.922	-62.70	-1.89	-25.0	-37.70	1.80	Horizontal	Vertical	Pass
858.173	-52.26	7.12	-25.0	-27.26	353.40	Horizontal	Vertical	Pass
2488.128	-39.79	6.66	-25.0	-14.79	1.90	Horizontal	Vertical	Pass
2587.603	-44.59	7.01	-25.0	-19.59	38.60	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.34.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART2&24&27 FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8199.700	-57.44	19.21	-25.0	-32.44	26.50	Horizontal	Vertical	Pass
10128.218	-50.60	23.99	-25.0	-25.60	116.10	Horizontal	Vertical	Pass
11174.956	-50.37	23.08	-25.0	-25.37	234.10	Horizontal	Vertical	Pass
12170.707	-48.77	24.72	-25.0	-23.77	68.50	Horizontal	Vertical	Pass
14111.222	-44.71	29.10	-25.0	-19.71	242.60	Horizontal	Vertical	Pass
14462.134	-45.37	27.19	-25.0	-20.37	51.40	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.40.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19849.788	-20.37	22.40	-13.0	-7.37	343.20	Horizontal	Vertical	Pass
21173.457	-21.89	23.18	-13.0	-8.89	91.60	Horizontal	Vertical	Pass
22555.111	-20.91	23.98	-13.0	-7.91	131.10	Horizontal	Vertical	Pass
23178.955	-20.08	24.34	-13.0	-7.08	354.30	Horizontal	Vertical	Pass
24598.600	-19.31	25.17	-13.0	-6.31	241.20	Horizontal	Vertical	Pass
25896.276	-18.96	25.93	-13.0	-5.96	159.40	Horizontal	Vertical	Pass

LTE-B38-20-MCH-V-TX

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_10.40.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
117.521	-70.80	-10.59	-25.0	-45.80	239.70	Vertical	Vertical	Pass
236.316	-63.05	-3.11	-25.0	-38.05	92.40	Vertical	Vertical	Pass
852.839	-52.21	7.30	-25.0	-27.21	0.00	Vertical	Vertical	Pass
1206.448	-50.48	3.39	-25.0	-25.48	5.80	Vertical	Vertical	Pass
2488.128	-39.93	6.66	-25.0	-14.93	4.00	Vertical	Vertical	Pass
2587.103	-45.75	7.02	-25.0	-20.75	40.90	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.37.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC\_GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.702	-56.74	19.04	-25.0	-31.74	161.30	Vertical	Vertical	Pass
10104.224	-50.89	24.30	-25.0	-25.89	359.70	Vertical	Vertical	Pass
11180.955	-49.59	23.08	-25.0	-24.59	302.70	Vertical	Vertical	Pass
12500.625	-47.17	25.34	-25.0	-22.17	118.10	Vertical	Vertical	Pass
14111.222	-45.06	29.10	-25.0	-20.06	193.30	Vertical	Vertical	Pass
14696.076	-45.35	27.97	-25.0	-20.35	70.20	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-29\_09.39.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
19821.795	-20.12	22.39	-13.0	-7.12	30.20	Vertical	Vertical	Pass
20209.698	-20.84	22.61	-13.0	-7.84	339.40	Vertical	Vertical	Pass
21511.372	-21.85	23.37	-13.0	-8.85	214.70	Vertical	Vertical	Pass
22531.117	-20.84	23.97	-13.0	-7.84	75.60	Vertical	Vertical	Pass
23142.964	-20.16	24.32	-13.0	-7.16	67.00	Vertical	Vertical	Pass
24482.629	-18.16	25.10	-13.0	-5.16	94.90	Vertical	Vertical	Pass



LTE-B41-5-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.09.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-73.62	-10.78	-25.0	-48.62	136.30	Horizontal	Vertical	Pass
241.407	-73.99	-1.88	-25.0	-48.99	286.10	Horizontal	Vertical	Pass
449.420	-71.97	-0.89	-25.0	-46.97	141.20	Horizontal	Vertical	Pass
844.111	-64.55	6.83	-25.0	-39.55	7.80	Horizontal	Vertical	Pass
2543.614	-46.18	8.14	-25.0	-21.18	243.90	Horizontal	Vertical	Pass
5185.454	-39.52	11.18	-25.0	-14.52	1.80	Horizontal	Vertical	Pass

LTE-B41-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.05.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-72.03	-10.78	-25.0	-47.03	151.00	Vertical	Vertical	Pass
239.468	-73.21	-1.73	-25.0	-48.21	354.50	Vertical	Vertical	Pass
449.905	-73.00	-0.82	-25.0	-48.00	322.10	Vertical	Vertical	Pass
852.112	-65.29	7.42	-25.0	-40.29	140.80	Vertical	Vertical	Pass
2526.118	-46.59	8.50	-25.0	-21.59	233.80	Vertical	Vertical	Pass
5182.454	-40.45	11.19	-25.0	-15.45	2.60	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.12.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: CE

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
106.368	-73.38	-11.12	-25.0	-48.38	265.30	Horizontal	Vertical	Pass
240.195	-73.20	-1.57	-25.0	-48.20	192.80	Horizontal	Vertical	Pass
959.513	-62.14	5.52	-25.0	-37.14	254.80	Horizontal	Vertical	Pass
1199.450	-50.79	3.84	-25.0	-25.79	205.40	Horizontal	Vertical	Pass
2524.619	-45.98	8.53	-25.0	-20.98	95.10	Horizontal	Vertical	Pass
5180.455	-37.89	11.20	-25.0	-12.89	9.20	Horizontal	Vertical	Pass

LTE-B41-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.16.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-72.35	-10.78	-25.0	-47.35	359.10	Vertical	Vertical	Pass
238.255	-73.76	-2.21	-25.0	-48.76	319.50	Vertical	Vertical	Pass
959.755	-63.35	5.52	-25.0	-38.35	6.00	Vertical	Vertical	Pass
1200.950	-51.08	3.85	-25.0	-26.08	88.90	Vertical	Vertical	Pass
2507.623	-46.18	8.89	-25.0	-21.18	17.20	Vertical	Vertical	Pass
5190.452	-41.46	11.10	-25.0	-16.46	357.90	Vertical	Vertical	Pass

LTE-B41-15-MCH-H-TX

# Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.31.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-72.02	-10.78	-25.0	-47.02	241.70	Horizontal	Vertical	Pass
242.134	-72.75	-2.07	-25.0	-47.75	48.00	Horizontal	Vertical	Pass
851.385	-65.28	7.45	-25.0	-40.28	126.80	Horizontal	Vertical	Pass
1196.951	-51.46	3.64	-25.0	-26.46	290.90	Horizontal	Vertical	Pass
2489.128	-40.08	7.72	-25.0	-15.08	14.40	Horizontal	Vertical	Pass
5180.455	-40.84	11.20	-25.0	-15.84	0.00	Horizontal	Vertical	Pass

LTE-B41-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-02-08\_18.28.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-72.88	-10.78	-25.0	-47.88	159.60	Vertical	Vertical	Pass
236.316	-73.61	-2.99	-25.0	-48.61	144.10	Vertical	Vertical	Pass
850.415	-64.71	7.49	-25.0	-39.71	303.90	Vertical	Vertical	Pass
1207.948	-51.13	3.59	-25.0	-26.13	183.60	Vertical	Vertical	Pass
2487.128	-41.04	6.93	-25.0	-16.04	0.20	Vertical	Vertical	Pass
5186.453	-41.40	11.17	-25.0	-16.40	15.00	Vertical	Vertical	Pass

LTE-B41-20-MCH-H-TX

## Test result

Project Number: Certification

Test Time: 2020-11-07\_16.00.04

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-79.80	-9.95	-25.0	-54.80	7.90	Horizontal	Vertical	Pass
133.279	-80.67	-14.97	-25.0	-55.67	36.10	Horizontal	Vertical	Pass
249.893	-73.27	-4.43	-25.0	-48.27	211.10	Horizontal	Vertical	Pass
847.021	-65.34	6.62	-25.0	-40.34	90.00	Horizontal	Vertical	Pass
2586.103	-48.50	1.28	-25.0	-23.50	95.70	Horizontal	Vertical	Pass
5851.287	-51.60	2.85	-25.0	-26.60	165.20	Horizontal	Vertical	Pass

LTE-B41-20-MCH-V-TX

## Test result

Project Number: Certification

Test Time: 2020-11-07\_15.56.24

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.092	-72.64	-10.51	-25.0	-47.64	349.40	Vertical	Vertical	Pass
124.794	-76.89	-14.36	-25.0	-51.89	161.30	Vertical	Vertical	Pass
230.982	-66.88	-5.47	-25.0	-41.88	284.40	Vertical	Vertical	Pass
454.269	-71.60	-1.78	-25.0	-46.60	343.70	Vertical	Vertical	Pass
1196.451	-56.61	-1.92	-25.0	-31.61	312.20	Vertical	Vertical	Pass
2706.073	-48.39	-0.77	-25.0	-23.39	177.80	Vertical	Vertical	Pass



## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.21.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.428	-73.18	-12.06	-13.0	-60.18	224.30	Horizontal	Vertical	Pass
199.223	-67.89	-8.87	-13.0	-54.89	44.70	Horizontal	Vertical	Pass
238.498	-66.59	-3.18	-13.0	-53.59	15.20	Horizontal	Vertical	Pass
641.917	-66.30	-0.07	-13.0	-53.30	9.60	Horizontal	Vertical	Pass
2144.857	-35.09	1.33	-13.0	-22.09	116.00	Horizontal	Vertical	Pass
4528.309	-33.10	10.85	-13.0	-20.10	227.50	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.50.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7805.549	-58.10	17.07	-13.0	-45.10	27.40	Horizontal	Vertical	Pass
9397.401	-55.37	19.95	-13.0	-42.37	232.00	Horizontal	Vertical	Pass
10123.219	-50.34	24.08	-13.0	-37.34	143.90	Horizontal	Vertical	Pass
11882.779	-48.91	25.44	-13.0	-35.91	359.40	Horizontal	Vertical	Pass
12443.639	-46.86	24.94	-13.0	-33.86	308.10	Horizontal	Vertical	Pass
14120.720	-43.73	29.05	-13.0	-30.73	150.20	Horizontal	Vertical	Pass

LTE-B66-1.4-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.26.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.459	-73.77	-12.24	-13.0	-60.77	263.50	Vertical	Vertical	Pass
239.953	-63.75	-2.59	-13.0	-50.75	44.50	Vertical	Vertical	Pass
334.019	-67.64	-7.50	-13.0	-54.64	228.30	Vertical	Vertical	Pass
850.900	-62.27	5.47	-13.0	-49.27	287.10	Vertical	Vertical	Pass
1191.976	-51.26	1.68	-13.0	-38.26	129.90	Vertical	Vertical	Pass
2145.107	-33.35	1.32	-13.0	-20.35	114.50	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.43.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.25	19.02	-13.0	-44.25	359.90	Vertical	Vertical	Pass
10101.225	-50.49	24.32	-13.0	-37.49	74.00	Vertical	Vertical	Pass
11852.537	-48.69	25.16	-13.0	-35.69	182.70	Vertical	Vertical	Pass
12465.634	-47.86	25.47	-13.0	-34.86	304.70	Vertical	Vertical	Pass
14106.973	-45.45	29.13	-13.0	-32.45	320.10	Vertical	Vertical	Pass
14692.577	-45.78	27.82	-13.0	-32.78	256.90	Vertical	Vertical	Pass

LTE-B66-3-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.42.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-74.21	-11.52	-13.0	-61.21	94.80	Horizontal	Vertical	Pass
241.407	-64.56	-2.96	-13.0	-51.56	301.40	Horizontal	Vertical	Pass
856.233	-62.24	5.26	-13.0	-49.24	82.50	Horizontal	Vertical	Pass
1208.224	-51.37	2.01	-13.0	-38.37	198.70	Horizontal	Vertical	Pass
2144.857	-32.72	1.33	-13.0	-19.72	83.40	Horizontal	Vertical	Pass
3742.907	-34.97	9.27	-13.0	-21.97	143.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.13.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-57.34	18.31	-13.0	-44.34	191.20	Horizontal	Vertical	Pass
10125.969	-50.50	24.03	-13.0	-37.50	305.80	Horizontal	Vertical	Pass
11159.710	-49.73	23.11	-13.0	-36.73	218.50	Horizontal	Vertical	Pass
12495.876	-47.67	25.37	-13.0	-34.67	316.00	Horizontal	Vertical	Pass
14106.973	-45.29	29.13	-13.0	-32.29	214.20	Horizontal	Vertical	Pass
14483.629	-45.11	27.06	-13.0	-32.11	287.30	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.31.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-74.47	-11.48	-13.0	-61.47	111.40	Vertical	Vertical	Pass
240.437	-63.08	-2.69	-13.0	-50.08	215.90	Vertical	Vertical	Pass
328.685	-59.74	-8.06	-13.0	-46.74	20.30	Vertical	Vertical	Pass
1193.226	-51.77	1.77	-13.0	-38.77	341.80	Vertical	Vertical	Pass
2145.607	-31.79	1.31	-13.0	-18.79	105.40	Vertical	Vertical	Pass
3751.906	-35.00	9.43	-13.0	-22.00	249.40	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.40.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9397.401	-54.78	19.95	-13.0	-41.78	62.90	Vertical	Vertical	Pass
10145.214	-50.65	23.67	-13.0	-37.65	275.30	Vertical	Vertical	Pass
11489.628	-48.94	24.48	-13.0	-35.94	137.30	Vertical	Vertical	Pass
12482.129	-48.01	25.42	-13.0	-35.01	27.40	Vertical	Vertical	Pass
14106.973	-45.15	29.13	-13.0	-32.15	315.90	Vertical	Vertical	Pass
14698.075	-44.99	28.06	-13.0	-31.99	219.10	Vertical	Vertical	Pass



## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.47.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.641	-73.69	-11.82	-13.0	-60.69	263.00	Horizontal	Vertical	Pass
240.922	-64.72	-2.82	-13.0	-51.72	292.30	Horizontal	Vertical	Pass
856.718	-62.91	5.25	-13.0	-49.91	110.30	Horizontal	Vertical	Pass
1195.476	-51.10	1.92	-13.0	-38.10	279.30	Horizontal	Vertical	Pass
2143.857	-32.37	1.36	-13.0	-19.37	79.10	Horizontal	Vertical	Pass
4523.810	-32.24	10.97	-13.0	-19.24	355.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.11.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-57.28	19.20	-13.0	-44.28	151.70	Horizontal	Vertical	Pass
9416.646	-55.19	19.73	-13.0	-42.19	172.00	Horizontal	Vertical	Pass
10131.467	-50.65	23.93	-13.0	-37.65	0.00	Horizontal	Vertical	Pass
11495.126	-50.09	24.58	-13.0	-37.09	12.60	Horizontal	Vertical	Pass
12504.124	-47.46	25.25	-13.0	-34.46	213.50	Horizontal	Vertical	Pass
14104.224	-44.78	29.14	-13.0	-31.78	278.60	Horizontal	Vertical	Pass

LTE-B66-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_14.52.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.641	-73.25	-11.82	-13.0	-60.25	280.10	Vertical	Vertical	Pass
239.710	-65.73	-2.69	-13.0	-52.73	309.40	Vertical	Vertical	Pass
860.840	-62.97	5.04	-13.0	-49.97	143.90	Vertical	Vertical	Pass
1198.475	-50.91	2.16	-13.0	-37.91	180.50	Vertical	Vertical	Pass
2145.857	-31.23	1.30	-13.0	-18.23	69.80	Vertical	Vertical	Pass
2457.568	-46.14	3.05	-13.0	-33.14	69.80	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.09.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.452	-57.08	18.94	-13.0	-44.08	328.30	Vertical	Vertical	Pass
10117.721	-50.47	24.19	-13.0	-37.47	208.30	Vertical	Vertical	Pass
11888.278	-48.49	25.46	-13.0	-35.49	53.90	Vertical	Vertical	Pass
12468.383	-47.44	25.47	-13.0	-34.44	242.60	Vertical	Vertical	Pass
14134.466	-44.89	28.97	-13.0	-31.89	172.30	Vertical	Vertical	Pass
14709.073	-45.63	27.60	-13.0	-32.63	167.80	Vertical	Vertical	Pass

LTE-B66-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.07.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART2&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.671	-73.69	-12.01	-13.0	-60.69	263.40	Horizontal	Vertical	Pass
238.255	-66.04	-3.28	-13.0	-53.04	36.90	Horizontal	Vertical	Pass
848.233	-62.78	5.33	-13.0	-49.78	255.40	Horizontal	Vertical	Pass
1202.225	-51.11	2.21	-13.0	-38.11	196.10	Horizontal	Vertical	Pass
2147.857	-30.79	1.24	-13.0	-17.79	47.70	Horizontal	Vertical	Pass
4512.311	-32.41	11.28	-13.0	-19.41	12.50	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.03.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9383.654	-54.88	19.66	-13.0	-41.88	329.80	Horizontal	Vertical	Pass
10123.219	-50.05	24.08	-13.0	-37.05	29.80	Horizontal	Vertical	Pass
11855.286	-48.53	25.22	-13.0	-35.53	94.00	Horizontal	Vertical	Pass
12468.383	-47.78	25.47	-13.0	-34.78	37.60	Horizontal	Vertical	Pass
14137.216	-45.24	28.95	-13.0	-32.24	48.70	Horizontal	Vertical	Pass
16688.578	-50.08	22.52	-13.0	-37.08	47.10	Horizontal	Vertical	Pass

LTE-B66-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.03.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.883	-73.98	-11.78	-13.0	-60.98	73.60	Vertical	Vertical	Pass
240.437	-66.48	-2.69	-13.0	-53.48	292.50	Vertical	Vertical	Pass
850.900	-62.18	5.47	-13.0	-49.18	271.00	Vertical	Vertical	Pass
1203.225	-51.18	2.18	-13.0	-38.18	336.70	Vertical	Vertical	Pass
2141.607	-30.94	1.43	-13.0	-17.94	32.30	Vertical	Vertical	Pass
4512.811	-33.55	11.27	-13.0	-20.55	360.00	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.05.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-56.14	19.17	-13.0	-43.14	352.00	Vertical	Vertical	Pass
10125.969	-50.77	24.03	-13.0	-37.77	277.60	Vertical	Vertical	Pass
11167.958	-49.88	23.10	-13.0	-36.88	250.00	Vertical	Vertical	Pass
11871.782	-49.26	25.40	-13.0	-36.26	132.40	Vertical	Vertical	Pass
12493.127	-48.34	25.38	-13.0	-35.34	359.50	Vertical	Vertical	Pass
14104.224	-45.26	29.14	-13.0	-32.26	107.50	Vertical	Vertical	Pass



LTE-B66-15-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.12.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.398	-73.71	-11.87	-13.0	-60.71	77.90	Horizontal	Vertical	Pass
200.435	-66.49	-8.40	-13.0	-53.49	30.20	Horizontal	Vertical	Pass
239.225	-65.92	-2.88	-13.0	-52.92	33.20	Horizontal	Vertical	Pass
856.476	-61.73	5.26	-13.0	-48.73	23.90	Horizontal	Vertical	Pass
1208.974	-51.47	1.97	-13.0	-38.47	115.60	Horizontal	Vertical	Pass
2140.607	-31.02	1.46	-13.0	-18.02	68.70	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_16.01.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.28	19.17	-13.0	-44.28	299.00	Horizontal	Vertical	Pass
10101.225	-50.07	24.32	-13.0	-37.07	146.90	Horizontal	Vertical	Pass
11497.876	-49.86	24.63	-13.0	-36.86	24.10	Horizontal	Vertical	Pass
12498.625	-48.11	25.36	-13.0	-35.11	356.50	Horizontal	Vertical	Pass
14115.221	-44.96	29.08	-13.0	-31.96	225.00	Horizontal	Vertical	Pass
16617.096	-50.01	23.08	-13.0	-37.01	282.00	Horizontal	Vertical	Pass

LTE-B66-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.20.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.913	-73.99	-11.96	-13.0	-60.99	61.60	Vertical	Vertical	Pass
240.922	-65.36	-2.82	-13.0	-52.36	298.50	Vertical	Vertical	Pass
852.597	-60.75	5.41	-13.0	-47.75	187.70	Vertical	Vertical	Pass
1217.723	-50.79	1.58	-13.0	-37.79	293.80	Vertical	Vertical	Pass
2142.107	-31.56	1.42	-13.0	-18.56	46.40	Vertical	Vertical	Pass
4505.812	-33.86	11.27	-13.0	-20.86	268.10	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.59.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-56.88	19.17	-13.0	-43.88	75.10	Vertical	Vertical	Pass
10156.211	-50.66	23.46	-13.0	-37.66	291.20	Vertical	Vertical	Pass
11838.790	-48.73	24.83	-13.0	-35.73	165.40	Vertical	Vertical	Pass
12443.639	-47.68	24.94	-13.0	-34.68	188.60	Vertical	Vertical	Pass
14098.725	-44.41	29.12	-13.0	-31.41	81.60	Vertical	Vertical	Pass
17230.192	-49.61	22.88	-13.0	-36.61	318.80	Vertical	Vertical	Pass

LTE-B66-20-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.31.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal

Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-66.11	-2.59	-13.0	-53.11	40.60	Horizontal	Vertical	Pass
660.827	-66.08	0.64	-13.0	-53.08	214.10	Horizontal	Vertical	Pass
1201.225	-51.19	2.24	-13.0	-38.19	227.10	Horizontal	Vertical	Pass
1702.162	-46.39	-1.07	-13.0	-33.39	110.80	Horizontal	Vertical	Pass
2146.857	-31.42	1.27	-13.0	-18.42	46.80	Horizontal	Vertical	Pass
4516.810	-33.45	11.16	-13.0	-20.45	144.40	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.54.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9416.646	-55.21	19.73	-13.0	-42.21	181.20	Horizontal	Vertical	Pass
10128.718	-50.42	23.98	-13.0	-37.42	360.00	Horizontal	Vertical	Pass
11874.531	-48.93	25.41	-13.0	-35.93	218.30	Horizontal	Vertical	Pass
12493.127	-48.14	25.38	-13.0	-35.14	0.50	Horizontal	Vertical	Pass
14145.464	-44.67	28.91	-13.0	-31.67	268.40	Horizontal	Vertical	Pass
14711.822	-45.87	27.44	-13.0	-32.87	258.70	Horizontal	Vertical	Pass

LTE-B66-20-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.27.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.407	-64.97	-2.96	-13.0	-51.97	284.70	Vertical	Vertical	Pass
663.009	-66.35	0.56	-13.0	-53.35	175.60	Vertical	Vertical	Pass
1198.225	-51.58	2.14	-13.0	-38.58	105.40	Vertical	Vertical	Pass
1701.412	-45.23	-1.10	-13.0	-32.23	102.30	Vertical	Vertical	Pass
2143.607	-30.99	1.37	-13.0	-17.99	69.50	Vertical	Vertical	Pass
4504.812	-32.86	11.26	-13.0	-19.86	359.10	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-03-01\_15.56.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: Normal


Templ.(oC): 20.1

Load: Full load

Hum: 54%

Remark: DR-RSE01-E20090007-01#01

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.452	-56.04	18.94	-13.0	-43.04	76.80	Vertical	Vertical	Pass
10112.222	-49.69	24.25	-13.0	-36.69	58.20	Vertical	Vertical	Pass
11882.779	-48.73	25.44	-13.0	-35.73	229.40	Vertical	Vertical	Pass
12460.135	-47.52	25.33	-13.0	-34.52	123.00	Vertical	Vertical	Pass
14090.477	-44.14	28.85	-13.0	-31.14	240.00	Vertical	Vertical	Pass
14494.626	-45.17	26.88	-13.0	-32.17	72.30	Vertical	Vertical	Pass