

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1. WCDMA Band II

1.1 WCDMA Band II LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_10.13.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.764	-72.42	-16.27	-13.0	-59.42	356.00	Horizontal	Vertical	Pass
249.893	-74.44	-6.15	-13.0	-61.44	171.40	Horizontal	Vertical	Pass
650.402	-71.91	-0.50	-13.0	-58.91	240.80	Horizontal	Vertical	Pass
1842.789	-46.49	-7.90	-13.0	-33.49	203.80	Horizontal	Vertical	Pass
1933.267	-32.78	-8.30	-13.0	-19.78	52.60	Horizontal	Vertical	Pass
3003.999	-54.68	-0.74	-13.0	-41.68	356.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.16.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-65.69	9.50	-13.0	-52.69	205.90	Horizontal	Vertical	Pass
9400.150	-59.74	15.31	-13.0	-46.74	0.80	Horizontal	Vertical	Pass
10854.536	-56.65	16.90	-13.0	-43.65	357.70	Horizontal	Vertical	Pass
12820.295	-59.24	14.80	-13.0	-46.24	146.80	Horizontal	Vertical	Pass
14813.547	-45.68	25.71	-13.0	-32.68	7.70	Horizontal	Vertical	Pass
16872.782	-46.07	26.20	-13.0	-33.07	268.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.08.47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.913	-73.43	-16.51	-13.0	-60.43	75.20	Vertical	Vertical	Pass
124.794	-79.15	-15.68	-13.0	-66.15	243.40	Vertical	Vertical	Pass
238.740	-74.92	-4.05	-13.0	-61.92	174.50	Vertical	Vertical	Pass
335.231	-74.33	-8.73	-13.0	-61.33	128.30	Vertical	Vertical	Pass
1842.789	-44.22	-7.90	-13.0	-31.22	204.60	Vertical	Vertical	Pass
1931.267	-32.49	-8.29	-13.0	-19.49	49.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.18.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.94	10.08	-13.0	-52.94	125.70	Vertical	Vertical	Pass
9369.908	-59.38	14.89	-13.0	-46.38	261.80	Vertical	Vertical	Pass
10464.134	-58.17	16.37	-13.0	-45.17	191.20	Vertical	Vertical	Pass
12143.964	-59.34	14.72	-13.0	-46.34	256.10	Vertical	Vertical	Pass
14659.585	-47.73	25.19	-13.0	-34.73	302.80	Vertical	Vertical	Pass
16848.038	-46.41	26.16	-13.0	-33.41	204.30	Vertical	Vertical	Pass

1.2 WCDMA Band II MCH

Test result

Project Number: Certification

Test Time: 2020-11-09_10.27.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.275	-81.69	-15.53	-13.0	-68.69	254.50	Horizontal	Vertical	Pass
121.157	-71.20	-13.94	-13.0	-58.20	281.50	Horizontal	Vertical	Pass
227.103	-62.35	-8.69	-13.0	-49.35	59.10	Horizontal	Vertical	Pass
660.100	-71.37	0.00	-13.0	-58.37	48.20	Horizontal	Vertical	Pass
1879.280	-46.02	-8.18	-13.0	-33.02	201.70	Horizontal	Vertical	Pass
1960.760	-31.36	-8.28	-13.0	-18.36	49.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.23.03

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8118.970	-65.64	9.97	-13.0	-52.64	280.90	Horizontal	Vertical	Pass
9408.398	-59.99	15.14	-13.0	-46.99	170.40	Horizontal	Vertical	Pass
11184.454	-57.54	15.89	-13.0	-44.54	27.40	Horizontal	Vertical	Pass
13218.945	-57.61	15.96	-13.0	-44.61	354.30	Horizontal	Vertical	Pass
14824.544	-47.72	25.71	-13.0	-34.72	97.00	Horizontal	Vertical	Pass
16823.294	-46.27	25.62	-13.0	-33.27	44.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.31.04

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.487	-78.16	-15.79	-13.0	-65.16	157.40	Vertical	Vertical	Pass
98.853	-75.91	-12.74	-13.0	-62.91	238.00	Vertical	Vertical	Pass
125.036	-79.19	-15.78	-13.0	-66.19	271.60	Vertical	Vertical	Pass
248.195	-73.18	-5.71	-13.0	-60.18	183.60	Vertical	Vertical	Pass
1878.780	-46.21	-8.17	-13.0	-33.21	202.30	Vertical	Vertical	Pass
1960.760	-31.67	-8.28	-13.0	-18.67	45.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.21.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-65.04	9.21	-13.0	-52.04	108.50	Vertical	Vertical	Pass
9405.649	-59.74	15.20	-13.0	-46.74	20.30	Vertical	Vertical	Pass
10854.536	-57.55	16.90	-13.0	-44.55	206.60	Vertical	Vertical	Pass
13202.449	-57.03	16.07	-13.0	-44.03	144.30	Vertical	Vertical	Pass
14772.307	-47.73	25.38	-13.0	-34.73	359.80	Vertical	Vertical	Pass
16776.556	-46.79	25.00	-13.0	-33.79	349.90	Vertical	Vertical	Pass

1.3 WCDMA Band II HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_10.41.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.063	-80.14	-17.52	-13.0	-67.14	143.60	Horizontal	Vertical	Pass
124.794	-82.71	-15.68	-13.0	-69.71	161.10	Horizontal	Vertical	Pass
249.893	-74.29	-6.15	-13.0	-61.29	203.30	Horizontal	Vertical	Pass
1906.273	-45.44	-8.32	-13.0	-32.44	202.00	Horizontal	Vertical	Pass
1988.253	-31.19	-7.88	-13.0	-18.19	41.70	Horizontal	Vertical	Pass
3007.998	-54.63	-0.84	-13.0	-41.63	202.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.44.42

EUT Name: N.A	Load: full load
Manufacturer: N.A	Remark: DR-RSE01-E20090007-01#01
Model: N.A	Name:
Temp.(oC): 20.1	Project Template:
Hum.: 54	Manufacture:
Test Engineer: XCJ	Model Name:
Test Standard: FCC	Templ.(oC):
Work Addition: normal	Hum:
	Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7923.769	-65.22	9.27	-13.0	-52.22	280.60	Horizontal	Vertical	Pass
9375.406	-59.86	14.96	-13.0	-46.86	100.00	Horizontal	Vertical	Pass
10835.291	-57.46	16.76	-13.0	-44.46	23.10	Horizontal	Vertical	Pass
12647.088	-59.44	14.56	-13.0	-46.44	214.90	Horizontal	Vertical	Pass
14813.547	-47.95	25.71	-13.0	-34.95	256.40	Horizontal	Vertical	Pass
16839.790	-46.09	25.98	-13.0	-33.09	203.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.37.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.850	-73.33	-12.32	-13.0	-60.33	294.60	Vertical	Vertical	Pass
133.764	-81.94	-16.27	-13.0	-68.94	296.50	Vertical	Vertical	Pass
238.983	-75.73	-3.95	-13.0	-62.73	176.40	Vertical	Vertical	Pass
660.585	-70.97	-0.03	-13.0	-57.97	50.90	Vertical	Vertical	Pass
1906.273	-45.33	-8.32	-13.0	-32.33	199.90	Vertical	Vertical	Pass
1987.753	-31.49	-7.89	-13.0	-18.49	44.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.46.35

EUT Name: N.A	Load: full load
Manufacturer: N.A	Remark: DR-RSE01-E20090007-01#01
Model: N.A	Name:
Temp.(oC): 20.1	Project Template:
Hum.: 54	Manufacture:
Test Engineer: XCJ	Model Name:
Test Standard: FCC	Templ.(oC):
Work Addition: normal	Hum:
	Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7849.538	-65.42	8.77	-13.0	-52.42	327.30	Vertical	Vertical	Pass
9411.147	-59.83	15.08	-13.0	-46.83	0.90	Vertical	Vertical	Pass
11231.192	-57.72	15.72	-13.0	-44.72	286.00	Vertical	Vertical	Pass
13746.813	-56.49	17.84	-13.0	-43.49	122.80	Vertical	Vertical	Pass
14522.119	-47.46	24.24	-13.0	-34.46	0.20	Vertical	Vertical	Pass
16501.625	-47.14	24.96	-13.0	-34.14	87.20	Vertical	Vertical	Pass

2. WCDMA Band IV

2.1 WCDMA Band IV LCH

Test result

Project Number: Test

Test Time: 2021-03-04_10.34.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case: CE FCC_PCC PART22824837_FCC PART 27_1700_WCDMA B4BLTE B4B966



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
244.316	-70.54	-3.76	-13.0	-57.54	48.10	Horizontal	Vertical	Pass
452.329	-69.22	-2.31	-13.0	-56.22	88.30	Horizontal	Vertical	Pass
859.870	-62.59	5.12	-13.0	-49.59	270.60	Horizontal	Vertical	Pass
1202.225	-52.82	2.21	-13.0	-39.82	0.00	Horizontal	Vertical	Pass
1701.412	-44.24	-1.10	-13.0	-31.24	0.00	Horizontal	Vertical	Pass
2112.111	-49.19	2.09	-13.0	-36.19	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.50.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8523.119	-57.41	16.60	-13.0	-44.41	148.50	Horizontal	Vertical	Pass
10150.712	-50.73	23.56	-13.0	-37.73	64.80	Horizontal	Vertical	Pass
11866.283	-49.21	25.37	-13.0	-36.21	229.30	Horizontal	Vertical	Pass
12476.631	-48.20	25.44	-13.0	-35.20	324.90	Horizontal	Vertical	Pass
14098.725	-44.84	29.12	-13.0	-31.84	251.30	Horizontal	Vertical	Pass
14681.580	-45.86	27.35	-13.0	-32.86	352.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.39.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01

RSE Test case CE FCC FCC PART22834837 FCC PART 27 1700 WCDMA B4BLTE B4B96



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.892	-70.54	-3.09	-13.0	-57.54	234.10	Vertical	Vertical	Pass
446.268	-70.06	-2.78	-13.0	-57.06	357.50	Vertical	Vertical	Pass
854.294	-62.74	5.34	-13.0	-49.74	8.20	Vertical	Vertical	Pass
1201.225	-51.66	2.24	-13.0	-38.66	360.30	Vertical	Vertical	Pass
1700.662	-41.79	-1.29	-13.0	-28.79	69.80	Vertical	Vertical	Pass
2113.361	-46.39	2.07	-13.0	-33.39	135.70	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.54.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-56.79	17.95	-13.0	-43.79	102.40	Vertical	Vertical	Pass
10114.971	-50.65	24.23	-13.0	-37.65	122.10	Vertical	Vertical	Pass
11849.788	-48.67	25.09	-13.0	-35.67	266.20	Vertical	Vertical	Pass
12454.636	-47.57	25.20	-13.0	-34.57	358.40	Vertical	Vertical	Pass
14175.706	-44.69	28.73	-13.0	-31.69	249.00	Vertical	Vertical	Pass
14497.376	-46.12	26.84	-13.0	-33.12	329.00	Vertical	Vertical	Pass

2.2 WCDMA Band IV MCH

Test result

Project Number: Test

Test Time: 2021-03-04_10.28.32

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.126	-78.61	-10.45	-13.0	-65.61	357.60	Horizontal	Vertical	Pass
239.468	-70.25	-2.78	-13.0	-57.25	92.00	Horizontal	Vertical	Pass
851.142	-62.79	5.46	-13.0	-49.79	100.50	Horizontal	Vertical	Pass
1194.226	-52.47	1.84	-13.0	-39.47	179.60	Horizontal	Vertical	Pass
1776.153	-54.27	-1.00	-13.0	-41.27	154.30	Horizontal	Vertical	Pass
2130.859	-47.93	1.77	-13.0	-34.93	137.10	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.51.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.08	19.17	-13.0	-44.08	254.20	Horizontal	Vertical	Pass
9391.902	-55.34	19.83	-13.0	-42.34	237.50	Horizontal	Vertical	Pass
10101.225	-50.51	24.32	-13.0	-37.51	274.00	Horizontal	Vertical	Pass
11891.027	-49.28	25.47	-13.0	-36.28	353.20	Horizontal	Vertical	Pass
12501.375	-48.47	25.32	-13.0	-35.47	0.00	Horizontal	Vertical	Pass
13766.058	-45.42	26.87	-13.0	-32.42	100.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.21.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-79.19	-12.15	-13.0	-66.19	234.50	Vertical	Vertical	Pass
236.558	-70.35	-3.96	-13.0	-57.35	128.80	Vertical	Vertical	Pass
449.905	-69.83	-2.20	-13.0	-56.83	309.70	Vertical	Vertical	Pass
1191.476	-51.83	1.65	-13.0	-38.83	8.80	Vertical	Vertical	Pass
1762.655	-54.15	-1.01	-13.0	-41.15	144.20	Vertical	Vertical	Pass
2131.609	-47.39	1.74	-13.0	-34.39	335.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.55.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-58.14	19.20	-13.0	-45.14	3.10	Vertical	Vertical	Pass
10114.971	-50.65	24.23	-13.0	-37.65	122.10	Vertical	Vertical	Pass
11880.030	-49.56	25.43	-13.0	-36.56	149.70	Vertical	Vertical	Pass
12473.882	-47.21	25.45	-13.0	-34.21	87.90	Vertical	Vertical	Pass
14167.458	-45.17	28.78	-13.0	-32.17	120.30	Vertical	Vertical	Pass
14706.323	-45.93	27.77	-13.0	-32.93	0.40	Vertical	Vertical	Pass

2.3 WCDMA Band IV HCH

Test result

Project Number: Test

Test Time: 2021-03-04_10.46.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.975	-78.64	-10.90	-13.0	-65.64	228.60	Horizontal	Vertical	Pass
238.740	-68.71	-3.08	-13.0	-55.71	172.40	Horizontal	Vertical	Pass
835.384	-63.22	3.42	-13.0	-50.22	75.60	Horizontal	Vertical	Pass
1197.225	-51.17	2.06	-13.0	-38.17	236.10	Horizontal	Vertical	Pass
1752.156	-51.80	-1.02	-13.0	-38.80	12.10	Horizontal	Vertical	Pass
2150.856	-46.70	1.14	-13.0	-33.70	135.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.48.41

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.32	19.17	-13.0	-44.32	3.00	Horizontal	Vertical	Pass
10150.712	-50.50	23.56	-13.0	-37.50	286.30	Horizontal	Vertical	Pass
11489.628	-50.33	24.48	-13.0	-37.33	252.40	Horizontal	Vertical	Pass
12471.132	-48.20	25.46	-13.0	-35.20	288.90	Horizontal	Vertical	Pass
14093.227	-45.61	28.94	-13.0	-32.61	154.90	Horizontal	Vertical	Pass
14709.073	-46.51	27.60	-13.0	-33.51	59.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.43.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.407	-70.85	-2.96	-13.0	-57.85	243.10	Vertical	Vertical	Pass
667.373	-66.06	0.40	-13.0	-53.06	137.80	Vertical	Vertical	Pass
1199.225	-53.52	2.22	-13.0	-40.52	0.00	Vertical	Vertical	Pass
1751.906	-55.50	-1.02	-13.0	-42.50	0.00	Vertical	Vertical	Pass
2152.606	-50.34	1.11	-13.0	-37.34	0.00	Vertical	Vertical	Pass
2787.777	-46.61	6.20	-13.0	-33.61	0.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-03-04_10.53.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20090007-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.23	19.18	-13.0	-44.23	55.50	Vertical	Vertical	Pass
10073.732	-50.92	23.39	-13.0	-37.92	43.20	Vertical	Vertical	Pass
11492.377	-49.64	24.53	-13.0	-36.64	352.10	Vertical	Vertical	Pass
12498.625	-48.34	25.36	-13.0	-35.34	0.30	Vertical	Vertical	Pass
14090.477	-45.24	28.85	-13.0	-32.24	330.10	Vertical	Vertical	Pass
14692.577	-45.81	27.82	-13.0	-32.81	310.40	Vertical	Vertical	Pass

3. WCDMA Band V

3.1 WCDMA Band V LCH

Test result

Project Number: Certification

Test Time: 2020-11-09_10.54.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.182	-81.17	-10.56	-13.0	-68.17	132.00	Horizontal	Vertical	Pass
124.794	-82.41	-15.38	-13.0	-69.41	78.60	Horizontal	Vertical	Pass
238.740	-74.16	-3.78	-13.0	-61.16	356.70	Horizontal	Vertical	Pass
827.141	-45.90	2.68	-13.0	-32.90	210.50	Horizontal	Vertical	Pass
871.992	-26.64	3.93	-13.0	-13.64	4.20	Horizontal	Vertical	Pass
2301.675	-56.96	-2.96	-13.0	-43.96	198.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.50.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8050.237	-65.50	9.19	-13.0	-52.50	53.80	Horizontal	Vertical	Pass
9383.654	-59.06	15.08	-13.0	-46.06	179.80	Horizontal	Vertical	Pass
10530.117	-57.17	16.29	-13.0	-44.17	16.30	Horizontal	Vertical	Pass
12110.972	-58.93	14.88	-13.0	-45.93	257.20	Horizontal	Vertical	Pass
14791.552	-47.72	25.62	-13.0	-34.72	360.00	Horizontal	Vertical	Pass
16504.374	-46.42	24.86	-13.0	-33.42	357.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.57.46

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.033	-83.98	-17.56	-13.0	-70.98	30.60	Vertical	Vertical	Pass
114.611	-82.85	-11.19	-13.0	-69.85	226.00	Vertical	Vertical	Pass
240.680	-75.54	-3.49	-13.0	-62.54	138.30	Vertical	Vertical	Pass
467.846	-74.77	-4.56	-13.0	-61.77	74.30	Vertical	Vertical	Pass
827.626	-51.72	2.75	-13.0	-38.72	166.20	Vertical	Vertical	Pass
870.052	-26.89	4.29	-13.0	-13.89	55.00	Vertical	Vertical	Pass
4105.724	-42.14	0.94	-13.0	-29.14	352.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_10.49.09

EUT Name: N.A	Load: full load
Manufacturer: N.A	Remark: DR-RSE01-E20090007-01#01
Model: N.A	Name:
Temp.(oC): 20.1	Project Template:
Hum.: 54	Manufacture:
Test Engineer: XCJ	Model Name:
Test Standard: FCC	Templ.(oC):
Work Addition: normal	Hum:
	Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7879.780	-65.37	9.37	-13.0	-52.37	283.70	Vertical	Vertical	Pass
9350.662	-59.99	14.61	-13.0	-46.99	69.70	Vertical	Vertical	Pass
10865.534	-57.23	16.76	-13.0	-44.23	92.70	Vertical	Vertical	Pass
13196.951	-57.81	16.01	-13.0	-44.81	37.80	Vertical	Vertical	Pass
14722.819	-47.96	25.18	-13.0	-34.96	289.40	Vertical	Vertical	Pass
16947.013	-45.07	26.57	-13.0	-32.07	182.60	Vertical	Vertical	Pass

3.2 WCDMA Band V MCH

Test result

Project Number: Certification

Test Time: 2020-11-09_11.09.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-80.40	-10.53	-13.0	-67.40	189.30	Horizontal	Vertical	Pass
124.794	-80.36	-15.38	-13.0	-67.36	47.20	Horizontal	Vertical	Pass
249.893	-73.57	-5.84	-13.0	-60.57	72.20	Horizontal	Vertical	Pass
838.293	-56.93	4.73	-13.0	-43.93	206.90	Horizontal	Vertical	Pass
882.174	-28.83	2.19	-13.0	-15.83	356.00	Horizontal	Vertical	Pass
2512.622	-55.93	-4.36	-13.0	-42.93	2.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.13.02

EUT Name: N.A	Load: full load
Manufacturer: N.A	Remark: DR-RSE01-E20090007-01#01
Model: N.A	Name:
Temp.(oC): 20.1	Project Template:
Hum.: 54	Manufacture:
Test Engineer: XCJ	Model Name:
Test Standard: FCC	Templ.(oC):
Work Addition: normal	Hum:
	Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7954.011	-65.25	8.72	-13.0	-52.25	1.10	Horizontal	Vertical	Pass
9391.902	-59.22	15.20	-13.0	-46.22	251.60	Horizontal	Vertical	Pass
10860.035	-57.55	16.83	-13.0	-44.55	62.10	Horizontal	Vertical	Pass
12784.554	-59.02	14.83	-13.0	-46.02	0.10	Horizontal	Vertical	Pass
14835.541	-47.38	25.71	-13.0	-34.38	217.50	Horizontal	Vertical	Pass
16831.542	-46.36	25.80	-13.0	-33.36	300.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.01.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.546	-81.59	-11.52	-13.0	-68.59	83.30	Vertical	Vertical	Pass
101.762	-81.56	-12.58	-13.0	-68.56	60.30	Vertical	Vertical	Pass
242.134	-75.32	-3.86	-13.0	-62.32	189.10	Vertical	Vertical	Pass
539.365	-75.38	-4.69	-13.0	-62.38	120.40	Vertical	Vertical	Pass
838.293	-63.68	4.73	-13.0	-50.68	152.00	Vertical	Vertical	Pass
882.659	-28.35	2.14	-13.0	-15.35	53.20	Vertical	Vertical	Pass
4998.500	-40.58	2.97	-13.0	-27.58	72.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.14.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090007-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.276	-66.01	9.71	-13.0	-53.01	295.00	Vertical	Vertical	Pass
9397.401	-59.59	15.27	-13.0	-46.59	25.90	Vertical	Vertical	Pass
10840.790	-56.60	16.84	-13.0	-43.60	227.60	Vertical	Vertical	Pass
13229.943	-57.38	15.90	-13.0	-44.38	204.30	Vertical	Vertical	Pass
14764.059	-47.74	25.27	-13.0	-34.74	101.50	Vertical	Vertical	Pass
16691.327	-46.36	25.66	-13.0	-33.36	2.20	Vertical	Vertical	Pass

3.3 WCDMA Band V HCH

Test result

Project Number: Certification

Test Time: 2020-11-09_11.21.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.667	-77.09	-11.78	-13.0	-64.09	14.80	Horizontal	Vertical	Pass
77.518	-78.01	-19.95	-13.0	-65.01	14.80	Horizontal	Vertical	Pass
121.642	-65.07	-13.87	-13.0	-52.07	327.40	Horizontal	Vertical	Pass
249.893	-73.71	-5.84	-13.0	-60.71	60.50	Horizontal	Vertical	Pass
851.870	-41.09	5.69	-13.0	-28.09	215.70	Horizontal	Vertical	Pass
892.357	-30.03	1.46	-13.0	-17.03	111.90	Horizontal	Vertical	Pass
5204.449	-40.16	2.87	-13.0	-27.16	86.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.17.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7976.006	-65.62	8.86	-13.0	-52.62	1.50	Horizontal	Vertical	Pass
9394.651	-60.06	15.23	-13.0	-47.06	178.70	Horizontal	Vertical	Pass
10849.038	-57.41	16.95	-13.0	-44.41	163.90	Horizontal	Vertical	Pass
11607.848	-55.90	16.34	-13.0	-42.90	289.90	Horizontal	Vertical	Pass
14843.789	-47.34	25.70	-13.0	-34.34	278.80	Horizontal	Vertical	Pass
17483.129	-41.69	31.23	-13.0	-28.69	246.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.25.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.940	-73.27	-10.53	-13.0	-60.27	342.70	Vertical	Vertical	Pass
95.701	-74.05	-13.14	-13.0	-61.05	297.30	Vertical	Vertical	Pass
200.192	-79.80	-8.94	-13.0	-66.80	137.90	Vertical	Vertical	Pass
851.870	-46.22	5.69	-13.0	-33.22	153.70	Vertical	Vertical	Pass
891.630	-29.46	1.41	-13.0	-16.46	70.70	Vertical	Vertical	Pass
2292.177	-57.14	-2.63	-13.0	-44.14	233.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-09_11.16.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090007-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.48	9.74	-13.0	-52.48	236.70	Vertical	Vertical	Pass
9405.649	-59.60	15.20	-13.0	-46.60	253.50	Vertical	Vertical	Pass
10480.630	-56.97	16.44	-13.0	-43.97	156.70	Vertical	Vertical	Pass
12143.964	-59.54	14.72	-13.0	-46.54	216.00	Vertical	Vertical	Pass
14524.869	-48.05	24.24	-13.0	-35.05	242.20	Vertical	Vertical	Pass
16487.878	-46.45	24.54	-13.0	-33.45	181.90	Vertical	Vertical	Pass