

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI5GB1 -Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-13_17.46.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.213	18.34	-19.53	40.0	-21.66	Peak	330.00	100	Horizontal	Pass
2	124.794	27.47	-23.36	43.5	-16.03	Peak	180.00	100	Horizontal	Pass
3	141.037	18.87	-24.20	43.5	-24.63	Peak	270.60	100	Horizontal	Pass
4	159.948	16.51	-23.76	43.5	-26.99	Peak	349.00	100	Horizontal	Pass
5	310.260	19.66	-17.58	46.0	-26.34	Peak	307.30	100	Horizontal	Pass
6	743.742	30.02	-6.81	46.0	-15.98	Peak	22.10	100	Horizontal	Pass

WiFi5GB1 - Vertical -TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-13_17.44.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	41.395	17.19	-20.26	40.0	-22.81	Peak	81.30	100	Vertical	Pass
2	70.730	16.63	-23.80	40.0	-23.37	Peak	356.80	100	Vertical	Pass
3	124.794	26.31	-23.36	43.5	-17.19	Peak	196.30	100	Vertical	Pass
4	159.948	15.61	-23.76	43.5	-27.89	Peak	334.80	100	Vertical	Pass
5	341.535	20.35	-16.15	46.0	-25.65	Peak	310.90	100	Vertical	Pass
6	635.958	25.75	-9.44	46.0	-20.25	Peak	99.30	100	Vertical	Pass
6*	635.958	19.53	-9.44	46.0	-26.47	QP	99.30	100	Vertical	Pass

1G-18G

WIFI5GB1-A-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_17.52.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1146.482	38.41	-15.10	74.0	-35.59	Peak	352.00	100	Horizontal	Pass
1**	1146.482	27.57	-15.10	54.0	-26.43	AV	352.00	100	Horizontal	Pass
2	1579.928	39.86	-14.98	74.0	-34.14	Peak	109.00	100	Horizontal	Pass
2**	1579.928	28.21	-14.98	54.0	-25.79	AV	109.00	100	Horizontal	Pass
3	2822.022	44.70	-7.35	74.0	-29.30	Peak	185.20	100	Horizontal	Pass
3**	2822.022	33.81	-7.35	54.0	-20.19	AV	185.20	100	Horizontal	Pass
4	4154.481	54.62	1.60	74.0	-19.38	Peak	351.90	100	Horizontal	Pass
4**	4154.481	43.65	1.60	54.0	-10.35	AV	351.90	100	Horizontal	Pass
5	4605.924	55.43	1.98	74.0	-18.57	Peak	68.30	100	Horizontal	Pass
5**	4605.924	43.98	1.98	54.0	-10.02	AV	68.30	100	Horizontal	Pass
6	5245.219	61.24	8.33	--	-114.26	Peak	175.50	100	Horizontal	N/A
6**	5245.219	51.22	8.33	--	51.22	AV	175.50	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.17.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7569.108	35.67	6.23	74.0	-38.33	Peak	253.80	100	Horizontal	Pass
1**	7569.108	27.23	6.23	54.0	-26.77	AV	253.80	100	Horizontal	Pass
2	8052.987	37.44	8.23	74.0	-36.56	Peak	262.70	100	Horizontal	Pass
2**	8052.987	28.08	8.23	54.0	-25.92	AV	262.70	100	Horizontal	Pass
3	8968.508	39.97	11.34	68.2	-28.23	Peak	290.30	100	Horizontal	Pass
3**	8968.508	32.09	11.34	--	32.09	AV	290.30	100	Horizontal	N/A
4	11151.462	45.83	14.10	74.0	-28.17	Peak	221.10	100	Horizontal	Pass
4**	11151.462	35.60	14.10	54.0	-18.40	AV	221.10	100	Horizontal	Pass
5	14186.703	52.25	22.33	68.2	-15.95	Peak	65.50	100	Horizontal	Pass
5**	14186.703	43.46	22.33	--	43.46	AV	65.50	100	Horizontal	N/A
6	17447.388	56.54	24.81	68.2	-11.66	Peak	313.00	100	Horizontal	Pass
6**	17447.388	48.48	24.81	--	48.48	AV	313.00	100	Horizontal	N/A

WIFI5GB1-A-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_17.48.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.226	38.37	-14.66	74.0	-35.63	Peak	360.00	100	Vertical	Pass
1**	1193.226	28.11	-14.66	54.0	-25.89	AV	360.00	100	Vertical	Pass
2	1596.425	39.70	-15.07	74.0	-34.30	Peak	35.80	100	Vertical	Pass
2**	1596.425	28.02	-15.07	54.0	-25.98	AV	35.80	100	Vertical	Pass
3	2231.096	43.08	-10.49	74.0	-30.92	Peak	67.80	100	Vertical	Pass
3**	2231.096	32.12	-10.49	54.0	-21.88	AV	67.80	100	Vertical	Pass
4	2834.521	45.27	-7.06	74.0	-28.73	Peak	109.10	100	Vertical	Pass
4**	2834.521	34.54	-7.06	54.0	-19.46	AV	109.10	100	Vertical	Pass
5	4035.246	53.87	1.61	74.0	-20.13	Peak	278.60	100	Vertical	Pass
5**	4035.246	43.09	1.61	54.0	-10.91	AV	278.60	100	Vertical	Pass
6	5244.094	62.42	8.33	--	-61.28	Peak	123.70	100	Vertical	N/A
6**	5244.094	50.78	8.33	--	50.78	AV	123.70	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.34.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7189.703	31.72	5.01	68.2	-36.48	Peak	118.80	100	Vertical	Pass
1**	7189.703	25.42	5.01	--	25.42	AV	118.80	100	Vertical	N/A
2	8916.271	40.33	9.77	68.2	-27.87	Peak	19.40	100	Vertical	Pass
2**	8916.271	30.85	9.77	--	30.85	AV	19.40	100	Vertical	N/A
3	10076.481	42.58	13.15	68.2	-25.62	Peak	143.00	100	Vertical	Pass
3**	10076.481	33.82	13.15	--	33.82	AV	143.00	100	Vertical	N/A
4	11297.176	45.62	15.61	74.0	-28.38	Peak	86.00	100	Vertical	Pass
4**	11297.176	36.35	15.61	54.0	-17.65	AV	86.00	100	Vertical	Pass
5	12449.138	48.55	17.13	74.0	-25.45	Peak	170.50	100	Vertical	Pass
5**	12449.138	38.69	17.13	54.0	-15.31	AV	170.50	100	Vertical	Pass
6	14194.951	52.90	22.20	68.2	-15.30	Peak	38.80	100	Vertical	Pass
6**	14194.951	43.64	22.20	--	43.64	AV	38.80	100	Vertical	N/A

WIFI5GB1-A-Middle channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.00.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1209.974	39.99	-14.65	74.0	-34.01	Peak	157.80	100	Horizontal	Pass
1**	1209.974	27.98	-14.65	54.0	-26.02	AV	157.80	100	Horizontal	Pass
2	1557.430	39.65	-15.02	74.0	-34.35	Peak	166.80	100	Horizontal	Pass
2**	1557.430	28.18	-15.02	54.0	-25.82	AV	166.80	100	Horizontal	Pass
3	2260.842	43.11	-10.25	74.0	-30.89	Peak	270.60	100	Horizontal	Pass
3**	2260.842	31.90	-10.25	54.0	-22.10	AV	270.60	100	Horizontal	Pass
4	4149.606	54.49	1.70	74.0	-19.51	Peak	18.90	100	Horizontal	Pass
4**	4149.606	43.57	1.70	54.0	-10.43	AV	18.90	100	Horizontal	Pass
5	5242.595	61.73	8.32	--	-63.67	Peak	125.40	100	Horizontal	N/A
5**	5242.595	50.76	8.32	--	50.76	AV	125.40	100	Horizontal	N/A
6	5846.644	58.23	4.83	68.2	-9.97	Peak	192.30	100	Horizontal	Pass
6**	5846.644	47.48	4.83	--	47.48	AV	192.30	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.19.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7566.358	36.17	6.22	74.0	-37.83	Peak	159.70	100	Horizontal	Pass
1**	7566.358	26.93	6.22	54.0	-27.07	AV	159.70	100	Horizontal	Pass
2	9301.175	40.64	10.54	74.0	-33.36	Peak	59.20	100	Horizontal	Pass
2**	9301.175	31.24	10.54	54.0	-22.76	AV	59.20	100	Horizontal	Pass
3	11255.936	45.89	15.30	74.0	-28.11	Peak	127.70	100	Horizontal	Pass
3**	11255.936	36.81	15.30	54.0	-17.19	AV	127.70	100	Horizontal	Pass
4	13224.444	49.93	18.54	68.2	-18.27	Peak	329.40	100	Horizontal	Pass
4**	13224.444	40.40	18.54	--	40.40	AV	329.40	100	Horizontal	N/A
5	14178.455	52.09	22.08	68.2	-16.11	Peak	178.00	100	Horizontal	Pass
5**	14178.455	43.66	22.08	--	43.66	AV	178.00	100	Horizontal	N/A
6	16911.272	53.60	21.48	68.2	-14.60	Peak	196.20	100	Horizontal	Pass
6**	16911.272	44.90	21.48	--	44.90	AV	196.20	100	Horizontal	N/A

WIFI5GB1-A-Middle channel-Vertical-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.03.33

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.231	39.03	-15.05	74.0	-34.97	Peak	1.40	100	Vertical	Pass
1**	1151.231	27.73	-15.05	54.0	-26.27	AV	1.40	100	Vertical	Pass
2	1362.455	38.81	-14.75	74.0	-35.19	Peak	250.90	100	Vertical	Pass
2**	1362.455	27.96	-14.75	54.0	-26.04	AV	250.90	100	Vertical	Pass
3	2261.592	43.06	-10.25	74.0	-30.94	Peak	15.30	100	Vertical	Pass
3**	2261.592	32.36	-10.25	54.0	-21.64	AV	15.30	100	Vertical	Pass
4	4046.494	53.72	1.72	74.0	-20.28	Peak	121.60	100	Vertical	Pass
4**	4046.494	43.53	1.72	54.0	-10.47	AV	121.60	100	Vertical	Pass
5	4635.921	56.04	2.03	74.0	-17.96	Peak	247.30	100	Vertical	Pass
5**	4635.921	44.01	2.03	54.0	-9.99	AV	247.30	100	Vertical	Pass
6	5248.969	61.39	8.35	--	-84.41	Peak	145.80	100	Vertical	N/A
6**	5248.969	51.13	8.35	--	51.13	AV	145.80	100	Vertical	N/A


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.36.51

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7541.615	36.04	6.11	74.0	-37.96	Peak	301.80	100	Vertical	Pass
1**	7541.615	26.60	6.11	54.0	-27.40	AV	301.80	100	Vertical	Pass
2	9460.635	41.72	11.57	74.0	-32.28	Peak	88.60	100	Vertical	Pass
2**	9460.635	31.83	11.57	54.0	-22.17	AV	88.60	100	Vertical	Pass
3	10783.054	43.95	13.79	74.0	-30.05	Peak	342.30	100	Vertical	Pass
3**	10783.054	34.00	13.79	54.0	-20.00	AV	342.30	100	Vertical	Pass
4	12471.132	47.03	17.08	74.0	-26.97	Peak	38.40	100	Vertical	Pass
4**	12471.132	39.30	17.08	54.0	-14.70	AV	38.40	100	Vertical	Pass
5	14178.455	52.75	22.08	68.2	-15.45	Peak	333.40	100	Vertical	Pass
5**	14178.455	43.22	22.08	--	43.22	AV	333.40	100	Vertical	N/A
6	16108.473	53.48	20.39	74.0	-20.52	Peak	6.80	100	Vertical	Pass
6**	16108.473	45.13	20.39	54.0	-8.87	AV	6.80	100	Vertical	Pass

WIFI5GB1-A-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_17:54:51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1141.482	37.91	-15.09	74.0	-36.09	Peak	359.10	100	Horizontal	Pass
1**	1141.482	27.10	-15.09	54.0	-26.90	AV	359.10	100	Horizontal	Pass
2	1592.926	38.80	-15.06	74.0	-35.20	Peak	333.20	100	Horizontal	Pass
2**	1592.926	28.13	-15.06	54.0	-25.87	AV	333.20	100	Horizontal	Pass
3	2803.025	44.74	-7.54	74.0	-29.26	Peak	351.40	100	Horizontal	Pass
3**	2803.025	33.29	-7.54	54.0	-20.71	AV	351.40	100	Horizontal	Pass
4	4040.120	55.08	1.66	74.0	-18.92	Peak	84.30	100	Horizontal	Pass
4**	4040.120	43.49	1.66	54.0	-10.51	AV	84.30	100	Horizontal	Pass
5	4758.905	55.28	2.36	74.0	-18.72	Peak	201.90	100	Horizontal	Pass
5**	4758.905	43.88	2.36	54.0	-10.12	AV	201.90	100	Horizontal	Pass
6	5247.094	61.83	8.34	--	-221.97	Peak	283.80	100	Horizontal	N/A
6**	5247.094	51.19	8.34	--	51.19	AV	283.80	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.21.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7855.036	36.12	6.37	68.2	-32.08	Peak	269.80	100	Horizontal	Pass
1**	7855.036	26.87	6.37	--	26.87	AV	269.80	100	Horizontal	N/A
2	9100.475	39.35	9.98	74.0	-34.65	Peak	360.00	100	Horizontal	Pass
2**	9100.475	30.86	9.98	54.0	-23.14	AV	360.00	100	Horizontal	Pass
3	10299.175	42.47	13.03	68.2	-25.73	Peak	340.50	100	Horizontal	Pass
3**	10299.175	33.62	13.03	--	33.62	AV	340.50	100	Horizontal	N/A
4	11357.661	46.14	15.32	74.0	-27.86	Peak	228.10	100	Horizontal	Pass
4**	11357.661	36.99	15.32	54.0	-17.01	AV	228.10	100	Horizontal	Pass
5	14161.960	52.60	21.58	68.2	-15.60	Peak	2.00	100	Horizontal	Pass
5**	14161.960	43.22	21.58	--	43.22	AV	2.00	100	Horizontal	N/A
6	16025.994	53.09	20.60	74.0	-20.91	Peak	46.90	100	Horizontal	Pass
6**	16025.994	44.13	20.60	54.0	-9.87	AV	46.90	100	Horizontal	Pass

WiFi5GB1-A-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.06.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1219.223	39.17	-14.68	74.0	-34.83	Peak	133.30	100	Vertical	Pass
1**	1219.223	28.32	-14.68	54.0	-25.68	AV	133.30	100	Vertical	Pass
2	2129.109	45.59	-11.37	68.2	-22.61	Peak	237.40	100	Vertical	Pass
2**	2129.109	33.15	-11.37	--	33.15	AV	237.40	100	Vertical	N/A
3	3235.471	50.51	-2.78	68.2	-17.69	Peak	0.10	100	Vertical	Pass
3**	3235.471	39.15	-2.78	--	39.15	AV	0.10	100	Vertical	N/A
4	4032.246	54.51	1.58	74.0	-19.49	Peak	47.90	100	Vertical	Pass
4**	4032.246	43.16	1.58	54.0	-10.84	AV	47.90	100	Vertical	Pass
5	5218.598	62.18	8.20	--	57.38	Peak	4.80	100	Vertical	N/A
5**	5218.598	51.04	8.20	--	51.04	AV	4.80	100	Vertical	N/A
6	5853.768	58.16	4.85	68.2	-10.04	Peak	251.00	100	Vertical	Pass
6**	5853.768	47.31	4.85	--	47.31	AV	251.00	100	Vertical	N/A


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.38.55

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7549.863	36.86	6.15	74.0	-37.14	Peak	107.20	100	Vertical	Pass
1**	7549.863	27.29	6.15	54.0	-26.71	AV	107.20	100	Vertical	Pass
2	9163.709	39.76	10.85	74.0	-34.24	Peak	93.80	100	Vertical	Pass
2**	9163.709	31.63	10.85	54.0	-22.37	AV	93.80	100	Vertical	Pass
3	9980.255	42.62	13.15	68.2	-25.58	Peak	84.90	100	Vertical	Pass
3**	9980.255	33.26	13.15	--	33.26	AV	84.90	100	Vertical	N/A
4	11198.200	46.29	14.58	74.0	-27.71	Peak	243.80	100	Vertical	Pass
4**	11198.200	36.44	14.58	54.0	-17.56	AV	243.80	100	Vertical	Pass
5	13073.232	49.87	18.17	68.2	-18.33	Peak	107.20	100	Vertical	Pass
5**	13073.232	40.40	18.17	--	40.40	AV	107.20	100	Vertical	N/A
6	16064.484	53.29	20.50	74.0	-20.71	Peak	125.80	100	Vertical	Pass
6**	16064.484	44.81	20.50	54.0	-9.19	AV	125.80	100	Vertical	Pass

WIFI5GB1-N20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.13.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.238	42.00	-15.22	74.0	-32.00	Peak	273.90	100	Horizontal	Pass
1**	1099.238	33.56	-15.22	54.0	-20.44	AV	273.90	100	Horizontal	Pass
2	1401.700	43.94	-14.78	74.0	-30.06	Peak	356.90	100	Horizontal	Pass
2**	1401.700	33.36	-14.78	54.0	-20.64	AV	356.90	100	Horizontal	Pass
3	2287.589	42.98	-10.44	74.0	-31.02	Peak	296.30	100	Horizontal	Pass
3**	2287.589	32.26	-10.44	54.0	-21.74	AV	296.30	100	Horizontal	Pass
4	2767.029	45.10	-8.13	74.0	-28.90	Peak	287.30	100	Horizontal	Pass
4**	2767.029	33.50	-8.13	54.0	-20.50	AV	287.30	100	Horizontal	Pass
5	3966.254	54.18	0.92	74.0	-19.82	Peak	303.50	100	Horizontal	Pass
5**	3966.254	42.45	0.92	54.0	-11.55	AV	303.50	100	Horizontal	Pass
6	5720.285	58.24	4.64	68.2	-9.96	Peak	318.40	100	Horizontal	Pass
6**	5720.285	47.11	4.64	--	47.11	AV	318.40	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.29.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7811.047	36.15	6.69	68.2	-32.05	Peak	24.60	100	Horizontal	Pass
1**	7811.047	27.39	6.69	--	27.39	AV	24.60	100	Horizontal	N/A
2	9144.464	40.39	10.72	74.0	-33.61	Peak	171.90	100	Horizontal	Pass
2**	9144.464	30.69	10.72	54.0	-23.31	AV	171.90	100	Horizontal	Pass
3	10530.117	43.18	13.32	68.2	-25.02	Peak	359.40	100	Horizontal	Pass
3**	10530.117	34.64	13.32	--	34.64	AV	359.40	100	Horizontal	N/A
4	12476.631	48.00	16.95	74.0	-26.00	Peak	258.70	100	Horizontal	Pass
4**	12476.631	38.92	16.95	54.0	-15.08	AV	258.70	100	Horizontal	Pass
5	14183.954	52.87	22.24	68.2	-15.33	Peak	273.20	100	Horizontal	Pass
5**	14183.954	43.53	22.24	--	43.53	AV	273.20	100	Horizontal	N/A
6	16075.481	53.39	20.48	74.0	-20.61	Peak	359.40	100	Horizontal	Pass
6**	16075.481	44.23	20.48	54.0	-9.77	AV	359.40	100	Horizontal	Pass

WiFi5GB1-N20-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.10.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.231	38.60	-14.94	74.0	-35.40	Peak	305.20	100	Vertical	Pass
1**	1155.231	27.41	-14.94	54.0	-26.59	AV	305.20	100	Vertical	Pass
2	1492.188	39.32	-14.95	74.0	-34.68	Peak	196.20	100	Vertical	Pass
2**	1492.188	27.93	-14.95	54.0	-26.07	AV	196.20	100	Vertical	Pass
3	2835.521	44.95	-7.04	74.0	-29.05	Peak	287.00	100	Vertical	Pass
3**	2835.521	34.68	-7.04	54.0	-19.32	AV	287.00	100	Vertical	Pass
4	3755.156	53.36	0.41	74.0	-20.64	Peak	283.70	100	Vertical	Pass
4**	3755.156	41.97	0.41	54.0	-12.03	AV	283.70	100	Vertical	Pass
5	4791.526	55.68	2.32	74.0	-18.32	Peak	360.00	100	Vertical	Pass
5**	4791.526	44.59	2.32	54.0	-9.41	AV	360.00	100	Vertical	Pass
6	5250.844	62.28	8.36	--	-61.12	Peak	123.40	100	Vertical	N/A
6**	5250.844	51.75	8.36	--	51.75	AV	123.40	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.47.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7621.345	36.22	6.20	74.0	-37.78	Peak	97.20	100	Vertical	Pass
1**	7621.345	26.95	6.20	54.0	-27.05	AV	97.20	100	Vertical	Pass
2	9163.709	39.72	10.85	74.0	-34.28	Peak	69.70	100	Vertical	Pass
2**	9163.709	31.25	10.85	54.0	-22.75	AV	69.70	100	Vertical	Pass
3	10524.619	43.68	13.30	68.2	-24.52	Peak	215.90	100	Vertical	Pass
3**	10524.619	35.01	13.30	--	35.01	AV	215.90	100	Vertical	N/A
4	11349.413	46.01	15.37	74.0	-27.99	Peak	284.80	100	Vertical	Pass
4**	11349.413	36.56	15.37	54.0	-17.44	AV	284.80	100	Vertical	Pass
5	14197.701	53.13	22.13	68.2	-15.07	Peak	36.50	100	Vertical	Pass
5**	14197.701	43.99	22.13	--	43.99	AV	36.50	100	Vertical	N/A
6	16848.038	53.84	20.81	68.2	-14.36	Peak	275.40	100	Vertical	Pass
6**	16848.038	44.67	20.81	--	44.67	AV	275.40	100	Vertical	N/A

WIFI5GB1-N20-Middle channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.30.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.975	38.67	-14.64	74.0	-35.33	Peak	61.40	100	Horizontal	Pass
1**	1199.975	28.62	-14.64	54.0	-25.38	AV	61.40	100	Horizontal	Pass
2	1515.186	39.20	-14.94	74.0	-34.80	Peak	25.30	100	Horizontal	Pass
2**	1515.186	28.03	-14.94	54.0	-25.97	AV	25.30	100	Horizontal	Pass
3	2352.081	42.98	-10.84	74.0	-31.02	Peak	65.90	100	Horizontal	Pass
3**	2352.081	31.91	-10.84	54.0	-22.09	AV	65.90	100	Horizontal	Pass
4	3729.659	54.09	0.77	74.0	-19.91	Peak	165.10	100	Horizontal	Pass
4**	3729.659	42.68	0.77	54.0	-11.32	AV	165.10	100	Horizontal	Pass
5	4784.777	56.32	2.38	74.0	-17.68	Peak	0.10	100	Horizontal	Pass
5**	4784.777	44.62	2.38	54.0	-9.38	AV	0.10	100	Horizontal	Pass
6	5271.466	62.17	8.45	--	-13.63	Peak	75.80	100	Horizontal	N/A
6**	5271.466	51.36	8.45	--	51.36	AV	75.80	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.31.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7591.102	35.70	6.30	74.0	-38.30	Peak	144.40	100	Horizontal	Pass
1**	7591.102	26.76	6.30	54.0	-27.24	AV	144.40	100	Horizontal	Pass
2	9158.210	39.75	10.92	74.0	-34.25	Peak	291.50	100	Horizontal	Pass
2**	9158.210	31.46	10.92	54.0	-22.54	AV	291.50	100	Horizontal	Pass
3	9917.021	42.92	13.55	68.2	-25.28	Peak	11.20	100	Horizontal	Pass
3**	9917.021	33.64	13.55	--	33.64	AV	11.20	100	Horizontal	N/A
4	12429.893	47.58	17.05	74.0	-26.42	Peak	286.60	100	Horizontal	Pass
4**	12429.893	39.09	17.05	54.0	-14.91	AV	286.60	100	Horizontal	Pass
5	14186.703	51.87	22.33	68.2	-16.33	Peak	301.50	100	Horizontal	Pass
5**	14186.703	44.20	22.33	--	44.20	AV	301.50	100	Horizontal	N/A
6	16097.476	53.81	20.44	74.0	-20.19	Peak	301.50	100	Horizontal	Pass
6**	16097.476	44.59	20.44	54.0	-9.41	AV	301.50	100	Horizontal	Pass

WIFI5GB1-N20-Middle channel-Vertical-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.37.42

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.987	38.49	-15.22	74.0	-35.51	Peak	350.60	100	Vertical	Pass
1**	1100.987	27.27	-15.22	54.0	-26.73	AV	350.60	100	Vertical	Pass
2	1519.935	39.31	-14.93	74.0	-34.69	Peak	318.60	100	Vertical	Pass
2**	1519.935	27.95	-14.93	54.0	-26.05	AV	318.60	100	Vertical	Pass
3	2127.859	48.75	-11.37	68.2	-19.45	Peak	237.80	100	Vertical	Pass
3**	2127.859	35.08	-11.37	--	35.08	AV	237.80	100	Vertical	N/A
4	2748.281	45.63	-8.37	74.0	-28.37	Peak	7.00	100	Vertical	Pass
4**	2748.281	34.18	-8.37	54.0	-19.82	AV	7.00	100	Vertical	Pass
5	4151.106	54.20	1.67	74.0	-19.80	Peak	57.60	100	Vertical	Pass
5**	4151.106	43.38	1.67	54.0	-10.62	AV	57.60	100	Vertical	Pass
6	5274.841	61.51	8.45	--	61.01	Peak	0.50	100	Vertical	N/A
6**	5274.841	51.26	8.45	--	51.26	AV	0.50	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.49.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7585.604	36.14	6.29	74.0	-37.86	Peak	241.10	100	Vertical	Pass
1**	7585.604	28.45	6.29	54.0	-25.55	AV	241.10	100	Vertical	Pass
2	8822.794	39.41	9.02	68.2	-28.79	Peak	116.90	100	Vertical	Pass
2**	8822.794	29.56	9.02	--	29.56	AV	116.90	100	Vertical	N/A
3	10524.619	43.56	13.30	68.2	-24.64	Peak	84.50	100	Vertical	Pass
3**	10524.619	35.60	13.30	--	35.60	AV	84.50	100	Vertical	N/A
4	12440.890	48.55	17.10	74.0	-25.45	Peak	304.00	100	Vertical	Pass
4**	12440.890	39.95	17.10	54.0	-14.05	AV	304.00	100	Vertical	Pass
5	14175.706	53.25	21.99	68.2	-14.95	Peak	11.20	100	Vertical	Pass
5**	14175.706	43.60	21.99	--	43.60	AV	11.20	100	Vertical	N/A
6	16793.052	53.86	20.32	68.2	-14.34	Peak	313.60	100	Vertical	Pass
6**	16793.052	46.42	20.32	--	46.42	AV	313.60	100	Vertical	N/A

WIFI5GB1-N20-High channel-Horizontal-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.34.52

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1104.237	38.19	-15.23	74.0	-35.81	Peak	360.00	100	Horizontal	Pass
1**	1104.237	27.38	-15.23	54.0	-26.62	AV	360.00	100	Horizontal	Pass
2	1478.690	39.07	-15.02	74.0	-34.93	Peak	88.60	100	Horizontal	Pass
2**	1478.690	27.65	-15.02	54.0	-26.35	AV	88.60	100	Horizontal	Pass
3	2241.095	43.42	-10.35	74.0	-30.58	Peak	354.00	100	Horizontal	Pass
3**	2241.095	32.16	-10.35	54.0	-21.84	AV	354.00	100	Horizontal	Pass
4	2826.022	45.78	-7.25	74.0	-28.22	Peak	8.20	100	Horizontal	Pass
4**	2826.022	34.30	-7.25	54.0	-19.70	AV	8.20	100	Horizontal	Pass
5	3635.171	53.89	0.36	74.0	-20.11	Peak	360.00	100	Horizontal	Pass
5**	3635.171	41.97	0.36	54.0	-12.03	AV	360.00	100	Horizontal	Pass
6	5273.341	63.50	8.45	--	-107.60	Peak	171.10	100	Horizontal	N/A
6**	5273.341	51.57	8.45	--	51.57	AV	171.10	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.33.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7640.590	35.97	6.11	74.0	-38.03	Peak	339.70	100	Horizontal	Pass
1**	7640.590	26.23	6.11	54.0	-27.77	AV	339.70	100	Horizontal	Pass
2	9174.706	39.59	10.72	74.0	-34.41	Peak	98.60	100	Horizontal	Pass
2**	9174.706	30.70	10.72	54.0	-23.30	AV	98.60	100	Horizontal	Pass
3	11167.958	45.20	14.27	74.0	-28.80	Peak	311.50	100	Horizontal	Pass
3**	11167.958	36.58	14.27	54.0	-17.42	AV	311.50	100	Horizontal	Pass
4	12468.383	47.65	17.15	74.0	-26.35	Peak	65.50	100	Horizontal	Pass
4**	12468.383	38.11	17.15	54.0	-15.89	AV	65.50	100	Horizontal	Pass
5	14183.954	53.66	22.24	68.2	-14.54	Peak	155.90	100	Horizontal	Pass
5**	14183.954	43.94	22.24	--	43.94	AV	155.90	100	Horizontal	N/A
6	16014.996	53.00	20.63	74.0	-21.00	Peak	141.80	100	Horizontal	Pass
6**	16014.996	44.34	20.63	54.0	-9.66	AV	141.80	100	Horizontal	Pass

WIFI5GB1-N20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.41.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1097.988	38.49	-15.23	74.0	-35.51	Peak	242.00	100	Vertical	Pass
1**	1097.988	27.13	-15.23	54.0	-26.87	AV	242.00	100	Vertical	Pass
2	1309.961	39.64	-14.65	74.0	-34.36	Peak	233.00	100	Vertical	Pass
2**	1309.961	27.93	-14.65	54.0	-26.07	AV	233.00	100	Vertical	Pass
3	1599.925	39.74	-15.04	74.0	-34.26	Peak	29.10	100	Vertical	Pass
3**	1599.925	28.33	-15.04	54.0	-25.67	AV	29.10	100	Vertical	Pass
4	3671.166	53.33	0.15	74.0	-20.67	Peak	305.30	100	Vertical	Pass
4**	3671.166	42.40	0.15	54.0	-11.60	AV	305.30	100	Vertical	Pass
5	4042.745	54.22	1.68	74.0	-19.78	Peak	4.80	100	Vertical	Pass
5**	4042.745	43.38	1.68	54.0	-10.62	AV	4.80	100	Vertical	Pass
6	5272.591	61.95	8.45	--	-19.85	Peak	81.80	100	Vertical	N/A
6**	5272.591	51.41	8.45	--	51.41	AV	81.80	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.51.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7610.347	35.61	6.25	74.0	-38.39	Peak	119.20	100	Vertical	Pass
1**	7610.347	26.87	6.25	54.0	-27.13	AV	119.20	100	Vertical	Pass
2	9490.877	41.38	11.72	74.0	-32.62	Peak	262.00	100	Vertical	Pass
2**	9490.877	32.79	11.72	54.0	-21.21	AV	262.00	100	Vertical	Pass
3	10549.363	45.10	13.35	68.2	-23.10	Peak	358.90	100	Vertical	Pass
3**	10549.363	35.25	13.35	--	35.25	AV	358.90	100	Vertical	N/A
4	12407.898	47.28	16.96	74.0	-26.72	Peak	80.40	100	Vertical	Pass
4**	12407.898	38.64	16.96	54.0	-15.36	AV	80.40	100	Vertical	Pass
5	14192.202	52.19	22.26	68.2	-16.01	Peak	272.10	100	Vertical	Pass
5**	14192.202	44.16	22.26	--	44.16	AV	272.10	100	Vertical	N/A
6	16072.732	53.97	20.49	74.0	-20.03	Peak	96.10	100	Vertical	Pass
6**	16072.732	45.08	20.49	54.0	-8.92	AV	96.10	100	Vertical	Pass

WiFi5GB1-N40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.03.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.726	39.21	-14.66	74.0	-34.79	Peak	254.30	100	Horizontal	Pass
1**	1192.726	28.03	-14.66	54.0	-25.97	AV	254.30	100	Horizontal	Pass
2	1505.937	39.37	-14.97	74.0	-34.63	Peak	213.60	100	Horizontal	Pass
2**	1505.937	28.32	-14.97	54.0	-25.68	AV	213.60	100	Horizontal	Pass
3	2016.373	41.78	-12.57	68.2	-26.42	Peak	349.90	100	Horizontal	Pass
3**	2016.373	30.62	-12.57	--	30.62	AV	349.90	100	Horizontal	N/A
4	2838.520	45.80	-6.97	74.0	-28.20	Peak	281.80	100	Horizontal	Pass
4**	2838.520	34.54	-6.97	54.0	-19.46	AV	281.80	100	Horizontal	Pass
5	3737.908	53.28	0.65	74.0	-20.72	Peak	89.60	100	Horizontal	Pass
5**	3737.908	42.65	0.65	54.0	-11.35	AV	89.60	100	Horizontal	Pass
6	5273.341	61.75	8.45	--	-253.35	Peak	315.10	100	Horizontal	N/A
6**	5273.341	51.20	8.45	--	51.20	AV	315.10	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.07.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7833.042	35.40	6.51	68.2	-32.80	Peak	107.90	100	Horizontal	Pass
1**	7833.042	27.13	6.51	--	27.13	AV	107.90	100	Horizontal	N/A
2	9155.461	40.44	10.91	74.0	-33.56	Peak	212.90	100	Horizontal	Pass
2**	9155.461	32.20	10.91	54.0	-21.80	AV	212.90	100	Horizontal	Pass
3	10046.238	42.78	13.03	68.2	-25.42	Peak	84.50	100	Horizontal	Pass
3**	10046.238	34.03	13.03	--	34.03	AV	84.50	100	Horizontal	N/A
4	11211.947	45.41	14.73	74.0	-28.59	Peak	327.50	100	Horizontal	Pass
4**	11211.947	36.16	14.73	54.0	-17.84	AV	327.50	100	Horizontal	Pass
5	13265.684	50.10	18.10	74.0	-23.90	Peak	44.00	100	Horizontal	Pass
5**	13265.684	40.88	18.10	54.0	-13.12	AV	44.00	100	Horizontal	Pass
6	16116.721	53.66	20.35	74.0	-20.34	Peak	11.60	100	Horizontal	Pass
6**	16116.721	44.98	20.35	54.0	-9.02	AV	11.60	100	Horizontal	Pass

WiFi5GB1-N40-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.08.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1128.234	38.67	-15.15	74.0	-35.33	Peak	326.80	100	Vertical	Pass
1**	1128.234	27.48	-15.15	54.0	-26.52	AV	326.80	100	Vertical	Pass
2	1550.681	40.76	-15.05	74.0	-33.24	Peak	259.00	100	Vertical	Pass
2**	1550.681	28.88	-15.05	54.0	-25.12	AV	259.00	100	Vertical	Pass
3	2002.875	41.85	-12.65	68.2	-26.35	Peak	61.10	100	Vertical	Pass
3**	2002.875	30.52	-12.65	--	30.52	AV	61.10	100	Vertical	N/A
4	4243.720	54.40	1.11	74.0	-19.60	Peak	330.30	100	Vertical	Pass
4**	4243.720	43.47	1.11	54.0	-10.53	AV	330.30	100	Vertical	Pass
5	5239.220	61.28	8.30	--	-211.02	Peak	272.30	100	Vertical	N/A
5**	5239.220	50.48	8.30	--	50.48	AV	272.30	100	Vertical	N/A
6	5679.040	58.16	4.83	68.2	-10.04	Peak	296.50	100	Vertical	Pass
6**	5679.040	47.13	4.83	--	47.13	AV	296.50	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.58.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7764.309	35.87	5.94	68.2	-32.33	Peak	81.20	100	Vertical	Pass
1**	7764.309	28.03	5.94	--	28.03	AV	81.20	100	Vertical	N/A
2	8965.759	40.71	11.26	68.2	-27.49	Peak	0.00	100	Vertical	Pass
2**	8965.759	31.16	11.26	--	31.16	AV	0.00	100	Vertical	N/A
3	10483.379	44.06	12.96	68.2	-24.14	Peak	359.30	100	Vertical	Pass
3**	10483.379	35.23	12.96	--	35.23	AV	359.30	100	Vertical	N/A
4	12449.138	48.04	17.13	74.0	-25.96	Peak	355.80	100	Vertical	Pass
4**	12449.138	38.76	17.13	54.0	-15.24	AV	355.80	100	Vertical	Pass
5	14175.706	52.63	21.99	68.2	-15.57	Peak	337.50	100	Vertical	Pass
5**	14175.706	43.86	21.99	--	43.86	AV	337.50	100	Vertical	N/A
6	16100.225	52.99	20.43	74.0	-21.01	Peak	238.50	100	Vertical	Pass
6**	16100.225	44.42	20.43	54.0	-9.58	AV	238.50	100	Vertical	Pass

WiFi5GB1-N40-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.06.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1192.476	39.52	-14.66	74.0	-34.48	Peak	78.90	100	Horizontal	Pass
1**	1192.476	28.08	-14.66	54.0	-25.92	AV	78.90	100	Horizontal	Pass
2	1473.191	39.24	-15.05	74.0	-34.76	Peak	20.10	100	Horizontal	Pass
2**	1473.191	27.78	-15.05	54.0	-26.22	AV	20.10	100	Horizontal	Pass
3	2621.297	44.70	-9.35	68.2	-23.50	Peak	227.40	100	Horizontal	Pass
3**	2621.297	32.60	-9.35	--	32.60	AV	227.40	100	Horizontal	N/A
4	2835.271	45.20	-7.04	74.0	-28.80	Peak	20.10	100	Horizontal	Pass
4**	2835.271	34.49	-7.04	54.0	-19.51	AV	20.10	100	Horizontal	Pass
5	4132.733	54.27	1.36	74.0	-19.73	Peak	158.10	100	Horizontal	Pass
5**	4132.733	42.61	1.36	54.0	-11.39	AV	158.10	100	Horizontal	Pass
6	5188.976	61.55	8.08	--	-120.75	Peak	182.30	100	Horizontal	N/A
6**	5188.976	51.00	8.08	--	51.00	AV	182.30	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.10.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7956.761	37.05	7.19	68.2	-31.15	Peak	311.20	100	Horizontal	Pass
1**	7956.761	28.14	7.19	--	28.14	AV	311.20	100	Horizontal	N/A
2	8982.254	39.78	11.50	68.2	-28.42	Peak	316.00	100	Horizontal	Pass
2**	8982.254	31.29	11.50	--	31.29	AV	316.00	100	Horizontal	N/A
3	9928.018	42.52	13.48	68.2	-25.68	Peak	169.40	100	Horizontal	Pass
3**	9928.018	33.38	13.48	--	33.38	AV	169.40	100	Horizontal	N/A
4	11371.407	44.87	15.24	74.0	-29.13	Peak	297.40	100	Horizontal	Pass
4**	11371.407	35.87	15.24	54.0	-18.13	AV	297.40	100	Horizontal	Pass
5	12460.135	47.58	17.18	74.0	-26.42	Peak	348.00	100	Horizontal	Pass
5**	12460.135	38.63	17.18	54.0	-15.37	AV	348.00	100	Horizontal	Pass
6	14183.954	53.30	22.24	68.2	-14.90	Peak	169.40	100	Horizontal	Pass
6**	14183.954	44.01	22.24	--	44.01	AV	169.40	100	Horizontal	N/A

WiFi5GB1-N40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.11.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1077.740	38.77	-15.26	74.0	-35.23	Peak	135.90	100	Vertical	Pass
1**	1077.740	27.30	-15.26	54.0	-26.70	AV	135.90	100	Vertical	Pass
2	1400.950	43.62	-14.78	74.0	-30.38	Peak	344.70	100	Vertical	Pass
2**	1400.950	36.66	-14.78	54.0	-17.34	AV	344.70	100	Vertical	Pass
3	2232.346	43.81	-10.47	74.0	-30.19	Peak	304.10	100	Vertical	Pass
3**	2232.346	32.40	-10.47	54.0	-21.60	AV	304.10	100	Vertical	Pass
4	3982.002	54.86	0.76	74.0	-19.14	Peak	129.00	100	Vertical	Pass
4**	3982.002	42.59	0.76	54.0	-11.41	AV	129.00	100	Vertical	Pass
5	5217.848	62.31	8.19	--	-97.19	Peak	159.50	100	Vertical	N/A
5**	5217.848	51.04	8.19	--	51.04	AV	159.50	100	Vertical	N/A
6	5713.911	58.68	4.70	68.2	-9.52	Peak	280.10	100	Vertical	Pass
6**	5713.911	47.66	4.70	--	47.66	AV	280.10	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.01.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.262	37.26	7.14	68.2	-30.94	Peak	185.40	100	Vertical	Pass
1**	7951.262	28.30	7.14	--	28.30	AV	185.40	100	Vertical	N/A
2	9444.139	40.29	11.51	74.0	-33.71	Peak	135.20	100	Vertical	Pass
2**	9444.139	31.53	11.51	54.0	-22.47	AV	135.20	100	Vertical	Pass
3	10516.371	43.49	13.21	68.2	-24.71	Peak	176.10	100	Vertical	Pass
3**	10516.371	35.05	13.21	--	35.05	AV	176.10	100	Vertical	N/A
4	13169.458	50.28	18.52	68.2	-17.92	Peak	0.10	100	Vertical	Pass
4**	13169.458	39.90	18.52	--	39.90	AV	0.10	100	Vertical	N/A
5	14181.205	52.62	22.16	68.2	-15.58	Peak	0.70	100	Vertical	Pass
5**	14181.205	43.96	22.16	--	43.96	AV	0.70	100	Vertical	N/A
6	16894.776	54.38	21.33	68.2	-13.82	Peak	0.00	100	Vertical	Pass
6**	16894.776	45.39	21.33	--	45.39	AV	0.00	100	Vertical	N/A

WiFi5GB1-AC20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.48.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.222	38.68	-14.66	74.0	-35.32	Peak	282.20	100	Horizontal	Pass
1**	1222.222	28.12	-14.66	54.0	-25.88	AV	282.20	100	Horizontal	Pass
2	1516.435	38.68	-14.94	74.0	-35.32	Peak	213.30	100	Horizontal	Pass
2**	1516.435	27.78	-14.94	54.0	-26.22	AV	213.30	100	Horizontal	Pass
3	2208.349	43.22	-10.70	74.0	-30.78	Peak	236.40	100	Horizontal	Pass
3**	2208.349	32.19	-10.70	54.0	-21.81	AV	236.40	100	Horizontal	Pass
4	2875.016	44.88	-7.13	74.0	-29.12	Peak	291.10	100	Horizontal	Pass
4**	2875.016	34.80	-7.13	54.0	-19.20	AV	291.10	100	Horizontal	Pass
5	4068.241	54.07	1.89	74.0	-19.93	Peak	213.90	100	Horizontal	Pass
5**	4068.241	43.02	1.89	54.0	-10.98	AV	213.90	100	Horizontal	Pass
6	5272.216	61.81	8.45	--	-272.29	Peak	334.10	100	Horizontal	N/A
6**	5272.216	51.66	8.45	--	51.66	AV	334.10	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.24.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7978.755	37.16	7.41	68.2	-31.04	Peak	219.30	100	Horizontal	Pass
1**	7978.755	27.93	7.41	--	27.93	AV	219.30	100	Horizontal	N/A
2	9350.662	41.72	11.25	74.0	-32.28	Peak	205.10	100	Horizontal	Pass
2**	9350.662	31.10	11.25	54.0	-22.90	AV	205.10	100	Horizontal	Pass
3	10112.222	43.15	13.30	68.2	-25.05	Peak	271.00	100	Horizontal	Pass
3**	10112.222	33.49	13.30	--	33.49	AV	271.00	100	Horizontal	N/A
4	11286.178	45.96	15.69	74.0	-28.04	Peak	360.00	100	Horizontal	Pass
4**	11286.178	37.03	15.69	54.0	-16.97	AV	360.00	100	Horizontal	Pass
5	13257.436	49.63	18.21	74.0	-24.37	Peak	313.40	100	Horizontal	Pass
5**	13257.436	40.26	18.21	54.0	-13.74	AV	313.40	100	Horizontal	Pass
6	16064.484	53.07	20.50	74.0	-20.93	Peak	224.10	100	Horizontal	Pass
6**	16064.484	45.00	20.50	54.0	-9.00	AV	224.10	100	Horizontal	Pass

WIFI5GB1-AC20-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.45.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1169.979	38.54	-14.68	74.0	-35.46	Peak	26.80	100	Vertical	Pass
1**	1169.979	28.23	-14.68	54.0	-25.77	AV	26.80	100	Vertical	Pass
2	1400.450	41.46	-14.77	74.0	-32.54	Peak	319.00	100	Vertical	Pass
2**	1400.450	34.50	-14.77	54.0	-19.50	AV	319.00	100	Vertical	Pass
3	1547.932	38.69	-15.06	74.0	-35.31	Peak	306.00	100	Vertical	Pass
3**	1547.932	27.85	-15.06	54.0	-26.15	AV	306.00	100	Vertical	Pass
4	2129.359	45.43	-11.37	68.2	-22.77	Peak	242.70	100	Vertical	Pass
4**	2129.359	32.88	-11.37	--	32.88	AV	242.70	100	Vertical	N/A
5	3730.034	53.08	0.76	74.0	-20.92	Peak	228.00	100	Vertical	Pass
5**	3730.034	43.07	0.76	54.0	-10.93	AV	228.00	100	Vertical	Pass
6	5217.098	61.18	8.19	--	2.08	Peak	59.10	100	Vertical	N/A
6**	5217.098	50.79	8.19	--	50.79	AV	59.10	100	Vertical	N/A


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.41.22

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7574.606	36.34	6.25	74.0	-37.66	Peak	360.00	100	Vertical	Pass
1**	7574.606	27.21	6.25	54.0	-26.79	AV	360.00	100	Vertical	Pass
2	8803.549	39.55	8.93	68.2	-28.65	Peak	269.80	100	Vertical	Pass
2**	8803.549	30.43	8.93	--	30.43	AV	269.80	100	Vertical	N/A
3	10513.622	43.46	13.19	68.2	-24.74	Peak	229.30	100	Vertical	Pass
3**	10513.622	34.96	13.19	--	34.96	AV	229.30	100	Vertical	N/A
4	12427.143	47.47	17.04	74.0	-26.53	Peak	252.00	100	Vertical	Pass
4**	12427.143	39.27	17.04	54.0	-14.73	AV	252.00	100	Vertical	Pass
5	14175.706	52.87	21.99	68.2	-15.33	Peak	38.00	100	Vertical	Pass
5**	14175.706	44.31	21.99	--	44.31	AV	38.00	100	Vertical	N/A
6	16795.801	53.41	20.32	68.2	-14.79	Peak	24.60	100	Vertical	Pass
6**	16795.801	44.56	20.32	--	44.56	AV	24.60	100	Vertical	N/A

WIFI5GB1-AC20-Middle channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.51.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1180.227	38.92	-14.66	74.0	-35.08	Peak	223.30	100	Horizontal	Pass
1**	1180.227	28.53	-14.66	54.0	-25.47	AV	223.30	100	Horizontal	Pass
2	1447.194	39.28	-14.74	74.0	-34.72	Peak	50.20	100	Horizontal	Pass
2**	1447.194	28.24	-14.74	54.0	-25.76	AV	50.20	100	Horizontal	Pass
3	2321.085	44.19	-10.56	74.0	-29.81	Peak	0.00	100	Horizontal	Pass
3**	2321.085	32.38	-10.56	54.0	-21.62	AV	0.00	100	Horizontal	Pass
4	3964.004	54.39	0.94	74.0	-19.61	Peak	218.00	100	Horizontal	Pass
4**	3964.004	42.58	0.94	54.0	-11.42	AV	218.00	100	Horizontal	Pass
5	5245.969	61.79	8.33	--	-296.21	Peak	358.00	100	Horizontal	N/A
5**	5245.969	51.54	8.33	--	51.54	AV	358.00	100	Horizontal	N/A
6	5718.785	58.54	4.65	68.2	-9.66	Peak	247.70	100	Horizontal	Pass
6**	5718.785	47.50	4.65	--	47.50	AV	247.70	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.25.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7871.532	35.79	6.30	68.2	-32.41	Peak	278.00	100	Horizontal	Pass
1**	7871.532	26.29	6.30	--	26.29	AV	278.00	100	Horizontal	N/A
2	9342.414	41.42	11.19	74.0	-32.58	Peak	163.10	100	Horizontal	Pass
2**	9342.414	31.68	11.19	54.0	-22.32	AV	163.10	100	Horizontal	Pass
3	10318.420	43.08	12.93	68.2	-25.12	Peak	43.60	100	Horizontal	Pass
3**	10318.420	33.86	12.93	--	33.86	AV	43.60	100	Horizontal	N/A
4	11640.840	45.79	14.82	74.0	-28.21	Peak	208.80	100	Horizontal	Pass
4**	11640.840	36.13	14.82	54.0	-17.87	AV	208.80	100	Horizontal	Pass
5	13084.229	49.61	18.31	68.2	-18.59	Peak	177.20	100	Horizontal	Pass
5**	13084.229	39.81	18.31	--	39.81	AV	177.20	100	Horizontal	N/A
6	14183.954	52.20	22.24	68.2	-16.00	Peak	241.20	100	Horizontal	Pass
6**	14183.954	43.71	22.24	--	43.71	AV	241.20	100	Horizontal	N/A


WIFI5GB1-AC20- Middle channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.54.02

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.475	39.46	-14.65	74.0	-34.54	Peak	35.40	100	Vertical	Pass
1**	1202.475	30.96	-14.65	54.0	-23.04	AV	35.40	100	Vertical	Pass
2	1898.388	44.03	-13.81	68.2	-24.17	Peak	197.70	100	Vertical	Pass
2**	1898.388	36.41	-13.81	--	36.41	AV	197.70	100	Vertical	N/A
3	2397.575	43.23	-10.27	68.2	-24.97	Peak	356.90	100	Vertical	Pass
3**	2397.575	32.13	-10.27	--	32.13	AV	356.90	100	Vertical	N/A
4	3085.864	50.82	-3.34	68.2	-17.38	Peak	175.90	100	Vertical	Pass
4**	3085.864	39.24	-3.34	--	39.24	AV	175.90	100	Vertical	N/A
5	3981.252	53.87	0.77	74.0	-20.13	Peak	278.20	100	Vertical	Pass
5**	3981.252	42.69	0.77	54.0	-11.31	AV	278.20	100	Vertical	Pass
6	5251.594	61.36	8.36	--	-250.34	Peak	311.70	100	Vertical	N/A
6**	5251.594	51.55	8.36	--	51.55	AV	311.70	100	Vertical	N/A


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.43.21

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7626.843	35.49	6.17	74.0	-38.51	Peak	274.70	100	Vertical	Pass
1**	7626.843	26.38	6.17	54.0	-27.62	AV	274.70	100	Vertical	Pass
2	9438.640	40.88	11.49	74.0	-33.12	Peak	119.50	100	Vertical	Pass
2**	9438.640	32.13	11.49	54.0	-21.87	AV	119.50	100	Vertical	Pass
3	10541.115	44.73	13.34	68.2	-23.47	Peak	160.40	100	Vertical	Pass
3**	10541.115	34.63	13.34	--	34.63	AV	160.40	100	Vertical	N/A
4	13092.477	49.19	18.42	68.2	-19.01	Peak	51.40	100	Vertical	Pass
4**	13092.477	40.45	18.42	--	40.45	AV	51.40	100	Vertical	N/A
5	14175.706	51.88	21.99	68.2	-16.32	Peak	334.60	100	Vertical	Pass
5**	14175.706	43.94	21.99	--	43.94	AV	334.60	100	Vertical	N/A
6	16069.983	52.92	20.49	74.0	-21.08	Peak	169.40	100	Vertical	Pass
6**	16069.983	44.24	20.49	54.0	-9.76	AV	169.40	100	Vertical	Pass

WiFi5GB1-AC20-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.59.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.237	38.67	-15.22	74.0	-35.33	Peak	2.80	100	Horizontal	Pass
1**	1101.237	26.91	-15.22	54.0	-27.09	AV	2.80	100	Horizontal	Pass
2	1568.179	39.49	-14.98	74.0	-34.51	Peak	276.90	100	Horizontal	Pass
2**	1568.179	28.23	-14.98	54.0	-25.77	AV	276.90	100	Horizontal	Pass
3	2313.836	44.14	-10.45	74.0	-29.86	Peak	55.50	100	Horizontal	Pass
3**	2313.836	32.21	-10.45	54.0	-21.79	AV	55.50	100	Horizontal	Pass
4	3884.139	53.10	-0.08	74.0	-20.90	Peak	272.30	100	Horizontal	Pass
4**	3884.139	41.81	-0.08	54.0	-12.19	AV	272.30	100	Horizontal	Pass
5	4532.433	55.38	2.33	74.0	-18.62	Peak	359.60	100	Horizontal	Pass
5**	4532.433	44.40	2.33	54.0	-9.60	AV	359.60	100	Horizontal	Pass
6	5248.219	61.30	8.35	--	-5.60	Peak	66.90	100	Horizontal	N/A
6**	5248.219	51.81	8.35	--	51.81	AV	66.90	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.27.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7626.843	35.54	6.17	74.0	-38.46	Peak	245.30	100	Horizontal	Pass
1**	7626.843	26.41	6.17	54.0	-27.59	AV	245.30	100	Horizontal	Pass
2	9182.954	40.65	10.62	74.0	-33.35	Peak	329.80	100	Horizontal	Pass
2**	9182.954	31.12	10.62	54.0	-22.88	AV	329.80	100	Horizontal	Pass
3	10532.867	43.79	13.32	68.2	-24.41	Peak	78.20	100	Horizontal	Pass
3**	10532.867	35.05	13.32	--	35.05	AV	78.20	100	Horizontal	N/A
4	11657.336	46.11	14.85	74.0	-27.89	Peak	192.10	100	Horizontal	Pass
4**	11657.336	35.85	14.85	54.0	-18.15	AV	192.10	100	Horizontal	Pass
5	14200.450	52.37	22.07	68.2	-15.83	Peak	0.10	100	Horizontal	Pass
5**	14200.450	43.99	22.07	--	43.99	AV	0.10	100	Horizontal	N/A
6	16094.726	52.53	20.44	74.0	-21.47	Peak	158.20	100	Horizontal	Pass
6**	16094.726	44.25	20.44	54.0	-9.75	AV	158.20	100	Horizontal	Pass

WiFi5GB1-AC20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_18.57.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.228	39.23	-14.65	74.0	-34.77	Peak	124.70	100	Vertical	Pass
1**	1179.228	27.78	-14.65	54.0	-26.22	AV	124.70	100	Vertical	Pass
2	1564.179	39.64	-14.99	74.0	-34.36	Peak	25.40	100	Vertical	Pass
2**	1564.179	27.97	-14.99	54.0	-26.03	AV	25.40	100	Vertical	Pass
3	2127.859	46.82	-11.37	68.2	-21.38	Peak	16.40	100	Vertical	Pass
3**	2127.859	33.55	-11.37	--	33.55	AV	16.40	100	Vertical	N/A
4	4098.988	54.39	1.09	74.0	-19.61	Peak	1.20	100	Vertical	Pass
4**	4098.988	42.62	1.09	54.0	-11.38	AV	1.20	100	Vertical	Pass
5	5173.978	61.48	8.01	--	56.68	Peak	4.80	100	Vertical	N/A
5**	5173.978	49.87	8.01	--	49.87	AV	4.80	100	Vertical	N/A
6	5859.018	59.00	4.86	68.2	-9.20	Peak	101.90	100	Vertical	Pass
6**	5859.018	47.16	4.86	--	47.16	AV	101.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.45.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8052.987	37.26	8.23	74.0	-36.74	Peak	11.20	100	Vertical	Pass
1**	8052.987	28.89	8.23	54.0	-25.11	AV	11.20	100	Vertical	Pass
2	8949.263	40.23	10.73	68.2	-27.97	Peak	186.50	100	Vertical	Pass
2**	8949.263	30.58	10.73	--	30.58	AV	186.50	100	Vertical	N/A
3	10524.619	43.72	13.30	68.2	-24.48	Peak	359.50	100	Vertical	Pass
3**	10524.619	35.05	13.30	--	35.05	AV	359.50	100	Vertical	N/A
4	12366.658	47.58	16.68	74.0	-26.42	Peak	1.00	100	Vertical	Pass
4**	12366.658	37.67	16.68	54.0	-16.33	AV	1.00	100	Vertical	Pass
5	14189.453	52.58	22.33	68.2	-15.62	Peak	33.90	100	Vertical	Pass
5**	14189.453	44.84	22.33	--	44.84	AV	33.90	100	Vertical	N/A
6	16067.233	53.45	20.50	74.0	-20.55	Peak	79.30	100	Vertical	Pass
6**	16067.233	45.00	20.50	54.0	-9.00	AV	79.30	100	Vertical	Pass

WIFI5GB1-AC40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.19.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1213.723	39.04	-14.66	74.0	-34.96	Peak	295.90	100	Horizontal	Pass
1**	1213.723	28.06	-14.66	54.0	-25.94	AV	295.90	100	Horizontal	Pass
2	1568.679	38.91	-14.98	74.0	-35.09	Peak	151.10	100	Horizontal	Pass
2**	1568.679	28.43	-14.98	54.0	-25.57	AV	151.10	100	Horizontal	Pass
3	2128.109	45.59	-11.37	68.2	-22.61	Peak	16.00	100	Horizontal	Pass
3**	2128.109	32.89	-11.37	--	32.89	AV	16.00	100	Horizontal	N/A
4	3720.285	53.63	0.90	74.0	-20.37	Peak	345.00	100	Horizontal	Pass
4**	3720.285	42.49	0.90	54.0	-11.51	AV	345.00	100	Horizontal	Pass
5	4780.652	55.85	2.42	74.0	-18.15	Peak	248.20	100	Horizontal	Pass
5**	4780.652	44.41	2.42	54.0	-9.59	AV	248.20	100	Horizontal	Pass
6	5272.966	62.49	8.45	--	-102.71	Peak	165.20	100	Horizontal	N/A
6**	5272.966	51.34	8.45	--	51.34	AV	165.20	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.12.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7505.874	35.78	6.00	74.0	-38.22	Peak	16.10	100	Horizontal	Pass
1**	7505.874	25.89	6.00	54.0	-28.11	AV	16.10	100	Horizontal	Pass
2	9166.458	40.55	10.82	74.0	-33.45	Peak	305.90	100	Horizontal	Pass
2**	9166.458	31.53	10.82	54.0	-22.47	AV	305.90	100	Horizontal	Pass
3	10255.186	42.42	13.09	68.2	-25.78	Peak	249.00	100	Horizontal	Pass
3**	10255.186	33.94	13.09	--	33.94	AV	249.00	100	Horizontal	N/A
4	11231.192	46.14	14.97	74.0	-27.86	Peak	1.10	100	Horizontal	Pass
4**	11231.192	36.76	14.97	54.0	-17.24	AV	1.10	100	Horizontal	Pass
5	13081.480	49.12	18.28	68.2	-19.08	Peak	273.20	100	Horizontal	Pass
5**	13081.480	39.91	18.28	--	39.91	AV	273.20	100	Horizontal	N/A
6	16061.735	53.45	20.51	74.0	-20.55	Peak	66.30	100	Horizontal	Pass
6**	16061.735	43.97	20.51	54.0	-10.03	AV	66.30	100	Horizontal	Pass

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.21.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1146.482	38.72	-15.10	74.0	-35.28	Peak	209.90	100	Vertical	Pass
1**	1146.482	27.43	-15.10	54.0	-26.57	AV	209.90	100	Vertical	Pass
2	1379.453	39.21	-14.71	74.0	-34.79	Peak	336.40	100	Vertical	Pass
2**	1379.453	28.03	-14.71	54.0	-25.97	AV	336.40	100	Vertical	Pass
3	2070.866	42.04	-11.69	68.2	-26.16	Peak	123.50	100	Vertical	Pass
3**	2070.866	30.82	-11.69	--	30.82	AV	123.50	100	Vertical	N/A
4	3695.913	53.78	0.36	74.0	-20.22	Peak	167.00	100	Vertical	Pass
4**	3695.913	42.04	0.36	54.0	-11.96	AV	167.00	100	Vertical	Pass
5	4791.526	55.75	2.32	74.0	-18.25	Peak	360.00	100	Vertical	Pass
5**	4791.526	44.57	2.32	54.0	-9.43	AV	360.00	100	Vertical	Pass
6	5188.601	61.49	8.08	--	-100.61	Peak	162.10	100	Vertical	N/A
6**	5188.601	50.83	8.08	--	50.83	AV	162.10	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.53.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7976.006	37.38	7.39	68.2	-30.82	Peak	320.40	100	Vertical	Pass
1**	7976.006	28.10	7.39	--	28.10	AV	320.40	100	Vertical	N/A
2	9075.731	40.11	9.66	74.0	-33.89	Peak	212.50	100	Vertical	Pass
2**	9075.731	30.49	9.66	54.0	-23.51	AV	212.50	100	Vertical	Pass
3	10585.104	44.07	13.38	68.2	-24.13	Peak	175.70	100	Vertical	Pass
3**	10585.104	34.68	13.38	--	34.68	AV	175.70	100	Vertical	N/A
4	12416.146	47.63	17.00	74.0	-26.37	Peak	258.20	100	Vertical	Pass
4**	12416.146	38.60	17.00	54.0	-15.40	AV	258.20	100	Vertical	Pass
5	14181.205	52.24	22.16	68.2	-15.96	Peak	272.40	100	Vertical	Pass
5**	14181.205	44.26	22.16	--	44.26	AV	272.40	100	Vertical	N/A
6	16966.258	54.70	21.91	68.2	-13.50	Peak	287.30	100	Vertical	Pass
6**	16966.258	45.80	21.91	--	45.80	AV	287.30	100	Vertical	N/A

WIFI5GB1-AC40-High channel-Horizontal-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.17.07

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.229	39.21	-14.66	74.0	-34.79	Peak	212.20	100	Horizontal	Pass
1**	1171.229	27.86	-14.66	54.0	-26.14	AV	212.20	100	Horizontal	Pass
2	1943.882	41.51	-13.19	68.2	-26.69	Peak	230.80	100	Horizontal	Pass
2**	1943.882	30.40	-13.19	--	30.40	AV	230.80	100	Horizontal	N/A
3	2652.793	44.23	-9.16	68.2	-23.97	Peak	135.50	100	Horizontal	Pass
3**	2652.793	32.48	-9.16	--	32.48	AV	135.50	100	Horizontal	N/A
4	3737.158	53.55	0.66	74.0	-20.45	Peak	309.50	100	Horizontal	Pass
4**	3737.158	42.44	0.66	54.0	-11.56	AV	309.50	100	Horizontal	Pass
5	5187.852	61.42	8.07	--	30.22	Peak	31.20	100	Horizontal	N/A
5**	5187.852	50.79	8.07	--	50.79	AV	31.20	100	Horizontal	N/A
6	5659.543	58.78	4.86	68.2	-9.42	Peak	55.40	100	Horizontal	Pass
6**	5659.543	47.85	4.86	--	47.85	AV	55.40	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.15.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8058.485	38.41	8.12	74.0	-35.59	Peak	48.80	100	Horizontal	Pass
1**	8058.485	29.07	8.12	54.0	-24.93	AV	48.80	100	Horizontal	Pass
2	8932.767	39.44	10.20	68.2	-28.76	Peak	110.60	100	Horizontal	Pass
2**	8932.767	30.51	10.20	--	30.51	AV	110.60	100	Horizontal	N/A
3	10015.996	43.31	12.91	68.2	-24.89	Peak	191.70	100	Horizontal	Pass
3**	10015.996	32.91	12.91	--	32.91	AV	191.70	100	Horizontal	N/A
4	12413.397	48.17	16.99	74.0	-25.83	Peak	358.00	100	Horizontal	Pass
4**	12413.397	38.48	16.99	54.0	-15.52	AV	358.00	100	Horizontal	Pass
5	14192.202	51.69	22.26	68.2	-16.51	Peak	105.80	100	Horizontal	Pass
5**	14192.202	43.65	22.26	--	43.65	AV	105.80	100	Horizontal	N/A
6	17392.402	56.50	24.22	68.2	-11.70	Peak	25.40	100	Horizontal	Pass
6**	17392.402	46.52	24.22	--	46.52	AV	25.40	100	Horizontal	N/A


WIFI5GB1-AC40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.14.29

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.230	38.67	-14.81	74.0	-35.33	Peak	83.70	100	Vertical	Pass
1**	1160.230	28.00	-14.81	54.0	-26.00	AV	83.70	100	Vertical	Pass
2	1590.426	39.56	-15.04	74.0	-34.44	Peak	250.50	100	Vertical	Pass
2**	1590.426	28.23	-15.04	54.0	-25.77	AV	250.50	100	Vertical	Pass
3	1938.883	41.32	-13.25	68.2	-26.88	Peak	264.20	100	Vertical	Pass
3**	1938.883	30.07	-13.25	--	30.07	AV	264.20	100	Vertical	N/A
4	4116.610	54.57	1.02	74.0	-19.43	Peak	281.20	100	Vertical	Pass
4**	4116.610	42.82	1.02	54.0	-11.18	AV	281.20	100	Vertical	Pass
5	5211.849	61.23	8.17	--	55.43	Peak	5.80	100	Vertical	N/A
5**	5211.849	50.39	8.17	--	50.39	AV	5.80	100	Vertical	N/A
6	5820.397	58.71	4.76	68.2	-9.49	Peak	0.70	100	Vertical	Pass
6**	5820.397	47.14	4.76	--	47.14	AV	0.70	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_08.56.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7984.254	36.83	7.47	68.2	-31.37	Peak	254.30	100	Vertical	Pass
1**	7984.254	27.97	7.47	--	27.97	AV	254.30	100	Vertical	N/A
2	9149.963	40.31	10.81	74.0	-33.69	Peak	83.40	100	Vertical	Pass
2**	9149.963	31.17	10.81	54.0	-22.83	AV	83.40	100	Vertical	Pass
3	10323.919	43.31	12.88	68.2	-24.89	Peak	299.60	100	Vertical	Pass
3**	10323.919	34.11	12.88	--	34.11	AV	299.60	100	Vertical	N/A
4	11902.024	47.30	15.95	74.0	-26.70	Peak	144.90	100	Vertical	Pass
4**	11902.024	36.92	15.95	54.0	-17.08	AV	144.90	100	Vertical	Pass
5	14170.207	52.15	21.83	68.2	-16.05	Peak	1.40	100	Vertical	Pass
5**	14170.207	45.30	21.83	--	45.30	AV	1.40	100	Vertical	N/A
6	16067.233	54.01	20.50	74.0	-19.99	Peak	0.60	100	Vertical	Pass
6**	16067.233	44.49	20.50	54.0	-9.51	AV	0.60	100	Vertical	Pass

WIFI5GB1-AC80-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.26.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.981	39.32	-15.10	74.0	-34.68	Peak	321.20	100	Horizontal	Pass
1**	1148.981	27.30	-15.10	54.0	-26.70	AV	321.20	100	Horizontal	Pass
2	1416.698	39.46	-14.85	74.0	-34.54	Peak	9.00	100	Horizontal	Pass
2**	1416.698	28.60	-14.85	54.0	-25.40	AV	9.00	100	Horizontal	Pass
3	2666.542	44.46	-9.36	68.2	-23.74	Peak	239.30	100	Horizontal	Pass
3**	2666.542	33.09	-9.36	--	33.09	AV	239.30	100	Horizontal	N/A
4	4067.492	54.31	1.91	74.0	-19.69	Peak	286.80	100	Horizontal	Pass
4**	4067.492	43.52	1.91	54.0	-10.48	AV	286.80	100	Horizontal	Pass
5	4562.055	55.48	2.11	74.0	-18.52	Peak	4.10	100	Horizontal	Pass
5**	4562.055	43.87	2.11	54.0	-10.13	AV	4.10	100	Horizontal	Pass
6	5247.469	61.86	8.34	--	5.76	Peak	56.10	100	Horizontal	N/A
6**	5247.469	50.99	8.34	--	50.99	AV	56.10	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.05.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7549.863	36.15	6.15	74.0	-37.85	Peak	27.60	100	Horizontal	Pass
1**	7549.863	26.29	6.15	54.0	-27.71	AV	27.60	100	Horizontal	Pass
2	9405.649	40.40	11.52	74.0	-33.60	Peak	59.30	100	Horizontal	Pass
2**	9405.649	31.69	11.52	54.0	-22.31	AV	59.30	100	Horizontal	Pass
3	10197.451	42.86	12.91	68.2	-25.34	Peak	248.30	100	Horizontal	Pass
3**	10197.451	34.46	12.91	--	34.46	AV	248.30	100	Horizontal	N/A
4	11277.931	46.08	15.59	74.0	-27.92	Peak	2.50	100	Horizontal	Pass
4**	11277.931	36.26	15.59	54.0	-17.74	AV	2.50	100	Horizontal	Pass
5	13095.226	49.84	18.46	68.2	-18.36	Peak	160.50	100	Horizontal	Pass
5**	13095.226	40.57	18.46	--	40.57	AV	160.50	100	Horizontal	N/A
6	16078.230	54.41	20.48	74.0	-19.59	Peak	1.10	100	Horizontal	Pass
6**	16078.230	45.16	20.48	54.0	-8.84	AV	1.10	100	Horizontal	Pass

WiFi5GB1-AC80-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.23.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.725	39.12	-14.65	74.0	-34.88	Peak	231.90	100	Vertical	Pass
1**	1203.725	27.85	-14.65	54.0	-26.15	AV	231.90	100	Vertical	Pass
2	2130.609	43.68	-11.37	68.2	-24.52	Peak	19.10	100	Vertical	Pass
2**	2130.609	32.23	-11.37	--	32.23	AV	19.10	100	Vertical	N/A
3	3748.406	53.65	0.51	74.0	-20.35	Peak	66.10	100	Vertical	Pass
3**	3748.406	41.90	0.51	54.0	-12.10	AV	66.10	100	Vertical	Pass
4	4163.480	54.76	1.41	74.0	-19.24	Peak	310.60	100	Vertical	Pass
4**	4163.480	43.56	1.41	54.0	-10.44	AV	310.60	100	Vertical	Pass
5	5277.840	61.88	8.46	--	-92.42	Peak	154.30	100	Vertical	N/A
5**	5277.840	51.21	8.46	--	51.21	AV	154.30	100	Vertical	N/A
6	5639.670	58.00	4.75	68.2	-10.20	Peak	0.00	100	Vertical	Pass
6**	5639.670	46.94	4.75	--	46.94	AV	0.00	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.02.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7296.926	35.19	5.76	74.0	-38.81	Peak	97.50	100	Vertical	Pass
1**	7296.926	26.14	5.76	54.0	-27.86	AV	97.50	100	Vertical	Pass
2	9908.773	43.29	13.44	68.2	-24.91	Peak	311.10	100	Vertical	Pass
2**	9908.773	33.70	13.44	--	33.70	AV	311.10	100	Vertical	N/A
3	11187.203	46.48	14.46	74.0	-27.52	Peak	279.10	100	Vertical	Pass
3**	11187.203	37.52	14.46	54.0	-16.48	AV	279.10	100	Vertical	Pass
4	13106.223	48.77	18.54	68.2	-19.43	Peak	360.00	100	Vertical	Pass
4**	13106.223	40.55	18.54	--	40.55	AV	360.00	100	Vertical	N/A
5	14183.954	53.30	22.24	68.2	-14.90	Peak	15.30	100	Vertical	Pass
5**	14183.954	44.60	22.24	--	44.60	AV	15.30	100	Vertical	N/A
6	16047.988	52.85	20.54	74.0	-21.15	Peak	119.90	100	Vertical	Pass
6**	16047.988	44.57	20.54	54.0	-9.43	AV	119.90	100	Vertical	Pass

WIFI5GB4-A-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_19.30.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1134.483	38.14	-15.11	74.0	-35.86	Peak	176.70	100	Horizontal	Pass
1**	1134.483	27.81	-15.11	54.0	-26.19	AV	176.70	100	Horizontal	Pass
2	1517.185	39.41	-14.93	74.0	-34.59	Peak	294.30	100	Horizontal	Pass
2**	1517.185	27.74	-14.93	54.0	-26.26	AV	294.30	100	Horizontal	Pass
3	3021.372	48.72	-4.75	68.2	-19.48	Peak	351.20	100	Horizontal	Pass
3**	3021.372	38.32	-4.75	--	38.32	AV	351.20	100	Horizontal	N/A
4	3960.630	51.25	-2.08	74.0	-22.75	Peak	293.60	100	Horizontal	Pass
4**	3960.630	39.65	-2.08	54.0	-14.35	AV	293.60	100	Horizontal	Pass
5	4906.262	53.39	-0.79	74.0	-20.61	Peak	158.50	100	Horizontal	Pass
5**	4906.262	41.73	-0.79	54.0	-12.27	AV	158.50	100	Horizontal	Pass
6	5751.781	92.81	1.21	--	-41.89	Peak	134.70	100	Horizontal	N/A
6**	5751.781	84.88	1.21	--	84.88	AV	134.70	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.36.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7547.113	35.41	6.13	74.0	-38.59	Peak	256.10	100	Horizontal	Pass
1**	7547.113	26.09	6.13	54.0	-27.91	AV	256.10	100	Horizontal	Pass
2	8985.004	39.27	11.43	68.2	-28.93	Peak	278.80	100	Horizontal	Pass
2**	8985.004	30.48	11.43	--	30.48	AV	278.80	100	Horizontal	N/A
3	10164.459	42.38	12.99	68.2	-25.82	Peak	156.70	100	Horizontal	Pass
3**	10164.459	33.85	12.99	--	33.85	AV	156.70	100	Horizontal	N/A
4	11849.788	45.79	15.73	74.0	-28.21	Peak	147.10	100	Horizontal	Pass
4**	11849.788	36.57	15.73	54.0	-17.43	AV	147.10	100	Horizontal	Pass
5	14183.954	52.08	22.24	68.2	-16.12	Peak	142.60	100	Horizontal	Pass
5**	14183.954	44.31	22.24	--	44.31	AV	142.60	100	Horizontal	N/A
6	16097.476	53.75	20.44	74.0	-20.25	Peak	269.50	100	Horizontal	Pass
6**	16097.476	44.80	20.44	54.0	-9.20	AV	269.50	100	Horizontal	Pass

WiFi5GB4-A-Low channel-Vertical-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-10_11.30.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1141.982	39.12	-15.10	74.0	-34.88	Peak	333.10	100	Vertical	Pass
1**	1141.982	27.75	-15.10	54.0	-26.25	AV	333.10	100	Vertical	Pass
2	2133.358	49.28	-11.37	68.2	-18.92	Peak	314.90	100	Vertical	Pass
2**	2133.358	35.07	-11.37	--	35.07	AV	314.90	100	Vertical	N/A
3	3042.370	49.12	-4.98	68.2	-19.08	Peak	141.00	100	Vertical	Pass
3**	3042.370	38.38	-4.98	--	38.38	AV	141.00	100	Vertical	N/A
4	3967.379	51.46	-1.98	74.0	-22.54	Peak	31.20	100	Vertical	Pass
4**	3967.379	40.44	-1.98	54.0	-13.56	AV	31.20	100	Vertical	Pass
5	5152.231	53.19	0.24	68.2	-15.01	Peak	12.20	100	Vertical	Pass
5**	5152.231	42.97	0.24	--	42.97	AV	12.20	100	Vertical	N/A
6	5751.031	106.99	1.20	--	-19.41	Peak	126.40	100	Vertical	N/A
6**	5751.031	99.00	1.20	--	99.00	AV	126.40	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.14.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7285.929	35.70	5.77	74.0	-38.30	Peak	23.10	100	Vertical	Pass
1**	7285.929	27.22	5.77	54.0	-26.78	AV	23.10	100	Vertical	Pass
2	9171.957	39.56	10.75	74.0	-34.44	Peak	350.50	100	Vertical	Pass
2**	9171.957	31.37	10.75	54.0	-22.63	AV	350.50	100	Vertical	Pass
3	10519.120	43.27	13.24	68.2	-24.93	Peak	182.70	100	Vertical	Pass
3**	10519.120	34.77	13.24	--	34.77	AV	182.70	100	Vertical	N/A
4	12429.893	47.92	17.05	74.0	-26.08	Peak	155.20	100	Vertical	Pass
4**	12429.893	38.98	17.05	54.0	-15.02	AV	155.20	100	Vertical	Pass
5	14211.447	52.36	21.81	68.2	-15.84	Peak	210.30	100	Vertical	Pass
5**	14211.447	43.15	21.81	--	43.15	AV	210.30	100	Vertical	N/A
6	17441.890	57.45	24.75	68.2	-10.75	Peak	358.80	100	Vertical	Pass
6**	17441.890	47.70	24.75	--	47.70	AV	358.80	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_11.40.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.474	39.14	-14.65	74.0	-34.86	Peak	310.40	100	Horizontal	Pass
1**	1207.474	27.65	-14.65	54.0	-26.35	AV	310.40	100	Horizontal	Pass
2	1511.686	39.91	-14.95	74.0	-34.09	Peak	265.00	100	Horizontal	Pass
2**	1511.686	27.88	-14.95	54.0	-26.12	AV	265.00	100	Horizontal	Pass
3	2131.109	44.04	-11.37	68.2	-24.16	Peak	265.00	100	Horizontal	Pass
3**	2131.109	32.56	-11.37	--	32.56	AV	265.00	100	Horizontal	N/A
4	3029.996	48.86	-4.58	68.2	-19.34	Peak	17.20	100	Horizontal	Pass
4**	3029.996	38.24	-4.58	--	38.24	AV	17.20	100	Horizontal	N/A
5	3634.421	50.10	-2.27	74.0	-23.90	Peak	189.50	100	Horizontal	Pass
5**	3634.421	39.30	-2.27	54.0	-14.70	AV	189.50	100	Horizontal	Pass
6	4882.265	53.05	-0.87	74.0	-20.95	Peak	4.30	100	Horizontal	Pass
6**	4882.265	41.56	-0.87	54.0	-12.44	AV	4.30	100	Horizontal	Pass
7	5778.778	106.19	1.53	--	-25.21	Peak	131.40	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.39.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7244.689	33.30	5.68	68.2	-34.90	Peak	310.00	100	Horizontal	Pass
1**	7244.689	26.08	5.68	--	26.08	AV	310.00	100	Horizontal	N/A
2	8960.260	39.64	11.08	68.2	-28.56	Peak	100.10	100	Horizontal	Pass
2**	8960.260	31.10	11.08	--	31.10	AV	100.10	100	Horizontal	N/A
3	9944.514	43.25	13.39	68.2	-24.95	Peak	118.70	100	Horizontal	Pass
3**	9944.514	34.05	13.39	--	34.05	AV	118.70	100	Horizontal	N/A
4	12473.882	48.00	17.02	74.0	-26.00	Peak	0.00	100	Horizontal	Pass
4**	12473.882	39.09	17.02	54.0	-14.91	AV	0.00	100	Horizontal	Pass
5	14186.703	51.71	22.33	68.2	-16.49	Peak	62.20	100	Horizontal	Pass
5**	14186.703	43.50	22.33	--	43.50	AV	62.20	100	Horizontal	N/A
6	16933.267	53.73	21.65	68.2	-14.47	Peak	218.80	100	Horizontal	Pass
6**	16933.267	44.43	21.65	--	44.43	AV	218.80	100	Horizontal	N/A

WIFI5GB4-A-Middle channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_11.44.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.477	39.33	-14.67	74.0	-34.67	Peak	221.50	100	Vertical	Pass
1**	1184.477	28.08	-14.67	54.0	-25.92	AV	221.50	100	Vertical	Pass
2	1494.688	38.88	-14.96	74.0	-35.12	Peak	324.60	100	Vertical	Pass
2**	1494.688	28.54	-14.96	54.0	-25.46	AV	324.60	100	Vertical	Pass
3	2125.609	48.92	-11.37	68.2	-19.28	Peak	342.40	100	Vertical	Pass
3**	2125.609	37.02	-11.37	--	37.02	AV	342.40	100	Vertical	N/A
4	3022.122	49.28	-4.74	68.2	-18.92	Peak	26.60	100	Vertical	Pass
4**	3022.122	38.21	-4.74	--	38.21	AV	26.60	100	Vertical	N/A
5	3673.041	50.39	-2.53	74.0	-23.61	Peak	189.20	100	Vertical	Pass
5**	3673.041	39.41	-2.53	54.0	-14.59	AV	189.20	100	Vertical	Pass
6	5782.152	105.83	1.56	--	-26.07	Peak	131.90	100	Vertical	N/A
6**	5782.152	97.22	1.56	--	97.22	AV	131.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.17.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7571.857	35.69	6.24	74.0	-38.31	Peak	0.00	100	Vertical	Pass
1**	7571.857	26.41	6.24	54.0	-27.59	AV	0.00	100	Vertical	Pass
2	8855.786	39.65	9.10	68.2	-28.55	Peak	178.70	100	Vertical	Pass
2**	8855.786	29.81	9.10	--	29.81	AV	178.70	100	Vertical	N/A
3	10521.870	43.09	13.27	68.2	-25.11	Peak	274.40	100	Vertical	Pass
3**	10521.870	34.96	13.27	--	34.96	AV	274.40	100	Vertical	N/A
4	12462.884	47.30	17.19	74.0	-26.70	Peak	342.80	100	Vertical	Pass
4**	12462.884	39.46	17.19	54.0	-14.54	AV	342.80	100	Vertical	Pass
5	14197.701	52.54	22.13	68.2	-15.66	Peak	87.60	100	Vertical	Pass
5**	14197.701	43.95	22.13	--	43.95	AV	87.60	100	Vertical	N/A
6	16163.459	53.03	20.10	74.0	-20.97	Peak	251.30	100	Vertical	Pass
6**	16163.459	44.41	20.10	54.0	-9.59	AV	251.30	100	Vertical	Pass

WiFi5GB4-A-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_11.52.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.475	38.68	-14.65	74.0	-35.32	Peak	134.00	100	Horizontal	Pass
1**	1199.475	29.56	-14.65	54.0	-24.44	AV	134.00	100	Horizontal	Pass
2	1675.666	39.52	-15.01	74.0	-34.48	Peak	65.90	100	Horizontal	Pass
2**	1675.666	28.43	-15.01	54.0	-25.57	AV	65.90	100	Horizontal	Pass
3	1999.375	42.74	-12.70	68.2	-25.46	Peak	79.30	100	Horizontal	Pass
3**	1999.375	31.37	-12.70	--	31.37	AV	79.30	100	Horizontal	N/A
4	3040.870	48.83	-4.93	68.2	-19.37	Peak	234.30	100	Horizontal	Pass
4**	3040.870	37.88	-4.93	--	37.88	AV	234.30	100	Horizontal	N/A
5	4444.319	51.71	-1.64	68.2	-16.49	Peak	301.20	100	Horizontal	Pass
5**	4444.319	39.73	-1.64	--	39.73	AV	301.20	100	Horizontal	N/A
6	5828.646	104.97	1.28	--	-23.63	Peak	128.60	100	Horizontal	N/A
6**	5828.646	96.20	1.28	--	96.20	AV	128.60	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.41.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7549.863	35.43	6.15	74.0	-38.57	Peak	0.00	100	Horizontal	Pass
1**	7549.863	26.39	6.15	54.0	-27.61	AV	0.00	100	Horizontal	Pass
2	9174.706	39.76	10.72	74.0	-34.24	Peak	266.90	100	Horizontal	Pass
2**	9174.706	31.57	10.72	54.0	-22.43	AV	266.90	100	Horizontal	Pass
3	10568.608	43.96	13.39	68.2	-24.24	Peak	343.90	100	Horizontal	Pass
3**	10568.608	34.68	13.39	--	34.68	AV	343.90	100	Horizontal	N/A
4	13205.199	49.54	18.51	68.2	-18.66	Peak	137.40	100	Horizontal	Pass
4**	13205.199	41.47	18.51	--	41.47	AV	137.40	100	Horizontal	N/A
5	14186.703	51.85	22.33	68.2	-16.35	Peak	152.30	100	Horizontal	Pass
5**	14186.703	44.35	22.33	--	44.35	AV	152.30	100	Horizontal	N/A
6	16089.228	53.46	20.45	74.0	-20.54	Peak	147.40	100	Horizontal	Pass
6**	16089.228	44.31	20.45	54.0	-9.69	AV	147.40	100	Horizontal	Pass

WiFi5GB4-A-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_11.48.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.727	39.31	-14.67	74.0	-34.69	Peak	358.60	100	Vertical	Pass
1**	1183.727	27.75	-14.67	54.0	-26.25	AV	358.60	100	Vertical	Pass
2	1720.410	39.59	-14.88	74.0	-34.41	Peak	161.20	100	Vertical	Pass
2**	1720.410	28.36	-14.88	54.0	-25.64	AV	161.20	100	Vertical	Pass
3	2129.859	48.10	-11.37	68.2	-20.10	Peak	48.40	100	Vertical	Pass
3**	2129.859	35.01	-11.37	--	35.01	AV	48.40	100	Vertical	N/A
4	2665.542	46.79	-9.34	68.2	-21.41	Peak	319.70	100	Vertical	Pass
4**	2665.542	35.15	-9.34	--	35.15	AV	319.70	100	Vertical	N/A
5	4048.369	51.24	-1.45	74.0	-22.76	Peak	359.40	100	Vertical	Pass
5**	4048.369	40.14	-1.45	54.0	-13.86	AV	359.40	100	Vertical	Pass
6	5820.397	104.45	1.31	--	-47.25	Peak	151.70	100	Vertical	N/A
6**	5820.397	96.37	1.31	--	96.37	AV	151.70	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.19.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7307.923	35.43	5.71	74.0	-38.57	Peak	35.00	100	Vertical	Pass
1**	7307.923	25.77	5.71	54.0	-28.23	AV	35.00	100	Vertical	Pass
2	8781.555	39.18	8.76	68.2	-29.02	Peak	264.60	100	Vertical	Pass
2**	8781.555	29.68	8.76	--	29.68	AV	264.60	100	Vertical	N/A
3	10142.464	42.45	13.13	68.2	-25.75	Peak	219.20	100	Vertical	Pass
3**	10142.464	33.51	13.13	--	33.51	AV	219.20	100	Vertical	N/A
4	11863.534	46.16	15.95	74.0	-27.84	Peak	250.50	100	Vertical	Pass
4**	11863.534	36.76	15.95	54.0	-17.24	AV	250.50	100	Vertical	Pass
5	14200.450	51.77	22.07	68.2	-16.43	Peak	228.10	100	Vertical	Pass
5**	14200.450	43.44	22.07	--	43.44	AV	228.10	100	Vertical	N/A
6	16097.476	53.13	20.44	74.0	-20.87	Peak	62.90	100	Vertical	Pass
6**	16097.476	44.84	20.44	54.0	-9.16	AV	62.90	100	Vertical	Pass

WiFi5GB4-N20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.25.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.222	39.60	-14.68	74.0	-34.40	Peak	331.70	100	Horizontal	Pass
1**	1220.222	27.99	-14.68	54.0	-26.01	AV	331.70	100	Horizontal	Pass
2	1582.427	38.27	-14.99	74.0	-35.73	Peak	9.80	100	Horizontal	Pass
2**	1582.427	28.15	-14.99	54.0	-25.85	AV	9.80	100	Horizontal	Pass
3	2125.859	50.92	-11.37	68.2	-17.28	Peak	326.80	100	Horizontal	Pass
3**	2125.859	36.82	-11.37	--	36.82	AV	326.80	100	Horizontal	N/A
4	3080.240	47.81	-5.62	68.2	-20.39	Peak	239.10	100	Horizontal	Pass
4**	3080.240	36.86	-5.62	--	36.86	AV	239.10	100	Horizontal	N/A
5	3980.502	50.57	-1.91	74.0	-23.43	Peak	258.10	100	Horizontal	Pass
5**	3980.502	39.67	-1.91	54.0	-14.33	AV	258.10	100	Horizontal	Pass
6	5740.532	105.10	1.06	--	-18.60	Peak	123.70	100	Horizontal	N/A
6**	5740.532	97.29	1.06	--	97.29	AV	123.70	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.48.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7261.185	35.14	5.72	74.0	-38.86	Peak	59.20	100	Horizontal	Pass
1**	7261.185	26.65	5.72	54.0	-27.35	AV	59.20	100	Horizontal	Pass
2	9136.216	39.59	10.58	74.0	-34.41	Peak	64.10	100	Horizontal	Pass
2**	9136.216	31.85	10.58	54.0	-22.15	AV	64.10	100	Horizontal	Pass
3	10211.197	43.07	12.90	68.2	-25.13	Peak	45.80	100	Horizontal	Pass
3**	10211.197	33.65	12.90	--	33.65	AV	45.80	100	Horizontal	N/A
4	11943.264	46.48	15.85	74.0	-27.52	Peak	360.00	100	Horizontal	Pass
4**	11943.264	36.68	15.85	54.0	-17.32	AV	360.00	100	Horizontal	Pass
5	14186.703	52.41	22.33	68.2	-15.79	Peak	0.90	100	Horizontal	Pass
5**	14186.703	44.42	22.33	--	44.42	AV	0.90	100	Horizontal	N/A
6	16105.724	53.83	20.40	74.0	-20.17	Peak	270.20	100	Horizontal	Pass
6**	16105.724	44.33	20.40	54.0	-9.67	AV	270.20	100	Horizontal	Pass

WiFi5GB4-N20-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.28.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.472	39.06	-14.68	74.0	-34.94	Peak	64.80	100	Vertical	Pass
1**	1220.472	28.51	-14.68	54.0	-25.49	AV	64.80	100	Vertical	Pass
2	1454.943	40.48	-14.91	74.0	-33.52	Peak	236.60	100	Vertical	Pass
2**	1454.943	28.15	-14.91	54.0	-25.85	AV	236.60	100	Vertical	Pass
3	1991.126	42.53	-12.82	68.2	-25.67	Peak	82.70	100	Vertical	Pass
3**	1991.126	33.01	-12.82	--	33.01	AV	82.70	100	Vertical	N/A
4	3031.496	48.48	-4.62	68.2	-19.72	Peak	307.20	100	Vertical	Pass
4**	3031.496	38.25	-4.62	--	38.25	AV	307.20	100	Vertical	N/A
5	4718.785	51.28	-1.05	74.0	-22.72	Peak	321.40	100	Vertical	Pass
5**	4718.785	40.95	-1.05	54.0	-13.05	AV	321.40	100	Vertical	Pass
6	5736.783	104.58	1.01	--	-34.82	Peak	139.40	100	Vertical	N/A
6**	5736.783	97.08	1.01	--	97.08	AV	139.40	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.28.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7222.694	35.58	5.46	68.2	-32.62	Peak	300.70	100	Vertical	Pass
1**	7222.694	25.65	5.46	--	25.65	AV	300.70	100	Vertical	N/A
2	9086.728	39.72	9.80	74.0	-34.28	Peak	268.70	100	Vertical	Pass
2**	9086.728	30.44	9.80	54.0	-23.56	AV	268.70	100	Vertical	Pass
3	10326.668	42.95	12.86	68.2	-25.25	Peak	44.00	100	Vertical	Pass
3**	10326.668	33.88	12.86	--	33.88	AV	44.00	100	Vertical	N/A
4	11913.022	46.54	15.97	74.0	-27.46	Peak	295.80	100	Vertical	Pass
4**	11913.022	36.97	15.97	54.0	-17.03	AV	295.80	100	Vertical	Pass
5	14164.709	51.66	21.66	68.2	-16.54	Peak	310.30	100	Vertical	Pass
5**	14164.709	43.17	21.66	--	43.17	AV	310.30	100	Vertical	N/A
6	16067.233	53.26	20.50	74.0	-20.74	Peak	218.10	100	Vertical	Pass
6**	16067.233	44.89	20.50	54.0	-9.11	AV	218.10	100	Vertical	Pass

WIFI5GB4-N20-Middle channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.22.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1169.729	38.56	-14.68	74.0	-35.44	Peak	96.40	100	Horizontal	Pass
1**	1169.729	27.82	-14.68	54.0	-26.18	AV	96.40	100	Horizontal	Pass
2	1431.446	38.69	-14.81	68.2	-29.51	Peak	146.30	100	Horizontal	Pass
2**	1431.446	28.00	-14.81	--	28.00	AV	146.30	100	Horizontal	N/A
3	1980.377	40.47	-12.93	68.2	-27.73	Peak	164.50	100	Horizontal	Pass
3**	1980.377	30.22	-12.93	--	30.22	AV	164.50	100	Horizontal	N/A
4	2130.109	50.65	-11.37	68.2	-17.55	Peak	340.90	100	Horizontal	Pass
4**	2130.109	39.35	-11.37	--	39.35	AV	340.90	100	Horizontal	N/A
5	3025.497	48.46	-4.67	68.2	-19.74	Peak	125.60	100	Horizontal	Pass
5**	3025.497	37.90	-4.67	--	37.90	AV	125.60	100	Horizontal	N/A
6	5779.903	104.88	1.54	--	-20.72	Peak	125.60	100	Horizontal	N/A
6**	5779.903	96.74	1.54	--	96.74	AV	125.60	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09:50.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7857.786	36.55	6.36	68.2	-31.65	Peak	161.80	100	Horizontal	Pass
1**	7857.786	26.61	6.36	--	26.61	AV	161.80	100	Horizontal	N/A
2	9427.643	40.63	11.49	74.0	-33.37	Peak	75.60	100	Horizontal	Pass
2**	9427.643	31.42	11.49	54.0	-22.58	AV	75.60	100	Horizontal	Pass
3	11313.672	45.27	15.54	74.0	-28.73	Peak	0.00	100	Horizontal	Pass
3**	11313.672	36.52	15.54	54.0	-17.48	AV	0.00	100	Horizontal	Pass
4	13207.948	49.28	18.52	68.2	-18.92	Peak	134.70	100	Horizontal	Pass
4**	13207.948	40.99	18.52	--	40.99	AV	134.70	100	Horizontal	N/A
5	14186.703	52.48	22.33	68.2	-15.72	Peak	11.90	100	Horizontal	Pass
5**	14186.703	44.51	22.33	--	44.51	AV	11.90	100	Horizontal	N/A
6	16837.041	53.30	20.69	68.2	-14.90	Peak	116.50	100	Horizontal	Pass
6**	16837.041	44.59	20.69	--	44.59	AV	116.50	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.16.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.471	38.75	-14.56	74.0	-35.25	Peak	170.10	100	Vertical	Pass
1**	1232.471	28.01	-14.56	54.0	-25.99	AV	170.10	100	Vertical	Pass
2	1573.928	39.33	-14.98	74.0	-34.67	Peak	101.60	100	Vertical	Pass
2**	1573.928	28.24	-14.98	54.0	-25.76	AV	101.60	100	Vertical	Pass
3	1904.887	39.95	-13.80	68.2	-28.25	Peak	273.90	100	Vertical	Pass
3**	1904.887	29.40	-13.80	--	29.40	AV	273.90	100	Vertical	N/A
4	2660.542	45.73	-9.27	68.2	-22.47	Peak	318.90	100	Vertical	Pass
4**	2660.542	33.03	-9.27	--	33.03	AV	318.90	100	Vertical	N/A
5	4095.613	50.68	-1.37	74.0	-23.32	Peak	215.30	100	Vertical	Pass
5**	4095.613	40.08	-1.37	54.0	-13.92	AV	215.30	100	Vertical	Pass
6	5778.403	104.72	1.52	--	-20.08	Peak	124.80	100	Vertical	N/A
6**	5778.403	96.86	1.52	--	96.86	AV	124.80	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.30.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7599.350	35.14	6.32	74.0	-38.86	Peak	106.10	100	Vertical	Pass
1**	7599.350	27.58	6.32	54.0	-26.42	AV	106.10	100	Vertical	Pass
2	9017.996	40.29	10.76	74.0	-33.71	Peak	296.70	100	Vertical	Pass
2**	9017.996	30.24	10.76	54.0	-23.76	AV	296.70	100	Vertical	Pass
3	9908.773	42.53	13.44	68.2	-25.67	Peak	129.20	100	Vertical	Pass
3**	9908.773	33.65	13.44	--	33.65	AV	129.20	100	Vertical	N/A
4	11162.459	45.44	14.21	74.0	-28.56	Peak	329.00	100	Vertical	Pass
4**	11162.459	35.90	14.21	54.0	-18.10	AV	329.00	100	Vertical	Pass
5	14167.458	52.48	21.75	68.2	-15.72	Peak	160.80	100	Vertical	Pass
5**	14167.458	42.91	21.75	--	42.91	AV	160.80	100	Vertical	N/A
6	15995.751	52.86	20.68	74.0	-21.14	Peak	169.80	100	Vertical	Pass
6**	15995.751	43.37	20.68	54.0	-10.63	AV	169.80	100	Vertical	Pass


WIFI5GB4-N20-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.38.21

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.476	38.80	-14.66	74.0	-35.20	Peak	38.40	100	Horizontal	Pass
1**	1193.476	28.56	-14.66	54.0	-25.44	AV	38.40	100	Horizontal	Pass
2	1572.678	39.30	-14.98	74.0	-34.70	Peak	265.70	100	Horizontal	Pass
2**	1572.678	27.92	-14.98	54.0	-26.08	AV	265.70	100	Horizontal	Pass
3	2113.361	41.97	-11.37	68.2	-26.23	Peak	339.10	100	Horizontal	Pass
3**	2113.361	31.07	-11.37	--	31.07	AV	339.10	100	Horizontal	N/A
4	3027.372	48.49	-4.63	68.2	-19.71	Peak	326.90	100	Horizontal	Pass
4**	3027.372	38.52	-4.63	--	38.52	AV	326.90	100	Horizontal	N/A
5	4423.697	50.96	-1.82	68.2	-17.24	Peak	250.30	100	Horizontal	Pass
5**	4423.697	39.93	-1.82	--	39.93	AV	250.30	100	Horizontal	N/A
6	5818.523	104.01	1.32	--	-30.49	Peak	134.50	100	Horizontal	N/A
6**	5818.523	95.47	1.32	--	95.47	AV	134.50	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.52.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7791.802	35.55	6.34	68.2	-32.65	Peak	211.40	100	Horizontal	Pass
1**	7791.802	27.16	6.34	--	27.16	AV	211.40	100	Horizontal	N/A
2	8946.513	39.32	10.64	68.2	-28.88	Peak	229.70	100	Horizontal	Pass
2**	8946.513	30.49	10.64	--	30.49	AV	229.70	100	Horizontal	N/A
3	11244.939	45.49	15.15	74.0	-28.51	Peak	243.10	100	Horizontal	Pass
3**	11244.939	36.43	15.15	54.0	-17.57	AV	243.10	100	Horizontal	Pass
4	12440.890	47.80	17.10	74.0	-26.20	Peak	70.00	100	Horizontal	Pass
4**	12440.890	39.64	17.10	54.0	-14.36	AV	70.00	100	Horizontal	Pass
5	14192.202	52.02	22.26	68.2	-16.18	Peak	129.60	100	Horizontal	Pass
5**	14192.202	44.12	22.26	--	44.12	AV	129.60	100	Horizontal	N/A
6	16127.718	53.55	20.29	74.0	-20.45	Peak	197.70	100	Horizontal	Pass
6**	16127.718	45.03	20.29	54.0	-8.97	AV	197.70	100	Horizontal	Pass

WiFi5GB4-N20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_13.41.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1258.968	39.68	-14.65	68.2	-28.52	Peak	277.20	100	Vertical	Pass
1**	1258.968	28.05	-14.65	--	28.05	AV	277.20	100	Vertical	N/A
2	2004.124	41.64	-12.63	68.2	-26.56	Peak	322.20	100	Vertical	Pass
2**	2004.124	30.37	-12.63	--	30.37	AV	322.20	100	Vertical	N/A
3	3021.747	47.94	-4.75	68.2	-20.26	Peak	359.90	100	Vertical	Pass
3**	3021.747	38.12	-4.75	--	38.12	AV	359.90	100	Vertical	N/A
4	4083.990	50.77	-1.11	74.0	-23.23	Peak	221.30	100	Vertical	Pass
4**	4083.990	40.14	-1.11	54.0	-13.86	AV	221.30	100	Vertical	Pass
5	5187.102	53.64	0.25	68.2	-14.56	Peak	182.90	100	Vertical	Pass
5**	5187.102	42.49	0.25	--	42.49	AV	182.90	100	Vertical	N/A
6	5830.146	103.85	1.28	--	-2.05	Peak	105.90	100	Vertical	N/A
6**	5830.146	95.77	1.28	--	95.77	AV	105.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.32.50

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7585.604	35.87	6.29	74.0	-38.13	Peak	104.20	100	Vertical	Pass
1**	7585.604	27.14	6.29	54.0	-26.86	AV	104.20	100	Vertical	Pass
2	8963.009	39.54	11.17	68.2	-28.66	Peak	81.20	100	Vertical	Pass
2**	8963.009	31.30	11.17	--	31.30	AV	81.20	100	Vertical	N/A
3	10530.117	43.12	13.32	68.2	-25.08	Peak	278.00	100	Vertical	Pass
3**	10530.117	35.05	13.32	--	35.05	AV	278.00	100	Vertical	N/A
4	11335.666	45.52	15.46	74.0	-28.48	Peak	169.00	100	Vertical	Pass
4**	11335.666	37.03	15.46	54.0	-16.97	AV	169.00	100	Vertical	Pass
5	14194.951	51.72	22.20	68.2	-16.48	Peak	164.50	100	Vertical	Pass
5**	14194.951	43.88	22.20	--	43.88	AV	164.50	100	Vertical	N/A
6	16061.735	53.13	20.51	74.0	-20.87	Peak	95.30	100	Vertical	Pass
6**	16061.735	44.71	20.51	54.0	-9.29	AV	95.30	100	Vertical	Pass

WiFi5GB4-N40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_15.15.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1267.467	39.60	-14.54	68.2	-28.60	Peak	4.00	100	Horizontal	Pass
1**	1267.467	28.04	-14.54	--	28.04	AV	4.00	100	Horizontal	N/A
2	1846.894	40.31	-14.25	68.2	-27.89	Peak	2.20	100	Horizontal	Pass
2**	1846.894	29.12	-14.25	--	29.12	AV	2.20	100	Horizontal	N/A
3	2123.360	44.83	-11.37	68.2	-23.37	Peak	311.90	100	Horizontal	Pass
3**	2123.360	33.26	-11.37	--	33.26	AV	311.90	100	Horizontal	N/A
4	3031.496	48.43	-4.62	68.2	-19.77	Peak	354.50	100	Horizontal	Pass
4**	3031.496	38.51	-4.62	--	38.51	AV	354.50	100	Horizontal	N/A
5	4659.168	51.98	-1.14	74.0	-22.02	Peak	359.80	100	Horizontal	Pass
5**	4659.168	40.28	-1.14	54.0	-13.72	AV	359.80	100	Horizontal	Pass
6	5757.405	104.59	1.29	--	-8.71	Peak	113.30	100	Horizontal	N/A
6**	5757.405	96.94	1.29	--	96.94	AV	113.30	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.59.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7599.350	36.54	6.32	74.0	-37.46	Peak	67.80	100	Horizontal	Pass
1**	7599.350	26.91	6.32	54.0	-27.09	AV	67.80	100	Horizontal	Pass
2	9015.246	40.04	10.82	74.0	-33.96	Peak	173.10	100	Horizontal	Pass
2**	9015.246	30.39	10.82	54.0	-23.61	AV	173.10	100	Horizontal	Pass
3	10219.445	43.32	12.91	68.2	-24.88	Peak	182.00	100	Horizontal	Pass
3**	10219.445	33.12	12.91	--	33.12	AV	182.00	100	Horizontal	N/A
4	12424.394	46.96	17.03	74.0	-27.04	Peak	255.70	100	Horizontal	Pass
4**	12424.394	38.24	17.03	54.0	-15.76	AV	255.70	100	Horizontal	Pass
5	14192.202	52.31	22.26	68.2	-15.89	Peak	246.80	100	Horizontal	Pass
5**	14192.202	44.53	22.26	--	44.53	AV	246.80	100	Horizontal	N/A
6	16883.779	53.52	21.21	68.2	-14.68	Peak	109.10	100	Horizontal	Pass
6**	16883.779	45.04	21.21	--	45.04	AV	109.10	100	Horizontal	N/A


WIFI5GB4-N40-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_15.18.04

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.976	39.15	-14.66	74.0	-34.85	Peak	127.70	100	Vertical	Pass
1**	1191.976	28.26	-14.66	54.0	-25.74	AV	127.70	100	Vertical	Pass
2	1594.676	40.03	-15.07	74.0	-33.97	Peak	16.10	100	Vertical	Pass
2**	1594.676	28.02	-15.07	54.0	-25.98	AV	16.10	100	Vertical	Pass
3	2133.858	42.94	-11.37	68.2	-25.26	Peak	20.50	100	Vertical	Pass
3**	2133.858	31.75	-11.37	--	31.75	AV	20.50	100	Vertical	N/A
4	3028.496	48.93	-4.61	68.2	-19.27	Peak	204.90	100	Vertical	Pass
4**	3028.496	38.28	-4.61	--	38.28	AV	204.90	100	Vertical	N/A
5	4590.176	51.84	-1.47	74.0	-22.16	Peak	255.10	100	Vertical	Pass
5**	4590.176	40.38	-1.47	54.0	-13.62	AV	255.10	100	Vertical	Pass
6	5769.029	105.31	1.42	--	-20.29	Peak	125.60	100	Vertical	N/A
6**	5769.029	96.99	1.42	--	96.99	AV	125.60	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_15.24.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	36.70	7.44	68.2	-31.50	Peak	124.70	100	Vertical	Pass
1**	7981.505	28.59	7.44	--	28.59	AV	124.70	100	Vertical	N/A
2	10065.484	42.88	13.11	68.2	-25.32	Peak	6.10	100	Vertical	Pass
2**	10065.484	33.42	13.11	--	33.42	AV	6.10	100	Vertical	N/A
3	11145.964	44.55	14.05	74.0	-29.45	Peak	51.40	100	Vertical	Pass
3**	11145.964	35.95	14.05	54.0	-18.05	AV	51.40	100	Vertical	Pass
4	13089.728	50.30	18.39	68.2	-17.90	Peak	261.70	100	Vertical	Pass
4**	13089.728	40.23	18.39	--	40.23	AV	261.70	100	Vertical	N/A
5	14178.455	52.44	22.08	68.2	-15.76	Peak	2.60	100	Vertical	Pass
5**	14178.455	44.00	22.08	--	44.00	AV	2.60	100	Vertical	N/A
6	17824.044	57.75	24.34	74.0	-16.25	Peak	321.60	100	Vertical	Pass
6**	17824.044	49.09	24.34	54.0	-4.91	AV	321.60	100	Vertical	Pass

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_15.12.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.487	42.76	-15.22	74.0	-31.24	Peak	1.10	100	Horizontal	Pass
1**	1100.487	34.99	-15.22	54.0	-19.01	AV	1.10	100	Horizontal	Pass
2	1200.225	41.44	-14.64	74.0	-32.56	Peak	1.10	100	Horizontal	Pass
2**	1200.225	35.58	-14.64	54.0	-18.42	AV	1.10	100	Horizontal	Pass
3	1897.888	42.39	-13.81	68.2	-25.81	Peak	1.10	100	Horizontal	Pass
3**	1897.888	33.94	-13.81	--	33.94	AV	1.10	100	Horizontal	N/A
4	2129.859	47.04	-11.37	68.2	-21.16	Peak	20.50	100	Horizontal	Pass
4**	2129.859	34.26	-11.37	--	34.26	AV	20.50	100	Horizontal	N/A
5	3020.247	48.80	-4.78	68.2	-19.40	Peak	79.10	100	Horizontal	Pass
5**	3020.247	38.11	-4.78	--	38.11	AV	79.10	100	Horizontal	N/A
6	5778.403	104.70	1.52	--	-25.00	Peak	129.70	100	Horizontal	N/A
6**	5778.403	96.41	1.52	--	96.41	AV	129.70	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.02.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.287	35.18	6.38	68.2	-33.02	Peak	311.90	100	Horizontal	Pass
1**	7852.287	26.90	6.38	--	26.90	AV	311.90	100	Horizontal	N/A
2	9147.213	39.87	10.77	74.0	-34.13	Peak	0.20	100	Horizontal	Pass
2**	9147.213	31.31	10.77	54.0	-22.69	AV	0.20	100	Horizontal	Pass
3	10114.971	43.18	13.32	68.2	-25.02	Peak	198.40	100	Horizontal	Pass
3**	10114.971	33.77	13.32	--	33.77	AV	198.40	100	Horizontal	N/A
4	11921.270	45.77	15.94	74.0	-28.23	Peak	275.80	100	Horizontal	Pass
4**	11921.270	36.65	15.94	54.0	-17.35	AV	275.80	100	Horizontal	Pass
5	14181.205	51.51	22.16	68.2	-16.69	Peak	357.80	100	Horizontal	Pass
5**	14181.205	43.56	22.16	--	43.56	AV	357.80	100	Horizontal	N/A
6	16069.983	54.10	20.49	74.0	-19.90	Peak	360.00	100	Horizontal	Pass
6**	16069.983	44.34	20.49	54.0	-9.66	AV	360.00	100	Horizontal	Pass


WiFi5GB4-N40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_15.09.20

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.477	39.45	-14.67	74.0	-34.55	Peak	92.30	100	Vertical	Pass
1**	1182.477	27.93	-14.67	54.0	-26.07	AV	92.30	100	Vertical	Pass
2	2127.359	45.91	-11.37	68.2	-22.29	Peak	320.70	100	Vertical	Pass
2**	2127.359	33.63	-11.37	--	33.63	AV	320.70	100	Vertical	N/A
3	2659.543	44.43	-9.25	68.2	-23.77	Peak	320.70	100	Vertical	Pass
3**	2659.543	34.01	-9.25	--	34.01	AV	320.70	100	Vertical	N/A
4	3040.120	48.59	-4.91	68.2	-19.61	Peak	85.80	100	Vertical	Pass
4**	3040.120	37.47	-4.91	--	37.47	AV	85.80	100	Vertical	N/A
5	4924.634	52.89	-0.66	74.0	-21.11	Peak	202.30	100	Vertical	Pass
5**	4924.634	41.13	-0.66	54.0	-12.87	AV	202.30	100	Vertical	Pass
6	5781.777	104.76	1.56	--	-27.14	Peak	131.90	100	Vertical	N/A
6**	5781.777	96.03	1.56	--	96.03	AV	131.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_15.28.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	37.07	7.30	68.2	-31.13	Peak	353.20	100	Vertical	Pass
1**	7967.758	28.14	7.30	--	28.14	AV	353.20	100	Vertical	N/A
2	10285.429	43.30	13.06	68.2	-24.90	Peak	126.30	100	Vertical	Pass
2**	10285.429	33.85	13.06	--	33.85	AV	126.30	100	Vertical	N/A
3	11291.677	46.07	15.65	74.0	-27.93	Peak	321.60	100	Vertical	Pass
3**	11291.677	36.76	15.65	54.0	-17.24	AV	321.60	100	Vertical	Pass
4	13147.463	49.95	18.53	68.2	-18.25	Peak	348.80	100	Vertical	Pass
4**	13147.463	39.82	18.53	--	39.82	AV	348.80	100	Vertical	N/A
5	14214.196	53.12	21.75	68.2	-15.08	Peak	180.60	100	Vertical	Pass
5**	14214.196	43.76	21.75	--	43.76	AV	180.60	100	Vertical	N/A
6	17452.887	57.61	24.86	68.2	-10.59	Peak	198.80	100	Vertical	Pass
6**	17452.887	49.33	24.86	--	49.33	AV	198.80	100	Vertical	N/A

WiFi5GB4-AC20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-09_20.05.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.485	39.25	-15.18	74.0	-34.75	Peak	2.30	100	Horizontal	Pass
1**	1119.485	30.02	-15.18	54.0	-23.98	AV	2.30	100	Horizontal	Pass
2	2128.609	45.48	-11.37	68.2	-22.72	Peak	245.00	100	Horizontal	Pass
2**	2128.609	33.39	-11.37	--	33.39	AV	245.00	100	Horizontal	N/A
3	3025.497	49.09	-4.67	68.2	-19.11	Peak	0.00	100	Horizontal	Pass
3**	3025.497	38.66	-4.67	--	38.66	AV	0.00	100	Horizontal	N/A
4	4036.745	51.08	-1.52	74.0	-22.92	Peak	360.00	100	Horizontal	Pass
4**	4036.745	40.41	-1.52	54.0	-13.59	AV	360.00	100	Horizontal	Pass
5	5157.105	53.79	0.24	68.2	-14.41	Peak	344.80	100	Horizontal	Pass
5**	5157.105	42.80	0.24	--	42.80	AV	344.80	100	Horizontal	N/A
6	5751.406	92.52	1.21	--	-36.48	Peak	129.00	100	Horizontal	N/A
6**	5751.406	84.77	1.21	--	84.77	AV	129.00	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.43.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7500.375	34.90	5.90	74.0	-39.10	Peak	97.10	100	Horizontal	Pass
1**	7500.375	27.08	5.90	54.0	-26.92	AV	97.10	100	Horizontal	Pass
2	9160.960	39.92	10.89	74.0	-34.08	Peak	254.90	100	Horizontal	Pass
2**	9160.960	30.69	10.89	54.0	-23.31	AV	254.90	100	Horizontal	Pass
3	10821.545	43.98	14.32	74.0	-30.02	Peak	88.20	100	Horizontal	Pass
3**	10821.545	34.59	14.32	54.0	-19.41	AV	88.20	100	Horizontal	Pass
4	12462.884	47.25	17.19	74.0	-26.75	Peak	130.30	100	Horizontal	Pass
4**	12462.884	39.07	17.19	54.0	-14.93	AV	130.30	100	Horizontal	Pass
5	14186.703	52.98	22.33	68.2	-15.22	Peak	187.90	100	Horizontal	Pass
5**	14186.703	44.95	22.33	--	44.95	AV	187.90	100	Horizontal	N/A
6	17425.394	57.31	24.59	68.2	-10.89	Peak	153.30	100	Horizontal	Pass
6**	17425.394	47.48	24.59	--	47.48	AV	153.30	100	Horizontal	N/A

WiFi5GB4-AC20-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_12.19.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.476	38.94	-14.66	74.0	-35.06	Peak	335.60	100	Vertical	Pass
1**	1193.476	27.81	-14.66	54.0	-26.19	AV	335.60	100	Vertical	Pass
2	1937.633	40.64	-13.26	68.2	-27.56	Peak	326.70	100	Vertical	Pass
2**	1937.633	29.84	-13.26	--	29.84	AV	326.70	100	Vertical	N/A
3	2126.359	45.38	-11.37	68.2	-22.82	Peak	49.90	100	Vertical	Pass
3**	2126.359	31.79	-11.37	--	31.79	AV	49.90	100	Vertical	N/A
4	3104.237	48.32	-5.58	68.2	-19.88	Peak	49.70	100	Vertical	Pass
4**	3104.237	36.69	-5.58	--	36.69	AV	49.70	100	Vertical	N/A
5	4094.488	50.94	-1.34	74.0	-23.06	Peak	137.10	100	Vertical	Pass
5**	4094.488	39.86	-1.34	54.0	-14.14	AV	137.10	100	Vertical	Pass
6	5739.033	104.99	1.04	--	-32.11	Peak	137.10	100	Vertical	N/A
6**	5739.033	97.08	1.04	--	97.08	AV	137.10	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.21.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7786.303	35.64	6.26	68.2	-32.56	Peak	328.30	100	Vertical	Pass
1**	7786.303	26.99	6.26	--	26.99	AV	328.30	100	Vertical	N/A
2	8822.794	40.27	9.02	68.2	-27.93	Peak	90.50	100	Vertical	Pass
2**	8822.794	31.51	9.02	--	31.51	AV	90.50	100	Vertical	N/A
3	10156.211	43.64	13.03	68.2	-24.56	Peak	255.70	100	Vertical	Pass
3**	10156.211	33.62	13.03	--	33.62	AV	255.70	100	Vertical	N/A
4	12454.636	47.24	17.15	74.0	-26.76	Peak	58.80	100	Vertical	Pass
4**	12454.636	38.97	17.15	54.0	-15.03	AV	58.80	100	Vertical	Pass
5	14197.701	52.08	22.13	68.2	-16.12	Peak	337.90	100	Vertical	Pass
5**	14197.701	43.44	22.13	--	43.44	AV	337.90	100	Vertical	N/A
6	16116.721	53.81	20.35	74.0	-20.19	Peak	94.90	100	Vertical	Pass
6**	16116.721	44.81	20.35	54.0	-9.19	AV	94.90	100	Vertical	Pass

WIFI5GB4-AC20-Middle channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_12.26.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.725	41.11	-14.64	74.0	-32.89	Peak	103.90	100	Horizontal	Pass
1**	1200.725	32.18	-14.64	54.0	-21.82	AV	103.90	100	Horizontal	Pass
2	1572.928	39.75	-14.98	74.0	-34.25	Peak	36.90	100	Horizontal	Pass
2**	1572.928	28.00	-14.98	54.0	-26.00	AV	36.90	100	Horizontal	Pass
3	2125.109	50.28	-11.37	68.2	-17.92	Peak	320.70	100	Horizontal	Pass
3**	2125.109	35.64	-11.37	--	35.64	AV	320.70	100	Horizontal	N/A
4	3025.872	48.87	-4.66	68.2	-19.33	Peak	54.90	100	Horizontal	Pass
4**	3025.872	38.50	-4.66	--	38.50	AV	54.90	100	Horizontal	N/A
5	4700.787	52.13	-0.94	74.0	-21.87	Peak	340.00	100	Horizontal	Pass
5**	4700.787	41.08	-0.94	54.0	-12.92	AV	340.00	100	Horizontal	Pass
6	5779.528	105.56	1.53	--	-20.44	Peak	126.00	100	Horizontal	N/A
6**	5779.528	97.04	1.53	--	97.04	AV	126.00	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.45.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8055.736	36.78	8.17	74.0	-37.22	Peak	91.60	100	Horizontal	Pass
1**	8055.736	28.51	8.17	54.0	-25.49	AV	91.60	100	Horizontal	Pass
2	9903.274	42.33	13.35	68.2	-25.87	Peak	140.40	100	Horizontal	Pass
2**	9903.274	33.54	13.35	--	33.54	AV	140.40	100	Horizontal	N/A
3	11981.755	45.97	15.69	74.0	-28.03	Peak	211.40	100	Horizontal	Pass
3**	11981.755	36.90	15.69	54.0	-17.10	AV	211.40	100	Horizontal	Pass
4	13232.692	49.29	18.55	68.2	-18.91	Peak	8.60	100	Horizontal	Pass
4**	13232.692	40.74	18.55	--	40.74	AV	8.60	100	Horizontal	N/A
5	14186.703	52.21	22.33	68.2	-15.99	Peak	125.80	100	Horizontal	Pass
5**	14186.703	44.26	22.33	--	44.26	AV	125.80	100	Horizontal	N/A
6	16105.724	54.05	20.40	74.0	-19.95	Peak	178.30	100	Horizontal	Pass
6**	16105.724	44.80	20.40	54.0	-9.20	AV	178.30	100	Horizontal	Pass

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_12.23.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.475	38.34	-14.65	74.0	-35.66	Peak	200.60	100	Vertical	Pass
1**	1199.475	27.98	-14.65	54.0	-26.02	AV	200.60	100	Vertical	Pass
2	1569.929	39.33	-14.98	74.0	-34.67	Peak	346.10	100	Vertical	Pass
2**	1569.929	28.02	-14.98	54.0	-25.98	AV	346.10	100	Vertical	Pass
3	2061.117	41.40	-11.75	68.2	-26.80	Peak	123.20	100	Vertical	Pass
3**	2061.117	30.57	-11.75	--	30.57	AV	123.20	100	Vertical	N/A
4	3023.997	48.96	-4.70	68.2	-19.24	Peak	36.30	100	Vertical	Pass
4**	3023.997	38.49	-4.70	--	38.49	AV	36.30	100	Vertical	N/A
5	4433.821	50.54	-1.73	68.2	-17.66	Peak	360.00	100	Vertical	Pass
5**	4433.821	40.01	-1.73	--	40.01	AV	360.00	100	Vertical	N/A
6	5778.778	105.33	1.53	--	-17.27	Peak	122.60	100	Vertical	N/A
6**	5778.778	97.22	1.53	--	97.22	AV	122.60	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.23.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7811.047	35.62	6.69	68.2	-32.58	Peak	17.10	100	Vertical	Pass
1**	7811.047	26.65	6.69	--	26.65	AV	17.10	100	Vertical	N/A
2	9411.147	39.88	11.51	74.0	-34.12	Peak	326.30	100	Vertical	Pass
2**	9411.147	31.67	11.51	54.0	-22.33	AV	326.30	100	Vertical	Pass
3	10120.470	42.81	13.29	68.2	-25.39	Peak	94.90	100	Vertical	Pass
3**	10120.470	33.41	13.29	--	33.41	AV	94.90	100	Vertical	N/A
4	12416.146	47.13	17.00	74.0	-26.87	Peak	176.40	100	Vertical	Pass
4**	12416.146	38.76	17.00	54.0	-15.24	AV	176.40	100	Vertical	Pass
5	14186.703	51.99	22.33	68.2	-16.21	Peak	67.70	100	Vertical	Pass
5**	14186.703	44.31	22.33	--	44.31	AV	67.70	100	Vertical	N/A
6	16023.244	53.15	20.61	74.0	-20.85	Peak	335.30	100	Vertical	Pass
6**	16023.244	44.23	20.61	54.0	-9.77	AV	335.30	100	Vertical	Pass


WIFI5GB4-AC20-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_12.29.59

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1259.468	39.89	-14.64	68.2	-28.31	Peak	214.00	100	Horizontal	Pass
1**	1259.468	27.96	-14.64	--	27.96	AV	214.00	100	Horizontal	N/A
2	1690.414	39.11	-14.95	74.0	-34.89	Peak	150.00	100	Horizontal	Pass
2**	1690.414	28.34	-14.95	54.0	-25.66	AV	150.00	100	Horizontal	Pass
3	2101.612	42.99	-11.49	68.2	-25.21	Peak	277.60	100	Horizontal	Pass
3**	2101.612	32.97	-11.49	--	32.97	AV	277.60	100	Horizontal	N/A
4	3023.622	49.26	-4.71	68.2	-18.94	Peak	140.50	100	Horizontal	Pass
4**	3023.622	38.23	-4.71	--	38.23	AV	140.50	100	Horizontal	N/A
5	3981.252	50.82	-1.91	74.0	-23.18	Peak	126.00	100	Horizontal	Pass
5**	3981.252	39.13	-1.91	54.0	-14.87	AV	126.00	100	Horizontal	Pass
6	5827.522	104.04	1.29	--	-41.26	Peak	145.30	100	Horizontal	N/A
6**	5827.522	95.42	1.29	--	95.42	AV	145.30	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.47.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7580.105	36.08	6.27	74.0	-37.92	Peak	328.60	100	Horizontal	Pass
1**	7580.105	26.89	6.27	54.0	-27.11	AV	328.60	100	Horizontal	Pass
2	8954.761	40.31	10.91	68.2	-27.89	Peak	94.20	100	Horizontal	Pass
2**	8954.761	30.90	10.91	--	30.90	AV	94.20	100	Horizontal	N/A
3	10785.804	43.24	13.81	74.0	-30.76	Peak	241.50	100	Horizontal	Pass
3**	10785.804	33.79	13.81	54.0	-20.21	AV	241.50	100	Horizontal	Pass
4	13128.218	50.22	18.54	68.2	-17.98	Peak	113.50	100	Horizontal	Pass
4**	13128.218	41.09	18.54	--	41.09	AV	113.50	100	Horizontal	N/A
5	14194.951	51.84	22.20	68.2	-16.36	Peak	126.90	100	Horizontal	Pass
5**	14194.951	44.48	22.20	--	44.48	AV	126.90	100	Horizontal	N/A
6	16053.487	53.72	20.53	74.0	-20.28	Peak	273.10	100	Horizontal	Pass
6**	16053.487	44.15	20.53	54.0	-9.85	AV	273.10	100	Horizontal	Pass

WIFI5GB4-AC20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_12.32.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.978	38.74	-14.64	74.0	-35.26	Peak	69.30	100	Vertical	Pass
1**	1174.978	27.78	-14.64	54.0	-26.22	AV	69.30	100	Vertical	Pass
2	1901.387	43.65	-13.81	68.2	-24.55	Peak	318.90	100	Vertical	Pass
2**	1901.387	34.26	-13.81	--	34.26	AV	318.90	100	Vertical	N/A
3	2408.824	43.15	-10.09	68.2	-25.05	Peak	64.80	100	Vertical	Pass
3**	2408.824	31.91	-10.09	--	31.91	AV	64.80	100	Vertical	N/A
4	3017.998	48.68	-4.82	68.2	-19.52	Peak	38.20	100	Vertical	Pass
4**	3017.998	37.84	-4.82	--	37.84	AV	38.20	100	Vertical	N/A
5	3889.389	50.55	-2.76	74.0	-23.45	Peak	253.30	100	Vertical	Pass
5**	3889.389	38.99	-2.76	54.0	-15.01	AV	253.30	100	Vertical	Pass
6	5821.522	103.75	1.31	--	-40.15	Peak	143.90	100	Vertical	N/A
6**	5821.522	95.40	1.31	--	95.40	AV	143.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.26.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7296.926	35.43	5.76	74.0	-38.57	Peak	45.20	100	Vertical	Pass
1**	7296.926	26.51	5.76	54.0	-27.49	AV	45.20	100	Vertical	Pass
2	8971.257	40.35	11.43	68.2	-27.85	Peak	13.20	100	Vertical	Pass
2**	8971.257	30.56	11.43	--	30.56	AV	13.20	100	Vertical	N/A
3	10557.611	44.26	13.37	68.2	-23.94	Peak	274.00	100	Vertical	Pass
3**	10557.611	35.41	13.37	--	35.41	AV	274.00	100	Vertical	N/A
4	13246.438	49.41	18.37	68.2	-18.79	Peak	360.00	100	Vertical	Pass
4**	13246.438	40.86	18.37	--	40.86	AV	360.00	100	Vertical	N/A
5	14172.957	53.01	21.91	68.2	-15.19	Peak	292.20	100	Vertical	Pass
5**	14172.957	44.81	21.91	--	44.81	AV	292.20	100	Vertical	N/A
6	16075.481	53.60	20.48	74.0	-20.40	Peak	45.20	100	Vertical	Pass
6**	16075.481	44.48	20.48	54.0	-9.52	AV	45.20	100	Vertical	Pass

WiFi5GB4-AC40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_14.42.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.490	38.15	-15.23	74.0	-35.85	Peak	176.70	100	Horizontal	Pass
1**	1081.490	26.86	-15.23	54.0	-27.14	AV	176.70	100	Horizontal	Pass
2	1484.689	39.34	-14.98	74.0	-34.66	Peak	355.10	100	Horizontal	Pass
2**	1484.689	27.96	-14.98	54.0	-26.04	AV	355.10	100	Horizontal	Pass
3	2236.095	44.28	-10.41	74.0	-29.72	Peak	221.80	100	Horizontal	Pass
3**	2236.095	32.23	-10.41	54.0	-21.77	AV	221.80	100	Horizontal	Pass
4	3049.119	48.93	-5.20	68.2	-19.27	Peak	9.50	100	Horizontal	Pass
4**	3049.119	37.70	-5.20	--	37.70	AV	9.50	100	Horizontal	N/A
5	4100.487	51.80	-1.48	74.0	-22.20	Peak	23.60	100	Horizontal	Pass
5**	4100.487	40.17	-1.48	54.0	-13.83	AV	23.60	100	Horizontal	Pass
6	5761.530	106.03	1.35	--	-39.67	Peak	145.70	100	Horizontal	N/A
6**	5761.530	97.30	1.35	--	97.30	AV	145.70	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09.54.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7530.617	36.07	6.07	74.0	-37.93	Peak	8.20	100	Horizontal	Pass
1**	7530.617	26.18	6.07	54.0	-27.82	AV	8.20	100	Horizontal	Pass
2	9042.739	39.71	10.15	74.0	-34.29	Peak	0.60	100	Horizontal	Pass
2**	9042.739	29.81	10.15	54.0	-24.19	AV	0.60	100	Horizontal	Pass
3	11242.189	46.39	15.11	74.0	-27.61	Peak	294.40	100	Horizontal	Pass
3**	11242.189	37.81	15.11	54.0	-16.19	AV	294.40	100	Horizontal	Pass
4	13196.951	49.67	18.51	68.2	-18.53	Peak	48.80	100	Horizontal	Pass
4**	13196.951	40.20	18.51	--	40.20	AV	48.80	100	Horizontal	N/A
5	14197.701	52.13	22.13	68.2	-16.07	Peak	294.40	100	Horizontal	Pass
5**	14197.701	44.12	22.13	--	44.12	AV	294.40	100	Horizontal	N/A
6	17494.126	59.48	24.88	68.2	-8.72	Peak	194.70	100	Horizontal	Pass
6**	17494.126	49.32	24.88	--	49.32	AV	194.70	100	Horizontal	N/A


WIFI5GB4-AC40-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_14.45.50

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



Vertical	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.731	38.59	-15.03	74.0	-35.41	Peak	66.30	100		Pass
1**	1151.731	28.23	-15.03	54.0	-25.77	AV	66.30	100	Vertical	Pass
2	1596.425	39.08	-15.07	74.0	-34.92	Peak	280.90	100	Vertical	Pass
2**	1596.425	28.47	-15.07	54.0	-25.53	AV	280.90	100	Vertical	Pass
3	2050.869	41.69	-11.85	68.2	-26.51	Peak	267.50	100	Vertical	Pass
3**	2050.869	30.87	-11.85	--	30.87	AV	267.50	100	Vertical	N/A
4	3045.744	48.83	-5.09	68.2	-19.37	Peak	36.70	100	Vertical	Pass
4**	3045.744	37.91	-5.09	--	37.91	AV	36.70	100	Vertical	N/A
5	4539.558	52.29	-1.21	74.0	-21.71	Peak	359.80	100	Vertical	Pass
5**	4539.558	40.57	-1.21	54.0	-13.43	AV	359.80	100	Vertical	Pass
6	5757.780	106.04	1.29	--	-38.56	Peak	144.60	100	Vertical	N/A
6**	5757.780	97.59	1.29	--	97.59	AV	144.60	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.11.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7591.102	35.51	6.30	74.0	-38.49	Peak	72.30	100	Vertical	Pass
1**	7591.102	28.29	6.30	54.0	-25.71	AV	72.30	100	Vertical	Pass
2	9116.971	39.69	10.25	74.0	-34.31	Peak	353.10	100	Vertical	Pass
2**	9116.971	30.68	10.25	54.0	-23.32	AV	353.10	100	Vertical	Pass
3	10241.440	42.11	13.02	68.2	-26.09	Peak	44.30	100	Vertical	Pass
3**	10241.440	33.74	13.02	--	33.74	AV	44.30	100	Vertical	N/A
4	11264.184	45.61	15.40	74.0	-28.39	Peak	356.70	100	Vertical	Pass
4**	11264.184	36.97	15.40	54.0	-17.03	AV	356.70	100	Vertical	Pass
5	13218.945	48.60	18.53	68.2	-19.60	Peak	339.00	100	Vertical	Pass
5**	13218.945	40.77	18.53	--	40.77	AV	339.00	100	Vertical	N/A
6	14197.701	51.99	22.13	68.2	-16.21	Peak	275.30	100	Vertical	Pass
6**	14197.701	43.91	22.13	--	43.91	AV	275.30	100	Vertical	N/A

WIFI5GB4-AC40-High channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_15.06.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.984	38.88	-15.13	74.0	-35.12	Peak	126.20	100	Horizontal	Pass
1**	1131.984	27.78	-15.13	54.0	-26.22	AV	126.20	100	Horizontal	Pass
2	1991.126	43.56	-12.82	68.2	-24.64	Peak	11.90	100	Horizontal	Pass
2**	1991.126	31.20	-12.82	--	31.20	AV	11.90	100	Horizontal	N/A
3	2125.609	51.58	-11.37	68.2	-16.62	Peak	328.90	100	Horizontal	Pass
3**	2125.609	37.36	-11.37	--	37.36	AV	328.90	100	Horizontal	N/A
4	3031.496	48.29	-4.62	68.2	-19.91	Peak	11.30	100	Horizontal	Pass
4**	3031.496	38.16	-4.62	--	38.16	AV	11.30	100	Horizontal	N/A
5	3661.792	49.56	-2.33	74.0	-24.44	Peak	167.30	100	Horizontal	Pass
5**	3661.792	39.40	-2.33	54.0	-14.60	AV	167.30	100	Horizontal	Pass
6	5780.277	105.06	1.54	--	-24.24	Peak	129.30	100	Horizontal	N/A
6**	5780.277	96.71	1.54	--	96.71	AV	129.30	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_09:58:31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7269.433	32.51	5.74	74.0	-41.49	Peak	325.70	100	Horizontal	Pass
1**	7269.433	26.00	5.74	54.0	-28.00	AV	325.70	100	Horizontal	Pass
2	9163.709	40.01	10.85	74.0	-33.99	Peak	355.80	100	Horizontal	Pass
2**	9163.709	30.77	10.85	54.0	-23.23	AV	355.80	100	Horizontal	Pass
3	10508.123	43.31	13.13	68.2	-24.89	Peak	123.30	100	Horizontal	Pass
3**	10508.123	34.37	13.13	--	34.37	AV	123.30	100	Horizontal	N/A
4	11885.529	46.41	15.95	74.0	-27.59	Peak	0.00	100	Horizontal	Pass
4**	11885.529	36.98	15.95	54.0	-17.02	AV	0.00	100	Horizontal	Pass
5	14183.954	52.95	22.24	68.2	-15.25	Peak	22.40	100	Horizontal	Pass
5**	14183.954	44.60	22.24	--	44.60	AV	22.40	100	Horizontal	N/A
6	16064.484	53.96	20.50	74.0	-20.04	Peak	22.40	100	Horizontal	Pass
6**	16064.484	44.09	20.50	54.0	-9.91	AV	22.40	100	Horizontal	Pass

WIFI5GB4-AC40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_14.49.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.475	38.98	-14.65	74.0	-35.02	Peak	0.00	100	Vertical	Pass
1**	1199.475	27.84	-14.65	54.0	-26.16	AV	0.00	100	Vertical	Pass
2	1771.404	39.41	-14.57	68.2	-28.79	Peak	169.30	100	Vertical	Pass
2**	1771.404	28.51	-14.57	--	28.51	AV	169.30	100	Vertical	N/A
3	2613.298	43.11	-9.37	68.2	-25.09	Peak	52.90	100	Vertical	Pass
3**	2613.298	32.56	-9.37	--	32.56	AV	52.90	100	Vertical	N/A
4	3032.246	48.60	-4.65	68.2	-19.60	Peak	0.00	100	Vertical	Pass
4**	3032.246	37.99	-4.65	--	37.99	AV	0.00	100	Vertical	N/A
5	4041.620	50.70	-1.51	74.0	-23.30	Peak	150.20	100	Vertical	Pass
5**	4041.620	39.79	-1.51	54.0	-14.21	AV	150.20	100	Vertical	Pass
6	5777.278	105.32	1.51	--	-16.58	Peak	121.90	100	Vertical	N/A
6**	5777.278	96.78	1.51	--	96.78	AV	121.90	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.12.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7527.868	32.63	6.06	74.0	-41.37	Peak	215.20	100	Vertical	Pass
1**	7527.868	26.00	6.06	54.0	-28.00	AV	215.20	100	Vertical	Pass
2	8792.552	39.32	8.85	68.2	-28.88	Peak	97.90	100	Vertical	Pass
2**	8792.552	29.12	8.85	--	29.12	AV	97.90	100	Vertical	N/A
3	10521.870	43.77	13.27	68.2	-24.43	Peak	83.80	100	Vertical	Pass
3**	10521.870	35.06	13.27	--	35.06	AV	83.80	100	Vertical	N/A
4	12462.884	48.23	17.19	74.0	-25.77	Peak	65.90	100	Vertical	Pass
4**	12462.884	39.20	17.19	54.0	-14.80	AV	65.90	100	Vertical	Pass
5	14189.453	53.55	22.33	68.2	-14.65	Peak	29.10	100	Vertical	Pass
5**	14189.453	44.24	22.33	--	44.24	AV	29.10	100	Vertical	N/A
6	16050.737	53.71	20.54	74.0	-20.29	Peak	120.60	100	Vertical	Pass
6**	16050.737	44.91	20.54	54.0	-9.09	AV	120.60	100	Vertical	Pass


WiFi5GB4-AC80-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.24.41

1**	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.482	39.42	-15.10	74.0	-34.58	Peak	0.00	100	Horizontal	Pass
	1142.482	28.31	-15.10	54.0	-25.69	AV	0.00	100	Horizontal	Pass
2	1584.927	40.66	-15.01	74.0	-33.34	Peak	346.10	100	Horizontal	Pass
2**	1584.927	28.26	-15.01	54.0	-25.74	AV	346.10	100	Horizontal	Pass
3	1995.376	45.27	-12.76	68.2	-22.93	Peak	305.20	100	Horizontal	Pass
3**	1995.376	33.01	-12.76	--	33.01	AV	305.20	100	Horizontal	N/A
4	2123.860	54.38	-11.37	68.2	-13.82	Peak	346.10	100	Horizontal	Pass
4**	2123.860	39.54	-11.37	--	39.54	AV	346.10	100	Horizontal	N/A
5	4145.857	51.26	-2.02	74.0	-22.74	Peak	173.20	100	Horizontal	Pass
5**	4145.857	39.31	-2.02	54.0	-14.69	AV	173.20	100	Horizontal	Pass
6	5767.904	87.49	1.41	--	23.99	Peak	63.50	100	Horizontal	N/A
6**	5767.904	77.86	1.41	--	77.86	AV	63.50	100	Horizontal	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.06.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7632.342	37.31	6.15	74.0	-36.69	Peak	24.20	100	Horizontal	Pass
1**	7632.342	27.64	6.15	54.0	-26.36	AV	24.20	100	Horizontal	Pass
2	8919.020	39.68	9.83	68.2	-28.52	Peak	222.20	100	Horizontal	Pass
2**	8919.020	29.93	9.83	--	29.93	AV	222.20	100	Horizontal	N/A
3	9928.018	42.20	13.48	68.2	-26.00	Peak	0.50	100	Horizontal	Pass
3**	9928.018	32.96	13.48	--	32.96	AV	0.50	100	Horizontal	N/A
4	11200.950	45.58	14.61	74.0	-28.42	Peak	110.20	100	Horizontal	Pass
4**	11200.950	36.42	14.61	54.0	-17.58	AV	110.20	100	Horizontal	Pass
5	13117.221	49.28	18.54	68.2	-18.92	Peak	110.20	100	Horizontal	Pass
5**	13117.221	40.80	18.54	--	40.80	AV	110.20	100	Horizontal	N/A
6	14208.698	51.91	21.88	68.2	-16.29	Peak	158.90	100	Horizontal	Pass
6**	14208.698	43.92	21.88	--	43.92	AV	158.90	100	Horizontal	N/A

WIFI5GB4-AC80-Low channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.21.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.477	38.69	-14.66	74.0	-35.31	Peak	345.30	100	Vertical	Pass
1**	1181.477	28.03	-14.66	54.0	-25.97	AV	345.30	100	Vertical	Pass
2	1563.430	39.00	-14.99	74.0	-35.00	Peak	3.80	100	Vertical	Pass
2**	1563.430	28.14	-14.99	54.0	-25.86	AV	3.80	100	Vertical	Pass
3	2785.027	45.23	-7.64	74.0	-28.77	Peak	47.30	100	Vertical	Pass
3**	2785.027	33.82	-7.64	54.0	-20.18	AV	47.30	100	Vertical	Pass
4	3994.376	51.21	-1.79	74.0	-22.79	Peak	107.00	100	Vertical	Pass
4**	3994.376	40.16	-1.79	54.0	-13.84	AV	107.00	100	Vertical	Pass
5	4905.887	52.74	-0.79	74.0	-21.26	Peak	16.60	100	Vertical	Pass
5**	4905.887	41.80	-0.79	54.0	-12.20	AV	16.60	100	Vertical	Pass
6	5767.529	84.53	1.41	--	-41.47	Peak	126.00	100	Vertical	N/A
6**	5767.529	76.22	1.41	--	76.22	AV	126.00	100	Vertical	N/A

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-10_10.09.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7569.108	36.13	6.23	74.0	-37.87	Peak	358.70	100	Vertical	Pass
1**	7569.108	26.58	6.23	54.0	-27.42	AV	358.70	100	Vertical	Pass
2	8809.048	39.21	8.96	68.2	-28.99	Peak	355.30	100	Vertical	Pass
2**	8809.048	30.24	8.96	--	30.24	AV	355.30	100	Vertical	N/A
3	10538.365	44.29	13.33	68.2	-23.91	Peak	3.00	100	Vertical	Pass
3**	10538.365	35.54	13.33	--	35.54	AV	3.00	100	Vertical	N/A
4	12482.129	47.67	16.82	74.0	-26.33	Peak	96.40	100	Vertical	Pass
4**	12482.129	38.71	16.82	54.0	-15.29	AV	96.40	100	Vertical	Pass
5	14189.453	53.27	22.33	68.2	-14.93	Peak	288.40	100	Vertical	Pass
5**	14189.453	43.75	22.33	--	43.75	AV	288.40	100	Vertical	N/A
6	16058.985	52.64	20.52	74.0	-21.36	Peak	10.10	100	Vertical	Pass
6**	16058.985	44.40	20.52	54.0	-9.60	AV	10.10	100	Vertical	Pass

WIFI5GB1-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.44.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.70	0.24	74.0	-32.30	Peak	102.92	100	Horizontal	Pass
1**	5150.000	35.39	0.24	54.0	-18.61	AV	102.92	100	Horizontal	Pass

WiFi5GB1-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.20.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.78	0.24	74.0	-33.22	Peak	340.91	100	Vertical	Pass
1**	5150.000	34.64	0.24	54.0	-19.36	AV	340.91	100	Vertical	Pass

WiFi5GB1-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.41.29

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.31	-0.48	74.0	-33.69	Peak	229.50	100	Horizontal	Pass
1**	5350.000	34.81	-0.48	54.0	-19.19	AV	229.50	100	Horizontal	Pass

WiFi5GB1-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.36.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.14	-0.48	74.0	-33.86	Peak	110.94	100	Vertical	Pass
1**	5350.000	34.70	-0.48	54.0	-19.30	AV	110.94	100	Vertical	Pass

WiFi5GB1-Bandedge -N20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.47.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.81	0.24	74.0	-33.19	Peak	301.87	100	Horizontal	Pass
1**	5150.000	34.83	0.24	54.0	-19.17	AV	301.87	100	Horizontal	Pass

WiFi5GB1-Bandedge -N20-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.24.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.81	0.24	74.0	-33.19	Peak	133.21	100	Vertical	Pass
1**	5150.000	34.94	0.24	54.0	-19.06	AV	133.21	100	Vertical	Pass

WiFi5GB1-Bandedge -N20-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.49.24

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.78	-0.48	74.0	-33.22	Peak	125.70	100	Horizontal	Pass
1**	5350.000	35.48	-0.48	54.0	-18.52	AV	125.70	100	Horizontal	Pass

WiFi5GB1-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.33.45

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.47	-0.48	74.0	-33.53	Peak	285.57	100	Vertical	Pass
1**	5350.000	35.39	-0.48	54.0	-18.61	AV	285.57	100	Vertical	Pass

WiFi5GB1-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_13.36.46

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.76	0.24	74.0	-33.24	Peak	214.26	100	Horizontal	Pass
1**	5150.000	34.52	0.24	54.0	-19.48	AV	214.26	100	Horizontal	Pass

WiFi5GB1-Bandedge -N40-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.19.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.06	0.24	74.0	-32.94	Peak	204.23	100	Vertical	Pass
1**	5150.000	34.69	0.24	54.0	-19.31	AV	204.23	100	Vertical	Pass

WiFi5GB1-Bandedge -N40-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_13.39.53

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



-0.4	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
8	5350.000	40.44	-0.48	74.0	-33.56	Peak	17.14	100	Horizontal	Pass
1**	5350.000	34.25		54.0	-19.75	AV	17.14	100	Horizontal	Pass

WiFi5GB1-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.15.20

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.86	-0.48	74.0	-33.14	Peak	117.63	100	Vertical	Pass
1**	5350.000	34.03	-0.48	54.0	-19.97	AV	117.63	100	Vertical	Pass

WiFi5GB1-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.55.57

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.20	0.24	74.0	-32.80	Peak	122.17	100	Horizontal	Pass
1**	5150.000	35.00	0.24	54.0	-19.00	AV	122.17	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.27.30

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.05	0.24	74.0	-32.95	Peak	71.22	100	Vertical	Pass
1**	5150.000	34.93	0.24	54.0	-19.07	AV	71.22	100	Vertical	Pass

WiFi5GB1-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.52.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	41.24	-0.48	74.0	-32.76	Peak	181.02	100	Horizontal	Pass
1**	5350.000	34.95	-0.48	54.0	-19.05	AV	181.02	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.30.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	41.72	-0.48	74.0	-32.28	Peak	165.10	100	Vertical	Pass
1**	5350.000	35.13	-0.48	54.0	-18.87	AV	165.10	100	Vertical	Pass

WiFi5GB1-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_13.56.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.16	0.24	74.0	-32.84	Peak	149.66	100	Horizontal	Pass
1**	5150.000	35.35	0.24	54.0	-18.65	AV	149.66	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.01.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.17	0.24	74.0	-32.83	Peak	238.60	100	Vertical	Pass
1**	5150.000	35.32	0.24	54.0	-18.68	AV	238.60	100	Vertical	Pass

WiFi5GB1-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_13.44.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.35	-0.48	74.0	-33.65	Peak	106.73	100	Horizontal	Pass
1**	5350.000	34.94	-0.48	54.0	-19.06	AV	106.73	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.09.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	40.05	-0.48	74.0	-33.95	Peak	258.17	100	Vertical	Pass
1**	5350.000	34.68	-0.48	54.0	-19.32	AV	258.17	100	Vertical	Pass

WiFi5GB1-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.34.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.97	0.24	74.0	-33.03	Peak	110.81	100	Horizontal	Pass
1**	5150.000	34.78	0.24	54.0	-19.22	AV	110.81	100	Horizontal	Pass
2	5350.000	40.96	-0.48	74.0	-33.04	Peak	94.80	100	Horizontal	Pass
2**	5350.000	34.68	-0.48	54.0	-19.32	AV	94.80	100	Horizontal	Pass

WIFI5GB1-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_14.29.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	40.94	0.24	74.0	-33.06	Peak	140.65	100	Vertical	Pass
1**	5150.000	34.98	0.24	54.0	-19.02	AV	140.65	100	Vertical	Pass
2	5350.000	40.08	-0.48	74.0	-33.92	Peak	191.77	100	Vertical	Pass
2**	5350.000	34.07	-0.48	54.0	-19.93	AV	191.77	100	Vertical	Pass

WiFi5GB4-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.48.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.76	0.87	122.2	-69.44	Peak	95.86	100	Horizontal	Pass

WiFi5GB4-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.19.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.29	0.87	122.2	-68.91	Peak	40.10	100	Vertical	Pass


WiFi5GB4-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.45.10

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.55	1.20	122.2	-69.65	Peak	122.54	100	Horizontal	Pass

WiFi5GB4-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.22.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.87	1.20	122.2	-69.33	Peak	290.21	100	Vertical	Pass

WiFi5GB4-Bandedge –N20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.50.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.05	0.87	122.2	-70.15	Peak	193.76	100	Horizontal	Pass

WiFi5GB4-Bandedge –N20-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.15.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.86	0.87	122.2	-68.34	Peak	204.30	100	Vertical	Pass

WiFi5GB4-Bandedge -N20-High channel- Horizontal-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.39.18

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.88	1.20	122.2	-69.32	Peak	166.19	100	Horizontal	Pass

WiFi5GB4-Bandedge -N20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.27.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.20	1.20	122.2	-69.00	Peak	132.72	100	Vertical	Pass

WiFi5GB4-Bandedge -N40-Low channel-Horizontal-TX


Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.41.47

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.73	0.87	122.2	-69.47	Peak	94.99	100	Horizontal	Pass

WiFi5GB4-Bandedge -N40-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.07.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.94	0.87	122.2	-69.26	Peak	213.62	100	Vertical	Pass


WiFi5GB4-Bandedge -N40-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.47.34

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.96	1.20	122.2	-69.24	Peak	131.13	100	Horizontal	Pass

WiFi5GB4-Bandedge -N40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.04.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.06	1.20	122.2	-70.14	Peak	136.18	100	Vertical	Pass

WiFi5GB4-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.53.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.36	0.87	122.2	-68.84	Peak	109.68	100	Horizontal	Pass


WiFi5GB4-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.02.42

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.34	0.87	122.2	-68.86	Peak	117.29	100	Vertical	Pass


WiFi5GB4-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.36.07

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.27	1.20	122.2	-68.93	Peak	181.11	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_10.31.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.56	1.20	122.2	-69.64	Peak	109.58	100	Vertical	Pass

WiFi5GB4-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.55.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.67	0.87	122.2	-67.53	Peak	98.96	100	Horizontal	Pass


WiFi5GB4-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.58.47

EUT Name:	N.A	Test Engineer:	Xiang Cheng Jie
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	Full load
Hum.:	54%	Remark:	DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.65	0.87	122.2	-65.55	Peak	122.02	100	Vertical	Pass

WiFi5GB4-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.53.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.27	1.20	122.2	-68.93	Peak	200.37	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_11.01.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	52.45	1.20	122.2	-69.75	Peak	69.20	100	Vertical	Pass

WiFi5GB4-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.32.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.20	0.87	122.2	-70.00	Peak	177.36	100	Horizontal	Pass
2	5850.000	53.40	1.20	122.2	-68.80	Peak	165.10	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: SHE20060042-02IE

Test Time: 2021-01-11_09.28.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.35	0.87	122.2	-68.85	Peak	142.61	100	Vertical	Pass
2	5850.000	53.17	1.20	122.2	-69.03	Peak	177.05	100	Vertical	Pass