

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1. GPRS 850

1.1 GPRS 850 MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-08_15.22.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.47	-14.25	-13.0	-67.47	310.70	Horizontal	Vertical	Pass
238.740	-72.37	-2.73	-13.0	-59.37	73.70	Horizontal	Vertical	Pass
881.447	-54.36	3.27	-13.0	-41.36	16.40	Horizontal	Vertical	Pass
1197.951	-52.17	2.19	-13.0	-39.17	178.10	Horizontal	Vertical	Pass
4507.623	-33.20	11.29	-13.0	-20.20	248.00	Horizontal	Vertical	Pass
6997.001	-26.65	14.49	-13.0	-13.65	10.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_15.29.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
74.124	-80.49	-18.50	-13.0	-67.49	28.30	Vertical	Vertical	Pass
238.740	-73.45	-2.73	-13.0	-60.45	145.40	Vertical	Vertical	Pass
881.447	-53.31	3.27	-13.0	-40.31	292.80	Vertical	Vertical	Pass
1206.948	-52.58	2.02	-13.0	-39.58	296.40	Vertical	Vertical	Pass
4536.616	-32.61	10.62	-13.0	-19.61	234.30	Vertical	Vertical	Pass
6980.005	-27.10	14.11	-13.0	-14.10	118.60	Vertical	Vertical	Pass

2. EGPRS 850

2.1 EGPRS 850 MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-08_15.16.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.945	-81.41	-10.51	-13.0	-68.41	141.40	Horizontal	Vertical	Pass
280.925	-74.37	-8.11	-13.0	-61.37	274.20	Horizontal	Vertical	Pass
881.447	-55.22	3.27	-13.0	-42.22	9.00	Horizontal	Vertical	Pass
1203.949	-51.47	2.15	-13.0	-38.47	69.10	Horizontal	Vertical	Pass
4519.620	-32.47	11.08	-13.0	-19.47	302.40	Horizontal	Vertical	Pass
8193.702	-26.73	20.43	-13.0	-13.73	186.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_15.10.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.35	-14.25	-13.0	-68.35	208.80	Vertical	Vertical	Pass
239.468	-73.91	-2.43	-13.0	-60.91	74.10	Vertical	Vertical	Pass
881.447	-53.43	3.27	-13.0	-40.43	258.30	Vertical	Vertical	Pass
1196.951	-52.24	2.12	-13.0	-39.24	85.80	Vertical	Vertical	Pass
1728.818	-37.33	-3.62	-13.0	-24.33	20.70	Vertical	Vertical	Pass
8177.956	-25.11	20.41	-13.0	-12.11	214.50	Vertical	Vertical	Pass

3. GPRS 1900

3.1 GPRS 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-08_14.52.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.157	-77.22	-10.39	-13.0	-64.22	184.20	Horizontal	Vertical	Pass
242.619	-66.91	-3.02	-13.0	-53.91	38.00	Horizontal	Vertical	Pass
858.173	-62.30	5.53	-13.0	-49.30	80.00	Horizontal	Vertical	Pass
1206.448	-52.33	2.04	-13.0	-39.33	264.40	Horizontal	Vertical	Pass
1947.263	-50.86	-1.30	-13.0	-37.86	13.60	Horizontal	Vertical	Pass
3624.844	-44.88	9.06	-13.0	-31.88	106.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.44.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8028.243	-66.02	9.11	-13.0	-53.02	62.00	Horizontal	Vertical	Pass
9405.649	-58.80	15.20	-13.0	-45.80	309.10	Horizontal	Vertical	Pass
10893.027	-57.37	16.38	-13.0	-44.37	222.40	Horizontal	Vertical	Pass
11489.628	-57.04	16.39	-13.0	-44.04	355.40	Horizontal	Vertical	Pass
14739.315	-47.43	25.13	-13.0	-34.43	254.80	Horizontal	Vertical	Pass
16845.289	-46.06	26.10	-13.0	-33.06	157.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_15.01.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.518	-79.41	-16.77	-13.0	-66.41	277.00	Vertical	Vertical	Pass
237.528	-70.25	-3.33	-13.0	-57.25	208.10	Vertical	Vertical	Pass
452.572	-69.19	-2.04	-13.0	-56.19	360.00	Vertical	Vertical	Pass
847.021	-62.20	5.52	-13.0	-49.20	25.80	Vertical	Vertical	Pass
1196.951	-51.67	2.09	-13.0	-38.67	121.90	Vertical	Vertical	Pass
5845.289	-40.79	12.38	-13.0	-27.79	51.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.41.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8157.461	-65.44	9.45	-13.0	-52.44	341.20	Vertical	Vertical	Pass
9364.409	-59.87	14.81	-13.0	-46.87	188.20	Vertical	Vertical	Pass
11187.203	-57.16	15.92	-13.0	-44.16	355.30	Vertical	Vertical	Pass
12724.069	-58.55	14.61	-13.0	-45.55	171.60	Vertical	Vertical	Pass
14852.037	-48.43	25.63	-13.0	-35.43	220.40	Vertical	Vertical	Pass
16672.082	-47.20	25.35	-13.0	-34.20	12.90	Vertical	Vertical	Pass

4. EGPRS 1900

4.1 EGPRS 1900 MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-08_14.47.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.277	-67.88	-13.01	-13.0	-54.88	151.90	Horizontal	Vertical	Pass
239.468	-69.57	-2.53	-13.0	-56.57	237.90	Horizontal	Vertical	Pass
959.513	-46.13	3.90	-13.0	-33.13	0.20	Horizontal	Vertical	Pass
1879.780	-45.11	1.25	-13.0	-32.11	4.80	Horizontal	Vertical	Pass
2142.714	-47.60	1.43	-13.0	-34.60	3.40	Horizontal	Vertical	Pass
2473.132	-33.44	3.33	-13.0	-20.44	82.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_18.07.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-56.19	19.20	-13.0	-43.19	99.00	Horizontal	Vertical	Pass
9400.150	-54.57	20.00	-13.0	-41.57	161.60	Horizontal	Vertical	Pass
10109.473	-50.76	24.26	-13.0	-37.76	257.90	Horizontal	Vertical	Pass
11118.470	-49.66	23.20	-13.0	-36.66	311.80	Horizontal	Vertical	Pass
13702.824	-46.36	27.92	-13.0	-33.36	359.20	Horizontal	Vertical	Pass
14491.877	-45.79	26.93	-13.0	-32.79	359.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_14.37.19

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54%

Test Engineer: Xiang Cheng Jie
 Test Standard: FCC
 Work Addition: Normal
 Load: Full load
 Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.216	-68.36	-16.05	-13.0	-55.36	331.10	Vertical	Vertical	Pass
125.764	-72.16	-14.58	-13.0	-59.16	276.50	Vertical	Vertical	Pass
262.014	-53.66	-6.31	-13.0	-40.66	273.90	Vertical	Vertical	Pass
888.720	-61.36	2.37	-13.0	-48.36	306.60	Vertical	Vertical	Pass
1194.951	-52.05	1.95	-13.0	-39.05	279.30	Vertical	Vertical	Pass
5122.469	-41.37	11.45	-13.0	-28.37	357.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-08_18.09.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8052.987	-56.97	18.26	-13.0	-43.97	6.70	Vertical	Vertical	Pass
9402.899	-54.37	19.96	-13.0	-41.37	285.50	Vertical	Vertical	Pass
10095.726	-50.14	24.18	-13.0	-37.14	185.70	Vertical	Vertical	Pass
11866.283	-49.20	25.37	-13.0	-36.20	360.00	Vertical	Vertical	Pass
12473.882	-47.67	25.45	-13.0	-34.67	57.70	Vertical	Vertical	Pass
14101.475	-44.57	29.16	-13.0	-31.57	46.50	Vertical	Vertical	Pass

END