

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →
 LTE-B25-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.09.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.04	-11.97	-13.0	-54.04	67.10	Vertical	Vertical	Pass
199.708	-53.85	-8.22	-13.0	-40.85	180.50	Vertical	Vertical	Pass
233.164	-55.32	-5.12	-13.0	-42.32	160.10	Vertical	Vertical	Pass
1130.467	-33.49	-2.73	-13.0	-20.49	85.10	Vertical	Vertical	Pass
1233.442	-33.15	0.75	-13.0	-20.15	98.70	Vertical	Vertical	Pass
1962.259	-34.11	-1.44	-13.0	-21.11	103.00	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.01.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8030.992	-57.69	18.06	-13.0	-44.69	308.50	Vertical	Vertical	Pass
9397.401	-55.31	19.95	-13.0	-42.31	356.70	Vertical	Vertical	Pass
10103.974	-49.22	24.30	-13.0	-36.22	217.90	Vertical	Vertical	Pass
11170.707	-50.44	23.09	-13.0	-37.44	12.80	Vertical	Vertical	Pass
12443.639	-48.49	24.94	-13.0	-35.49	0.40	Vertical	Vertical	Pass
14112.472	-44.27	29.10	-13.0	-31.27	136.70	Vertical	Vertical	Pass

LTE-B25-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_14.17.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-81.62	-11.44	-13.0	-68.62	359.50	Horizontal	Vertical	Pass
125.521	-63.96	-14.54	-13.0	-50.96	79.40	Horizontal	Vertical	Pass
180.312	-61.44	-15.96	-13.0	-48.44	86.20	Horizontal	Vertical	Pass
241.407	-58.92	-2.69	-13.0	-45.92	90.80	Horizontal	Vertical	Pass
419.115	-64.17	-6.19	-13.0	-51.17	90.80	Horizontal	Vertical	Pass
1961.760	-30.04	-1.44	-13.0	-17.04	46.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.11.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8033.742	-56.70	18.12	-13.0	-43.70	285.80	Horizontal	Horizontal	Pass
9367.158	-55.36	19.32	-13.0	-42.36	194.50	Horizontal	Horizontal	Pass
10139.715	-50.12	23.77	-13.0	-37.12	221.70	Horizontal	Horizontal	Pass
11176.206	-49.51	23.08	-13.0	-36.51	252.30	Horizontal	Horizontal	Pass
12484.879	-48.04	25.41	-13.0	-35.04	179.30	Horizontal	Horizontal	Pass
14104.224	-45.15	29.14	-13.0	-32.15	294.70	Horizontal	Horizontal	Pass

LTE-B25-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.14.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.788	-55.96	-11.34	-13.0	-42.96	102.00	Vertical	Vertical	Pass
129.158	-54.60	-15.12	-13.0	-41.60	81.30	Vertical	Vertical	Pass
292.077	-51.85	-10.43	-13.0	-38.85	38.00	Vertical	Vertical	Pass
758.530	-59.03	-0.20	-13.0	-46.03	97.60	Vertical	Vertical	Pass
1237.941	-41.10	0.60	-13.0	-28.10	133.40	Vertical	Vertical	Pass
1961.260	-33.46	-1.43	-13.0	-20.46	72.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.06.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7816.546	-57.44	17.06	-13.0	-44.44	48.00	Vertical	Vertical	Pass
8608.348	-58.01	16.74	-13.0	-45.01	214.40	Vertical	Vertical	Pass
10103.974	-50.95	24.30	-13.0	-37.95	65.10	Vertical	Vertical	Pass
11156.961	-50.09	23.12	-13.0	-37.09	87.50	Vertical	Vertical	Pass
12468.383	-48.26	25.47	-13.0	-35.26	87.50	Vertical	Vertical	Pass
14093.227	-45.30	28.94	-13.0	-32.30	104.30	Vertical	Vertical	Pass

LTE-B25-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_14.22.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
86.488	-61.76	-16.42	-13.0	-48.76	98.90	Horizontal	Vertical	Pass
153.402	-56.02	-14.98	-13.0	-43.02	116.80	Horizontal	Vertical	Pass
198.738	-67.33	-9.11	-13.0	-54.33	96.70	Horizontal	Vertical	Pass
252.559	-59.82	-5.37	-13.0	-46.82	109.70	Horizontal	Vertical	Pass
1115.471	-41.40	-3.93	-13.0	-28.40	133.80	Horizontal	Vertical	Pass
1961.760	-29.66	-1.44	-13.0	-16.66	159.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.07.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8223.444	-57.50	18.49	-13.0	-44.50	328.10	Horizontal	Horizontal	Pass
9389.153	-55.51	19.78	-13.0	-42.51	23.10	Horizontal	Horizontal	Pass
10142.464	-50.68	23.72	-13.0	-37.68	98.20	Horizontal	Horizontal	Pass
11855.286	-48.34	25.22	-13.0	-35.34	188.60	Horizontal	Horizontal	Pass
12462.884	-47.15	25.40	-13.0	-34.15	343.00	Horizontal	Horizontal	Pass
14161.960	-45.13	28.81	-13.0	-32.13	83.00	Horizontal	Horizontal	Pass

LTE-B25-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.17.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.822	-65.28	-13.73	-13.0	-52.28	92.70	Vertical	Vertical	Pass
129.885	-58.04	-15.24	-13.0	-45.04	128.90	Vertical	Vertical	Pass
349.535	-58.93	-6.46	-13.0	-45.93	155.70	Vertical	Vertical	Pass
667.131	-52.76	0.74	-13.0	-39.76	97.10	Vertical	Vertical	Pass
1248.938	-35.83	0.25	-13.0	-22.83	90.00	Vertical	Vertical	Pass
1961.260	-31.34	-1.43	-13.0	-18.34	74.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.12.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8033.742	-56.92	18.12	-13.0	-43.92	164.70	Vertical	Vertical	Pass
9400.150	-55.22	20.00	-13.0	-42.22	58.30	Vertical	Vertical	Pass
11165.209	-49.79	23.10	-13.0	-36.79	330.40	Vertical	Vertical	Pass
12465.634	-47.32	25.47	-13.0	-34.32	35.90	Vertical	Vertical	Pass
13785.304	-45.86	26.52	-13.0	-32.86	0.00	Vertical	Vertical	Pass
14161.960	-44.82	28.81	-13.0	-31.82	10.60	Vertical	Vertical	Pass

LTE-B25-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_14.33.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.700	-76.76	-19.07	-13.0	-63.76	88.20	Horizontal	Vertical	Pass
136.916	-65.59	-14.88	-13.0	-52.59	88.20	Horizontal	Vertical	Pass
251.347	-49.22	-5.22	-13.0	-36.22	115.10	Horizontal	Vertical	Pass
541.790	-54.21	-3.82	-13.0	-41.21	85.70	Horizontal	Vertical	Pass
1239.940	-42.20	0.54	-13.0	-29.20	78.60	Horizontal	Vertical	Pass
1964.759	-27.73	-1.46	-13.0	-14.73	47.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.02.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-57.40	19.10	-13.0	-44.40	128.70	Horizontal	Horizontal	Pass
10087.478	-50.76	23.88	-13.0	-37.76	316.30	Horizontal	Horizontal	Pass
11167.958	-50.68	23.10	-13.0	-37.68	125.70	Horizontal	Horizontal	Pass
11847.038	-49.29	25.03	-13.0	-36.29	252.70	Horizontal	Horizontal	Pass
12473.882	-48.54	25.45	-13.0	-35.54	119.40	Horizontal	Horizontal	Pass
14101.475	-45.55	29.16	-13.0	-32.55	195.30	Horizontal	Horizontal	Pass

LTE-B25-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.21.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.881	-68.11	-15.48	-13.0	-55.11	37.40	Vertical	Vertical	Pass
130.855	-49.99	-15.21	-13.0	-36.99	84.60	Vertical	Vertical	Pass
248.438	-63.14	-4.61	-13.0	-50.14	86.80	Vertical	Vertical	Pass
1142.464	-38.28	-1.85	-13.0	-25.28	88.00	Vertical	Vertical	Pass
1960.260	-33.14	-1.42	-13.0	-20.14	183.70	Vertical	Vertical	Pass
4496.626	-33.37	11.08	-13.0	-20.37	245.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.25.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8058.485	-57.48	18.18	-13.0	-44.48	344.60	Vertical	Vertical	Pass
9386.403	-55.86	19.72	-13.0	-42.86	339.00	Vertical	Vertical	Pass
10142.464	-50.60	23.72	-13.0	-37.60	258.30	Vertical	Vertical	Pass
11486.878	-49.37	24.43	-13.0	-36.37	233.70	Vertical	Vertical	Pass
12245.689	-48.20	25.00	-13.0	-35.20	275.00	Vertical	Vertical	Pass
14101.475	-45.30	29.16	-13.0	-32.30	174.50	Vertical	Vertical	Pass

LTE-B25-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_14.46.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.278	-63.38	-10.97	-13.0	-50.38	104.60	Horizontal	Vertical	Pass
182.737	-58.77	-15.91	-13.0	-45.77	91.10	Horizontal	Vertical	Pass
259.348	-50.26	-6.26	-13.0	-37.26	77.50	Horizontal	Vertical	Pass
421.782	-61.66	-5.89	-13.0	-48.66	118.20	Horizontal	Vertical	Pass
1334.916	-47.37	-1.88	-13.0	-34.37	97.80	Horizontal	Vertical	Pass
1961.760	-28.94	-1.44	-13.0	-15.94	149.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_17.58.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8176.706	-57.21	18.55	-13.0	-44.21	0.30	Horizontal	Horizontal	Pass
9416.646	-54.96	19.73	-13.0	-41.96	359.30	Horizontal	Horizontal	Pass
10112.222	-49.99	24.25	-13.0	-36.99	151.00	Horizontal	Horizontal	Pass
11830.542	-49.52	24.64	-13.0	-36.52	63.50	Horizontal	Horizontal	Pass
12457.386	-48.27	25.27	-13.0	-35.27	0.80	Horizontal	Horizontal	Pass
14150.962	-45.10	28.88	-13.0	-32.10	60.60	Horizontal	Horizontal	Pass

LTE-B25-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.25.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.307	-59.69	-13.49	-13.0	-46.69	51.60	Vertical	Vertical	Pass
134.491	-60.07	-15.02	-13.0	-47.07	152.00	Vertical	Vertical	Pass
490.392	-45.41	-6.63	-13.0	-32.41	154.20	Vertical	Vertical	Pass
1238.940	-40.41	0.57	-13.0	-27.41	86.70	Vertical	Vertical	Pass
1968.258	-32.22	-1.47	-13.0	-19.22	104.30	Vertical	Vertical	Pass
5481.380	-30.41	11.63	-13.0	-17.41	347.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.20.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.94	19.10	-13.0	-43.94	253.90	Vertical	Vertical	Pass
9394.651	-55.67	19.89	-13.0	-42.67	64.90	Vertical	Vertical	Pass
10158.960	-49.49	23.41	-13.0	-36.49	144.10	Vertical	Vertical	Pass
11156.961	-49.48	23.12	-13.0	-36.48	222.60	Vertical	Vertical	Pass
12482.129	-47.83	25.42	-13.0	-34.83	81.20	Vertical	Vertical	Pass
14192.202	-45.51	28.41	-13.0	-32.51	282.20	Vertical	Vertical	Pass

LTE-B25-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_14.50.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.185	-74.71	-15.56	-13.0	-61.71	119.10	Horizontal	Vertical	Pass
189.283	-58.08	-14.94	-13.0	-45.08	112.30	Horizontal	Vertical	Pass
203.102	-64.01	-9.65	-13.0	-51.01	125.90	Horizontal	Vertical	Pass
726.286	-62.77	-0.36	-13.0	-49.77	125.90	Horizontal	Vertical	Pass
1204.449	-42.54	2.13	-13.0	-29.54	95.40	Horizontal	Vertical	Pass
1970.757	-28.76	-1.45	-13.0	-15.76	147.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_17:52.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.452	-56.98	18.94	-13.0	-43.98	356.70	Horizontal	Horizontal	Pass
9416.646	-55.67	19.73	-13.0	-42.67	80.10	Horizontal	Horizontal	Pass
10112.222	-50.00	24.25	-13.0	-37.00	265.00	Horizontal	Horizontal	Pass
11104.724	-50.49	23.22	-13.0	-37.49	231.20	Horizontal	Horizontal	Pass
12490.377	-47.68	25.39	-13.0	-34.68	173.50	Horizontal	Horizontal	Pass
14117.971	-44.91	29.06	-13.0	-31.91	13.50	Horizontal	Horizontal	Pass

LTE-B25-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.30.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.189	-69.20	-15.13	-13.0	-56.20	84.40	Vertical	Vertical	Pass
326.018	-64.73	-8.06	-13.0	-51.73	29.70	Vertical	Vertical	Pass
645.554	-53.79	0.51	-13.0	-40.79	86.90	Vertical	Vertical	Pass
1227.443	-35.76	1.01	-13.0	-22.76	108.10	Vertical	Vertical	Pass
1969.258	-31.57	-1.46	-13.0	-18.57	103.70	Vertical	Vertical	Pass
5843.289	-29.98	12.40	-13.0	-16.98	209.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.15.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-57.39	19.20	-13.0	-44.39	143.40	Vertical	Vertical	Pass
9515.621	-55.63	18.89	-13.0	-42.63	0.00	Vertical	Vertical	Pass
10150.712	-50.19	23.56	-13.0	-37.19	199.20	Vertical	Vertical	Pass
11165.209	-51.00	23.10	-13.0	-38.00	173.90	Vertical	Vertical	Pass
11882.779	-48.93	25.44	-13.0	-35.93	121.40	Vertical	Vertical	Pass
14145.464	-44.93	28.91	-13.0	-31.93	64.90	Vertical	Vertical	Pass

LTE-B41-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.34.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.156	-68.40	-11.30	-25.0	-43.40	148.60	Horizontal	Vertical	Pass
134.734	-58.03	-14.41	-25.0	-33.03	160.00	Horizontal	Vertical	Pass
220.557	-55.66	-9.77	-25.0	-30.66	103.20	Horizontal	Vertical	Pass
309.533	-57.61	-8.73	-25.0	-32.61	160.00	Horizontal	Vertical	Pass
844.111	-46.08	6.83	-25.0	-21.08	71.70	Horizontal	Vertical	Pass
5188.453	-39.67	11.13	-25.0	-14.67	81.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.10.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-57.24	16.54	-13.0	-44.24	100.50	Horizontal	Horizontal	Pass
9402.899	-55.41	19.96	-13.0	-42.41	164.90	Horizontal	Horizontal	Pass
10076.481	-50.55	23.49	-13.0	-37.55	331.60	Horizontal	Horizontal	Pass
11143.214	-49.60	23.15	-13.0	-36.60	206.90	Horizontal	Horizontal	Pass
12465.634	-47.56	25.47	-13.0	-34.56	359.50	Horizontal	Horizontal	Pass
14090.477	-45.26	28.85	-13.0	-32.26	60.70	Horizontal	Horizontal	Pass

LTE-B41-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_12.06.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.909	-61.39	-12.21	-25.0	-36.39	59.00	Vertical	Vertical	Pass
141.280	-60.75	-14.22	-25.0	-35.75	152.90	Vertical	Vertical	Pass
315.351	-60.88	-8.18	-25.0	-35.88	159.40	Vertical	Vertical	Pass
551.730	-51.59	-2.30	-25.0	-26.59	92.70	Vertical	Vertical	Pass
1100.975	-41.47	-3.24	-25.0	-16.47	109.20	Vertical	Vertical	Pass
1966.758	-40.00	0.65	-25.0	-15.00	111.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.40.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-57.08	19.13	-13.0	-44.08	116.50	Vertical	Vertical	Pass
9389.153	-54.59	19.78	-13.0	-41.59	20.90	Vertical	Vertical	Pass
10131.467	-50.26	23.93	-13.0	-37.26	91.20	Vertical	Vertical	Pass
11140.465	-50.11	23.15	-13.0	-37.11	180.90	Vertical	Vertical	Pass
12449.138	-48.04	25.07	-13.0	-35.04	357.50	Vertical	Vertical	Pass
14095.976	-44.74	29.03	-13.0	-31.74	144.40	Vertical	Vertical	Pass

LTE-B41-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.30.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.279	-65.04	-14.49	-25.0	-40.04	93.60	Horizontal	Vertical	Pass
192.192	-52.99	-13.08	-25.0	-27.99	109.70	Horizontal	Vertical	Pass
281.410	-59.42	-7.40	-25.0	-34.42	118.60	Horizontal	Vertical	Pass
1175.456	-43.96	2.23	-25.0	-18.96	63.90	Horizontal	Vertical	Pass
3116.971	-33.71	7.11	-25.0	-8.71	121.80	Horizontal	Vertical	Pass
4652.587	-37.85	9.02	-25.0	-12.85	121.80	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.05.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8033.742	-57.73	18.12	-13.0	-44.73	0.30	Horizontal	Horizontal	Pass
9411.147	-55.23	19.82	-13.0	-42.23	122.50	Horizontal	Horizontal	Pass
10123.219	-50.97	24.08	-13.0	-37.97	0.30	Horizontal	Horizontal	Pass
11159.710	-50.35	23.11	-13.0	-37.35	162.00	Horizontal	Horizontal	Pass
12476.631	-48.30	25.44	-13.0	-35.30	358.00	Horizontal	Horizontal	Pass
14115.221	-45.41	29.08	-13.0	-32.41	292.60	Horizontal	Horizontal	Pass

LTE-B41-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_12.10.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.638	-58.55	-10.80	-25.0	-33.55	68.00	Vertical	Vertical	Pass
116.308	-56.00	-10.08	-25.0	-31.00	106.60	Vertical	Vertical	Pass
135.946	-53.91	-14.33	-25.0	-28.91	106.60	Vertical	Vertical	Pass
230.982	-55.87	-5.11	-25.0	-30.87	99.50	Vertical	Vertical	Pass
366.991	-56.86	-6.98	-25.0	-31.86	99.50	Vertical	Vertical	Pass
1185.954	-41.98	3.13	-25.0	-16.98	154.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.36.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8215.196	-57.05	18.82	-13.0	-44.05	102.00	Vertical	Vertical	Pass
10125.969	-50.91	24.03	-13.0	-37.91	157.80	Vertical	Vertical	Pass
11176.206	-50.07	23.08	-13.0	-37.07	132.80	Vertical	Vertical	Pass
12479.380	-47.65	25.43	-13.0	-34.65	341.70	Vertical	Vertical	Pass
14117.971	-45.00	29.06	-13.0	-32.00	5.40	Vertical	Vertical	Pass
14692.577	-46.04	27.82	-13.0	-33.04	252.00	Vertical	Vertical	Pass

LTE-B41-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.27.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.067	-60.46	-14.10	-25.0	-35.46	126.50	Horizontal	Vertical	Pass
198.495	-48.52	-8.53	-25.0	-23.52	101.40	Horizontal	Vertical	Pass
269.045	-48.39	-5.17	-25.0	-23.39	97.10	Horizontal	Vertical	Pass
565.306	-52.61	-2.82	-25.0	-27.61	151.80	Horizontal	Vertical	Pass
1039.990	-45.69	-1.82	-25.0	-20.69	102.70	Horizontal	Vertical	Pass
4101.725	-38.54	7.76	-25.0	-13.54	75.30	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.49.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8171.207	-57.04	18.39	-13.0	-44.04	142.10	Horizontal	Horizontal	Pass
9397.401	-54.65	19.95	-13.0	-41.65	353.80	Horizontal	Horizontal	Pass
10098.475	-50.97	24.27	-13.0	-37.97	332.60	Horizontal	Horizontal	Pass
11844.289	-48.41	24.96	-13.0	-35.41	308.10	Horizontal	Horizontal	Pass
12501.375	-47.78	25.32	-13.0	-34.78	23.10	Horizontal	Horizontal	Pass
14112.472	-45.13	29.10	-13.0	-32.13	172.30	Horizontal	Horizontal	Pass

LTE-B41-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.06.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.942	-64.28	-17.33	-25.0	-39.28	81.40	Vertical	Vertical	Pass
92.064	-61.50	-13.15	-25.0	-36.50	106.10	Vertical	Vertical	Pass
157.523	-62.81	-14.32	-25.0	-37.81	60.70	Vertical	Vertical	Pass
666.888	-46.91	2.17	-25.0	-21.91	63.10	Vertical	Vertical	Pass
1244.939	-39.35	2.00	-25.0	-14.35	138.20	Vertical	Vertical	Pass
2480.130	-39.04	6.21	-25.0	-14.04	0.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.54.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7860.535	-57.19	16.44	-13.0	-44.19	36.10	Vertical	Vertical	Pass
9397.401	-54.99	19.95	-13.0	-41.99	219.90	Vertical	Vertical	Pass
10106.723	-50.55	24.28	-13.0	-37.55	219.90	Vertical	Vertical	Pass
11167.958	-50.12	23.10	-13.0	-37.12	295.40	Vertical	Vertical	Pass
12451.887	-47.98	25.14	-13.0	-34.98	70.10	Vertical	Vertical	Pass
14112.472	-44.01	29.10	-13.0	-31.01	117.00	Vertical	Vertical	Pass

LTE-B41-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.16.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.522	-53.02	-14.48	-25.0	-28.02	78.60	Horizontal	Vertical	Pass
229.285	-54.83	-5.82	-25.0	-29.83	110.10	Horizontal	Vertical	Pass
264.196	-58.51	-5.33	-25.0	-33.51	128.00	Horizontal	Vertical	Pass
584.459	-60.22	-2.41	-25.0	-35.22	69.60	Horizontal	Vertical	Pass
1044.489	-44.36	-1.77	-25.0	-19.36	131.40	Horizontal	Vertical	Pass
4442.639	-35.96	9.54	-25.0	-10.96	81.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.44.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.35	19.17	-13.0	-44.35	359.00	Horizontal	Horizontal	Pass
9422.144	-55.91	19.63	-13.0	-42.91	321.60	Horizontal	Horizontal	Pass
10120.470	-50.80	24.14	-13.0	-37.80	32.80	Horizontal	Horizontal	Pass
11123.969	-50.83	23.18	-13.0	-37.83	41.70	Horizontal	Horizontal	Pass
12457.386	-47.72	25.27	-13.0	-34.72	69.30	Horizontal	Horizontal	Pass
14137.216	-44.10	28.95	-13.0	-31.10	195.00	Horizontal	Horizontal	Pass

LTE-B41-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_13.10.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.669	-67.88	-14.76	-25.0	-42.88	121.50	Vertical	Vertical	Pass
133.279	-63.85	-14.49	-25.0	-38.85	137.00	Vertical	Vertical	Pass
443.844	-61.10	-1.78	-25.0	-36.10	90.00	Vertical	Vertical	Pass
611.855	-57.19	-0.91	-25.0	-32.19	123.70	Vertical	Vertical	Pass
1633.342	-46.37	0.17	-25.0	-21.37	115.10	Vertical	Vertical	Pass
4975.506	-37.71	9.97	-25.0	-12.71	115.40	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_20.57.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-56.58	19.02	-13.0	-43.58	123.20	Vertical	Vertical	Pass
9400.150	-55.28	20.00	-13.0	-42.28	12.70	Vertical	Vertical	Pass
10101.225	-50.15	24.32	-13.0	-37.15	258.00	Vertical	Vertical	Pass
11495.126	-49.69	24.58	-13.0	-36.69	278.40	Vertical	Vertical	Pass
12526.118	-48.35	24.72	-13.0	-35.35	284.40	Vertical	Vertical	Pass
14145.464	-44.96	28.91	-13.0	-31.96	340.20	Vertical	Vertical	Pass

LTE-B66-1.4-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.08.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.340	-55.30	-15.37	-13.0	-42.30	77.40	Horizontal	Vertical	Pass
166.978	-57.33	-15.50	-13.0	-44.33	89.20	Horizontal	Vertical	Pass
250.135	-45.01	-5.34	-13.0	-32.01	73.10	Horizontal	Vertical	Pass
551.002	-50.73	-3.94	-13.0	-37.73	75.30	Horizontal	Vertical	Pass
1221.222	-38.55	1.42	-13.0	-25.55	79.90	Horizontal	Vertical	Pass
2144.357	-34.71	1.35	-13.0	-21.71	132.70	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.36.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-57.10	18.35	-13.0	-44.10	319.90	Horizontal	Horizontal	Pass
9444.139	-55.25	19.31	-13.0	-42.25	280.50	Horizontal	Horizontal	Pass
10109.473	-49.94	24.26	-13.0	-36.94	144.70	Horizontal	Horizontal	Pass
11250.437	-50.11	22.45	-13.0	-37.11	280.50	Horizontal	Horizontal	Pass
12476.631	-47.60	25.44	-13.0	-34.60	192.70	Horizontal	Horizontal	Pass
14156.461	-44.39	28.84	-13.0	-31.39	235.10	Horizontal	Horizontal	Pass

LTE-B66-1.4-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.35.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
132.794	-60.84	-15.29	-13.0	-47.84	86.90	Vertical	Vertical	Pass
190.737	-63.70	-14.64	-13.0	-50.70	96.20	Vertical	Vertical	Pass
450.147	-59.36	-2.19	-13.0	-46.36	68.70	Vertical	Vertical	Pass
1130.734	-36.67	-2.82	-13.0	-23.67	86.30	Vertical	Vertical	Pass
2144.857	-30.59	1.33	-13.0	-17.59	177.40	Vertical	Vertical	Pass
4499.313	-33.14	11.18	-13.0	-20.14	360.70	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_21.20.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.954	-57.04	18.78	-13.0	-44.04	231.90	Vertical	Vertical	Pass
9416.646	-55.62	19.73	-13.0	-42.62	92.80	Vertical	Vertical	Pass
10161.710	-49.92	23.36	-13.0	-36.92	29.50	Vertical	Vertical	Pass
11893.777	-49.04	25.48	-13.0	-36.04	45.90	Vertical	Vertical	Pass
12493.127	-46.90	25.38	-13.0	-33.90	348.00	Vertical	Vertical	Pass
14472.632	-44.65	27.24	-13.0	-31.65	59.60	Vertical	Vertical	Pass

LTE-B66-3-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.12.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-62.54	-18.73	-13.0	-49.54	141.80	Horizontal	Vertical	Pass
122.854	-60.28	-13.54	-13.0	-47.28	139.40	Horizontal	Vertical	Pass
210.860	-52.17	-13.43	-13.0	-39.17	105.70	Horizontal	Vertical	Pass
249.165	-47.48	-5.09	-13.0	-34.48	119.00	Horizontal	Vertical	Pass
1083.990	-46.34	-4.42	-13.0	-33.34	131.50	Horizontal	Vertical	Pass
2144.607	-33.82	1.34	-13.0	-20.82	129.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_18.26.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-56.98	19.20	-13.0	-43.98	297.00	Horizontal	Horizontal	Pass
9386.403	-55.23	19.72	-13.0	-42.23	133.90	Horizontal	Horizontal	Pass
10150.712	-49.89	23.56	-13.0	-36.89	79.20	Horizontal	Horizontal	Pass
11156.961	-50.65	23.12	-13.0	-37.65	237.00	Horizontal	Horizontal	Pass
12501.375	-47.99	25.32	-13.0	-34.99	288.10	Horizontal	Horizontal	Pass
14134.466	-44.96	28.97	-13.0	-31.96	294.10	Horizontal	Horizontal	Pass

LTE-B66-3-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.39.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.004	-72.48	-12.82	-13.0	-59.48	68.30	Vertical	Vertical	Pass
160.675	-66.31	-15.21	-13.0	-53.31	68.30	Vertical	Vertical	Pass
227.831	-59.02	-7.54	-13.0	-46.02	102.20	Vertical	Vertical	Pass
347.596	-64.83	-6.70	-13.0	-51.83	45.40	Vertical	Vertical	Pass
1041.495	-42.93	-3.40	-13.0	-29.93	100.90	Vertical	Vertical	Pass
2145.107	-29.04	1.32	-13.0	-16.04	140.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.01.44

EUT Name:	N.A	Test Engineer:	XCJ
Manufacture:	N.A	Test Standard:	FCC
Model Name:	N.A	Work Additon:	normal
Templ.(oC):	20.1	Load:	full load
Hum:	54	Remark:	DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-66.09	8.85	-13.0	-53.09	171.40	Vertical	Vertical	Pass
9413.897	-59.91	15.03	-13.0	-46.91	79.80	Vertical	Vertical	Pass
10777.556	-57.15	16.45	-13.0	-44.15	50.90	Vertical	Vertical	Pass
13152.962	-57.39	15.05	-13.0	-44.39	55.10	Vertical	Vertical	Pass
14491.877	-47.58	23.98	-13.0	-34.58	208.00	Vertical	Vertical	Pass
16501.625	-47.33	24.96	-13.0	-34.33	22.40	Vertical	Vertical	Pass

LTE-B66-3-HCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2020-12-22_21.18.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.17	19.02	-13.0	-44.17	167.20	Vertical	Vertical	Pass
9397.401	-55.40	19.95	-13.0	-42.40	217.20	Vertical	Vertical	Pass
10103.974	-50.51	24.30	-13.0	-37.51	321.70	Vertical	Vertical	Pass
11893.777	-49.19	25.48	-13.0	-36.19	359.70	Vertical	Vertical	Pass
12468.383	-48.04	25.47	-13.0	-35.04	0.00	Vertical	Vertical	Pass
14098.725	-44.99	29.12	-13.0	-31.99	116.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.59.55

EUT Name: N.A
 Manufacture: N.A
 Model Name: N.A
 Templ.(oC): 20.1
 Hum: 54

Test Engineer: XCJ
 Test Standard: FCC
 Work Additon: normal
 Load: full load
 Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7750.562	-65.52	8.16	-13.0	-52.52	291.60	Vertical	Vertical	Pass
9389.153	-60.36	15.16	-13.0	-47.36	295.50	Vertical	Vertical	Pass
10477.881	-57.51	16.43	-13.0	-44.51	40.50	Vertical	Vertical	Pass
12792.802	-58.63	14.85	-13.0	-45.63	293.60	Vertical	Vertical	Pass
14700.825	-48.34	25.25	-13.0	-35.34	165.00	Vertical	Vertical	Pass
16702.324	-46.44	25.76	-13.0	-33.44	112.20	Vertical	Vertical	Pass

LTE-B66-5-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.15.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
137.643	-61.15	-15.04	-13.0	-48.15	136.70	Horizontal	Vertical	Pass
190.495	-57.91	-14.75	-13.0	-44.91	123.10	Horizontal	Vertical	Pass
286.986	-51.98	-9.95	-13.0	-38.98	86.40	Horizontal	Vertical	Pass
1255.218	-45.89	0.00	-13.0	-32.89	110.30	Horizontal	Vertical	Pass
2143.607	-33.00	1.37	-13.0	-20.00	131.30	Horizontal	Vertical	Pass
2548.806	-42.98	2.01	-13.0	-29.98	94.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.24.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8052.987	-57.27	18.26	-13.0	-44.27	131.40	Horizontal	Horizontal	Pass
9400.150	-55.36	20.00	-13.0	-42.36	177.20	Horizontal	Horizontal	Pass
10101.225	-50.83	24.32	-13.0	-37.83	298.50	Horizontal	Horizontal	Pass
11871.782	-48.85	25.40	-13.0	-35.85	39.90	Horizontal	Horizontal	Pass
12479.380	-47.97	25.43	-13.0	-34.97	103.90	Horizontal	Horizontal	Pass
14145.464	-44.87	28.91	-13.0	-31.87	234.80	Horizontal	Horizontal	Pass

LTE-B66-5-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.43.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
104.186	-63.62	-11.98	-13.0	-50.62	90.90	Vertical	Vertical	Pass
220.315	-55.32	-10.82	-13.0	-42.32	152.40	Vertical	Vertical	Pass
558.275	-57.42	-4.14	-13.0	-44.42	134.50	Vertical	Vertical	Pass
691.375	-55.37	-1.96	-13.0	-42.37	138.80	Vertical	Vertical	Pass
1135.733	-35.81	-2.42	-13.0	-22.81	77.40	Vertical	Vertical	Pass
2144.607	-29.47	1.34	-13.0	-16.47	94.10	Vertical	Vertical	Pass

LTE-B66-10-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.19.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.069	-61.51	-15.26	-13.0	-48.51	104.60	Horizontal	Vertical	Pass
197.041	-61.03	-10.87	-13.0	-48.03	88.60	Horizontal	Vertical	Pass
590.762	-65.55	-4.00	-13.0	-52.55	118.20	Horizontal	Vertical	Pass
1222.722	-41.81	1.34	-13.0	-28.81	147.50	Horizontal	Vertical	Pass
1633.671	-43.26	-1.75	-13.0	-30.26	192.30	Horizontal	Vertical	Pass
2144.357	-32.12	1.35	-13.0	-19.12	131.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.17.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8495.626	-57.80	16.62	-13.0	-44.80	57.80	Horizontal	Horizontal	Pass
9397.401	-55.23	19.95	-13.0	-42.23	0.00	Horizontal	Horizontal	Pass
10131.467	-50.54	23.93	-13.0	-37.54	69.00	Horizontal	Horizontal	Pass
11486.878	-50.42	24.43	-13.0	-37.42	32.50	Horizontal	Horizontal	Pass
12482.129	-47.27	25.42	-13.0	-34.27	21.70	Horizontal	Horizontal	Pass
14148.213	-44.46	28.89	-13.0	-31.46	41.10	Horizontal	Horizontal	Pass

LTE-B66-10-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.49.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
137.401	-54.20	-15.05	-13.0	-41.20	96.80	Vertical	Vertical	Pass
261.287	-59.55	-6.51	-13.0	-46.55	99.30	Vertical	Vertical	Pass
940.602	-53.26	3.28	-13.0	-40.26	24.80	Vertical	Vertical	Pass
1017.248	-36.88	-2.50	-13.0	-23.88	53.40	Vertical	Vertical	Pass
1186.227	-37.41	1.29	-13.0	-24.41	113.30	Vertical	Vertical	Pass
2144.607	-29.58	1.34	-13.0	-16.58	138.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_21.30.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-57.57	19.20	-13.0	-44.57	69.30	Vertical	Vertical	Pass
9419.395	-54.96	19.68	-13.0	-41.96	69.30	Vertical	Vertical	Pass
10114.971	-50.09	24.23	-13.0	-37.09	285.10	Vertical	Vertical	Pass
11882.779	-49.15	25.44	-13.0	-36.15	83.40	Vertical	Vertical	Pass
12479.380	-48.30	25.43	-13.0	-35.30	356.50	Vertical	Vertical	Pass
14104.224	-44.61	29.14	-13.0	-31.61	103.50	Vertical	Vertical	Pass

LTE-B66-15-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.22.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.917	-53.18	-15.22	-13.0	-40.18	83.20	Horizontal	Vertical	Pass
361.172	-59.00	-8.37	-13.0	-46.00	85.30	Horizontal	Vertical	Pass
521.182	-54.90	-5.21	-13.0	-41.90	131.00	Horizontal	Vertical	Pass
1215.223	-31.27	1.69	-13.0	-18.27	53.00	Horizontal	Vertical	Pass
1488.189	-42.97	-2.97	-13.0	-29.97	120.30	Horizontal	Vertical	Pass
2146.607	-33.17	1.28	-13.0	-20.17	129.60	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.31.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-57.13	19.10	-13.0	-44.13	94.90	Horizontal	Horizontal	Pass
9515.621	-55.73	18.89	-13.0	-42.73	353.50	Horizontal	Horizontal	Pass
10123.219	-50.71	24.08	-13.0	-37.71	211.70	Horizontal	Horizontal	Pass
11902.024	-48.72	25.39	-13.0	-35.72	305.20	Horizontal	Horizontal	Pass
12432.642	-47.99	24.67	-13.0	-34.99	358.00	Horizontal	Horizontal	Pass
14131.717	-45.12	28.99	-13.0	-32.12	120.90	Horizontal	Horizontal	Pass

LTE-B66-15-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.54.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.764	-55.65	-15.24	-13.0	-42.65	115.40	Vertical	Vertical	Pass
316.563	-66.51	-9.21	-13.0	-53.51	94.70	Vertical	Vertical	Pass
571.610	-57.09	-4.32	-13.0	-44.09	117.60	Vertical	Vertical	Pass
891.387	-54.01	1.90	-13.0	-41.01	112.90	Vertical	Vertical	Pass
1021.497	-33.69	-2.60	-13.0	-20.69	104.90	Vertical	Vertical	Pass
2149.106	-29.30	1.20	-13.0	-16.30	139.80	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_21.24.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-56.58	19.17	-13.0	-43.58	121.00	Vertical	Vertical	Pass
10128.718	-50.43	23.98	-13.0	-37.43	356.90	Vertical	Vertical	Pass
11162.459	-50.29	23.11	-13.0	-37.29	316.80	Vertical	Vertical	Pass
12462.884	-47.89	25.40	-13.0	-34.89	157.90	Vertical	Vertical	Pass
14087.728	-44.62	28.76	-13.0	-31.62	166.40	Vertical	Vertical	Pass
16639.090	-49.26	22.99	-13.0	-36.26	214.00	Vertical	Vertical	Pass

LTE-B66-20-MCH-H-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_15.27.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-71.34	-14.53	-13.0	-58.34	89.30	Horizontal	Vertical	Pass
141.280	-58.85	-15.04	-13.0	-45.85	82.50	Horizontal	Vertical	Pass
188.798	-58.47	-15.23	-13.0	-45.47	118.70	Horizontal	Vertical	Pass
250.620	-56.62	-5.40	-13.0	-43.62	118.70	Horizontal	Vertical	Pass
1166.979	-41.55	0.11	-13.0	-28.55	170.50	Horizontal	Vertical	Pass
2153.356	-31.94	1.11	-13.0	-18.94	131.00	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-23_19.40.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.52	19.02	-13.0	-44.52	47.60	Horizontal	Horizontal	Pass
9389.153	-55.03	19.78	-13.0	-42.03	358.70	Horizontal	Horizontal	Pass
10167.208	-50.53	23.25	-13.0	-37.53	161.90	Horizontal	Horizontal	Pass
11860.785	-49.58	25.35	-13.0	-36.58	283.20	Horizontal	Horizontal	Pass
12473.882	-47.76	25.45	-13.0	-34.76	155.20	Horizontal	Horizontal	Pass
14109.723	-45.37	29.11	-13.0	-32.37	283.20	Horizontal	Horizontal	Pass

LTE-B66-20-MCH-V-TX

Test result

Project Number: 验证测试

Test Time: 2021-01-06_11.58.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
74.366	-64.75	-18.85	-13.0	-51.75	111.90	Vertical	Vertical	Pass
170.857	-56.50	-15.91	-13.0	-43.50	84.80	Vertical	Vertical	Pass
232.437	-58.08	-5.61	-13.0	-45.08	84.80	Vertical	Vertical	Pass
415.721	-57.16	-6.95	-13.0	-44.16	53.00	Vertical	Vertical	Pass
1702.912	-36.65	-1.07	-13.0	-23.65	268.40	Vertical	Vertical	Pass
2142.607	-28.50	1.40	-13.0	-15.50	88.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2020-12-22_21.38.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.07	19.02	-13.0	-44.07	312.70	Vertical	Vertical	Pass
10109.473	-50.81	24.26	-13.0	-37.81	112.50	Vertical	Vertical	Pass
11192.702	-50.44	23.06	-13.0	-37.44	299.30	Vertical	Vertical	Pass
12446.388	-47.95	25.00	-13.0	-34.95	315.60	Vertical	Vertical	Pass
13834.791	-45.35	26.05	-13.0	-32.35	10.10	Vertical	Vertical	Pass
14700.825	-46.23	28.09	-13.0	-33.23	347.20	Vertical	Vertical	Pass

END