

## EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

LTE-B2-1.4-MCH-H-TX

### Test result

Project Number: 验证测试

Test Time: 2020-12-21\_17.22.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.98	-14.35	-13.0	-66.98	297.60	Horizontal	Horizontal	Pass
239.953	-74.62	-2.33	-13.0	-61.62	314.10	Horizontal	Horizontal	Pass
849.445	-67.06	5.77	-13.0	-54.06	277.60	Horizontal	Horizontal	Pass
1200.450	-52.42	2.29	-13.0	-39.42	145.20	Horizontal	Horizontal	Pass
1919.270	-52.38	1.94	-13.0	-39.38	341.20	Horizontal	Horizontal	Pass
1959.760	-35.00	-1.42	-13.0	-22.00	177.10	Horizontal	Horizontal	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_21.55.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7948.513	-57.25	16.75	-13.0	-44.25	130.60	Horizontal	Horizontal	Pass
9400.150	-55.45	20.00	-13.0	-42.45	334.70	Horizontal	Horizontal	Pass
10120.470	-50.84	24.14	-13.0	-37.84	74.10	Horizontal	Horizontal	Pass
11184.454	-51.01	23.07	-13.0	-38.01	357.50	Horizontal	Horizontal	Pass
12498.625	-48.00	25.36	-13.0	-35.00	234.30	Horizontal	Horizontal	Pass
14148.213	-45.45	28.89	-13.0	-32.45	261.90	Horizontal	Horizontal	Pass

LTE-B2-1.4-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_11.27.34

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RE01-E20060042-01

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_10.45.03

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RSE01-E20060042-01#01

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.25	19.02	-13.0	-44.25	0.30	Vertical	Vertical	Pass
9405.649	-54.98	19.91	-13.0	-41.98	144.00	Vertical	Vertical	Pass
10109.473	-50.53	24.26	-13.0	-37.53	1.70	Vertical	Vertical	Pass
11849.788	-48.98	25.09	-13.0	-35.98	123.90	Vertical	Vertical	Pass
14161.960	-44.84	28.81	-13.0	-31.84	268.90	Vertical	Vertical	Pass
14714.571	-45.45	27.28	-13.0	-32.45	234.70	Vertical	Vertical	Pass

LTE-B2-3-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_16.42.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.24	-14.35	-13.0	-67.24	299.70	Horizontal	Horizontal	Pass
239.710	-74.33	-2.43	-13.0	-61.33	84.20	Horizontal	Horizontal	Pass
850.415	-66.40	5.81	-13.0	-53.40	248.50	Horizontal	Horizontal	Pass
1211.447	-52.76	1.80	-13.0	-39.76	123.50	Horizontal	Horizontal	Pass
1878.280	-40.61	1.22	-13.0	-27.61	184.80	Horizontal	Horizontal	Pass
1959.260	-31.45	-1.42	-13.0	-18.45	174.40	Horizontal	Horizontal	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_21.51.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.954	-55.96	18.78	-13.0	-42.96	279.80	Horizontal	Horizontal	Pass
9807.048	-51.53	22.23	-13.0	-38.53	32.10	Horizontal	Horizontal	Pass
11200.950	-50.27	23.04	-13.0	-37.27	282.80	Horizontal	Horizontal	Pass
12462.884	-48.16	25.40	-13.0	-35.16	92.00	Horizontal	Horizontal	Pass
13697.326	-46.14	27.93	-13.0	-33.14	359.40	Horizontal	Horizontal	Pass
14453.387	-45.55	27.16	-13.0	-32.55	170.80	Horizontal	Horizontal	Pass


LTE-B2-3-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_11.49.02

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RE01-E20060042-01
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.81	-14.35	-13.0	-63.81	241.60	Vertical	Vertical	Pass
239.225	-74.27	-2.63	-13.0	-61.27	70.80	Vertical	Vertical	Pass
852.354	-66.44	5.74	-13.0	-53.44	140.00	Vertical	Vertical	Pass
1200.950	-52.32	2.27	-13.0	-39.32	344.60	Vertical	Vertical	Pass
1879.280	-33.84	1.24	-13.0	-20.84	328.50	Vertical	Vertical	Pass
1959.760	-28.48	-1.42	-13.0	-15.48	129.10	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_10.57.02

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8182.204	-56.96	18.70	-13.0	-43.96	202.40	Vertical	Vertical	Pass
9419.395	-54.90	19.68	-13.0	-41.90	103.70	Vertical	Vertical	Pass
10112.222	-50.35	24.25	-13.0	-37.35	5.00	Vertical	Vertical	Pass
12482.129	-47.52	25.42	-13.0	-34.52	149.10	Vertical	Vertical	Pass
13744.064	-45.79	27.23	-13.0	-32.79	89.90	Vertical	Vertical	Pass
16636.341	-50.10	23.02	-13.0	-37.10	58.70	Vertical	Vertical	Pass



LTE-B2-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_16.30.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.05	-14.35	-13.0	-68.05	257.70	Horizontal	Horizontal	Pass
239.953	-75.20	-2.33	-13.0	-62.20	45.30	Horizontal	Horizontal	Pass
852.112	-66.67	5.75	-13.0	-53.67	94.40	Horizontal	Horizontal	Pass
1210.947	-52.91	1.83	-13.0	-39.91	151.10	Horizontal	Horizontal	Pass
1878.780	-45.05	1.23	-13.0	-32.05	180.80	Horizontal	Horizontal	Pass
1959.760	-30.91	-1.42	-13.0	-17.91	172.10	Horizontal	Horizontal	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_21.45.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.04	19.18	-13.0	-44.04	244.30	Horizontal	Horizontal	Pass
9977.506	-52.45	21.26	-13.0	-39.45	17.90	Horizontal	Horizontal	Pass
10857.286	-52.38	22.54	-13.0	-39.38	181.40	Horizontal	Horizontal	Pass
11825.044	-49.61	24.51	-13.0	-36.61	29.10	Horizontal	Horizontal	Pass
13249.188	-48.78	25.08	-13.0	-35.78	360.00	Horizontal	Horizontal	Pass
14181.205	-45.16	28.70	-13.0	-32.16	246.90	Horizontal	Horizontal	Pass

LTE-B2-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_13.36.22

EUT Name:	N.A	Load:	Full load
Manufacturer:	N.A	Remark:	DR-RE01-E20060042-01
Model:	N.A	Name:	
Temp.(oC):	24.5	Project Template:	
Hum.:	56%	Manufacture:	
Test Engineer:	Xiang Cheng Jie	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-78.24	-14.35	-13.0	-65.24	226.60	Vertical	Vertical	Pass
239.953	-73.45	-2.33	-13.0	-60.45	42.30	Vertical	Vertical	Pass
462.269	-73.96	-2.72	-13.0	-60.96	195.70	Vertical	Vertical	Pass
661.555	-70.55	0.94	-13.0	-57.55	313.60	Vertical	Vertical	Pass
1878.780	-38.45	1.23	-13.0	-25.45	221.80	Vertical	Vertical	Pass
1959.760	-28.93	-1.42	-13.0	-15.93	127.90	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.01.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-57.20	18.86	-13.0	-44.20	94.60	Vertical	Vertical	Pass
9859.285	-51.98	22.09	-13.0	-38.98	55.10	Vertical	Vertical	Pass
10136.966	-49.92	23.82	-13.0	-36.92	353.00	Vertical	Vertical	Pass
11099.225	-50.20	23.17	-13.0	-37.20	268.20	Vertical	Vertical	Pass
12454.636	-47.90	25.20	-13.0	-34.90	172.50	Vertical	Vertical	Pass
14109.723	-45.29	29.11	-13.0	-32.29	86.00	Vertical	Vertical	Pass

LTE-B2-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_16.14.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.76	-14.35	-13.0	-67.76	303.00	Horizontal	Horizontal	Pass
239.953	-73.81	-2.33	-13.0	-60.81	52.10	Horizontal	Horizontal	Pass
860.355	-67.12	5.43	-13.0	-54.12	259.00	Horizontal	Horizontal	Pass
1197.951	-52.48	2.16	-13.0	-39.48	35.30	Horizontal	Horizontal	Pass
1883.779	-52.80	1.32	-13.0	-39.80	199.60	Horizontal	Horizontal	Pass
1956.261	-29.82	-1.39	-13.0	-16.82	176.40	Horizontal	Horizontal	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09.43.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-56.46	18.35	-13.0	-43.46	210.30	Horizontal	Horizontal	Pass
9391.902	-55.25	19.83	-13.0	-42.25	3.30	Horizontal	Horizontal	Pass
10087.478	-50.92	23.88	-13.0	-37.92	207.70	Horizontal	Horizontal	Pass
11170.707	-50.62	23.09	-13.0	-37.62	345.60	Horizontal	Horizontal	Pass
12498.625	-47.75	25.36	-13.0	-34.75	291.70	Horizontal	Horizontal	Pass
14109.723	-44.71	29.11	-13.0	-31.71	139.60	Horizontal	Horizontal	Pass

LTE-B2-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_13.56.41

EUT Name: N.A

Load: Full load

Manufacturer: N.A

Remark: DR-RE01-E20060042-01

Model: N.A

Name:

Temp.(oC): 24.5

Project Template:

Hum.: 56%

Manufacture:

Test Engineer: Xiang Cheng Jie

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.98	-14.35	-13.0	-64.98	301.70	Vertical	Vertical	Pass
159.948	-79.87	-14.99	-13.0	-66.87	182.60	Vertical	Vertical	Pass
239.953	-72.70	-2.33	-13.0	-59.70	100.50	Vertical	Vertical	Pass
450.147	-73.93	-1.90	-13.0	-60.93	146.70	Vertical	Vertical	Pass
1878.780	-36.11	1.23	-13.0	-23.11	224.50	Vertical	Vertical	Pass
1959.260	-27.25	-1.42	-13.0	-14.25	133.10	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.11.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.954	-57.24	18.78	-13.0	-44.24	80.80	Vertical	Vertical	Pass
10161.710	-50.30	23.36	-13.0	-37.30	167.90	Vertical	Vertical	Pass
11107.473	-50.12	23.22	-13.0	-37.12	162.60	Vertical	Vertical	Pass
11866.283	-49.16	25.37	-13.0	-36.16	340.50	Vertical	Vertical	Pass
13843.039	-46.21	26.00	-13.0	-33.21	196.10	Vertical	Vertical	Pass
14692.577	-46.23	27.82	-13.0	-33.23	154.10	Vertical	Vertical	Pass



LTE-B2-15-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_15.57.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.17	-14.35	-13.0	-68.17	270.30	Horizontal	Horizontal	Pass
241.407	-74.13	-2.69	-13.0	-61.13	188.80	Horizontal	Horizontal	Pass
858.415	-66.65	5.52	-13.0	-53.65	180.10	Horizontal	Horizontal	Pass
1202.949	-52.53	2.19	-13.0	-39.53	166.40	Horizontal	Horizontal	Pass
1878.780	-46.76	1.23	-13.0	-33.76	187.40	Horizontal	Horizontal	Pass
1957.261	-30.22	-1.40	-13.0	-17.22	95.40	Horizontal	Horizontal	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09.36.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8069.483	-57.14	18.01	-13.0	-44.14	357.00	Horizontal	Horizontal	Pass
9389.153	-54.58	19.78	-13.0	-41.58	247.80	Horizontal	Horizontal	Pass
10134.216	-49.80	23.88	-13.0	-36.80	173.40	Horizontal	Horizontal	Pass
11464.884	-48.86	24.03	-13.0	-35.86	0.80	Horizontal	Horizontal	Pass
12465.634	-47.81	25.47	-13.0	-34.81	131.30	Horizontal	Horizontal	Pass
14098.725	-45.34	29.12	-13.0	-32.34	345.80	Horizontal	Horizontal	Pass

LTE-B2-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_14.37.44

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 56%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.23	-14.35	-13.0	-64.23	195.20	Vertical	Vertical	Pass
159.948	-79.34	-14.99	-13.0	-66.34	181.20	Vertical	Vertical	Pass
454.996	-72.82	-2.17	-13.0	-59.82	344.80	Vertical	Vertical	Pass
871.022	-66.18	4.41	-13.0	-53.18	263.90	Vertical	Vertical	Pass
1879.280	-42.48	1.24	-13.0	-29.48	31.40	Vertical	Vertical	Pass
1957.761	-28.10	-1.41	-13.0	-15.10	130.00	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.20.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.954	-56.71	18.78	-13.0	-43.71	1.10	Vertical	Vertical	Pass
9405.649	-55.07	19.91	-13.0	-42.07	360.00	Vertical	Vertical	Pass
10120.470	-50.29	24.14	-13.0	-37.29	98.70	Vertical	Vertical	Pass
11880.030	-49.15	25.43	-13.0	-36.15	284.70	Vertical	Vertical	Pass
12479.380	-47.56	25.43	-13.0	-34.56	267.60	Vertical	Vertical	Pass
14156.461	-45.09	28.84	-13.0	-32.09	124.00	Vertical	Vertical	Pass

LTE-B2-20-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_15.46.48

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 24.5  
 Hum.: 56%

Test Engineer: Xiang Cheng Jie  
 Test Standard: FCC  
 Work Addition: Normal  
 Load: Full load  
 Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-81.12	-14.35	-13.0	-68.12	314.50	Horizontal	Horizontal	Pass
239.953	-73.43	-2.33	-13.0	-60.43	241.50	Horizontal	Horizontal	Pass
1196.951	-52.06	2.09	-13.0	-39.06	56.60	Horizontal	Horizontal	Pass
1841.290	-42.65	-0.96	-13.0	-29.65	19.30	Horizontal	Horizontal	Pass
1879.280	-48.08	1.24	-13.0	-35.08	187.30	Horizontal	Horizontal	Pass
1951.762	-30.43	-1.36	-13.0	-17.43	171.30	Horizontal	Horizontal	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09.31.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8022.744	-57.21	17.89	-13.0	-44.21	193.90	Horizontal	Horizontal	Pass
9408.398	-55.08	19.86	-13.0	-42.08	32.00	Horizontal	Horizontal	Pass
10150.712	-50.55	23.56	-13.0	-37.55	7.10	Horizontal	Horizontal	Pass
11126.718	-49.92	23.18	-13.0	-36.92	312.50	Horizontal	Horizontal	Pass
12454.636	-47.89	25.20	-13.0	-34.89	359.10	Horizontal	Horizontal	Pass
14156.461	-45.42	28.84	-13.0	-32.42	312.50	Horizontal	Horizontal	Pass

LTE-B2-20-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-21\_15.07.06

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 24.5

Load: Full load

Hum.: 56%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-73.64	-2.33	-13.0	-60.64	340.60	Vertical	Vertical	Pass
1196.451	-52.51	2.05	-13.0	-39.51	111.30	Vertical	Vertical	Pass
1842.289	-38.13	0.57	-13.0	-25.13	338.70	Vertical	Vertical	Pass
1872.282	-42.44	1.12	-13.0	-29.44	218.60	Vertical	Vertical	Pass
1954.761	-27.29	-1.38	-13.0	-14.29	131.10	Vertical	Vertical	Pass
3416.896	-38.37	5.50	-13.0	-25.37	47.00	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.28.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-57.11	17.45	-13.0	-44.11	16.40	Vertical	Vertical	Pass
9400.150	-55.22	20.00	-13.0	-42.22	329.50	Vertical	Vertical	Pass
10131.467	-50.33	23.93	-13.0	-37.33	110.60	Vertical	Vertical	Pass
11481.380	-49.87	24.33	-13.0	-36.87	186.10	Vertical	Vertical	Pass
11863.534	-48.49	25.36	-13.0	-35.49	304.20	Vertical	Vertical	Pass
14104.224	-44.29	29.14	-13.0	-31.29	75.60	Vertical	Vertical	Pass



LTE-B4-1.4-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_13.40.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-64.75	-19.16	-13.0	-51.75	123.80	Horizontal	Vertical	Pass
199.465	-45.27	-8.65	-13.0	-32.27	65.10	Horizontal	Vertical	Pass
243.832	-55.20	-3.62	-13.0	-42.20	108.00	Horizontal	Vertical	Pass
697.193	-56.48	-1.59	-13.0	-43.48	123.80	Horizontal	Vertical	Pass
1178.978	-41.41	0.86	-13.0	-28.41	100.00	Horizontal	Vertical	Pass
2132.358	-35.57	1.72	-13.0	-22.57	130.00	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09.25.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8171.207	-57.18	18.39	-13.0	-44.18	7.50	Horizontal	Horizontal	Pass
9386.403	-54.92	19.72	-13.0	-41.92	185.00	Horizontal	Horizontal	Pass
10125.969	-50.43	24.03	-13.0	-37.43	1.20	Horizontal	Horizontal	Pass
11134.966	-50.32	23.16	-13.0	-37.32	190.60	Horizontal	Horizontal	Pass
12501.375	-47.69	25.32	-13.0	-34.69	305.60	Horizontal	Horizontal	Pass
14131.717	-44.86	28.99	-13.0	-31.86	60.70	Horizontal	Horizontal	Pass

LTE-B4-1.4-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.06.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
103.944	-79.83	-11.94	-13.0	-66.83	14.20	Vertical	Vertical	Pass
249.893	-73.43	-5.29	-13.0	-60.43	196.90	Vertical	Vertical	Pass
848.475	-67.11	5.36	-13.0	-54.11	194.20	Vertical	Vertical	Pass
1164.979	-52.56	-0.03	-13.0	-39.56	14.30	Vertical	Vertical	Pass
2132.608	-29.14	1.71	-13.0	-16.14	311.70	Vertical	Vertical	Pass
5402.700	-31.27	10.42	-13.0	-18.27	118.30	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.33.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.11	19.18	-13.0	-44.11	29.40	Vertical	Vertical	Pass
10087.478	-50.02	23.88	-13.0	-37.02	0.00	Vertical	Vertical	Pass
11165.209	-50.41	23.10	-13.0	-37.41	354.10	Vertical	Vertical	Pass
12462.884	-47.93	25.40	-13.0	-34.93	238.80	Vertical	Vertical	Pass
13763.309	-45.59	26.91	-13.0	-32.59	125.80	Vertical	Vertical	Pass
14412.147	-45.86	26.98	-13.0	-32.86	205.40	Vertical	Vertical	Pass

LTE-B4-3-MCH-H

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_13.45.36

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
84.791	-57.68	-17.44	-13.0	-44.68	73.70	Horizontal	Vertical	Pass
138.613	-56.14	-14.98	-13.0	-43.14	73.70	Horizontal	Vertical	Pass
220.315	-53.04	-10.82	-13.0	-40.04	76.20	Horizontal	Vertical	Pass
568.943	-55.24	-4.37	-13.0	-42.24	76.20	Horizontal	Vertical	Pass
1377.453	-36.49	-2.04	-13.0	-23.49	110.70	Horizontal	Vertical	Pass
2132.108	-32.27	1.73	-13.0	-19.27	131.10	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.14.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-57.49	18.35	-13.0	-44.49	55.90	Horizontal	Horizontal	Pass
9411.147	-55.34	19.82	-13.0	-42.34	132.90	Horizontal	Horizontal	Pass
10120.470	-51.07	24.14	-13.0	-38.07	22.40	Horizontal	Horizontal	Pass
11170.707	-50.01	23.09	-13.0	-37.01	262.40	Horizontal	Horizontal	Pass
12460.135	-48.42	25.33	-13.0	-35.42	304.80	Horizontal	Horizontal	Pass
14120.720	-44.56	29.05	-13.0	-31.56	164.20	Horizontal	Horizontal	Pass

LTE-B4-3-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.12.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.005	-80.63	-11.04	-13.0	-67.63	358.60	Vertical	Vertical	Pass
249.893	-72.61	-5.29	-13.0	-59.61	203.60	Vertical	Vertical	Pass
847.991	-66.82	5.31	-13.0	-53.82	53.30	Vertical	Vertical	Pass
1215.473	-52.04	1.68	-13.0	-39.04	5.00	Vertical	Vertical	Pass
2133.108	-26.21	1.70	-13.0	-13.21	320.60	Vertical	Vertical	Pass
5843.645	-29.59	12.39	-13.0	-16.59	88.40	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.39.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8215.196	-57.70	18.82	-13.0	-44.70	149.10	Vertical	Vertical	Pass
9375.406	-54.58	19.49	-13.0	-41.58	50.50	Vertical	Vertical	Pass
10156.211	-50.78	23.46	-13.0	-37.78	73.20	Vertical	Vertical	Pass
11495.126	-49.70	24.58	-13.0	-36.70	321.20	Vertical	Vertical	Pass
12468.383	-47.54	25.47	-13.0	-34.54	5.60	Vertical	Vertical	Pass
14090.477	-45.46	28.85	-13.0	-32.46	134.60	Vertical	Vertical	Pass



LTE-B4-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_13.51.27

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.370	-47.70	-15.42	-13.0	-34.70	113.00	Horizontal	Vertical	Pass
193.889	-62.57	-13.23	-13.0	-49.57	108.30	Horizontal	Vertical	Pass
411.842	-65.11	-7.52	-13.0	-52.11	101.80	Horizontal	Vertical	Pass
1038.995	-44.11	-3.32	-13.0	-31.11	101.30	Horizontal	Vertical	Pass
1429.696	-37.92	-2.37	-13.0	-24.92	101.30	Horizontal	Vertical	Pass
2131.859	-32.14	1.74	-13.0	-19.14	174.80	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.08.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8212.447	-57.07	18.94	-13.0	-44.07	293.40	Horizontal	Horizontal	Pass
9397.401	-55.00	19.95	-13.0	-42.00	34.80	Horizontal	Horizontal	Pass
10112.222	-50.01	24.25	-13.0	-37.01	108.50	Horizontal	Horizontal	Pass
11497.876	-49.92	24.63	-13.0	-36.92	359.50	Horizontal	Horizontal	Pass
12515.121	-47.70	24.99	-13.0	-34.70	285.20	Horizontal	Horizontal	Pass
14082.229	-45.01	28.57	-13.0	-32.01	18.40	Horizontal	Horizontal	Pass

LTE-B4-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.18.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
104.429	-80.42	-12.01	-13.0	-67.42	13.80	Vertical	Vertical	Pass
239.953	-74.97	-2.59	-13.0	-61.97	258.70	Vertical	Vertical	Pass
851.142	-67.11	5.46	-13.0	-54.11	67.40	Vertical	Vertical	Pass
1201.975	-52.33	2.22	-13.0	-39.33	103.30	Vertical	Vertical	Pass
2130.859	-27.80	1.77	-13.0	-14.80	317.30	Vertical	Vertical	Pass
5773.153	-30.14	12.21	-13.0	-17.14	123.50	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.44.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.36	19.18	-13.0	-44.36	142.20	Vertical	Vertical	Pass
10128.718	-50.28	23.98	-13.0	-37.28	173.00	Vertical	Vertical	Pass
11173.457	-49.54	23.09	-13.0	-36.54	347.90	Vertical	Vertical	Pass
12157.711	-49.13	24.57	-13.0	-36.13	161.50	Vertical	Vertical	Pass
13166.708	-47.89	24.58	-13.0	-34.89	359.80	Vertical	Vertical	Pass
14175.706	-44.86	28.73	-13.0	-31.86	212.10	Vertical	Vertical	Pass

LTE-B4-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_13.59.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.486	-60.25	-11.36	-13.0	-47.25	146.00	Horizontal	Vertical	Pass
120.915	-57.45	-12.55	-13.0	-44.45	64.20	Horizontal	Vertical	Pass
240.680	-50.69	-2.76	-13.0	-37.69	84.60	Horizontal	Vertical	Pass
264.681	-46.99	-6.42	-13.0	-33.99	89.20	Horizontal	Vertical	Pass
1229.221	-37.21	1.01	-13.0	-24.21	67.80	Horizontal	Vertical	Pass
2129.859	-30.73	1.80	-13.0	-17.73	130.20	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.00.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-56.61	19.17	-13.0	-43.61	83.10	Horizontal	Horizontal	Pass
9405.649	-55.41	19.91	-13.0	-42.41	263.50	Horizontal	Horizontal	Pass
10087.478	-50.56	23.88	-13.0	-37.56	322.60	Horizontal	Horizontal	Pass
11863.534	-49.35	25.36	-13.0	-36.35	223.30	Horizontal	Horizontal	Pass
12446.388	-48.16	25.00	-13.0	-35.16	260.90	Horizontal	Horizontal	Pass
14134.466	-45.14	28.97	-13.0	-32.14	254.90	Horizontal	Horizontal	Pass

LTE-B4-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.21.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.429	-80.30	-10.69	-13.0	-67.30	156.00	Vertical	Vertical	Pass
240.680	-74.34	-2.76	-13.0	-61.34	1.30	Vertical	Vertical	Pass
862.779	-65.70	4.85	-13.0	-52.70	230.00	Vertical	Vertical	Pass
1191.976	-52.00	1.68	-13.0	-39.00	238.10	Vertical	Vertical	Pass
2129.359	-26.47	1.81	-13.0	-13.47	325.80	Vertical	Vertical	Pass
4504.812	-32.14	11.26	-13.0	-19.14	298.70	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.51.26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8212.447	-56.71	18.94	-13.0	-43.71	44.00	Vertical	Vertical	Pass
9427.643	-54.16	19.54	-13.0	-41.16	81.20	Vertical	Vertical	Pass
10114.971	-50.69	24.23	-13.0	-37.69	324.10	Vertical	Vertical	Pass
11159.710	-49.65	23.11	-13.0	-36.65	250.30	Vertical	Vertical	Pass
12471.132	-47.80	25.46	-13.0	-34.80	46.90	Vertical	Vertical	Pass
14123.469	-44.92	29.03	-13.0	-31.92	118.00	Vertical	Vertical	Pass



LTE-B4-15-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_14.03.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
166.008	-54.44	-15.38	-13.0	-41.44	120.40	Horizontal	Vertical	Pass
234.861	-49.73	-4.64	-13.0	-36.73	88.20	Horizontal	Vertical	Pass
264.681	-56.53	-6.42	-13.0	-43.53	117.90	Horizontal	Vertical	Pass
1355.706	-40.73	-2.04	-13.0	-27.73	60.80	Horizontal	Vertical	Pass
1691.164	-38.74	-2.81	-13.0	-25.74	160.30	Horizontal	Vertical	Pass
2127.609	-32.11	1.83	-13.0	-19.11	130.60	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09:55:51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8176.706	-57.08	18.55	-13.0	-44.08	238.60	Horizontal	Horizontal	Pass
9444.139	-55.49	19.31	-13.0	-42.49	64.10	Horizontal	Horizontal	Pass
10123.219	-49.96	24.08	-13.0	-36.96	184.70	Horizontal	Horizontal	Pass
11877.281	-49.30	25.42	-13.0	-36.30	19.50	Horizontal	Horizontal	Pass
12490.377	-48.02	25.39	-13.0	-35.02	221.20	Horizontal	Horizontal	Pass
14131.717	-44.82	28.99	-13.0	-31.82	330.90	Horizontal	Horizontal	Pass

LTE-B4-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.25.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.468	-74.06	-2.78	-13.0	-61.06	341.60	Vertical	Vertical	Pass
854.536	-66.49	5.33	-13.0	-53.49	188.30	Vertical	Vertical	Pass
1216.223	-52.07	1.65	-13.0	-39.07	99.60	Vertical	Vertical	Pass
1701.412	-40.66	-1.10	-13.0	-27.66	28.10	Vertical	Vertical	Pass
2126.609	-23.62	1.85	-13.0	-10.62	311.30	Vertical	Vertical	Pass
6279.590	-29.13	11.79	-13.0	-16.13	22.20	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_11.57.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.954	-57.25	18.78	-13.0	-44.25	73.30	Vertical	Vertical	Pass
9419.395	-54.81	19.68	-13.0	-41.81	236.90	Vertical	Vertical	Pass
10095.726	-50.32	24.18	-13.0	-37.32	231.30	Vertical	Vertical	Pass
11841.540	-48.80	24.90	-13.0	-35.80	31.20	Vertical	Vertical	Pass
12471.132	-47.76	25.46	-13.0	-34.76	110.20	Vertical	Vertical	Pass
14087.728	-45.07	28.76	-13.0	-32.07	93.40	Vertical	Vertical	Pass

LTE-B4-20-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_14.06.39

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.036	-52.54	-14.64	-13.0	-39.54	79.70	Horizontal	Vertical	Pass
145.886	-56.63	-15.41	-13.0	-43.63	75.40	Horizontal	Vertical	Pass
257.893	-51.55	-6.28	-13.0	-38.55	98.30	Horizontal	Vertical	Pass
527.971	-60.53	-4.89	-13.0	-47.53	68.90	Horizontal	Vertical	Pass
1587.427	-35.10	-1.15	-13.0	-22.10	46.20	Horizontal	Vertical	Pass
2124.609	-32.12	1.88	-13.0	-19.12	127.70	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_09.50.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8490.127	-57.37	16.61	-13.0	-44.37	360.00	Horizontal	Horizontal	Pass
9394.651	-54.71	19.89	-13.0	-41.71	214.90	Horizontal	Horizontal	Pass
10101.225	-50.37	24.32	-13.0	-37.37	71.20	Horizontal	Horizontal	Pass
11877.281	-48.99	25.42	-13.0	-35.99	317.50	Horizontal	Horizontal	Pass
12451.887	-47.40	25.14	-13.0	-34.40	68.60	Horizontal	Horizontal	Pass
14101.475	-44.86	29.16	-13.0	-31.86	79.80	Horizontal	Horizontal	Pass

LTE-B4-20-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_10.29.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
104.671	-81.09	-12.04	-13.0	-68.09	346.20	Vertical	Vertical	Pass
249.893	-74.02	-5.29	-13.0	-61.02	28.30	Vertical	Vertical	Pass
842.899	-66.40	4.78	-13.0	-53.40	152.60	Vertical	Vertical	Pass
1191.726	-52.06	1.66	-13.0	-39.06	27.10	Vertical	Vertical	Pass
2126.609	-27.81	1.85	-13.0	-14.81	327.30	Vertical	Vertical	Pass
4590.301	-32.63	9.79	-13.0	-19.63	211.60	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_12.03.44

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.95	19.10	-13.0	-43.95	147.70	Vertical	Vertical	Pass
9427.643	-55.25	19.54	-13.0	-42.25	188.70	Vertical	Vertical	Pass
10123.219	-50.43	24.08	-13.0	-37.43	233.70	Vertical	Vertical	Pass
11860.785	-48.85	25.35	-13.0	-35.85	253.80	Vertical	Vertical	Pass
12476.631	-47.75	25.44	-13.0	-34.75	25.30	Vertical	Vertical	Pass
14076.731	-45.06	28.39	-13.0	-32.06	332.40	Vertical	Vertical	Pass



LTE-B5-1.4-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.55.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.669	-60.41	-15.06	-13.0	-47.41	105.10	Horizontal	Vertical	Pass
106.368	-71.77	-11.57	-13.0	-58.77	89.30	Horizontal	Vertical	Pass
286.986	-59.69	-9.66	-13.0	-46.69	107.20	Horizontal	Vertical	Pass
880.962	-42.50	3.32	-13.0	-29.50	276.40	Horizontal	Vertical	Pass
1247.438	-41.66	0.52	-13.0	-28.66	130.40	Horizontal	Vertical	Pass
2103.224	-45.36	2.26	-13.0	-32.36	93.00	Horizontal	Vertical	Pass

LTE-B5-1.4-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_10.13.51

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.916	-72.34	-15.15	-13.0	-59.34	44.50	Vertical	Vertical	Pass
189.283	-61.54	-14.90	-13.0	-48.54	82.50	Vertical	Vertical	Pass
225.649	-68.90	-8.22	-13.0	-55.90	91.10	Vertical	Vertical	Pass
548.093	-56.91	-3.45	-13.0	-43.91	86.80	Vertical	Vertical	Pass
881.205	-45.18	3.30	-13.0	-32.18	0.90	Vertical	Vertical	Pass
8187.703	-26.27	20.42	-13.0	-13.27	43.50	Vertical	Vertical	Pass

LTE-B5-3-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.51.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.032	-79.69	-14.38	-13.0	-66.69	96.70	Horizontal	Vertical	Pass
119.218	-62.61	-11.53	-13.0	-49.61	25.40	Horizontal	Vertical	Pass
436.086	-56.89	-3.96	-13.0	-43.89	94.60	Horizontal	Vertical	Pass
881.690	-42.42	3.24	-13.0	-29.42	276.40	Horizontal	Vertical	Pass
2103.224	-41.53	2.26	-13.0	-28.53	201.70	Horizontal	Vertical	Pass
7000.000	-39.40	14.58	-13.0	-26.40	97.50	Horizontal	Vertical	Pass

LTE-B5-3-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_10.24.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.552	-54.60	-14.70	-13.0	-41.60	98.70	Vertical	Vertical	Pass
201.890	-57.94	-8.90	-13.0	-44.94	105.80	Vertical	Vertical	Pass
372.809	-55.68	-8.02	-13.0	-42.68	107.90	Vertical	Vertical	Pass
881.690	-40.41	3.24	-13.0	-27.41	85.10	Vertical	Vertical	Pass
1248.938	-38.87	0.46	-13.0	-25.87	115.80	Vertical	Vertical	Pass
1668.333	-38.92	-2.76	-13.0	-25.92	200.10	Vertical	Vertical	Pass

LTE-B5-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.42.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
106.853	-70.50	-11.46	-13.0	-57.50	108.40	Horizontal	Vertical	Pass
185.889	-54.06	-15.63	-13.0	-41.06	108.40	Horizontal	Vertical	Pass
301.532	-49.13	-10.04	-13.0	-36.13	96.90	Horizontal	Vertical	Pass
882.174	-42.15	3.19	-13.0	-29.15	274.50	Horizontal	Vertical	Pass
1577.356	-43.68	-1.39	-13.0	-30.68	92.00	Horizontal	Vertical	Pass
2092.227	-43.74	2.18	-13.0	-30.74	105.90	Horizontal	Vertical	Pass

LTE-B5-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_10.30.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.485	-76.03	-13.15	-13.0	-63.03	75.90	Vertical	Vertical	Pass
131.825	-46.24	-15.06	-13.0	-33.24	84.90	Vertical	Vertical	Pass
283.834	-56.90	-8.85	-13.0	-43.90	82.70	Vertical	Vertical	Pass
882.174	-41.79	3.19	-13.0	-28.79	80.60	Vertical	Vertical	Pass
1418.895	-34.73	-2.25	-13.0	-21.73	54.60	Vertical	Vertical	Pass
8144.214	-25.87	20.38	-13.0	-12.87	151.60	Vertical	Vertical	Pass

LTE-B5-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.34.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.061	-76.80	-11.47	-13.0	-63.80	82.90	Horizontal	Vertical	Pass
118.975	-73.06	-11.44	-13.0	-60.06	78.60	Horizontal	Vertical	Pass
170.857	-68.53	-15.59	-13.0	-55.53	105.10	Horizontal	Vertical	Pass
437.783	-63.89	-3.71	-13.0	-50.89	55.70	Horizontal	Vertical	Pass
879.750	-41.84	3.47	-13.0	-28.84	274.00	Horizontal	Vertical	Pass
1689.828	-45.19	-2.94	-13.0	-32.19	95.70	Horizontal	Vertical	Pass

LTE-B5-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-06\_10.34.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.762	-53.25	-12.71	-13.0	-40.25	94.50	Vertical	Vertical	Pass
110.975	-56.98	-10.65	-13.0	-43.98	73.90	Vertical	Vertical	Pass
282.622	-63.62	-8.54	-13.0	-50.62	94.50	Vertical	Vertical	Pass
884.599	-40.87	2.92	-13.0	-27.87	85.30	Vertical	Vertical	Pass
1007.498	-38.33	-2.49	-13.0	-25.33	155.00	Vertical	Vertical	Pass
1196.451	-37.34	2.09	-13.0	-24.34	108.10	Vertical	Vertical	Pass



LTE-B7-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.16.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.941	-72.10	-12.42	-25.0	-47.10	67.10	Horizontal	Vertical	Pass
126.976	-63.36	-14.22	-25.0	-38.36	58.20	Horizontal	Vertical	Pass
201.405	-69.07	-7.92	-25.0	-44.07	67.10	Horizontal	Vertical	Pass
689.193	-58.61	-0.30	-25.0	-33.61	65.00	Horizontal	Vertical	Pass
1174.456	-39.53	2.14	-25.0	-14.53	82.60	Horizontal	Vertical	Pass
2533.117	-43.27	8.36	-25.0	-18.27	199.40	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10:51:15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.67	19.17	-13.0	-44.67	68.50	Horizontal	Horizontal	Pass
9413.897	-55.49	19.77	-13.0	-42.49	147.00	Horizontal	Horizontal	Pass
10112.222	-49.97	24.25	-13.0	-36.97	136.20	Horizontal	Horizontal	Pass
11126.718	-49.79	23.18	-13.0	-36.79	177.90	Horizontal	Horizontal	Pass
12501.375	-47.95	25.32	-13.0	-34.95	211.70	Horizontal	Horizontal	Pass
14095.976	-43.91	29.03	-13.0	-30.91	90.80	Horizontal	Horizontal	Pass

LTE-B7-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.00.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.093	-75.22	-15.55	-25.0	-50.22	313.40	Vertical	Vertical	Pass
240.680	-74.52	-1.69	-25.0	-49.52	184.30	Vertical	Vertical	Pass
846.293	-67.11	7.08	-25.0	-42.11	117.30	Vertical	Vertical	Pass
1193.952	-50.22	3.48	-25.0	-25.22	173.00	Vertical	Vertical	Pass
2501.125	-45.84	9.03	-25.0	-20.84	119.40	Vertical	Vertical	Pass
5833.292	-41.37	12.48	-25.0	-16.37	140.90	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_13.09.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8165.709	-56.97	18.23	-13.0	-43.97	209.00	Vertical	Vertical	Pass
9400.150	-55.17	20.00	-13.0	-42.17	21.90	Vertical	Vertical	Pass
10117.721	-50.24	24.19	-13.0	-37.24	61.00	Vertical	Vertical	Pass
11899.275	-49.30	25.50	-13.0	-36.30	245.10	Vertical	Vertical	Pass
12487.628	-47.74	25.40	-13.0	-34.74	270.10	Vertical	Vertical	Pass
14150.962	-45.37	28.88	-13.0	-32.37	66.90	Vertical	Vertical	Pass

LTE-B7-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.12.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.309	-70.24	-13.56	-25.0	-45.24	100.30	Horizontal	Vertical	Pass
202.859	-58.95	-8.73	-25.0	-33.95	104.60	Horizontal	Vertical	Pass
378.870	-67.98	-7.47	-25.0	-42.98	84.50	Horizontal	Vertical	Pass
660.100	-65.72	2.29	-25.0	-40.72	102.40	Horizontal	Vertical	Pass
1203.449	-46.84	3.75	-25.0	-21.84	107.40	Horizontal	Vertical	Pass
1596.351	-45.11	0.83	-25.0	-20.11	84.60	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.46.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-57.46	19.13	-13.0	-44.46	2.60	Horizontal	Horizontal	Pass
9416.646	-55.33	19.73	-13.0	-42.33	79.20	Horizontal	Horizontal	Pass
10120.470	-50.55	24.14	-13.0	-37.55	96.70	Horizontal	Horizontal	Pass
11159.710	-50.20	23.11	-13.0	-37.20	178.90	Horizontal	Horizontal	Pass
12465.634	-47.78	25.47	-13.0	-34.78	164.80	Horizontal	Horizontal	Pass
14106.973	-44.46	29.13	-13.0	-31.46	79.20	Horizontal	Horizontal	Pass

LTE-B7-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.03.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-80.54	-10.13	-25.0	-55.54	204.30	Vertical	Vertical	Pass
238.498	-75.13	-2.12	-25.0	-50.13	204.30	Vertical	Vertical	Pass
858.900	-67.07	7.18	-25.0	-42.07	169.30	Vertical	Vertical	Pass
1203.949	-50.35	3.74	-25.0	-25.35	200.10	Vertical	Vertical	Pass
2530.117	-43.70	8.42	-25.0	-18.70	1.50	Vertical	Vertical	Pass
6502.124	-39.83	12.44	-25.0	-14.83	132.40	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_13.17.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-57.05	19.13	-13.0	-44.05	221.50	Vertical	Vertical	Pass
9405.649	-55.53	19.91	-13.0	-42.53	325.30	Vertical	Vertical	Pass
10164.459	-50.96	23.31	-13.0	-37.96	322.40	Vertical	Vertical	Pass
11112.972	-50.43	23.21	-13.0	-37.43	67.20	Vertical	Vertical	Pass
12454.636	-47.40	25.20	-13.0	-34.40	33.30	Vertical	Vertical	Pass
14172.957	-44.97	28.75	-13.0	-31.97	333.90	Vertical	Vertical	Pass



LTE-B7-15-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.21.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.854	-71.86	-12.83	-25.0	-46.86	109.60	Horizontal	Vertical	Pass
184.919	-66.12	-15.23	-25.0	-41.12	109.60	Horizontal	Vertical	Pass
289.895	-67.01	-9.56	-25.0	-42.01	78.10	Horizontal	Vertical	Pass
874.901	-65.51	5.47	-25.0	-40.51	69.20	Horizontal	Vertical	Pass
1212.447	-43.05	3.36	-25.0	-18.05	104.40	Horizontal	Vertical	Pass
2540.115	-43.72	8.21	-25.0	-18.72	194.90	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.40.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-57.20	19.10	-13.0	-44.20	321.10	Horizontal	Horizontal	Pass
9413.897	-54.84	19.77	-13.0	-41.84	128.80	Horizontal	Horizontal	Pass
10134.216	-50.64	23.88	-13.0	-37.64	227.30	Horizontal	Horizontal	Pass
11200.950	-50.29	23.04	-13.0	-37.29	0.00	Horizontal	Horizontal	Pass
12476.631	-47.86	25.44	-13.0	-34.86	140.30	Horizontal	Horizontal	Pass
14142.714	-45.47	28.92	-13.0	-32.47	134.40	Horizontal	Horizontal	Pass

LTE-B7-15-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.06.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.914	-79.54	-9.92	-25.0	-54.54	204.00	Vertical	Vertical	Pass
237.043	-74.81	-2.70	-25.0	-49.81	335.40	Vertical	Vertical	Pass
848.960	-66.98	7.38	-25.0	-41.98	122.90	Vertical	Vertical	Pass
1197.951	-48.33	3.72	-25.0	-23.33	220.90	Vertical	Vertical	Pass
2540.115	-41.40	8.21	-25.0	-16.40	6.70	Vertical	Vertical	Pass
4580.605	-43.17	9.87	-25.0	-18.17	185.50	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_13.22.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8044.739	-56.74	18.35	-13.0	-43.74	96.10	Vertical	Vertical	Pass
9386.403	-55.61	19.72	-13.0	-42.61	55.60	Vertical	Vertical	Pass
10134.216	-50.39	23.88	-13.0	-37.39	211.50	Vertical	Vertical	Pass
11847.038	-49.13	25.03	-13.0	-36.13	2.80	Vertical	Vertical	Pass
12446.388	-47.93	25.00	-13.0	-34.93	158.30	Vertical	Vertical	Pass
14153.712	-44.88	28.86	-13.0	-31.88	158.30	Vertical	Vertical	Pass

OLTE-B7-20-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.27.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
63.457	-80.88	-14.53	-25.0	-55.88	98.70	Horizontal	Vertical	Pass
122.854	-69.40	-12.83	-25.0	-44.40	98.70	Horizontal	Vertical	Pass
729.923	-67.12	1.10	-25.0	-42.12	98.70	Horizontal	Vertical	Pass
1199.950	-39.72	3.88	-25.0	-14.72	87.60	Horizontal	Vertical	Pass
1524.869	-44.38	-0.70	-25.0	-19.38	101.20	Horizontal	Vertical	Pass
2525.619	-42.68	8.51	-25.0	-17.68	199.40	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.36.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8173.957	-56.59	18.47	-13.0	-43.59	179.00	Horizontal	Horizontal	Pass
9411.147	-55.26	19.82	-13.0	-42.26	164.50	Horizontal	Horizontal	Pass
10101.225	-50.26	24.32	-13.0	-37.26	20.50	Horizontal	Horizontal	Pass
11154.211	-50.33	23.13	-13.0	-37.33	185.00	Horizontal	Horizontal	Pass
12479.380	-48.21	25.43	-13.0	-35.21	246.70	Horizontal	Horizontal	Pass
14115.221	-44.73	29.08	-13.0	-31.73	119.10	Horizontal	Horizontal	Pass

LTE-B7-20-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.09.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
103.944	-80.74	-11.28	-25.0	-55.74	43.20	Vertical	Vertical	Pass
233.407	-75.14	-4.14	-25.0	-50.14	355.90	Vertical	Vertical	Pass
850.172	-67.14	7.49	-25.0	-42.14	324.50	Vertical	Vertical	Pass
1201.450	-50.40	3.83	-25.0	-25.40	50.80	Vertical	Vertical	Pass
2450.137	-38.66	5.44	-25.0	-13.66	334.40	Vertical	Vertical	Pass
2525.619	-42.77	8.51	-25.0	-17.77	53.80	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_13.28.10

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8190.452	-56.86	18.94	-13.0	-43.86	103.90	Vertical	Vertical	Pass
10095.726	-49.86	24.18	-13.0	-36.86	106.80	Vertical	Vertical	Pass
11841.540	-48.70	24.90	-13.0	-35.70	146.20	Vertical	Vertical	Pass
12457.386	-48.07	25.27	-13.0	-35.07	208.70	Vertical	Vertical	Pass
14093.227	-45.10	28.94	-13.0	-32.10	251.10	Vertical	Vertical	Pass
14475.381	-46.26	27.20	-13.0	-33.26	262.30	Vertical	Vertical	Pass



LTE-B12-1.4-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_19.44.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-63.20	-18.45	-13.0	-50.20	99.60	Horizontal	Vertical	Pass
124.794	-77.81	-14.25	-13.0	-64.81	140.00	Horizontal	Vertical	Pass
707.618	0.67	-0.73	-13.0	13.67	259.90	Horizontal	Vertical	N.A
1413.397	-24.06	-2.18	-13.0	-11.06	167.90	Horizontal	Vertical	Pass
2122.219	-16.93	1.84	-13.0	-3.93	159.20	Horizontal	Vertical	Pass
2842.539	-50.78	5.60	-13.0	-37.78	255.90	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10.30.47

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8033.742	-57.56	18.12	-13.0	-44.56	35.80	Horizontal	Horizontal	Pass
9405.649	-55.32	19.91	-13.0	-42.32	301.10	Horizontal	Horizontal	Pass
10081.980	-50.32	23.69	-13.0	-37.32	38.40	Horizontal	Horizontal	Pass
11880.030	-48.94	25.43	-13.0	-35.94	150.40	Horizontal	Horizontal	Pass
12495.876	-47.58	25.37	-13.0	-34.58	287.00	Horizontal	Horizontal	Pass
14101.475	-45.21	29.16	-13.0	-32.21	72.30	Horizontal	Horizontal	Pass

LTE-B12-1.4-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.18.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
242.862	-74.11	-3.01	-13.0	-61.11	358.60	Vertical	Vertical	Pass
706.891	1.80	-0.76	-13.0	14.80	0.00	Vertical	Vertical	N.A
1413.397	-24.06	-2.18	-13.0	-11.06	0.30	Vertical	Vertical	Pass
2120.720	-18.17	1.87	-13.0	-5.17	57.60	Vertical	Vertical	Pass
2453.637	-46.40	3.33	-13.0	-33.40	156.60	Vertical	Vertical	Pass
2827.543	-29.11	5.70	-13.0	-16.11	52.00	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.21.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8209.698	-56.12	19.05	-13.0	-43.12	138.50	Vertical	Vertical	Pass
9405.649	-55.37	19.91	-13.0	-42.37	231.20	Vertical	Vertical	Pass
10153.462	-50.42	23.51	-13.0	-37.42	183.90	Vertical	Vertical	Pass
11885.529	-49.48	25.45	-13.0	-36.48	224.80	Vertical	Vertical	Pass
13169.458	-48.02	24.61	-13.0	-35.02	78.20	Vertical	Vertical	Pass
14104.224	-44.09	29.14	-13.0	-31.09	61.50	Vertical	Vertical	Pass

LTE-B12-3-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_19.50.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.612	-51.74	-13.13	-13.0	-38.74	101.50	Horizontal	Vertical	Pass
258.378	-62.91	-6.07	-13.0	-49.91	101.50	Horizontal	Vertical	Pass
707.376	-2.32	-0.74	-13.0	10.68	306.60	Horizontal	Vertical	Fail
1413.397	-24.06	-2.18	-13.0	-11.06	247.90	Horizontal	Vertical	Pass
2124.719	-19.10	1.78	-13.0	-6.10	153.70	Horizontal	Vertical	Pass
2829.543	-23.82	5.69	-13.0	-10.82	160.40	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-23\_10:54:52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8047.488	-57.51	18.35	-13.0	-44.51	0.70	Horizontal	Horizontal	Pass
9400.150	-55.47	20.00	-13.0	-42.47	348.80	Horizontal	Horizontal	Pass
10150.712	-50.52	23.56	-13.0	-37.52	308.20	Horizontal	Horizontal	Pass
11475.881	-50.39	24.23	-13.0	-37.39	110.30	Horizontal	Horizontal	Pass
12460.135	-48.33	25.33	-13.0	-35.33	163.80	Horizontal	Horizontal	Pass
14095.976	-44.46	29.03	-13.0	-31.46	345.80	Horizontal	Horizontal	Pass

LTE-B12-3-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.24.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.195	-73.54	-2.26	-13.0	-60.54	147.00	Vertical	Vertical	Pass
706.163	1.75	-0.78	-13.0	14.75	17.20	Vertical	Vertical	N.A
1411.897	-24.04	-2.16	-13.0	-11.04	272.20	Vertical	Vertical	Pass
736.711	-55.59	0.09	-13.0	-42.59	109.40	Vertical	Vertical	Pass
2118.720	-19.43	1.91	-13.0	-6.43	60.50	Vertical	Vertical	Pass
5817.296	-22.88	12.61	-13.0	-9.88	171.80	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.26.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8204.199	-57.42	19.17	-13.0	-44.42	324.10	Vertical	Vertical	Pass
9405.649	-55.77	19.91	-13.0	-42.77	76.30	Vertical	Vertical	Pass
10109.473	-50.73	24.26	-13.0	-37.73	71.10	Vertical	Vertical	Pass
11211.947	-50.41	22.91	-13.0	-37.41	39.90	Vertical	Vertical	Pass
12462.884	-46.54	25.40	-13.0	-33.54	62.20	Vertical	Vertical	Pass
14159.210	-45.58	28.83	-13.0	-32.58	8.60	Vertical	Vertical	Pass



LTE-B12-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_19.57.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-63.76	-18.88	-13.0	-50.76	102.70	Horizontal	Vertical	Pass
120.430	-72.37	-12.02	-13.0	-59.37	98.40	Horizontal	Vertical	Pass
706.163	-3.17	-0.78	-13.0	9.83	0.00	Horizontal	Vertical	N.A
1414.896	-24.08	-2.21	-13.0	-11.08	152.70	Horizontal	Vertical	Pass
2122.719	-20.93	1.83	-13.0	-7.93	157.40	Horizontal	Vertical	Pass
2829.543	-28.00	5.69	-13.0	-15.00	154.90	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_11.50.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8000.750	-57.07	17.44	-13.0	-44.07	303.10	Horizontal	Horizontal	Pass
9400.150	-55.13	20.00	-13.0	-42.13	176.90	Horizontal	Horizontal	Pass
10128.718	-50.47	23.98	-13.0	-37.47	239.10	Horizontal	Horizontal	Pass
11860.785	-48.75	25.35	-13.0	-35.75	222.00	Horizontal	Horizontal	Pass
12454.636	-47.22	25.20	-13.0	-34.22	202.30	Horizontal	Horizontal	Pass
14128.968	-44.39	29.00	-13.0	-31.39	41.50	Horizontal	Horizontal	Pass

LTE-B12-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.27.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.650	-74.23	-2.67	-13.0	-61.23	8.30	Vertical	Vertical	Pass
707.133	-5.13	-0.75	-13.0	7.87	0.90	Vertical	Vertical	N.A
1416.896	-24.13	-2.25	-13.0	-11.13	55.30	Vertical	Vertical	Pass
2121.720	-28.60	1.85	-13.0	-15.60	60.50	Vertical	Vertical	Pass
2830.042	-37.28	5.69	-13.0	-24.28	60.50	Vertical	Vertical	Pass
5800.300	-25.79	12.74	-13.0	-12.79	231.30	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.35.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-57.12	18.86	-13.0	-44.12	49.20	Vertical	Vertical	Pass
9405.649	-55.79	19.91	-13.0	-42.79	336.50	Vertical	Vertical	Pass
10106.723	-50.07	24.28	-13.0	-37.07	280.60	Vertical	Vertical	Pass
11134.966	-50.21	23.16	-13.0	-37.21	0.20	Vertical	Vertical	Pass
12465.634	-47.67	25.47	-13.0	-34.67	51.80	Vertical	Vertical	Pass
14095.976	-44.99	29.03	-13.0	-31.99	225.20	Vertical	Vertical	Pass

LTE-B12-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_20.03.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.485	-70.56	-10.84	-13.0	-57.56	101.80	Horizontal	Vertical	Pass
74.851	-56.23	-18.79	-13.0	-43.23	101.80	Horizontal	Vertical	Pass
703.497	-6.54	-0.88	-13.0	6.46	238.30	Horizontal	Vertical	N.A
1414.396	-24.21	-2.20	-13.0	-11.21	163.00	Horizontal	Vertical	Pass
2122.719	-22.89	1.83	-13.0	-9.89	156.20	Horizontal	Vertical	Pass
2830.042	-32.10	5.69	-13.0	-19.10	153.70	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_11.40.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8039.240	-57.04	18.23	-13.0	-44.04	0.00	Horizontal	Horizontal	Pass
9394.651	-55.72	19.89	-13.0	-42.72	41.30	Horizontal	Horizontal	Pass
10114.971	-50.39	24.23	-13.0	-37.39	280.20	Horizontal	Horizontal	Pass
11847.038	-48.98	25.03	-13.0	-35.98	173.80	Horizontal	Horizontal	Pass
12482.129	-47.80	25.42	-13.0	-34.80	0.10	Horizontal	Horizontal	Pass
14148.213	-45.12	28.89	-13.0	-32.12	232.60	Horizontal	Horizontal	Pass

LTE-B12-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.32.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
703.012	1.56	-0.90	-13.0	14.56	0.40	Vertical	Vertical	N.A
734.044	-55.30	0.01	-13.0	-42.30	120.60	Vertical	Vertical	Pass
1405.399	-23.95	-2.04	-13.0	-10.95	57.90	Vertical	Vertical	Pass
2109.223	-26.27	2.12	-13.0	-13.27	64.60	Vertical	Vertical	Pass
2812.047	-37.33	5.91	-13.0	-24.33	61.20	Vertical	Vertical	Pass
5238.440	-31.39	10.13	-13.0	-18.39	87.00	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.40.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8151.962	-56.99	17.83	-13.0	-43.99	263.60	Vertical	Vertical	Pass
9427.643	-54.62	19.54	-13.0	-41.62	137.00	Vertical	Vertical	Pass
10123.219	-50.32	24.08	-13.0	-37.32	142.60	Vertical	Vertical	Pass
11107.473	-50.53	23.22	-13.0	-37.53	42.50	Vertical	Vertical	Pass
12471.132	-48.35	25.46	-13.0	-35.35	359.30	Vertical	Vertical	Pass
14098.725	-44.70	29.12	-13.0	-31.70	176.10	Vertical	Vertical	Pass



LTE-B13-5-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_19.34.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.063	-55.14	-16.21	-13.0	-42.14	95.90	Horizontal	Vertical	Pass
91.337	-60.04	-13.90	-13.0	-47.04	95.90	Horizontal	Vertical	Pass
175.464	-65.08	-16.03	-13.0	-52.08	95.90	Horizontal	Vertical	Pass
782.532	-3.30	0.05	-13.0	9.70	182.70	Horizontal	Vertical	Fail
1565.859	-22.65	-1.55	-13.0	-9.65	48.70	Horizontal	Vertical	Pass
2345.164	-17.27	1.47	-13.0	-4.27	42.20	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_11.31.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-55.96	19.10	-13.0	-42.96	126.90	Horizontal	Horizontal	Pass
9380.905	-55.54	19.60	-13.0	-42.54	185.30	Horizontal	Horizontal	Pass
10092.977	-50.47	24.08	-13.0	-37.47	27.90	Horizontal	Horizontal	Pass
11167.958	-50.43	23.10	-13.0	-37.43	126.90	Horizontal	Horizontal	Pass
12484.879	-48.32	25.41	-13.0	-35.32	2.50	Horizontal	Horizontal	Pass
14137.216	-45.09	28.95	-13.0	-32.09	157.40	Horizontal	Horizontal	Pass

LTE-B13-5-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.44.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.650	-74.08	-2.67	-13.0	-61.08	194.70	Vertical	Vertical	Pass
752.954	-55.42	-0.01	-13.0	-42.42	283.60	Vertical	Vertical	Pass
782.047	-6.18	0.04	-13.0	6.82	300.00	Vertical	Vertical	N.A
1565.859	-22.65	-1.55	-13.0	-9.65	265.50	Vertical	Vertical	Pass
2349.163	-16.25	1.59	-13.0	-3.25	80.30	Vertical	Vertical	Pass
5791.302	-22.56	12.64	-13.0	-9.56	123.00	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.46.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.27	19.02	-13.0	-44.27	76.20	Vertical	Vertical	Pass
10109.473	-49.91	24.26	-13.0	-36.91	276.20	Vertical	Vertical	Pass
11107.473	-50.51	23.22	-13.0	-37.51	312.70	Vertical	Vertical	Pass
11841.540	-48.80	24.90	-13.0	-35.80	155.10	Vertical	Vertical	Pass
12479.380	-48.29	25.43	-13.0	-35.29	227.70	Vertical	Vertical	Pass
14093.227	-44.88	28.94	-13.0	-31.88	301.50	Vertical	Vertical	Pass

LTE-B13-10-MCH-H-TX

## Test result

Project Number: 验证测试

Test Time: 2021-01-05\_19.39.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.032	-78.93	-14.38	-13.0	-65.93	68.50	Horizontal	Vertical	Pass
118.490	-63.77	-11.27	-13.0	-50.77	70.70	Horizontal	Vertical	Pass
186.373	-63.16	-15.53	-13.0	-50.16	75.30	Horizontal	Vertical	Pass
778.410	-6.51	-0.03	-13.0	6.49	92.90	Horizontal	Vertical	N.A
1563.859	-22.84	-1.59	-13.0	-9.84	123.70	Horizontal	Vertical	Pass
2347.663	-19.72	1.54	-13.0	-6.72	39.40	Horizontal	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-23\_11.30.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-56.88	19.18	-13.0	-43.88	131.00	Horizontal	Horizontal	Pass
9411.147	-55.38	19.82	-13.0	-42.38	202.80	Horizontal	Horizontal	Pass
10134.216	-49.89	23.88	-13.0	-36.89	139.60	Horizontal	Horizontal	Pass
11896.526	-49.12	25.49	-13.0	-36.12	188.30	Horizontal	Horizontal	Pass
12465.634	-48.09	25.47	-13.0	-35.09	19.40	Horizontal	Horizontal	Pass
14175.706	-45.50	28.73	-13.0	-32.50	128.40	Horizontal	Horizontal	Pass

LTE-B13-10-MCH-V-TX

## Test result

Project Number: 验证测试

Test Time: 2020-12-31\_11.48.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.801	-74.94	-3.52	-13.0	-61.94	311.50	Vertical	Vertical	Pass
777.441	1.60	-0.04	-13.0	14.60	203.50	Vertical	Vertical	N.A
1197.451	-52.41	2.16	-13.0	-39.41	261.80	Vertical	Vertical	Pass
1555.861	-23.00	-1.81	-13.0	-10.00	70.90	Vertical	Vertical	Pass
2333.167	-16.62	1.11	-13.0	-3.62	47.10	Vertical	Vertical	Pass
5811.297	-41.09	12.66	-13.0	-28.09	270.80	Vertical	Vertical	Pass

## Test result

Project Number: 验证测试

Test Time: 2020-12-22\_19.48.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8212.447	-56.82	18.94	-13.0	-43.82	94.50	Vertical	Vertical	Pass
9402.899	-54.72	19.96	-13.0	-41.72	0.40	Vertical	Vertical	Pass
10112.222	-50.49	24.25	-13.0	-37.49	1.00	Vertical	Vertical	Pass
11121.220	-50.62	23.19	-13.0	-37.62	131.70	Vertical	Vertical	Pass
12454.636	-48.22	25.20	-13.0	-35.22	110.90	Vertical	Vertical	Pass
14104.224	-44.31	29.14	-13.0	-31.31	206.50	Vertical	Vertical	Pass

END