

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1. WCDMA Band II

1.1 WCDMA Band II MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-06_16.29.40

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.642	-58.81	-10.32	-13.0	-45.81	357.80	Horizontal	Vertical	Pass
125.036	-53.17	-14.46	-13.0	-40.17	271.40	Horizontal	Vertical	Pass
286.743	-53.40	-9.63	-13.0	-40.40	358.50	Horizontal	Vertical	Pass
389.780	-56.88	-8.62	-13.0	-43.88	301.40	Horizontal	Vertical	Pass
608.460	-56.13	-2.83	-13.0	-43.13	337.50	Horizontal	Vertical	Pass
1958.760	-25.72	-1.41	-13.0	-12.72	329.40	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.45.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8193.202	-57.09	19.02	-13.0	-44.09	14.90	Horizontal	Vertical	Pass
10106.723	-50.44	24.28	-13.0	-37.44	288.30	Horizontal	Vertical	Pass
11129.468	-50.41	23.17	-13.0	-37.41	98.30	Horizontal	Vertical	Pass
12509.623	-47.68	25.12	-13.0	-34.68	201.80	Horizontal	Vertical	Pass
14112.472	-44.33	29.10	-13.0	-31.33	113.10	Horizontal	Vertical	Pass
15495.376	-48.70	22.69	-13.0	-35.70	312.50	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.51.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.185	-56.47	-19.01	-13.0	-43.47	301.70	Vertical	Vertical	Pass
261.772	-45.46	-6.31	-13.0	-32.46	283.50	Vertical	Vertical	Pass
534.031	-58.19	-4.29	-13.0	-45.19	299.60	Vertical	Vertical	Pass
1093.477	-29.54	-4.67	-13.0	-16.54	234.60	Vertical	Vertical	Pass
1958.760	-27.73	-1.41	-13.0	-14.73	41.60	Vertical	Vertical	Pass
2244.189	-33.53	1.13	-13.0	-20.53	229.90	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.53.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-57.42	19.13	-13.0	-44.42	110.60	Horizontal	Vertical	Pass
10103.974	-50.14	24.30	-13.0	-37.14	284.20	Horizontal	Vertical	Pass
11151.462	-49.99	23.13	-13.0	-36.99	15.10	Horizontal	Vertical	Pass
11855.286	-48.94	25.22	-13.0	-35.94	241.50	Horizontal	Vertical	Pass
14115.221	-44.90	29.08	-13.0	-31.90	218.10	Horizontal	Vertical	Pass
16622.594	-49.63	23.06	-13.0	-36.63	317.50	Horizontal	Vertical	Pass

2. WCDMA Band IV

2.1 WCDMA Band IV MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.13.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-62.56	-19.11	-13.0	-49.56	116.50	Horizontal	Vertical	Pass
129.643	-59.71	-15.38	-13.0	-46.71	248.60	Horizontal	Vertical	Pass
268.803	-41.95	-6.33	-13.0	-28.95	358.40	Horizontal	Vertical	Pass
729.923	-49.02	-0.65	-13.0	-36.02	223.20	Horizontal	Vertical	Pass
1178.478	-25.01	0.83	-13.0	-12.01	293.70	Horizontal	Vertical	Pass
2133.358	-28.54	1.69	-13.0	-15.54	191.10	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17:55:02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.97	19.10	-13.0	-43.97	0.00	Horizontal	Vertical	Pass
10098.475	-50.32	24.27	-13.0	-37.32	91.00	Horizontal	Vertical	Pass
11165.209	-50.59	23.10	-13.0	-37.59	157.40	Horizontal	Vertical	Pass
11860.785	-49.16	25.35	-13.0	-36.16	266.10	Horizontal	Vertical	Pass
12460.135	-47.81	25.33	-13.0	-34.81	1.30	Horizontal	Vertical	Pass
14101.475	-44.35	29.16	-13.0	-31.35	3.40	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17:37:04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.215	-50.95	-17.61	-13.0	-37.95	353.80	Vertical	Vertical	Pass
198.253	-55.08	-9.76	-13.0	-42.08	194.40	Vertical	Vertical	Pass
258.378	-49.10	-6.34	-13.0	-36.10	353.80	Vertical	Vertical	Pass
1024.497	-33.45	-2.74	-13.0	-20.45	186.40	Vertical	Vertical	Pass
2130.859	-25.87	1.77	-13.0	-12.87	307.40	Vertical	Vertical	Pass
2658.543	-31.80	1.69	-13.0	-18.80	209.60	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_18.06.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7816.546	-57.30	17.06	-13.0	-44.30	133.20	Vertical	Vertical	Pass
8833.792	-58.20	14.87	-13.0	-45.20	97.30	Vertical	Vertical	Pass
10106.723	-50.13	24.28	-13.0	-37.13	85.90	Vertical	Vertical	Pass
12468.383	-47.95	25.47	-13.0	-34.95	234.80	Vertical	Vertical	Pass
14131.717	-44.69	28.99	-13.0	-31.69	47.90	Vertical	Vertical	Pass
16688.578	-49.91	22.52	-13.0	-36.91	0.00	Vertical	Vertical	Pass

3. WCDMA Band V

3.1 WCDMA Band V MCH

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.23.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.701	-49.93	-11.97	-13.0	-36.93	273.70	Horizontal	Vertical	Pass
120.672	-51.59	-12.14	-13.0	-38.59	257.60	Horizontal	Vertical	Pass
266.863	-44.20	-6.10	-13.0	-31.20	262.00	Horizontal	Vertical	Pass
879.993	-39.00	3.43	-13.0	-26.00	198.00	Horizontal	Vertical	Pass
1197.451	-35.93	2.16	-13.0	-22.93	1.90	Horizontal	Vertical	Pass
2394.651	-35.06	3.04	-13.0	-22.06	1.20	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.56.40

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8187.703	-57.35	18.86	-13.0	-44.35	184.40	Horizontal	Vertical	Pass
9853.787	-51.71	22.10	-13.0	-38.71	28.90	Horizontal	Vertical	Pass
10098.475	-50.63	24.27	-13.0	-37.63	1.60	Horizontal	Vertical	Pass
11192.702	-50.21	23.06	-13.0	-37.21	247.70	Horizontal	Vertical	Pass
12465.634	-47.78	25.47	-13.0	-34.78	230.10	Horizontal	Vertical	Pass
14120.720	-45.01	29.05	-13.0	-32.01	164.90	Horizontal	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.31.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.882	-48.09	-18.41	-13.0	-35.09	330.90	Vertical	Vertical	Pass
113.399	-54.96	-10.29	-13.0	-41.96	287.60	Vertical	Vertical	Pass
229.285	-48.09	-6.62	-13.0	-35.09	358.50	Vertical	Vertical	Pass
881.447	-36.42	3.27	-13.0	-23.42	95.20	Vertical	Vertical	Pass
1102.974	-29.83	-4.52	-13.0	-16.83	170.30	Vertical	Vertical	Pass
8164.459	-25.80	20.40	-13.0	-12.80	0.10	Vertical	Vertical	Pass

Test result

Project Number: 验证测试

Test Time: 2021-01-06_17.58.48

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20060042-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8055.736	-57.32	18.22	-13.0	-44.32	12.80	Vertical	Vertical	Pass
9438.640	-54.61	19.38	-13.0	-41.61	91.00	Vertical	Vertical	Pass
10112.222	-50.97	24.25	-13.0	-37.97	285.80	Vertical	Vertical	Pass
11222.944	-50.90	22.78	-13.0	-37.90	50.20	Vertical	Vertical	Pass
12462.884	-47.29	25.40	-13.0	-34.29	171.90	Vertical	Vertical	Pass
14098.725	-44.85	29.12	-13.0	-31.85	338.00	Vertical	Vertical	Pass

END