


Annex C. Spurious Emission at Antenna Terminals

1. LTE_Band38


1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.3	-25	Pass	2985
30	1000	0.1	RMS	927.293	-61.74	-25	Pass	9700
1000	2550	1	RMS	2550	-48.01	-25	Pass	1550
2550	2640	1	RMS	2570.55	19.54	60	Pass	601
2640	3000	1	RMS	2661	-47.24	-25	Pass	601
3000	12000	1	RMS	11965.996	-50.99	-25	Pass	9000
12000	26500	1	RMS	24864.887	-38.61	-25	Pass	14500




1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-25	Pass	2985
30	1000	0.1	RMS	938.594	-61.66	-25	Pass	9700
1000	2550	1	RMS	2546.998	-48.06	-25	Pass	1550
2550	2640	1	RMS	2570.4	19.21	60	Pass	601
2640	3000	1	RMS	2665.8	-47.22	-25	Pass	601
3000	12000	1	RMS	11992.999	-50.97	-25	Pass	9000
12000	26500	1	RMS	24914.891	-38.57	-25	Pass	14500




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2985
30	1000	0.1	RMS	903.09	-61.77	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.04	-25	Pass	1550
2550	2640	1	RMS	2592.75	20.01	60	Pass	601
2640	3000	1	RMS	2670	-47.09	-25	Pass	601
3000	12000	1	RMS	11984.998	-50.94	-25	Pass	9000
12000	26500	1	RMS	24828.885	-38.6	-25	Pass	14500




1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.32	-25	Pass	2985
30	1000	0.1	RMS	908.191	-61.72	-25	Pass	9700
1000	2550	1	RMS	2540.994	-48.1	-25	Pass	1550
2550	2640	1	RMS	2592.6	19.06	60	Pass	601
2640	3000	1	RMS	2670	-47.05	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.02	-25	Pass	9000
12000	26500	1	RMS	24902.89	-38.51	-25	Pass	14500




1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2985
30	1000	0.1	RMS	914.691	-61.73	-25	Pass	9700
1000	2550	1	RMS	2537.992	-47.98	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.17	60	Pass	601
2640	3000	1	RMS	2667.6	-47.2	-25	Pass	601
3000	12000	1	RMS	11986.999	-50.95	-25	Pass	9000
12000	26500	1	RMS	24912.891	-38.6	-25	Pass	14500




1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2985
30	1000	0.1	RMS	915.091	-61.68	-25	Pass	9700
1000	2550	1	RMS	2546.998	-48.02	-25	Pass	1550
2550	2640	1	RMS	2615.4	19.58	60	Pass	601
2640	3000	1	RMS	2691.6	-47.27	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.03	-25	Pass	9000
12000	26500	1	RMS	24834.885	-38.6	-25	Pass	14500




1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.44	-25	Pass	601
0.15	30	0.01	RMS	0.16	-54.6	-25	Pass	2985
30	1000	0.1	RMS	912.891	-61.7	-25	Pass	9700
1000	2550	1	RMS	2540.994	-48.06	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.92	60	Pass	601
2640	3000	1	RMS	2647.2	-47.28	-25	Pass	601
3000	12000	1	RMS	11997	-51.04	-25	Pass	9000
12000	26500	1	RMS	24843.886	-38.63	-25	Pass	14500




**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.76	-25	Pass	2985
30	1000	0.1	RMS	914.291	-61.75	-25	Pass	9700
1000	2550	1	RMS	2537.992	-48.07	-25	Pass	1550
2550	2640	1	RMS	2570.55	19.19	60	Pass	601
2640	3000	1	RMS	2677.2	-47.28	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.04	-25	Pass	9000
12000	26500	1	RMS	24911.89	-38.71	-25	Pass	14500




1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-25	Pass	2985
30	1000	0.1	RMS	936.793	-61.85	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.08	-25	Pass	1550
2550	2640	1	RMS	2590.8	19.84	60	Pass	601
2640	3000	1	RMS	2667.6	-47.11	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.09	-25	Pass	9000
12000	26500	1	RMS	24845.886	-38.65	-25	Pass	14500




1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2985
30	1000	0.1	RMS	954.695	-61.78	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.03	-25	Pass	1550
2550	2640	1	RMS	2590.35	18.88	60	Pass	601
2640	3000	1	RMS	2667.6	-47.2	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.02	-25	Pass	9000
12000	26500	1	RMS	24893.889	-38.64	-25	Pass	14500




1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.61	-25	Pass	2985
30	1000	0.1	RMS	960.896	-61.85	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.02	-25	Pass	1550
2550	2640	1	RMS	2610.75	20.1	60	Pass	601
2640	3000	1	RMS	2687.4	-47.28	-25	Pass	601
3000	12000	1	RMS	11986.999	-51	-25	Pass	9000
12000	26500	1	RMS	24904.89	-38.65	-25	Pass	14500




1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2985
30	1000	0.1	RMS	922.492	-61.74	-25	Pass	9700
1000	2550	1	RMS	2550	-48.08	-25	Pass	1550
2550	2640	1	RMS	2610.45	19.28	60	Pass	601
2640	3000	1	RMS	2687.4	-47.27	-25	Pass	601
3000	12000	1	RMS	11983.998	-50.98	-25	Pass	9000
12000	26500	1	RMS	24881.888	-38.71	-25	Pass	14500




1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-25	Pass	2985
30	1000	0.1	RMS	965.496	-61.81	-25	Pass	9700
1000	2550	1	RMS	2550	-47.5	-25	Pass	1550
2550	2640	1	RMS	2571	19.58	60	Pass	601
2640	3000	1	RMS	2647.8	-47.2	-25	Pass	601
3000	12000	1	RMS	11977.998	-50.95	-25	Pass	9000
12000	26500	1	RMS	24895.889	-38.71	-25	Pass	14500




1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.35	-25	Pass	2985
30	1000	0.1	RMS	951.395	-61.81	-25	Pass	9700
1000	2550	1	RMS	2543.996	-47.39	-25	Pass	1550
2550	2640	1	RMS	2571	18.65	60	Pass	601
2640	3000	1	RMS	2662.2	-47.25	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.1	-25	Pass	9000
12000	26500	1	RMS	24872.888	-38.65	-25	Pass	14500




1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2985
30	1000	0.1	RMS	920.992	-61.62	-25	Pass	9700
1000	2550	1	RMS	2547.999	-47.95	-25	Pass	1550
2550	2640	1	RMS	2588.25	19.86	60	Pass	601
2640	3000	1	RMS	2665.2	-47.03	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.02	-25	Pass	9000
12000	26500	1	RMS	24845.886	-38.7	-25	Pass	14500




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.65	-25	Pass	2985
30	1000	0.1	RMS	916.991	-61.82	-25	Pass	9700
1000	2550	1	RMS	2543.996	-47.83	-25	Pass	1550
2550	2640	1	RMS	2588.1	18.58	60	Pass	601
2640	3000	1	RMS	2665.2	-47.08	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.04	-25	Pass	9000
12000	26500	1	RMS	24911.89	-38.68	-25	Pass	14500




1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2985
30	1000	0.1	RMS	925.592	-61.86	-25	Pass	9700
1000	2550	1	RMS	2547.999	-48.03	-25	Pass	1550
2550	2640	1	RMS	2605.95	20.16	60	Pass	601
2640	3000	1	RMS	2683.2	-47.14	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.04	-25	Pass	9000
12000	26500	1	RMS	24851.886	-38.64	-25	Pass	14500




1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.34	-25	Pass	2985
30	1000	0.1	RMS	895.989	-61.74	-25	Pass	9700
1000	2550	1	RMS	2528.986	-48.12	-25	Pass	1550
2550	2640	1	RMS	2605.95	19.04	60	Pass	601
2640	3000	1	RMS	2682.6	-47.16	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.01	-25	Pass	9000
12000	26500	1	RMS	24891.889	-38.75	-25	Pass	14500




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2985
30	1000	0.1	RMS	937.994	-61.67	-25	Pass	9700
1000	2550	1	RMS	2548.999	-47.39	-25	Pass	1550
2550	2640	1	RMS	2571.15	19.72	60	Pass	601
2640	3000	1	RMS	2647.8	-47.1	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.02	-25	Pass	9000
12000	26500	1	RMS	24842.886	-38.69	-25	Pass	14500




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2985
30	1000	0.1	RMS	910.591	-61.89	-25	Pass	9700
1000	2550	1	RMS	2550	-46.93	-25	Pass	1550
2550	2640	1	RMS	2570.85	18.44	60	Pass	601
2640	3000	1	RMS	2648.4	-47.26	-25	Pass	601
3000	12000	1	RMS	11974.997	-51.12	-25	Pass	9000
12000	26500	1	RMS	24894.889	-38.7	-25	Pass	14500




1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.79	-25	Pass	2985
30	1000	0.1	RMS	937.694	-61.79	-25	Pass	9700
1000	2550	1	RMS	2547.999	-47.93	-25	Pass	1550
2550	2640	1	RMS	2586	19.89	60	Pass	601
2640	3000	1	RMS	2662.2	-47.18	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.08	-25	Pass	9000
12000	26500	1	RMS	24884.889	-38.67	-25	Pass	14500




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-25	Pass	2985
30	1000	0.1	RMS	918.592	-61.75	-25	Pass	9700
1000	2550	1	RMS	2548.999	-47.84	-25	Pass	1550
2550	2640	1	RMS	2586.3	18.64	60	Pass	601
2640	3000	1	RMS	2662.8	-47.1	-25	Pass	601
3000	12000	1	RMS	11994.999	-51.08	-25	Pass	9000
12000	26500	1	RMS	24844.886	-38.72	-25	Pass	14500



1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.39	-25	Pass	2985
30	1000	0.1	RMS	985.899	-61.81	-25	Pass	9700
1000	2550	1	RMS	2548.999	-47.88	-25	Pass	1550
2550	2640	1	RMS	2601.3	19.79	60	Pass	601
2640	3000	1	RMS	2677.8	-46.96	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.07	-25	Pass	9000
12000	26500	1	RMS	24918.891	-38.72	-25	Pass	14500



**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2985
30	1000	0.1	RMS	944.094	-61.84	-25	Pass	9700
1000	2550	1	RMS	2545.997	-48.03	-25	Pass	1550
2550	2640	1	RMS	2601.15	19.34	60	Pass	601
2640	3000	1	RMS	2678.4	-47.08	-25	Pass	601
3000	12000	1	RMS	11980.998	-51	-25	Pass	9000
12000	26500	1	RMS	24909.89	-38.71	-25	Pass	14500

