

## EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

### 1 GPRS 850

#### 1.1 GPRS 850 MCH

### Test result

Project Number: 验证测试

Test Time: 2021-04-25\_15.35.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01

RSE Test case\_CE FCC PART22&24&27 FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.710	-63.39	-2.51	-13.0	-50.39	16.00	Horizontal	Vertical	Pass
847.748	-50.70	9.34	-13.0	-37.70	190.60	Horizontal	Vertical	Pass
881.447	-51.36	3.12	-13.0	-38.36	295.10	Horizontal	Vertical	Pass
1199.450	-44.79	2.06	-13.0	-31.79	343.20	Horizontal	Vertical	Pass
6997.001	-27.39	14.49	-13.0	-14.39	183.40	Horizontal	Vertical	Pass
9822.294	-23.44	22.68	-13.0	-10.44	307.20	Horizontal	Vertical	Pass

## 2 EGPRS 850

### 2.1 EGPRS 850 MCH

# Test result

Project Number: 验证测试

Test Time: 2021-04-25\_16.01.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01

RSE Test case\_CE FCC PART22&24&27 FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.710	-64.03	-2.51	-13.0	-51.03	48.00	Horizontal	Vertical	Pass
852.839	-50.40	9.62	-13.0	-37.40	0.00	Horizontal	Vertical	Pass
881.447	-50.82	3.12	-13.0	-37.82	68.10	Horizontal	Vertical	Pass
1204.949	-44.99	1.87	-13.0	-31.99	159.60	Horizontal	Vertical	Pass
5811.297	-29.70	12.66	-13.0	-16.70	81.70	Horizontal	Vertical	Pass
9796.051	-24.77	22.93	-13.0	-11.77	74.00	Horizontal	Vertical	Pass

### 3 GPRS 1900

#### 3.1 GPRS 1900 MCH

## Test result

Project Number: 验证测试

Test Time: 2021-04-25\_16.07.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-63.80	-2.45	-13.0	-50.80	285.10	Vertical	Vertical	Pass
450.147	-62.80	-1.94	-13.0	-49.80	335.70	Vertical	Vertical	Pass
851.385	-54.03	5.65	-13.0	-41.03	54.10	Vertical	Vertical	Pass
1879.280	-49.23	1.07	-13.0	-36.23	104.50	Vertical	Vertical	Pass
1959.760	-50.18	-1.69	-13.0	-37.18	73.60	Vertical	Vertical	Pass
6643.089	-40.98	12.97	-13.0	-27.98	120.10	Vertical	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-04-25\_16.09.57

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8184.704	-57.08	18.78	-13.0	-44.08	41.20	Vertical	Vertical	Pass
10101.225	-49.89	24.32	-13.0	-36.89	142.10	Vertical	Vertical	Pass
11867.783	-48.95	25.38	-13.0	-35.95	38.60	Vertical	Vertical	Pass
12464.634	-47.56	25.44	-13.0	-34.56	357.40	Vertical	Vertical	Pass
14096.226	-44.64	29.04	-13.0	-31.64	125.00	Vertical	Vertical	Pass
14708.073	-46.27	27.66	-13.0	-33.27	10.60	Vertical	Vertical	Pass

## 4 EGPRS 1900

### 4.1 EGPRS 1900 MCH

# Test result

Project Number: 验证测试

Test Time: 2021-04-25\_15.55.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-63.24	-2.45	-13.0	-50.24	44.00	Horizontal	Vertical	Pass
848.475	-54.47	5.54	-13.0	-41.47	32.80	Horizontal	Vertical	Pass
1199.450	-51.08	2.03	-13.0	-38.08	108.40	Horizontal	Vertical	Pass
1879.280	-51.78	1.07	-13.0	-38.78	21.00	Horizontal	Vertical	Pass
1959.760	-49.99	-1.69	-13.0	-36.99	82.70	Horizontal	Vertical	Pass
6671.082	-40.19	13.03	-13.0	-27.19	145.20	Horizontal	Vertical	Pass

# Test result

Project Number: 验证测试

Test Time: 2021-04-25\_16.11.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20140014-01#01

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8175.706	-56.95	18.52	-13.0	-43.95	346.90	Horizontal	Vertical	Pass
10128.218	-50.27	23.99	-13.0	-37.27	10.70	Horizontal	Vertical	Pass
11876.781	-48.25	25.41	-13.0	-35.25	338.70	Horizontal	Vertical	Pass
12458.635	-48.04	25.30	-13.0	-35.04	0.00	Horizontal	Vertical	Pass
14102.224	-45.21	29.15	-13.0	-32.21	141.00	Horizontal	Vertical	Pass
14708.073	-46.20	27.66	-13.0	-33.20	316.10	Horizontal	Vertical	Pass