
# sonÎm.

# RS80 User Guide


# **CONTENTS**

What's In The Box	- 1
Appearance Overview	- 3~4
Unfasten Handstrap to Remove Battery Cover	- 5
Remove Battery Cover	- 6
SIM/microSD Card · · · · · · · · · · · · · · · · · · ·	- 7
Insert Battery ·	- 8
Remove Battery	- 9
Power on for The First Time	- 10
Power On/power Off	- 11
Remove Battery Cover	- 12
Network & Internet	- 13
Connected Devices	- 11
Network & Internet	- 15
Display Settings	- 17
Battery Settings	- 17
Sound Settings	- 18
Storage Settings ·	- 19
Privacy Settings	- 19
Accessibility Settings	- 20
Google Settings	- 20
System Settings	- 21
Product Safety Warnings	- 23
Ni-E	24~27


# 1 What's In The Box




# 2 Appearance Overview



# Appearance Overview




# 4 Unfasten Handstrap to Remove Battery Cover



# **(5)** Remove Battery Cover

### To remove the battery cover


- 1. Power off the device before removing the battery cover
- 2. Push the battery cover lock to the open position
- 3. Detach the battery cover



# **6** SIM/microSD Card

### To insert/remove SIM/microSD card


Follow the indicated direction printed in the chamber



# 7 Insert Battery

## To insert the battery


- 1. Insert the battery
- 2. Push the battery lock to the closed position
- 3. Attach the battery cover
- 4. Push the battery cover lock to the closed position



# **8** Remove Battery

### To remove the battery

- 1. Power off the device before removing the battery
- 2. Push the battery cover lock to the open position
- 3. Detach the battery cover
- 4. Push the battery lock to the open position
- 5. Remove the battery



# 9 Power on for The First Time

When starting for the first time, fully charge the device. Plug the power adapter into the device and charge the device to make sure that battery is full.



# 10 Power On/power Off

### 1. Power On

Press the power button few secends until the device vibrates

### 2. Enter/Exit Sleep

Click the power button once, the screen enters sleep mode.

If the device screen is light on and keep standby 1 minute, the screen will automatically turn off and enter sleep mode(Standby time setting: Display > Screen timeout).

Click the power button once, the screen lights up and exits sleep mode. Swipe up on the screen to unlock.



### 3. Power Off/restart/screenshot

Long press the power button, a dialog box will pop up on the right side of the screen. Select the desired function to turn off the power, restart or take a screenshot.



# 11) Network & Internet

### WI-FI

Wi-Fi is a wireless network technology that can provide Internet access at distance up to 100 feet, depending on the Wi-Fi router and surroundings.

You can access word Internet when you connect your RS80 to a Wi-Fi network. To connect your tablet to a Wi-Fi network:

- 1. From Notifications or App menu, tap on Settings ( ).
- 2. Tap on Network & Internet ( ).
- 3. Tap on Wi-Fi ( 💨 ) .
- 4. Set the Wi-Fi to ON position located under Wireless & networks settings. A list of Wi-Fi access points present within your tablet accessible range are displayed.
- 5. Select your preferred network. Enter the WEP/WPS/WPA key (if it is a secured network) and select Connect. To verify the password before connecting, enable Show password.

### Add Network

- 1. On Wi-Fi screen, tap on Add network ( iii).
- 2. Enter the Network name and select the Security from the drop-down list. You can set the network password.
- 3. Tap on Advanced options. The settings such as Proxy and IP settings can be updated using the drop-down list.
- 4. Tap on Save to save the network settings.

### Connect To Network

- 1. Long press on connected network.
- 2. Tap on Connect to network.
- 3. Enter the network password.
- 4. The other network setting details such as Advanced options, Proxy, IP settings can be updated.
- 5. Tap on CONNECT to get connected to the network.

# 12 Network & Internet

### Mobile Network

- 1. From Notifications or App menu, tap on Settings ( ).
- 2. Tap on Network & Internet ( ) > Mobile network ( ),
- 3. Select SIM card Slot and the following options are displayed:
- Mobile data: Turn On to enable mobile data. Using mobile data, you can access Internet.
- Roaming: Turn ON to enable data roaming to connect to data services while roaming.
- Data usage: Mobile data usage for a particular time frame is displayed.
- Network:
- Automatically select network: Turn ON to connect to the selected network automatically.
- Network: The network name is displayed.
- Access Point Names: Tap on Access Point

Names (APNs) to view and edit the network access points. Tap on the ( 🛨 ) icon to add a new access point.

### Data Usage

Data usage refers to the amount of data utilized by your tablet during data transfers through the Internet. The data usage charges are dependent on the wireless plan provided by your service provider.

To monitor your data usage, adjust your data usage settings.

- 1. From Notifications or App menu, tap on Settings ( 🔯 ).
- 2. Tap on Network & Internet ( ) > Data usage
- 3. Under Usage, you can view the data usage for a particular time frame.
- 4. Turn on Data saver ( ) to access unrestricted data.

### **Hotspot & Tethering**

Hotspot and Tethering provides Internet to other devices through your mobile data connection. Apps can also create a hotspot to share content with nearby devices.

### **USB Tethering**

Using USB tethering, you can share tablet's Internet connection via USB.

- 1. From Notifications or App menu, tap on Settings ( 🕎 ).
- 2. Tap on Network & Internet( ) > Hotspot & tethering ( ).
- 3. Turn on USB tethering.

### Setup Mobile Hotspot

You can set up a hotspot using your mobile device.

- 1. From Notifications or App menu, tap on Settings ( ).
  2. Tap on Network & Internet( ) > Hotspot & tethering ( ).
- 3. Tap on Set up Mobile hotspot.
- 4. Enter the following details:
- Hotspot name: Enter the hotspot name.
- · Security: Select the desired security from the drop-down list.
- · Hotspot Password: The password must have at least 8 characters.
- 5. Tap on Save to save the mobile hotspot.

### Airplane Mode

When your tablet is set in airplane mode, network connectivity or mobile data connectivity is disabled. But you can access your camera, media files and other features that do not require mobile data connectivity.

To activate airplane mode:

- 1. From Notifications or App menu, tap on Settings ( 2 ).
- 2. Tap on Network & Internet( ) > Airplane Mode ( ).

# **13** Connected Devices

### Bluetooth Turn ON

You can share the tablet's Internet connection via Bluetooth.

- 1. From Notifications or App menu, tap on Settings ([5]).
- 2. Tap on Connected devices( 💹 ) > Connection preferences > Bluetooth( 🦹 )
- 3. Turn ON to enable Bluetooth tethering.

### Bluetooth

Bluetooth is a short-range wireless communication technology used to communicate between the devices over a distance of about 8 meters.

- You can perform the following tasks using Bluetooth paired devices.
- Transfer media files and contacts between connected mobile devices using Bluetooth.
- Use Bluetooth connected headtablets for playing media file.

### Pairing A Bluetooth Device

To activate Bluetooth and pair your RS80 device with other

### Bluetooth Devices:

- 1. From Notifications or App menu, tap on Settings ( ) > Connected devices ( ) > Connection preferences.
- 2. Tap and enable Bluetooth ( iii ). A list of accessible Bluetooth devices are displayed. Ensure that Bluetooth is activated on the other device as well.
- 3. Tap on Pair new device ( ) to pair a new device. Available devices are listed.
- 4. Select the desired device from the list. It starts pairing with the selected device. A confirmation message is displayed to pair the device. Select PAIR.

### Device Name

- 1. From Notifications or App menu, tap on Settings ( ) > Connected devices ( )> Connection preferences...
- 2. Tap and enable Bluetooth ( 🏋 ).
- 3. Tap on Device name. Rename this device screen is displayed. You can change the name and tap on Rename.

### Cast

- From Notifications or App menu, tap on Settings ( ) > Connected devices ( ) > Connection preferences.
- 2. Tap on Cast ( ).
- 3. You can cast your screen from your Android ™ device. Connect your Android device to the same Wi-Fi network as your Chromecast or TV with Chromecast built-in. In the top left corner of the app's Home screen, tap on Menu Cast Screen > audio Cast Screen > audio.
- 4. Ensure that your Android device and Chromecast are connected to the same Wi-Fi network.

### NFC

When NFC (Near-Field Communication) is a set of communication protocols that enable two electronic devices one of which is usually a portable device such as a smart tablet, to establish communication by bringing them within 4 cm of each other.

- 1. From Notifications or App menu, tap on Settings ( ) > Connected devices ( ) > Connection preferences > NFC ( ).
- 2. Turn ON NFC to allows your device to scan various cards.

### Printing

- 1. From Notifications or App menu, tap on Settings ( ) > Connected devices ( ) > Connection preferences > Printing ( ) .
- 2. Tap on Print > Default Print Service ( ). Turn On the Default Print Service.
- 3. Tap on Add services ( 🕂 ). Google Play screen is displayed. You can sign in with your Google credentials and add any desired service.

# 14 Display Settings

### Display

- From Notifications or App menu, tap on Settings ( ) > Display ( ).
- 2. Set the following options to configure your tablet's display:
- Brightness level: Set the brightness of the tablet display.
- · Night Light:
- Schedule: You can schedule the night light on your device: None, Turns on at custom time and Turns on from sunset to sunrise
  - Stare time: Sunrise time
  - End time: The sunset time
  - Intensity: You can increase/decrease the light intensity as per your requirement.
- · Adaptive Brightness: This optimizes the brightness level for available light.
- · Wallpapers: Includes images that are pre-loaded with the tablet.
- · Dark theme: Turn On to display the black theme.
- Screen timeout: Set the sleep time so that the screen brightness is turned down after specified time of tablet inactivity. This setting also optimizes the battery power. The options are: Never,15 seconds, 30 seconds, 1 minute, 2 minutes, 5 minutes, 10 minutes and 30 minutes.
- · Auto-rotate screen: Turn on to set auto-rotate screen ON.
- Font size: Set the font size of the text to be displayed on the screen.
- Display size: You can make the items on your screen smaller or larger. Some apps on your screen might change position.
- Screen saver: You can set any of the applications as a screen saver.
- Lock screen display: Tap on lock screen display and turn On When to show > New notification. The device screen is awake when you receive notifications.

# **15** Battery Settings

### **Battery**

- 1. From Home screen or App menu, tap on Settings ( ) > Battery ( ).
- The graphic image of battery charging level is displayed.
- · Last Full charge displays the time when the battery is fully charged.
- Screen usage since full charge displays the time duration the screen is used since the battery the fully charged.
- 2. Under Power management the following options are displayed:
- Batter saver: Set the Battery saver to On by selecting the option given for Turn On.

# **16 Sound Settings**

### Sound

- 1. From Notifications or App menu, tap on Settings ([10]) > Sound (10]). Set the following options to set the Sound settings in your device:
- 2. Media volume ( ): Adjust the volume as per your requirement.
- 3. Alarm volume ( ): Adjust the alarm volume as per your requirement.
- 4. Notification volume ( ): Adjust the volume for notification as per your requirement.
- Default Notification sound: Select the required Notification sound from the list and tap on OK to set as the ringtone. You can also add a new ringtone using Add ringtone ( +- ) option.
- Default alarm sound: Select the required alarm sound from the list and tap on OK to set as the ringtone. You can also add a new ringtone using Add ringtone ( 📗 ) option.
- 5. Other sounds and vibrations

Turn ON the following options to access the sound:

- · Screen locking sounds
- · Charging sounds and vibration
- Scanning sounds
- Touch sounds
- Touch vibration

# 17 Storage Settings

### Storage

- 1. From Notifications or App menu, tap on Settings ( ) > Storage ( ).
- 2. On Internal shared storage, the following options are displayed with memory used for each app:
- · Photos and videos
- · Music & audio
- Games
- · Movie & TV apps
- · Other apps
- Other
- System

# **18 Privacy Settings**

### Privacy

- 1. From Notifications or App menu, tap on Settings ( ) > Privacy ( ).
- · Permission manager
- · Show passwords
- · Lock screen
- · Autofill service from Google
- Advanced
- · Google location history
- · Activity controls
- Ads

# 19 Accessibility Settings

### Accessibility

You can make websites and applications more accessible to people with disabilities when they are using mobile tablets and other devices.

From Notifications or App menu, tap on Settings ( ) > Accessibility ( ).

### Volume Key Shortcut

- 1. Tap on Volume key shortcut. Turn On to enable Shortcut service. You can select any of the listed service to set a shortcut.
- 2. Enable Allow from lock screen to perform this functionality.

# 20 Google Settings

### Google

- 1. From Notifications screen or App screen, tap on Settings ( ) > Google ( ).
- 2. The following services are displayed under Services:
- Account services
- Ads
- Autofill
- Backup
- · Data & messaging
- Device connections
- · On-device sharing
- · App preview messages
- · Parental controls
- Security
- · Set up & restore

# 21 System Settings

### Language & Input

You can set the tablet's language to any of the languages displayed in the language list.

- 1. From Notifications screen or App screen, tap on Settings ( 
  ) > System ( ) > Languages & input ( ) .
- 2. Tap on Languages and select any desired language from the list as your preferred language.
- Default language: English is set as the default language. This can be changed by you if you prefer to have a different default language.
- Add a language: The following languages can be set as a Suggested language:
- English (XA)
- · English (Australia)
- English (Canada)
- · English (India)
- English (United Kingdom)
- · Español (España)
- Español (Estados Unidos)
- Français (Canada)
- Français (France)
- · Chinese -Simple
- · Chinese -Traditional

All the menu items and user feedback messages will be displayed in the set language.

- All languages: All the languages are listed. You can select any of the available languages and it will beadded to the list.
- Search: Tap on Search icon ( ) to search a language.
- 3. The following options are displayed under

### Keyboard & Input:

- · Virtual keyboard:
- Gboard: You can use Google keyboard which is multilingual typing keyboard.
- Google voice typing: You can use Google voice typing for entering the text instead of using the keyboard.
- Manage keyboards: From this menu, you are able to enable and manage different keyboards available to you.
- · Physical keyboard:
- Show virtual keyboard: Enable this option to keep it on screen while physical keyboard is active.
  - Keyboard shortcuts helper: Displays available shortcuts.

### **System Updates**

- 1. From Notifications or App screen, tap on Settings ( ) > System Updates ( ).
- 2. The following options are displayed:
- Check for new system updates: Tap on this option to check if your device requires any new system updates. If there is an update, the system checks for new updates. If your device is up to date, a message is displayed; No update is necessary at this time.
- Show system update history: Tap on this option view the updated software version.
- Use software Upgrade Assistant: You can use this option to install system updates in the following ways Use the USB cable to connect the device to the computer and use the QFIL tool to upgrade.

# 22 Product Safety Warnings

Use responsibly. Read all instructions and safety information before use to avoid injury. The maximum operating ambient temperature of the equipment is 55°C.

### 1.Battery Safety

Battery works at ambient temperatures ranging from-20°C to 55°C.

CAUTION: Risk of explosion if battery is replaced incorrectly. Replace with the same or equivalent type of battery as recommended by the manufacturer. Dispose used batteries according to battery manufacturer's instructions.

Note: Charging temperature specifications is from 0°Cto 45°C.

### 2.Charger Safety

Please place the device in an environment that has a normal room temperature with good ventilation when charging. It is recommended to charge the device in an environment with an ambient temperature that ranges from 5°C~40°C

### 3.Wi-Fi Safety

Turn Wi-Fi off in areas where Wi-Fi use is prohibited or when it may cause interference or danger, such as in airplanes while flying.

### 4. Avoid Damage To Your Hearing

Exposure to loud volumes from eartablets and headtablets over prolonged periods can cause hearing loss.

This device is restricted to indoor use where operated in the European Community using frequency in 5150MHz  $\sim$  5350MHz to reduce the potential for interference. Restriction in BE, BG, CZ, DK, DE, EE, IE, EL, ES, FR, HR, IT, CY, LV, LT, LU, HU, MT, NL, AT, PL, PT, RO, SI, SK, FI, SE, UK.

Band 5150-5350MHz is restricted to indoor use. (European/Canada/Japan) Water & Dust proof: IP67

### NOTICE

- 1. Some special places, such as airports, hospitals, gas stations and other places, do not allow the use of electronic equipment. Please comply with the rules and do not use this product in these places.
- 2. For your safety and the safety of others, please do not use this product while driving a vehicle.
- 3. In order to avoid potential safety problems, do not put this product near the vehicle's airbag.
- 4. For your safety, please do not use this product during thunderstorms.
- 5. Although this product is waterproof, do not leave this product for long periods of time in areas with water or moisture.
- 6. This product has an operating temperature range of -20°C~+55°C and a storage temperature range of -40°C~+70°C. Extreme temperatures can affect the device's performance and service life.
- 7. Please use an original rechargeable lithium battery. Low-quality batteries will affect the performance and service life of the device, and may even have the danger of explosion.
- 8. Although the product has been tested to withstand harsh operating environments, do not use the product in an improper manner.
- 9. Please do not disassemble this product. In case of failure, please send to our authorized service centres to proceed with repairs.
- 10. After the device has reached the end of its service life, please discard in a proper way to avoid environmental pollution.
- 11. When replacing the battery or during the use of an external power supply, shut down the device completely before removing the battery or disconnecting the external power supply to prevent damage.
- 12. This product is a Class B product, which may cause radio interference. The user may be required to take necessary preventive measures.

### NOTICE:

The SAR limit of Europe is 2.0 W/kg. Device types RS80 has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for use on the body is 1.902W/kg This device was tested for typical body - worn operations with the back of the handset kept 0 cm from the body. To maintain compliance with RF exposure requirements, use accessories that maintain a 0 cm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with RF exposure requirements, and should be avoided.

caution Risk Of Explosion If Battery Is Replaced By An Incorrect Type. Dispose Of Used Batteries According To The Instructions

Hereby, [Sonim Technologies Inc.] declares that the radio equipment type [RS80] is in compliance with Directive 2014 / 53 /EU.

The full text of the EU declaration of conformity is available at the following internet address: www.sonimtech.com

This device complies with Part 22 & 24 and Part 27 of the FCC Rules.

### SAR information

The SAR limit of FCC and ISED is 1.6 W/kg averaged over one gram of tissue. Device types RS80 (FCC ID:WYPRS80 and IC: 8090A-RS80) has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for use on the body is 1.437 W/kg. This device was tested for typical body -worn operations with the back of the handset kept 0 cm from the body. To maintain compliance with FCC and ISED RF exposure requirements, use accessories that maintain a 0 cm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC and ISED RF exposure requirements, and should be avoided.

### **Battery Instructions**

- 1. This product uses a rechargeable lithium battery as a power source. When the power is low, please charge the battery. To maintain battery life, it is recommended to deplete the battery's power before charging.
- 2. When the battery charger is not in use, please remove it from the power supply. Do not connect the charger to the battery for more than one week. Excessive charging will shorten the battery life.
- 3. Temperature affects the battery charging limit. Therefore, the battery may need to be cooled or warmed up before charging.
- 4. Please use the battery for its original intended purpose to prevent short-circuiting the battery. A short circuit will occur when a conductive material connects the battery's positive and negative terminals.
- 5. Do not use a battery that is damaged.
- 6. Placing the battery in extremely cold or hot places will lead to shortened battery life. Exposing the battery to extreme temperatures may cause the tablet to malfunction, even if the battery is fully charged.
- 7. Do not put the battery in a fire. Please discard the battery in a proper manner or take the battery to a battery recycling station. Please dispose waste batteries in accordance with local laws and regulations.

Google, Android, Google Play, YouTube and other marks are trademarks of Google LLC.

Importer: Sonim Technologies, Corporate Headquarters 6836 Bee Cave Road, Building 1, Suite 279, Austin, TX 78746 Manufacturer: Sonim Technologies, Corporate Headquarters 6836 Bee Cave Road, Building 1, Suite 279, Austin, TX 78746

### NOTICE:

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

### NOTICE:

Changes or modifications made to this equipment not expressly approved by Sonim Technologies, Corporate Headquarters may void the FCC authorization to operate this equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

### NOTICE:

This Class [B] digital apparatus complies with Canadian ICES -003.

Cet appareil numérique de la classe [B] est conforme à la norme NMB - 003 du Canada.

RF mode and power tune-up refer to appendix A

### Antenna Type

**FPCAntenna** 

Power:

GSM/GPRS/EGPRS900:33dBm GSM/GPRS/EGPRS1800:30dBm WCDMA/HSDPA/HSUPA Band 1:23dBm WCDMA/HSDPA/HSUPA Band 8:23dBm

### LTE FDD:

Band 1/24dBm; Band 3/24dBm; Band 7/23dBm; Band 8/24dBm; Band 20/24dBm; Band 28/24dBm; Band38/23dBm; Band 40/23dBm

GSM Release 99; WCDMA Release 6; LTE Release 8

WIFI and BT 2400-2483.5MHz: 14 dBm

WIFI(5150-5250MHz): 13dBm

WIFI(5725-5850MHz): Power:14dBm ,Receiver category:2

NFC: 13.56MHz/ Power class 4 / Modulation type: ASK / antenna gain: 0dBi

GPS :1559-1610MHz GSM900 (880.2MHz---914.8MHz)

DCS1800 (1710.2MHz---1784.8MHz)

WCDMA band 1 (1922.4MHz---1977.6MHz) WCDMA band 8 (1712.4MHz---1782.6MHz)

LTE BAND 1 (1922.5---1977.5)MHz

LTE BAND 3 (1710.7---1784.3)MHz LTE BAND 7 (2502.5---2567.5)MHz

LTE BAND 7 (2502.5---2567.5)MHz LTE BAND 8 (880.7---914.3)MHz

LTE BAND 20 (834.5---859.5)MHz

LTE BAND 28 (704.5---746.5)MHz

LTE BAND 38 (2572.5---2617.5)MHz

LTE BAND 40 (2302.5---2397.5)MHz

### Appendix A for US

### Normal Mode RF Power Range (GSM, WCDMA)

Mode	Range(dBm)		
GPRS850(1 Slot)	31.00-32.00		
GPRS850(2 Slots)	31.00-32.00		
GPRS850(3 Slots)	31.00-32.00		
GPRS850(4 Slots)	31.00-32.00		
EGPRS (8PSK, 1-Slot)	26.00-27.50		
EGPRS (8PSK, 2-Slots)	26.00-27.50		
EGPRS (8PSK, 3-Slots)	26.00-27.50		
EGPRS (8PSK, 4-Slots)	26.00-27.50		
GPRS1900(1 Slot)	27.50-29.00		
GPRS1900(2 Slots)	27.50-28.50		
GPRS1900(3 Slots)	27.50-28.50		
GPRS1900(4 Slots)	27.50-28.50		
EGPRS (8PSK, 1-Slot)	24.00-25.50		
EGPRS (8PSK, 2-Slots)	24.00-25.50		
EGPRS (8PSK, 3-Slots)	24.00-25.50		
EGPRS (8PSK, 4-Slots)	24.00-25.50		
WCDMA Band 2 RMC	23.00-24.00		
WCDMA Band 2 HSDPA	21.00-23.00		
WCDMA Band 2 HSUPA	19.50-22.50		
WCDMA Band 4 RMC	24.00-25.20		
WCDMA Band 4 HSDPA	22.00-24.00		
WCDMA Band 4 HSUPA	21.00-24.00		
WCDMA Band 5 RMC	24.00-24.80		
WCDMA Band 5 HSDPA	22.00-24.00		
WCDMA Band 5 HSUPA	21.00-23.50		

Normal Mode RF Power Range (LTE)

Mode	Normal Bandwidth	RB	ower Range (LTE)  Modulation	Range(dBm)
iviode	Danawati	1	iviodulation	22.50-24.50
		50	QPSK	22.00-23.50
		100	QF3K	22.00-23.00
	20 MHz	100		
		-	400 414	22.00-23.50
		50	16QAM	21.00-22.00
		100		21.00-22.00
		1	l  -	22.50-24.00
		36	QPSK	21.50-23.00
	15 MHz	75		22.00-23.00
		1		21.50-23.50
		36	16QAM	21.00-22.00
LTE Band 2		75		20.50-22.00
	10 MHz	1	QPSK	22.50-24.00
		25		22.00-23.00
		50		22.00-23.00
		1	16QAM	21.50-23.50
		25		21.00-22.00
		50		21.00-22.00
		1		22.50-24.00
		12	QPSK	22.00-23.00
		25		22.00-23.00
	5 MHz	1	16QAM	22.00-23.50
		12		21.00-22.00
		25		21.00-22.00
		1	QPSK	23.00-24.00
		8		21.50-23.00
	0.841.1-	15		22.00-23.00
	3 MHz	1	16QAM	21.50-23.50
		8		21.00-22.00
		15		21.00-22.00

		1		22.50-24.00
		3	QPSK	21.50-23.50
	1.4 MHz	6		22.00-23.00
	1.4 MHZ	1		22.00-23.00
		3	16QAM	21.00-22.00
		6		21.00-22.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		23.00-24.50
		50	QPSK	22.00-23.00
	00 MH	100		22.00-23.00
	20 MHz	1		22.50-24.00
		50	16QAM	21.00-22.00
		100		21.00-22.00
	15 MHz	1	QPSK	23.00-24.50
		36		22.00-23.00
		75		22.00-23.00
		1	16QAM	22.00-23.50
		36		21.00-22.00
		75		21.00-22.00
LTE Band 4		1		23.00-24.50
		25	QPSK	22.00-23.50
	40.841	50		22.00-23.00
	10 MHz	1		22.00-23.50
		25	16QAM	21.00-22.00
		50		21.00-22.00
		1	QPSK	23.00-24.00
		12		22.00-23.50
	5 MHz	25		22.00-23.00
		1	16QAM	22.00-23.50
		12		21.00-22.00
		25		21.00-22.00
	3 MHz	1	QPSK	23.00-24.00

		8		22.00-23.50
		15		22.00-23.00
		1		22.00-23.50
		8	16QAM	21.00-22.00
		15		21.00-22.00
		1		23.00-24.00
		3	QPSK	22.00-23.00
		6		22.00-23.50
	1.4 MHz	1		22.00-23.50
		3	16QAM	21.00-22.00
		6		21.00-22.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		23.00-25.00
		25	QPSK	23.00-24.00
	10 MHz	50		23.00-24.00
		1		22.50-24.00
		25	16QAM	21.50-23.00
		50		21.50-23.00
		1	QPSK	23.00-24.50
	5 MHz	12		22.50-23.50
		25		22.50-23.50
		1		22.50-24.00
LTE Band 5		12	16QAM	21.50-23.00
		25		21.50-23.00
		1		23.50-24.50
		8	QPSK	22.50-23.50
	0.441	15		22.50-23.50
	3 MHz	1		22.50-24.00
		8	16QAM	21.50-23.00
		15		21.50-23.00
		1		23.50-24.50
	1.4 MHz	3	QPSK	22.50-23.50

6

22.50-23.50

Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		24.00-25.00
		50	QPSK	23.00-24.00
	20 MHz	100	] [	23.00-24.50
	20 MH2	1		23.50-24.50
		50	16QAM	22.00-23.00
		100	] [	22.00-23.00
		1		23.50-25.00
		36	QPSK	23.00-24.00
	45.141.1-	75	1 [	23.00-24.00
	15 MHz	1		23.00-24.00
		36	16QAM	22.00-23.00
1 TE D 17		75	•	22.00-23.00
LTE Band7	10 MHz	1	QPSK	23.00-24.50
		25		22.00-23.50
		50	1	22.00-23.50
		1		22.00-24.00
		25	16QAM	21.00-22.50
		50	1 [	21.00-22.50
		1	QPSK	23.00-24.50
		12		22.00-23.50
	5.841-	25		22.00-23.50
	5 MHz	1		22.00-24.00
		12	16QAM	21.00-22.50
		25		21.00-22.50
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		24.00-25.50
	1		1 1	

QPSK

23.00-24.50

23.00-24.50

25

50

LTE Band 12

10 MHz

3

16QAM

22.50-24.00

22.00-23.00 21.50-22.50

		1		23.00-25.00
		25	16QAM	22.50-23.50
		50		22.50-23.50
		1		24.00-25.50
		12	QPSK	23.00-24.50
	5.841-	25		23.00-24.50
	5 MHz	1		23.00-25.00
		12	16QAM	22.50-23.50
		25		22.50-23.50
	3 MHz	1	QPSK	24.00-25.50
		8		23.00-24.50
		15	Γ	23.00-24.50
		1		23.00-24.50
		8	16QAM	22.50-23.50
		15	Γ	22.50-23.50
		1		24.00-25.50
		3	QPSK	23.00-24.50
	1.4 MHz	6		23.00-24.50
	1.4 IVITIZ	1		23.00-24.50
		3	16QAM	22.50-23.50
		6		22.50-23.50

Mode	Bandwidth	RB	Modulation	Range(dBm)
	10 MHz	1		23.50-25.00
		25	QPSK	22.50-23.50
		50		22.50-23.50
		1		22.50-24.00
LTE Band 13		25	16QAM	21.50-22.50
		50		21.50-22.50
	5 MHz	1		23.50-24.50
		12	QPSK	22.50-23.50
		25		22.50-23.50
		1	16QAM	22.50-24.00
		12	TOQAIVI	21.50-22.50

		25		21.50-22.50
			<u> </u>	21.00-22.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		22.50-24.00
		25	QPSK	21.50-22.80
	40.1411-	50	1 [	21.50-22.80
	10 MHz	1		21.50-23.00
		25	16QAM	21.00-22.00
LTE Band 14		50	1 [	21.00-22.00
LIE Band 14		1		22.50-24.00
		12	QPSK	21.50-22.80
	5 MHz	25	] [	21.50-22.80
	5 MHZ	1		22.00-23.50
		12	16QAM	20.50-22.00
		25	1 Γ	21.00-22.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
	20 MHz	1	. L	22.50-23.50
		50	QPSK	21.50-22.80
		100		21.50-22.80
		1	l L	22.00-23.50
		50	16QAM	20.50-22.00
		100		20.50-22.00
	15 MHz	1		22.50-23.80
		36	QPSK	21.50-22.80
LTE Band 25		75	Ι Γ	21.50-22.80
		1		21.00-23.50
		36	16QAM	20.50-22.00
		75	] [	20.50-22.00
		1		22.50-23.80
		25	QPSK	21.50-22.80
	10 MHz	50	1 [	21.50-22.80
		1	16QAM	21.00-23.00

Γ

		50		20.50-22.00
I		1		22.50-24.00
		12	QPSK	21.50-23.00
	5 MHz	25	Γ	21.50-23.00
	5 MHZ	1		22.50-23.50
		12	16QAM	21.00-22.00
		25	Γ	21.00-22.00
	3 MHz	1		22.00-24.00
		8	QPSK	21.50-23.00
		15		21.50-23.00
		1		21.50-23.00
		8	16QAM	21.00-22.00
		15	Γ	21.00-22.00
ΙΓ		1		22.00-23.50
		3	QPSK	22.00-23.00
	1.4 MHz	6		21.50-22.50
	1.4 IVIHZ	1		21.50-23.00
		3	16QAM	20.50-22.00
		6		20.50-22.00

Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		22.50-24.50
		36	QPSK	22.00-23.00
	15 MHz	75		22.00-23.00
	15 WHZ	1		22.00-23.50
		36	16QAM	21.00-22.00
		75		21.00-22.00
LTE Band 26	10 MHz	1	QPSK	22.50-24.00
		25		22.00-23.00
		50		22.00-23.00
		1		22.00-23.50
		25	16QAM	21.00-22.00
		50		21.00-22.00
	5 MHz	1	QPSK	22.50-24.00

		12		21.50-23.00
		25		21.50-23.00
		1		22.00-23.50
		12	16QAM	21.00-22.00
		25		21.00-22.00
		1		23.00-24.00
	3 MHz	8	QPSK	22.00-23.00
		15		22.00-23.00
		1	16QAM	21.50-23.50
		8		21.00-22.00
		15		21.00-22.00
		1		23.00-24.00
1.4 MHz		3	QPSK	22.00-23.00
	4.4.541.1=	6		22.00-23.00
	1.4 IVIDZ	1		21.50-23.00
		3	16QAM	21.00-22.00
		6	1	21.00-22.00

Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		22.00-23.90
		50	QPSK	21.50-22.80
	20 MHz	100		21.50-22.80
	20 1011 12	1		22.00-23.00
		50	16QAM	21.00-22.00
		100		21.00-22.00
LTE Band41	15 MHz	1	QPSK	22.00-24.00
LTL Danu+1		36		21.50-23.00
		75		21.50-23.00
		1		21.50-23.00
		36	16QAM	21.00-22.00
		75		21.00-22.00
	10 MHz	1	QPSK	22.50-23.50
		25		21.50-23.00

		50		21.50-23.00
		1	l L	22.00-23.00
		25	16QAM	20.50-22.00
		50		20.50-22.00
		1	l L	22.50-24.00
		12	QPSK	21.50-23.00
	5 MHz	25		21.50-23.00
	3 IVINZ	1		22.00-23.00
		12	16QAM	20.50-22.00
		25		20.50-22.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		21.50-25.00
	20 MHz	50	QPSK	21.00-22.50
		100		21.00-22.50
		1		21.00-24.50
		50	16QAM	20.00-21.50
		100		20.00-21.50
		1		21.50-24.00
		36	QPSK	21.00-22.00
		75		21.00-22.00
	15 MHz	1		21.00-23.00
		36	16QAM	20.00-21.00
LTE Band66		75		20.00-21.00
		1		23.00-24.50
		25	QPSK	22.00-23.50
		50		22.00-23.00
	10 MHz	1		22.00-24.00
		25	16QAM	21.00-22.50
		50		21.00-22.50
		1		23.00-24.50
		12	QPSK	22.00-23.50
	5 MHz	25		22.00-23.50
		1	16QAM	22.00-24.00

		12		21.00-22.50
		25		21.00-22.50
		1		23.00-24.50
		8	QPSK	22.00-23.00
	3 MHz	15		22.00-23.00
3	3 IVITZ	1		22.00-23.50
		8	16QAM	21.00-22.50
		15		21.00-22.50
	1.4 MHz	1	QPSK	23.00-24.00
		3		22.00-23.00
		6		22.00-23.00
		1		22.00-23.50
		3	16QAM	21.00-22.00
		6		21.00-22.00

## Normal Mode RF Power Range (WLAN/Bluetooth)

Band (GHz)	Mode	Range(dBm)
	802.11b	12.00-13.50
WIFI 2.4G	802.11g	11.50-12.50
(2.4~2.4835)	802.11n(HT20)	11.50-13.00
	802.11n(HT40)	10.50-12.50

Band (GHz)	Mode	Range(dBm)
	802.11a	10.50-11.30
	802.11n(HT20)	10.50-11.50
WIFI 5.2 G	802.11ac(VHT20)	10.50-11.30
(5.15~5.25)	802.11n(HT40)	9.50-10.00
	802.11ac(VHT40)	10.00-11.00
	802.11ac(VHT80)	9.00-10.20
	802.11a	10.50-11.50
	802.11n(HT20)	9.50-10.50
WIFI 5.8G	802.11ac(VHT20)	11.00-12.50
(5.725~5.850)	802.11n(HT40)	8.00-9.00
	802.11ac(VHT40)	10.00-11.50
	802.11ac(VHT80)	10.00-10.50

	Band (GHz)	Mode	Range(dBm)	
	Bluetooth (2.4~2.4835)	GFSK	8.00-10.00	
		π/4-DQPSK	8.00-10.00	
		8-DPSK	8.00-10.00	
		BLE	(-1.50)-0.50	

## Power Reduction Mode RF Power Range (GSM,WCDMA)

Mode	Range(dBm)
GPRS1900(1 Slot)	21.50-22.50
GPRS1900(2 Slots)	21.50-22.50
GPRS1900(3 Slots)	21.50-22.50
GPRS1900(4 Slots)	21.00-22.00
EGPRS (8PSK, 1-Slot)	18.00-19.00
EGPRS (8PSK, 2-Slots)	18.00-19.00
EGPRS (8PSK, 3-Slots)	17.50-19.00
EGPRS (8PSK, 4-Slots)	18.00-19.00
WCDMA Band 2 RMC	16.00-17.00
WCDMA Band 2 HSDPA	14.00-16.00
WCDMA Band 2 HSUPA	13.00-15.50
WCDMA Band 4 RMC	16.00-17.50
WCDMA Band 4 HSDPA	15.00-16.00
WCDMA Band 4 HSUPA	13.50-16.00

Power Reduction Mode RF Power Range (LTF)

Power Reduction Mode RF Power Range (LTE)				
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1	. L	15.00-17.50
		50	QPSK	15.50-17.00
	20 MHz	100		15.50-17.00
	20 WII IZ	1	l L	16.00-17.50
		50	16QAM	16.00-17.00
		100		15.50-17.00
		1		15.50-17.00
		36	QPSK	15.50-17.00
	15 MHz	75		15.00-17.00
	15 WHZ	1		15.00-17.50
		36	16QAM	15.50-17.00
		75	Ι Γ	15.00-17.00
LTE Band 2	10 MHz	1		15.50-17.00
		25	QPSK	15.50-17.00
		50		15.50-17.00
		1		15.00-17.50
		25	16QAM	15.50-17.00
		50	1	15.50-17.00
		1	QPSK	15.50-16.50
		12		15.50-16.50
		25	1	15.50-16.50
	5 MHz	1		15.50-17.00
		12	16QAM	15.50-17.00
		25	1	15.50-17.00
		1		15.50-16.50
		8	QPSK	15.50-16.50
	0.841.1-	15		15.50-16.50
	3 MHz	1		15.50-17.00
		8	16QAM	15.50-16.50
		15	1	15.50-16.50
	1.4 MHz	1	ODSK	15.50-16.50
		3	QPSK -	15.50-16.50

		6		15.50-16.50
		1		15.50-17.00
		3	16QAM	15.50-17.00
		6	Ι Γ	15.50-17.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1	l L	16.00-17.50
		50	QPSK	16.00-17.20
	20 MHz	100	Ι Γ	16.00-17.00
	20 MH2	1		16.50-17.50
		50	16QAM	16.00-17.00
		100	1	16.00-17.00
	15 MHz	1		16.00-17.50
		36	QPSK	16.00-17.00
		75		16.00-17.00
		1		16.00-17.50
		36	16QAM	16.00-17.00
		75	1	16.00-17.00
		1	QPSK	16.00-17.50
LTE Band 4		25		16.00-17.00
LIE Band 4		50	Ι Γ	16.00-17.00
	10 MHz	1		16.00-17.50
		25	16QAM	16.00-17.00
		50	1	16.00-17.00
		1		16.00-17.00
		12	QPSK	16.00-17.00
	5.44	25		16.00-17.00
	5 MHz	1		16.00-17.20
		12	16QAM	16.00-17.00
		25	1	16.00-17.00
		1		16.00-17.00
1	1	$\overline{}$	· ⊢	

8

15

3 MHz

QPSK

16QAM

16.00-17.00

16.00-17.00

16.00-17.20

		8		16.00-17.00
		15	Г	16.00-17.00
	1.4 MHz	1		16.00-17.00
		3	QPSK	16.00-17.00
		6	Γ	16.00-17.00
		1		16.00-17.20
		3	16QAM	16.00-17.00
		6		16.00-17.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1	L	19.00-20.00
		50	QPSK	19.00-19.80
	20 MHz	100		19.00-20.00
	20 MH2	1		19.00-20.50
		50	16QAM	19.00-20.00
		100		19.00-20.00
	15 MHz	1		19.00-20.00
		36	QPSK	19.00-20.00
		75		19.00-20.00
		1	16QAM	18.50-20.00
		36		19.00-20.00
LTE Band7		75		19.00-20.00
	10 MHz	1	QPSK	18.50-19.50
		25		18.50-19.50
		50		18.50-19.00
		1	16QAM	18.00-19.50
		25		18.00-19.50
		50		18.00-19.50
	5 MHz	1		18.00-19.00
		12	QPSK	18.00-19.00
		25		18.00-19.00
		1	16QAM	18.50-19.50
		12		18 00-19 00

12

18.00-19.00

		25		18.00-19.00
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1	QPSK	16.00-18.00
		50		16.50-18.00
	20 MHz	100		16.00-17.50
	20 1011 12	1		17.00-18.00
		50	16QAM	16.50-18.00
		100		16.50-17.50
		1		16.00-17.50
		36	QPSK	16.00-17.50
	45.141.1-	75	I F	16.00-17.50
	15 MHz	1		16.50-18.00
		36	16QAM	16.50-17.50
		75	I F	16.50-17.50
		1	QPSK	16.50-18.00
		25		16.50-17.50
		50		16.50-17.50
LTE Band 25	10 MHz	1	16QAM	16.50-18.00
		25		16.50-17.50
		50	Ι Γ	16.50-17.50
		1	QPSK	16.50-17.50
	5 MHz	12		16.50-17.50
		25	Ι Γ	16.50-17.50
		1	16QAM	16.50-18.00
		12		16.50-17.50
		25		16.50-17.50
		1	QPSK	16.50-17.50
		8		16.50-17.50
	2 MI I-	15	]	16.50-17.50
	3 MHz	1	16QAM	16.50-17.50
		8		16.50-17.50
		15		16.50-17.50
	1.4 MHz	1	QPSK	16.50-17.50

		3		16.50-17.50
		6		16.50-17.50
		1		16.50-17.50
		3	16QAM	16.50-17.50
		6		16.50-17.50
Mode	Bandwidth	RB	Modulation	Range(dBm)
		1		15.50-18.50
		50	QPSK	16.00-17.50
	20 MHz	100		16.00-17.00
		1		16.00-19.00
		50	16QAM	16.00-17.00
		100		16.00-17.00
		1	QPSK	15.50-17.50
	15 MHz	36		15.50-17.00
		75		16.00-17.00
		1		15.50-18.00
		36	16QAM	15.50-17.00
		75		16.00-17.00
LTE Band66	10 MHz	1		17.00-18.50
		25	QPSK	17.00-18.00
		50		17.00-18.00
		1		17.50-18.80
		25	16QAM	17.00-18.00
		50		17.00-18.00
		1		17.00-18.00

12

25

1

12

25

1

8

5 MHz

3 MHz

QPSK

16QAM

QPSK

17.00-18.00

17.00-18.00

17.00-19.00

17.00-18.00

17.00-18.00

17.00-18.00

17.00-18.00

		15		17.00-18.00
		1	16QAM	17.00-18.50
		8		17.00-18.00
		15		17.00-18.00
	1.4 MHz	1	QPSK	17.00-18.00
		3		17.00-18.00
		6		17.00-18.00
		1		17.00-18.00
		3	16QAM	17.00-18.00
		6		17.00-18.00

Normal Mode RF Power Range (LTE)

Mode	Bandwidth	RB	Modulation Modulation	Range(dBm)
	20 MHz	1	QPSK	22.50-24.00
		50		21.50-22.50
		100		21.50-22.50
		1	16QAM	22.00-23.00
		50		20.50-21.50
		100		20.50-21.50
		1		22.50-24.00
		36	QPSK	21.50-22.50
	15 MHz	75		21.50-22.50
	15 MHZ	1		22.00-23.00
		36	16QAM	20.50-21.50
LTE Band38		75		20.50-21.50
LIL Dandoo	10 MHz	1	QPSK	22.50-24.00
		25		21.50-22.50
		50		21.50-22.50
		1	16QAM	22.00-23.00
		25		20.50-21.50
		50		20.50-21.50
	5 MHz	1	QPSK	22.50-23.50
		12		21.50-22.50
		25		21.50-22.50
		1	16QAM	22.00-23.00
		12		20.50-21.50
		25		20.50-21.50

## Power Reduction Mode RF Power Range (LTE)

Mode	Bandwidth	RB	Modulation	Range(dBm)
	20 MHz	1	QPSK	17.00-18.00
		50		17.00-17.50
		100		17.00-17.50
		1		17.00-18.00
		50	16QAM	16.50-17.50
		100	1	16.50-17.50
 		1		17.00-18.00
		36	QPSK	16.50-17.50
		75		16.50-17.50
	15 MHz	1		17.00-18.00
		36	16QAM	16.50-17.50
LTC Dondoo		75		16.50-17.50
LTE Band38	10 MHz	1	QPSK	17.00-18.00
		25		16.50-17.50
		50		16.50-17.50
		1		17.00-18.00
		25	16QAM	16.50-17.50
		50		16.50-17.50
-	5 MHz	1	QPSK	17.00-18.00
		12		16.50-17.50
		25		16.50-17.50
		1	16QAM	17.00-18.00
		12		16.50-17.50
		25		16.50-17.50

