Ondas Networks Inc. FCC ID: X27-HG450-1

4 FCC §1.1307(b) (1) & §2.1091 - RF Exposure

4.1 Applicable Standards

FCC §2.1091, (a) Requirements of this section are a consequence of Commission responsibilities under the National Environmental Policy Act to evaluate the environmental significance of its actions. See subpart I of part 1 of this chapter, in particular §1.1307(b).

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm²)	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

Note: f = frequency in MHz

4.2 MPE Prediction

Predication of MPE limit at a given distance, Equation from OET Bulletin 65, Edition 97-01

$$S = PG/4\pi R^2$$

Where: S = power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

^{* =} Plane-wave equivalent power density

Ondas Networks Inc. FCC ID: X27-HG450-1

4.3 Test Results

Maximum average output power at antenna input terminal (dBm): 25.209

Maximum average output power at antenna input terminal (mW): 331.82

Prediction frequency (MHz): 459.825

Antenna Gain, typical (dBi): 6.67

Maximum Antenna Gain (numeric): 4.64

Prediction distance (cm): 20

Power density of prediction frequency at 20 cm (mW/cm²): 0.30655

MPE limit for uncontrolled exposure at predication frequency (mW/cm²): 0.30655

The average output power was derived from the maximum peak power (25.667 dBm) and duty cycle (90%). The average output power = peak output power = $10*\log(1/\text{duty cycle})=25.667-0.458=25.209\text{dBm}$.

Note: Duty Cycle declared by customer

Results

In order to pass the uncontrolled exposure limit of 0.30655 mW/cm² with the Output Power being 25.209 dBm, 90% duty cycle, and prediction distance of 20cm, the EUT can have a maximum antenna gain of 6.67dBi.