


EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A black remote control is shown horizontally against a light blue background. To its left is a black metric ruler with white markings, showing centimeters from 0 to 10 and millimeters from 0 to 10. The remote features a central directional pad with four arrows, a power button on the left, and several other function buttons including a play/pause button, a stop button, and a volume control button. The brand name 'ELMO' is visible on the right side of the remote.
EUT View 2	 A side view of the black remote control is shown horizontally against a light blue background. To its left is a black metric ruler with white markings, showing centimeters from 0 to 10 and millimeters from 0 to 10. The remote is shown from the side, highlighting its slim profile and a slight indentation in the center.

EUT View 3	 A top-down view of a black, elongated remote control. The remote features a central circular navigation pad with four directional arrows and a central button. To the left of the pad are two buttons, and to the right are two more. Further right are three buttons, including a power button. The brand name 'ELMD' is printed vertically on the right side. A black ruler with white markings is placed horizontally below the remote, showing measurements in centimeters.
EUT View 4	 A bottom-up view of the same black remote control. The 'ELMD' logo is visible on the underside. The remote is positioned above a black ruler with white markings, which is used for scale.

EUT View 5	 A top-down view of a black, slim remote control. The brand name 'ELMD' is printed in white on the left side. The remote features a central circular navigation pad with four arrow keys and a central button. Surrounding this are various function buttons including a power button, a play/pause button, a stop button, and a back button. A ruler is placed horizontally below the remote, showing measurements in centimeters and millimeters.
EUT View 6	 A bottom-up view of the same black remote control. The underside shows a series of small, rectangular ventilation holes. The same function buttons are visible from this angle. A ruler is placed horizontally below the remote, showing measurements in centimeters and millimeters.