



| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| _ | | | Member of SGS Group | |





| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





| SGS Taiwan Ltd. | p.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | | |
|-----------------|--|---------------------|---------------------|--|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | | |
| | | | Member of SGS Group | | |





| SGS Taiwan Ltd. | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-----------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |






| SGS Taiwan Ltd. N | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-------------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |





| SGS Taiwan Ltd. N | SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | | |
|-------------------|---|---------------------|---------------------|--|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | | |
| | | | Member of SGS Group | | |





| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park | <, Wuku District, New Taipei City, Taiwan/新北市五股區新北; | 產業園區五工路 134 號 |
|-----------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| _ | | | Member of SGS Group |





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park | x, Wuku District, New Taipei City, Taiwan/新北市五股區新北。 | 產業園區五工路 134 號 |
|-----------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |






| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park | <, Wuku District, New Taipei City, Taiwan/新北市五股區新北; | 產業園區五工路 134 號 |
|-----------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| _ | | | Member of SGS Group |






| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, W | uku District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|--|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |





| SGS Taiwan Ltd. | Np.134,Wu Kung Road, New Taipei Industrial Park | , Wuku District, New Taipei City, Taiwan/新北市五股區新北產 | 業園區五工路 134 號 |
|-----------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |






| SGS Taiwan Ltd. N | م.134,Wu Kung Road, New Taipei Industrial Park, ۱ | Wuku District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |





| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Par | k, Wuku District, New Taipei City, Taiwan/新北市五股區新北彥 | E業園區五工路 134 號 |
|-----------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| _ | | | Member of SGS Group |





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | Io.134, Wu Kung Road, New Taipei Industrial Park, Wu | uku District, New Taipei City, Taiwan/新北市五股區新北。 | 產業園區五工路 134 號 |
|-------------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT 9

Standard Applicable 9.1

FCC

| OPERZTION Band | EUT CATEGORY | | LIMIT |
|-------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | | Access Point (Master device) | 1 Watt(30dBm) |
| U-NII-1 | | Fixed point-to-point Access Ponit | 1 Watt(30dBm) |
| | Mobile and portable client device | | 250mW(23.98dBm) |
| U-NII-2A | \boxtimes | | 250mW(23.98dBm) or 11dBm+10 log B |
| U-NII-2C | \boxtimes | | 250mW(23.98dBm) or 11dBm+10 log B |
| U-NII-3 | \boxtimes | | 1 Watt(30dBm) |

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Note:

CDD

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

(ii) If all transmit signals are *completely uncorrelated*, then

Directional gain = $10 \log[(10^{G1}/10 + 10^{G2}/10 + ... + 10^{GN}/10)/NANT] dBi$

where

NANT = the total number of antennas

G is the gain in dBi.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Beamforming

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemniinformation contraction contractions and contractions in Lectronic Documents at <u>mucrawways contraction</u> remeaning-contractions. And while the immediate instantial mucrawite and the immediate and the immediat

| SGS Taiwan Ltd. N | 134, Wu Kung Road, New Taipei Industrial Park, | Wuku District, New Taipei City, Taiwan/新北市五股區新北点 | 業園區五工路 134 號 |
|-------------------|--|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.


9.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- 4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- 6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

| Conducted Emission Test Site: Conducted 2 | | | | | | | | |
|---|--------------|-----------------|--------------------|------------|------------|--|--|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUM- BER | LAST CAL. | CAL DUE. | | | |
| Power Meter | Anritsu | ML2496A | 1804001 | 03/02/2021 | 03/01/2022 | | | |
| Power Sensor | Anritsu | MA2411B | 1726104 | 03/02/2021 | 03/01/2022 | | | |
| Power Sensor | Anritsu | MA2411B | 1726107 | 03/02/2021 | 03/01/2022 | | | |
| Attenuator | Mini-Circuit | BW- S10W2+ | 2 | 12/16/2020 | 12/15/2021 | | | |

9.3 Measurement Equipment Used

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



9.5 **Beamforming Mode Measurement Result**

Conducted output power (FCC) 9.5.1

802.11n_HT20_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | MCS0 | 17 | 17.97 | 62.592 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 16.5 | 17.09 | 51.111 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 17 | 17.70 | 58.819 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 17 | 17.87 | 61.167 | 23.98 | or 11+10log(B) = | 24.03 | PASS |
| 60 | 5300 | MCS0 | 17 | 17.95 | 62.304 | 23.98 | or 11+10log(B) = | 24.04 | PASS |
| 64 | 5320 | MCS0 | 16 | 16.76 | 47.371 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS0 | 15.5 | 16.19 | 41.545 | 23.98 | or 11+10log(B) = | 24.11 | PASS |
| 116 | 5580 | MCS0 | 16 | 16.94 | 49.376 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 140 | 5700 | MCS0 | 15.5 | 16.40 | 43.603 | 23.98 | or 11+10log(B) = | 24.08 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 16 | 15.63 | 36.58 | 23.98 | or 11+10log(B) = | 22.77 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 16 | 10.88 | 12.23 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 23 | 23.44 | 220.555 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 23 | 23.78 | 238.516 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 23 | 23.38 | 217.529 | | 30 | | PASS |

802.11n_HT20_Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | MCS0 | 17 | 16.97 | 49.718 | • | PASS | | |
| 44 | 5220 | MCS0 | 16.5 | 16.64 | 46.080 | | PASS | | |
| 48 | 5240 | MCS0 | 17 | 17.15 | 51.822 | | PASS | | |
| 52 | 5260 | MCS0 | 17 | 17.08 | 50.994 | 23.98 | or 11+10log(B) = | 23.96 | PASS |
| 60 | 5300 | MCS0 | 17 | 16.96 | 49.604 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 64 | 5320 | MCS0 | 16 | 16.60 | 45.658 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 100 | 5500 | MCS0 | 15.5 | 15.35 | 34.239 | 23.98 | or 11+10log(B) = | 23.94 | PASS |
| 116 | 5580 | MCS0 | 16 | 16.08 | 40.506 | 23.98 | or 11+10log(B) = | 23.92 | PASS |
| 140 | 5700 | MCS0 | 15.5 | 15.56 | 35.935 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 16 | 14.75 | 29.82 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 16 | 9.94 | 9.85 | • | 30 | | PASS |
| 149 | 5745 | MCS0 | 23 | 23.09 | 203.478 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 23 | 23.00 | 199.304 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 23 | 23.06 | 202.077 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, Wu | ku District, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 96 of 774

802.11n_HT20_MIMO

| | Frequency | Data | Power | Avg. POW | /ER (dBm) | TOTAL | TOTAL | | REQUIRED | | RESULT |
|-----|----------------|------|-------|----------|-----------|----------------|---------------|-------|------------------|-------|--------|
| СН | (MHz) | Rate | set | CH 0 | CH 1 | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 36 | 5180 | MCS8 | 17 | 17.69 | 16.64 | 20.52 | 112.775 | | 23.98 | | PASS |
| 44 | 5220 | MCS8 | 16.5 | 16.65 | 16.31 | 19.81 | 95.693 | | 23.98 | | PASS |
| 48 | 5240 | MCS8 | 17 | 17.3 | 16.72 | 20.35 | 108.272 | | 23.98 | | PASS |
| 52 | 5260 | MCS8 | 17 | 17.55 | 16.73 | 20.48 | 111.810 | 23.98 | or 11+10log(B) = | 23.96 | PASS |
| 60 | 5300 | MCS8 | 17 | 17.55 | 16.58 | 20.42 | 110.090 | 23.98 | or 11+10log(B) = | 24.04 | PASS |
| 64 | 5320 | MCS8 | 16 | 16.36 | 16.22 | 19.62 | 91.538 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 100 | 5500 | MCS8 | 15.5 | 15.89 | 15.33 | 18.94 | 78.424 | 23.98 | or 11+10log(B) = | 23.94 | PASS |
| 116 | 5580 | MCS8 | 16 | 16.7 | 16.27 | 19.82 | 95.847 | 23.98 | or 11+10log(B) = | 23.92 | PASS |
| 140 | 5700 | MCS8 | 15.5 | 16.13 | 15.66 | 19.23 | 83.692 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 144 | 5720(U-NII 2C) | MCS8 | 16 | 15.43 | 14.69 | 18.40 | 69.254 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS8 | 16 | 10.67 | 9.88 | 13.62 | 23.034 | | 30 | | PASS |
| 149 | 5745 | MCS8 | 23 | 23.06 | 22.72 | 26.22 | 418.678 | | 30 | | PASS |
| 157 | 5785 | MCS8 | 23 | 23.58 | 22.65 | 26.47 | 443.131 | | 30 | | PASS |
| 165 | 5825 | MCS8 | 23 | 23.13 | 22.68 | 26.24 | 420.368 | | 30 | | PASS |

802.11ac_VHT20_Ch0

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | MCS0 | 17 | 17.81 | 60.433 | | | PASS | |
| 44 | 5220 | MCS0 | 16.5 | 16.95 | 49.577 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 17 | 17.51 | 56.400 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 17 | 17.70 | 58.922 | 23.98 | or 11+10log(B) = | 24.03 | PASS |
| 60 | 5300 | MCS0 | 17 | 17.74 | 59.467 | 23.98 | or 11+10log(B) = | 24.04 | PASS |
| 64 | 5320 | MCS0 | 16 | 16.55 | 45.214 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS0 | 15.5 | 16.06 | 40.390 | 23.98 | or 11+10log(B) = | 24.11 | PASS |
| 116 | 5580 | MCS0 | 16 | 16.78 | 47.673 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 140 | 5700 | MCS0 | 15.5 | 16.21 | 41.810 | 23.98 | or 11+10log(B) = | 24.08 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 16 | 14.58 | 28.71 | 23.98 | or 11+10log(B) = | 22.77 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 16 | 9.82 | 9.60 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 23 | 23.30 | 213.932 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 23 | 23.60 | 229.233 | 30 | | | PASS |
| 165 | 5825 | MCS0 | 23 | 23.18 | 208.102 | | 30 | | PASS |

802.11ac_VHT20_Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | MCS0 | 17 | 16.81 | 48.004 | • | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 16.5 | 16.50 | 44.697 | • | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 17 | 17.00 | 50.151 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 17 | 16.93 | 49.349 | 23.98 | or 11+10log(B) = | 23.96 | PASS |
| 60 | 5300 | MCS0 | 17 | 16.81 | 48.004 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 64 | 5320 | MCS0 | 16 | 16.43 | 43.982 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 100 | 5500 | MCS0 | 15.5 | 15.15 | 32.755 | 23.98 | or 11+10log(B) = | 23.94 | PASS |
| 116 | 5580 | MCS0 | 16 | 15.93 | 39.199 | 23.98 | or 11+10log(B) = | 23.92 | PASS |
| 140 | 5700 | MCS0 | 15.5 | 15.41 | 34.776 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 16 | 14.49 | 28.14 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 16 | 9.68 | 9.30 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 23 | 22.96 | 197.823 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 23 | 22.85 | 192.875 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 23 | 22.90 | 195.109 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wuk | u District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 97 of 774

802.11ac_VHT20_MIMO

| | Frequency | Data | Power | Avg. POW | /ER (dBm) | TOTAL | TOTAL | | REQUIRED | | |
|-----|----------------|------|-------|----------|-----------|----------------|---------------|-------|------------------|-------|--------|
| СН | (MHz) | Rate | set | СНО | CH 1 | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 36 | 5180 | MCS0 | 17 | 17.61 | 16.59 | 20.36 | 108.716 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 16.5 | 16.58 | 16.24 | 19.65 | 92.180 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 17 | 17.26 | 16.65 | 20.20 | 104.683 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 17 | 17.49 | 16.68 | 20.34 | 108.067 | 23.98 | or 11+10log(B) = | 23.96 | PASS |
| 60 | 5300 | MCS0 | 17 | 17.48 | 16.51 | 20.26 | 106.050 | 23.98 | or 11+10log(B) = | 24.04 | PASS |
| 64 | 5320 | MCS0 | 16 | 16.35 | 16.18 | 19.50 | 89.102 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 100 | 5500 | MCS0 | 15.5 | 15.82 | 15.29 | 18.80 | 75.790 | 23.98 | or 11+10log(B) = | 23.94 | PASS |
| 116 | 5580 | MCS0 | 16 | 16.64 | 16.21 | 19.66 | 92.542 | 23.98 | or 11+10log(B) = | 23.92 | PASS |
| 140 | 5700 | MCS0 | 15.5 | 16.08 | 15.61 | 19.08 | 80.992 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 16 | 15.34 | 14.58 | 18.21 | 66.150 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 16 | 10.58 | 9.77 | 13.42 | 22.002 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 23 | 22.97 | 22.68 | 26.06 | 403.690 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 23 | 23.49 | 22.61 | 26.31 | 427.102 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 23 | 23.08 | 22.61 | 26.08 | 405.921 | | 30 | | PASS |

802.11ax_HE20_Ch0

| | Frequency | Data | | Power | TOTAL | TOTAL | | REQUIRED | | |
|------|----------------|------|------------|-------|-------|---------|-------|------------------|-------|--------|
| СН | (MHz) | Rate | RU config. | set | POWER | POWER | | LIMIT | | RESULT |
| | (11172) | Nale | | 361 | (dBm) | (mW) | | (dBm) | | |
| | | MCS0 | full | 17 | 18.16 | 65.505 | | 23.98 | | PASS |
| 20 | 5180 | MCS0 | 26/0 | 12 | 13.14 | 20.619 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 52/37 | 12 | 13.35 | 21.641 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 17 | 17.91 | 61.841 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 16.5 | 17.10 | 51.319 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 16.5 | 17.39 | 54.863 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 17 | 18.04 | 63.720 | 23.98 | or 11+10log(B) = | 24.27 | PASS |
| 60 | 5300 | MCS0 | full | 16 | 17.06 | 50.848 | 23.98 | or 11+10log(B) = | 24.21 | PASS |
| | | MCS0 | full | 16 | 16.89 | 48.896 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| 64 | 5220 | MCS0 | 26/8 | 14 | 14.79 | 30.149 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 13.5 | 14.61 | 28.925 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | | MCS0 | 106/54 | 17 | 17.57 | 57.184 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | | MCS0 | full | 16 | 16.76 | 47.454 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 | 100 5500 | MCS0 | 26/0 | 12.5 | 13.18 | 20.810 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 | 5500 | MCS0 | 52/37 | 13 | 13.80 | 24.004 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| | | MCS0 | 106/53 | 12.5 | 13.08 | 20.337 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 116 | 5580 | MCS0 | full | 16 | 17.05 | 50.731 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| | | MCS0 | full | 15 | 16.05 | 40.297 | 23.98 | or 11+10log(B) = | 24.28 | PASS |
| 1.40 | 5700 | MCS0 | 26/8 | 10.5 | 11.55 | 14.298 | 23.98 | or 11+10log(B) = | 24.28 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 10.5 | 11.65 | 14.631 | 23.98 | or 11+10log(B) = | 24.28 | PASS |
| | | MCS0 | 106/54 | 11 | 11.90 | 15.498 | 23.98 | or 11+10log(B) = | 24.28 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 16 | 15.73 | 37.446 | 23.98 | or 11+10log(B) = | 22.95 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 16 | 11.31 | 13.519 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.53 | 283.973 | | 30 | | PASS |
| 140 | 5745 | MCS0 | 26/0 | 17 | 18.06 | 64.014 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 20 | 20.88 | 122.540 | | 30 | | PASS |
| | | MCS0 | 106/53 | 19.5 | 20.19 | 104.539 | | 30 | | PASS |
| 157 | 5785 | MCS0 | full | 23 | 23.83 | 241.700 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.65 | 291.928 | | 30 | | PASS |
| 165 | EDDE | MCS0 | 26/8 | 17 | 18.11 | 64.755 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 52/40 | 20.5 | 21.35 | 136.545 | 30 | | | PASS |
| | | MCS0 | 106/54 | 19.5 | 20.25 | 105.993 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, Wul | ku District, New Taipei City, Taiwan/新北市五股區新北 | 2產業園區五工路 134 號 |
|-------------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 98 of 774



802.11ax HE20 Ch1

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|------------|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| | | MCS0 | full | 17 | 17.09 | 51.201 | | 23.98 | | PASS |
| 26 | F190 | MCS0 | 26/0 | 12 | 11.97 | 15.750 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 52/37 | 12 | 12.08 | 16.154 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 17 | 16.68 | 46.588 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 16.5 | 16.74 | 47.236 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 16.5 | 16.80 | 47.893 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 17 | 17.20 | 52.514 | 23.98 | or 11+10log(B) = | 24.13 | PASS |
| 60 | 5300 | MCS0 | full | 16 | 16.08 | 40.577 | 23.98 | or 11+10log(B) = | 24.20 | PASS |
| | | MCS0 | full | 16 | 16.64 | 46.161 | 23.98 | or 11+10log(B) = | 24.27 | PASS |
| C A | 5220 | MCS0 | 26/8 | 14 | 14.55 | 28.528 | 23.98 | or 11+10log(B) = | 24.27 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 13.5 | 14.20 | 26.319 | 23.98 | or 11+10log(B) = | 24.27 | PASS |
| | | MCS0 | 106/54 | 17 | 17.28 | 53.490 | 23.98 | or 11+10log(B) = | 24.27 | PASS |
| | | MCS0 | full | 16 | 16.24 | 42.099 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| 100 | 100 5500 | MCS0 | 26/0 | 12.5 | 12.27 | 16.876 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| 100 | 5500 | MCS0 | 52/37 | 13 | 12.78 | 18.979 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| | | MCS0 | 106/53 | 12.5 | 12.13 | 16.341 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| 116 | 5580 | MCS0 | full | 16 | 16.48 | 44.491 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| | | MCS0 | full | 15 | 15.45 | 35.098 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| 140 | 5700 | MCS0 | 26/8 | 10.5 | 10.43 | 11.048 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 10.5 | 10.51 | 11.253 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| | | MCS0 | 106/54 | 11 | 10.84 | 12.142 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 16 | 15.01 | 31.728 | 23.98 | or 11+10log(B) = | 22.84 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 16 | 10.40 | 10.957 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.34 | 271.817 | | 30 | | PASS |
| 140 | 5745 | MCS0 | 26/0 | 17 | 17.19 | 52.393 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 20 | 20.81 | 120.580 | | 30 | | PASS |
| | | MCS0 | 106/53 | 19.5 | 19.89 | 97.561 | | | PASS | |
| 157 | 5785 | MCS0 | full | 23 | 23.11 | 204.775 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.28 | 268.087 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26/8 | 17 | 17.79 | 60.156 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 52/40 | 20.5 | 21.15 | 130.400 | 30 | | | PASS |
| | | MCS0 | 106/54 | 19.5 | 20.04 | 100.990 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| | | | | _ |
|-------------------|---|---|----------------|---|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| SGS Taiwan Llu. N | 0.134, Wu Kung Road, New Taipei Industrial Park | t, Wuku District, New Taipei City, Taiwan/新北市五股區新北; | 產業園區五工路 134 號 | |

Report No.: ER/2022/30017 Page: 99 of 774



802.11ax_HE20_MIMO

| сн | Frequency | Data | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
|----------|----------------|-------|------------|-------|----------|-----------|----------------|----------------|------------------|-------------------|-------|--------|
| | (MHz) | Rate | rte comg. | set | СН 0 | CH 1 | (dBm) | (mW) | | (dBm) | | NLOOL! |
| | | MCS0 | full | 17 | 17.96 | 16.83 | 20.66 | 116.539 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 26/0 | 12 | 12.86 | 11.83 | 15.61 | 36.379 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 52/37 | 11.5 | 12.26 | 11.28 | 15.03 | 31.847 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 14.5 | 15.12 | 14.08 | 17.86 | 61.152 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 16.5 | 17.01 | 16.49 | 19.99 | 99.789 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 16.5 | 17.13 | 16.66 | 20.13 | 103.144 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 17 | 17.84 | 16.98 | 20.66 | 116.528 | 23.98 | or 11+10log(B) = | 24.13 | PASS |
| 60 | 5300 | MCS0 | full | 16 | 16.84 | 15.83 | 19.60 | 91.146 | 23.98 | or 11+10log(B) = | 24.20 | PASS |
| | | MCS0 | full | 16 | 16.69 | 16.55 | 19.85 | 96.686 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | 5330 | MCS0 | 26/8 | 12.5 | 13.34 | 12.47 | 16.16 | 41.303 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 13 | 14.17 | 13.13 | 16.91 | 49.137 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | | MCS0 | 106/54 | 14.5 | 15.14 | 14.27 | 17.96 | 62.515 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | | MCS0 | full | 16 | 16.62 | 16.03 | 19.57 | 90.533 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| | 100 5500 | MCS0 | 26/0 | 12 | 12.54 | 11.56 | 15.31 | 33.968 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 5500 | MCS0 | 52/37 | 13 | 13.92 | 12.18 | 16.37 | 43.347 | 23.98 | or 11+10log(B) = | 24.15 | PASS | |
| | | MCS0 | 106/53 | 12 | 12.67 | 11.15 | 15.21 | 33.184 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 116 | 5580 | MCS0 | full | 16 | 16.87 | 16.52 | 19.93 | 98.437 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| | | MCS0 | full | 15 | 15.86 | 15.28 | 18.81 | 76.081 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| | | MCS0 | 26/8 | 10.5 | 11.36 | 10.08 | 14.00 | 25.119 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 10.5 | 11.48 | 10.26 | 14.15 | 25.976 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| | | MCS0 | 106/54 | 11 | 11.79 | 10.38 | 14.38 | 27.384 | 23.98 | or 11+10log(B) = | 24.22 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 16 | 15.44 | 14.77 | 18.35 | 68.387 | 23.98 | or 11+10log(B) = | 22.84 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 16 | 11.02 | 10.15 | 13.84 | 24.194 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.42 | 24.18 | 27.53 | 566.855 | | 30 | | PASS |
| | | MCS0 | 26/0 | 17 | 17.82 | 16.84 | 20.59 | 114.568 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 20 | 20.95 | 19.81 | 23.65 | 231.759 | | 30 | | PASS |
| | | MCS0 | 106/53 | 19.5 | 19.86 | 19.84 | 23.08 | 203.380 | | 30 | | PASS |
| 157 | 5785 | MCS0 | full | 23 | 23.68 | 22.85 | 26.52 | 448.525 | | 30 | | PASS |
| | | MCS0 | full | 24.5 | 24.54 | 23.94 | 27.48 | 560.198 | | 30 | | PASS |
| | | MCS0 | 26/8 | 17 | 17.98 | 17.38 | 20.92 | 123.692 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 52/40 | 20.5 | 21.12 | 20.92 | 24.25 | 266.331 | | 30 | | PASS |
| | | MCS0 | 106/54 | 19.5 | 20.34 | 19.46 | 23.16 | 206.791 | | 30 | | PASS |

802.11n_HT40_Ch0

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm) | | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|----------------------------|------------------|-------|--------|
| 38 | 5190 | MCS0 | 16.5 | 17.34 | 54.140 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 16.5 | 17.43 | 55.274 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 17 | 18.04 | 63.609 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 62 | 5310 | MCS0 | 16.5 | 17.15 | 51.822 | 23.98 | or 11+10log(B) = | 27.03 | PASS |
| 102 | 5510 | MCS0 | 16.5 | 17.19 | 52.302 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | 16 | 16.51 | 44.722 | 23.98 | or 11+10log(B) = | 26.97 | PASS |
| 134 | 5670 | MCS0 | 16.5 | 17.65 | 58.146 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 16 | 16.44 | 44.05 | 23.98 | or 11+10log(B) = | 26.46 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 16 | 8.11 | 6.48 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 20.5 | 21.40 | 137.885 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 21 | 22.34 | 171.205 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial Park, Wuku D | District, New Taipei City, Taiwan/新北市五股區新: | 比產業園區五工路 134 號 |
|-------------------|--|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 100 of 774

802.11n HT40 Ch1

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|------|--|
| 38 | 5190 | MCS0 | 16.5 | 16.54 | 45.032 | | 23.98 | | PASS | |
| 46 | 5230 | MCS0 | 16.5 | 17.12 | 51.466 | | 23.98 | | PASS | |
| 54 | 5270 | MCS0 | 17 | 17.13 | 51.584 | 23.98 | or 11+10log(B) = | 26.92 | PASS | |
| 62 | 5310 | MCS0 | 16.5 | 17.00 | 50.063 | 23.98 | or 11+10log(B) = | 26.91 | PASS | |
| 102 | 5510 | MCS0 | 16.5 | 16.84 | 48.252 | 23.98 | or 11+10log(B) = | 26.91 | PASS | |
| 110 | 5550 | MCS0 | 16 | 16.19 | 41.545 | 23.98 | or 11+10log(B) = | 26.94 | PASS | |
| 134 | 5670 | MCS0 | 16.5 | 17.25 | 53.029 | 23.98 | or 11+10log(B) = | 26.94 | PASS | |
| 142 | 5710(U-NII 2C) | MCS0 | 16 | 15.86 | 38.51 | 23.98 | or 11+10log(B) = | 26.40 | PASS | |
| 142 | 5710 (U-NII 3) | MCS0 | 16 | 7.15 | 5.19 | | 30 | | PASS | |
| 151 | 5755 | MCS0 | 20.5 | 20.70 | 117.359 | | 30 | | PASS | |
| 159 | 5795 | MCS0 | 21 | 21.28 | 134.127 | | 30 | | PASS | |

802.11n_HT40_MIMO

| | Frequency | Data | Power | Avg. POW | 'ER (dBm) | TOTAL | TOTAL | | REQUIRED | | DEOLU T |
|-----|----------------|------|-------|----------|-----------|----------------|---------------|-------|------------------|-------|---------|
| СН | (MHz) | Rate | set | CH 0 | CH 1 | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 38 | 5190 | MCS8 | 16.5 | 17.09 | 16.56 | 20.16 | 103.718 | | 23.98 | | PASS |
| 46 | 5230 | MCS8 | 16.5 | 17.25 | 16.87 | 20.39 | 109.386 | | 23.98 | | PASS |
| 54 | 5270 | MCS8 | 17 | 17.56 | 16.83 | 20.54 | 113.130 | 23.98 | or 11+10log(B) = | 26.92 | PASS |
| 62 | 5310 | MCS8 | 16.5 | 16.86 | 16.64 | 20.08 | 101.786 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 102 | 5510 | MCS8 | 16.5 | 16.93 | 16.51 | 20.05 | 101.171 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 110 | 5550 | MCS8 | 16 | 16.22 | 15.87 | 19.37 | 86.576 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 134 | 5670 | MCS8 | 16.5 | 17.27 | 17.05 | 20.49 | 111.863 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 142 | 5710(U-NII 2C) | MCS8 | 16 | 16.18 | 15.61 | 19.24 | 83.894 | 23.98 | or 11+10log(B) = | 26.40 | PASS |
| 142 | 5710 (U-NII 3) | MCS8 | 16 | 7.86 | 6.91 | 10.74 | 11.855 | | 30 | | PASS |
| 151 | 5755 | MCS8 | 20.5 | 21.02 | 20.45 | 24.07 | 255.259 | | 30 | | PASS |
| 159 | 5795 | MCS8 | 21 | 22.01 | 20.96 | 24.84 | 304.939 | | 30 | | PASS |

802.11ac_VHT40_Ch0

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | RESULT | | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|------------------|-------|------|
| 38 | 5190 | MCS0 | 16.5 | 17.20 | 52.514 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 16.5 | 17.31 | 53.861 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 17 | 17.90 | 61.699 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 62 | 5310 | MCS0 | 16.5 | 17.01 | 50.266 | 23.98 | or 11+10log(B) = | 27.03 | PASS |
| 102 | 5510 | MCS0 | 16.5 | 17.06 | 50.848 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | 16 | 16.33 | 42.981 | 23.98 | or 11+10log(B) = | 26.97 | PASS |
| 134 | 5670 | MCS0 | 16.5 | 17.43 | 55.370 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 16 | 16.31 | 42.73 | 23.98 | or 11+10log(B) = | 26.46 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 16 | 7.98 | 6.28 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 20.5 | 21.25 | 133.437 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 21 | 22.19 | 165.682 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wu | ku District, New Taipei City, Taiwan/新北市五股區新非 | 上產業園區五工路 134 號 |
|-------------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 101 of 774



802.11ac VHT40 Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | RESULT | | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|------------------|-------|------|
| 38 | 5190 | MCS0 | 16.5 | 16.40 | 43.679 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 16.5 | 16.97 | 49.805 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 17 | 16.99 | 50.035 | 23.98 | or 11+10log(B) = | 26.92 | PASS |
| 62 | 5310 | MCS0 | 16.5 | 16.85 | 48.448 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 102 | 5510 | MCS0 | 16.5 | 16.71 | 46.911 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 110 | 5550 | MCS0 | 16 | 16.03 | 40.112 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 134 | 5670 | MCS0 | 16.5 | 17.11 | 51.437 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 16 | 15.66 | 36.84 | 23.98 | or 11+10log(B) = | 26.40 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 16 | 6.96 | 4.97 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 20.5 | 20.53 | 113.052 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 21 | 21.09 | 128.610 | | PASS | | |

802.11ac_VHT40_MIMO

| 011 | Frequency | Data | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED | | RESULT |
|-----|----------------|------|-------|----------|-----------|----------------|----------------|-------|------------------|-------|--------|
| СН | (MHz) | Rate | set | CH 0 | CH 1 | (dBm) | (mW) | | LIMIT (dBm) | | RESULT |
| 38 | 5190 | MCS0 | 16.5 | 16.98 | 16.51 | 19.98 | 99.642 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 16.5 | 17.21 | 16.84 | 20.26 | 106.219 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 17 | 17.49 | 16.78 | 20.38 | 109.208 | 23.98 | or 11+10log(B) = | 26.92 | PASS |
| 62 | 5310 | MCS0 | 16.5 | 16.83 | 16.59 | 19.94 | 98.735 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 102 | 5510 | MCS0 | 16.5 | 16.87 | 16.43 | 19.89 | 97.468 | 23.98 | or 11+10log(B) = | 26.91 | PASS |
| 110 | 5550 | MCS0 | 16 | 16.13 | 15.83 | 19.22 | 83.477 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 134 | 5670 | MCS0 | 16.5 | 17.21 | 16.98 | 20.33 | 107.884 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 16 | 16.14 | 15.59 | 19.11 | 81.408 | 23.98 | or 11+10log(B) = | 26.40 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 16 | 7.82 | 6.89 | 10.61 | 11.503 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 20.5 | 20.93 | 20.38 | 23.90 | 245.288 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 21 | 21.92 | 20.87 | 24.66 | 292.396 | | 30 | | PASS |

802.11ax_HE40_Ch0

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | 5190 | MCS0 | full | 16.5 | 17.36 | 54.485 | | 23.98 | | PASS |
| 50 | 5190 | MCS0 | 242/61 | 13.5 | 14.58 | 28.726 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | full | 16.5 | 17.67 | 58.516 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | full | 16.5 | 17.60 | 57.581 | 23.98 | or 11+10log(B) = | 27.08 | PASS |
| 62 | 5210 | MCS0 | full | 16.5 | 17.36 | 54.485 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 62 | 5310 | MCS0 | 242/62 | 16 | 16.67 | 46.481 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 102 | 5540 | MCS0 | full | 15 | 15.96 | 39.471 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 102 | 5510 | MCS0 | 242/61 | 12 | 12.87 | 19.377 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | full | 16 | 16.59 | 45.633 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 124 | F.C.70 | MCS0 | full | 16 | 17.15 | 51.913 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 134 | 5670 | MCS0 | 242/62 | 12 | 13.19 | 20.858 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | full | 16 | 16.51 | 44.728 | 23.98 | or 11+10log(B) = | 26.46 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | full | 16 | 8.19 | 6.591 | | 30 | | PASS |
| 151 | 5755 | MCS0 | full | 20.5 | 21.44 | 139.404 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 242/61 | 16 | 17.16 | 52.033 | | 30 | | PASS |
| 150 | 5705 | MCS0 | full | 21 | 22.38 | 173.092 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 242/62 | 15.5 | 16.96 | 49.691 | 30 | | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wuk | cu District, New Taipei City, Taiwan/新北市五股區新計 | 上產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 102 of 774



802.11ax HE40 Ch1

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | | |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|------|--|
| 38 | 5190 | MCS0 | full | 16.5 | 16.59 | 45.633 | | 23.98 | | PASS | |
| 50 | 5190 | MCS0 | 242/61 | 13.5 | 13.41 | 21.942 | | 23.98 | | PASS | |
| 46 | 5230 | MCS0 | full | 16.5 | 17.13 | 51.675 | | 23.98 | | PASS | |
| 54 | 5270 | MCS0 | full | 16.5 | 16.87 | 48.672 | 23.98 | or 11+10log(B) = | 27.04 | PASS | |
| 62 | 5210 | MCS0 | full | 16.5 | 17.05 | 50.731 | 23.98 | or 11+10log(B) = | 27.05 | PASS | |
| 62 | 5310 | MCS0 | 242/62 | 16 | 16.64 | 46.161 | 23.98 | or 11+10log(B) = | 27.05 | PASS | |
| 102 | 5510 | MCS0 | full | 15 | 15.43 | 34.936 | 23.98 | or 11+10log(B) = | 27.06 | PASS | |
| 102 | 5510 | MCS0 | 242/61 | 12 | 12.20 | 16.606 | 23.98 | or 11+10log(B) = | 27.06 | PASS | |
| 110 | 5550 | MCS0 | full | 16 | 16.16 | 41.331 | 23.98 | or 11+10log(B) = | 27.05 | PASS | |
| 124 | F.C70 | MCS0 | full | 16 | 16.77 | 47.564 | 23.98 | or 11+10log(B) = | 27.08 | PASS | |
| 134 | 5670 | MCS0 | 242/62 | 12 | 13.00 | 19.965 | 23.98 | or 11+10log(B) = | 27.08 | PASS | |
| 142 | 5710(U-NII 2C) | MCS0 | full | 16 | 15.82 | 38.191 | 23.98 | or 11+10log(B) = | 26.45 | PASS | |
| 142 | 5710 (U-NII 3) | MCS0 | full | 16 | 7.39 | 5.489 | | 30 | | PASS | |
| 454 | 5755 | MCS0 | full | 20.5 | 20.73 | 118.379 | | 30 | | PASS | |
| 151 | 5755 | MCS0 | 242/61 | 16 | 16.85 | 48.448 | | 30 | | PASS | |
| 150 | 5705 | MCS0 | full | 21 | 21.20 | 131.910 | | 30 | | PASS | |
| 159 | 5795 | MCS0 | 242/62 | 15.5 | 16.03 | 40.112 | | 30 | | PASS | |

802.11ax_HE40_MIMO

| СН | Frequency | Data R | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
|-----|----------------|--------|------------|-------|----------|-----------|----------------|----------------|-------|-------------------|-------|--------|
| СП | (MHz) | Rate | RU coning. | set | CH 0 | CH 1 | (dBm) | (mW) | | (dBm) | | RESULI |
| 38 | F100 | MCS0 | full | 16 | 16.65 | 15.93 | 19.54 | 89.908 | | 23.98 | | PASS |
| 38 | 5190 | MCS0 | 242/61 | 13.5 | 14.38 | 13.24 | 17.08 | 51.055 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | full | 16.5 | 17.44 | 16.93 | 20.43 | 110.295 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | full | 16.5 | 17.35 | 16.72 | 20.28 | 106.647 | 23.98 | or 11+10log(B) = | 27.04 | PASS |
| 62 | 5240 | MCS0 | full | 15 | 15.62 | 15.49 | 18.79 | 75.658 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 62 | 5310 | MCS0 | 242/62 | 14 | 14.54 | 14.38 | 17.69 | 58.800 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 102 | 5540 | MCS0 | full | 15 | 15.73 | 15.19 | 18.70 | 74.156 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 102 | 5510 | MCS0 | 242/61 | 12 | 12.86 | 12.21 | 15.78 | 37.846 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | full | 16 | 16.58 | 15.92 | 19.50 | 89.035 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 124 | 5670 | MCS0 | full | 16 | 17.04 | 16.89 | 20.20 | 104.682 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 134 | 5670 | MCS0 | 242/62 | 12 | 12.91 | 12.58 | 15.98 | 39.639 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | full | 16 | 16.26 | 15.63 | 19.19 | 82.925 | 23.98 | or 11+10log(B) = | 26.45 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | full | 16 | 7.95 | 7.20 | 10.82 | 12.080 | | 30 | | PASS |
| 454 | | MCS0 | full | 20.5 | 21.25 | 20.55 | 24.15 | 259.845 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 242/61 | 16 | 16.93 | 16.62 | 20.01 | 100.250 | | 30 | | PASS |
| 150 | 5705 | MCS0 | full | 21 | 22.12 | 21.03 | 24.84 | 304.942 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 242/62 | 15.5 | 17.02 | 15.68 | 19.63 | 91.929 | | 30 | | PASS |

802.11ac_VHT80_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | 16 | 17.14 | 51.756 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 17 | 18.05 | 63.820 | 23.98 | or 11+10log(B) = | 30.13 | PASS |
| 106 | 5530 | MCS0 | 13 | 13.77 | 23.821 | 23.98 | or 11+10log(B) = | 30.11 | PASS |
| 122 | 5610 | MCS0 | 15 | 16.03 | 40.083 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 17 | 17.79 | 60.05 | 23.98 | or 11+10log(B) = | 29.78 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 17 | 6.39 | 4.36 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 17 | 18.23 | 66.521 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Dis | strict, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 103 of 774



802.11ac VHT80 Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | 16 | 16.16 | 41.301 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 17 | 17.01 | 50.229 | 23.98 | or 11+10log(B) = | 30.07 | PASS |
| 106 | 5530 | MCS0 | 13 | 13.32 | 21.476 | 23.98 | or 11+10log(B) = | 30.02 | PASS |
| 122 | 5610 | MCS0 | 15 | 15.33 | 34.116 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 17 | 17.17 | 52.15 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 17 | 5.67 | 3.69 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 17 | 17.12 | 51.518 | | 30 | | PASS |

802.11ac_VHT80_MIMO

| <u>cu</u> | Frequency | Data | Power | Avg. POW | 'ER (dBm) | TOTAL | TOTAL | | REQUIRED | | |
|-----------|----------------|------|-------|----------|-----------|----------------|---------------|-------|------------------|-------|--------|
| СН | (MHz) | Rate | set | CH 0 | CH 1 | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 42 | 5210 | MCS0 | 16 | 16.72 | 15.83 | 19.72 | 93.705 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 14.5 | 15.15 | 14.45 | 18.23 | 66.588 | 23.98 | or 11+10log(B) = | 30.07 | PASS |
| 106 | 5530 | MCS0 | 13 | 13.43 | 12.97 | 16.63 | 45.983 | 23.98 | or 11+10log(B) = | 30.02 | PASS |
| 122 | 5610 | MCS0 | 15 | 15.66 | 14.96 | 18.74 | 74.885 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 17 | 17.42 | 16.85 | 20.56 | 113.864 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 17 | 6.03 | 5.35 | 9.12 | 8.165 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 17 | 17.77 | 16.95 | 20.80 | 120.205 | | 30 | | PASS |

802.11ax_HE80_Ch0

| сн | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | full | 15.5 | 16.74 | 47.236 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 12 | 12.38 | 17.309 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | full | 16.5 | 17.67 | 58.516 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 56 | 5290 | MCS0 | 484/66 | 14 | 13.95 | 24.847 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 106 | 5530 | MCS0 | full | 11.5 | 12.43 | 17.510 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 100 | 5550 | MCS0 | 484/65 | 10 | 10.65 | 11.622 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5610 | MCS0 | full | 15 | 15.98 | 39.653 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 122 | 5010 | MCS0 | 484/66 | 17 | 17.55 | 56.922 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 17 | 17.89 | 61.466 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 17 | 6.38 | 4.341 | | 30 | | PASS |
| | | MCS0 | full | 17 | 18.26 | 67.031 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 12 | 12.89 | 19.466 | | 30 | | PASS |
| | | MCS0 | 484/66 | 12.5 | 13.27 | 21.246 | | 30 | | PASS |

802.11ax HE80 Ch1

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | full | 15.5 | 15.79 | 37.956 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 12 | 11.15 | 13.040 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | full | 16.5 | 16.76 | 47.454 | 23.98 | or 11+10log(B) = | 30.12 | PASS |
| 56 | 5290 | MCS0 | 484/66 | 14 | 13.37 | 21.741 | 23.98 | or 11+10log(B) = | 30.12 | PASS |
| 106 | 5530 | MCS0 | full | 11.5 | 12.01 | 15.896 | 23.98 | or 11+10log(B) = | 30.10 | PASS |
| 100 | 5550 | MCS0 | 484/65 | 10 | 10.15 | 10.358 | 23.98 | or 11+10log(B) = | 30.10 | PASS |
| 122 | 5610 | MCS0 | full | 15 | 15.45 | 35.098 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5010 | MCS0 | 484/66 | 17 | 17.10 | 51.319 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 17 | 17.26 | 53.233 | 23.98 | or 11+10log(B) = | 29.80 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 17 | 6.11 | 4.083 | | 30 | | PASS |
| | | MCS0 | full | 17 | 17.06 | 50.848 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 12 | 12.26 | 16.837 | | 30 | | PASS |
| | | MCS0 | 484/66 | 12.5 | 12.28 | 16.915 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial Park, Wuku Distri | ict, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|---|--------------------------------------|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 104 of 774

802.11ax_HE80_MIMO

| сн | Frequency | Data | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
|-----|----------------|------|------------|-------|----------|-----------|----------------|----------------|-------|-------------------|-------|--------|
| СП | (MHz) | Rate | Ku coning. | set | CH 0 | CH 1 | (dBm) | (mW) | | (dBm) | | RESULT |
| 42 | 5210 | MCS0 | full | 15.5 | 16.48 | 15.55 | 19.27 | 84.585 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 11.5 | 11.62 | 10.42 | 14.29 | 26.881 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | full | 14 | 15.03 | 14.35 | 17.94 | 62.178 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 58 | 5290 | MCS0 | 484/66 | 12 | 11.65 | 11.32 | 14.72 | 29.656 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 100 | 5520 | MCS0 | full | 11.5 | 12.23 | 11.87 | 15.29 | 33.782 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 106 | 5530 | MCS0 | 484/65 | 10 | 10.44 | 9.79 | 13.36 | 21.678 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5610 | MCS0 | full | 15 | 15.95 | 15.32 | 18.88 | 77.259 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 2010 | MCS0 | 484/66 | 17 | 17.37 | 16.88 | 20.36 | 108.767 | 23.98 | or 11+11log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 17 | 17.58 | 17.00 | 20.53 | 113.017 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 17 | 6.07 | 5.85 | 9.19 | 8.302 | | 30 | | PASS |
| | | MCS0 | full | 17 | 18.08 | 16.84 | 20.74 | 118.500 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 11.5 | 12.17 | 11.61 | 15.13 | 32.599 | | 30 | | PASS |
| | | MCS0 | 484/66 | 12.5 | 13.13 | 12.09 | 15.87 | 38.673 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | Io.134, Wu Kung Road, New Taipei Industrial Park, | Wuku District, New Taipei City, Taiwan/新北市五股區新北点 | E業園區五工路 134 號 |
|-------------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



CDD Mode Measurement Result 9.6

9.6.1 Conducted output power (FCC)

802.11a_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | 6 | 20 | 20.86 | 121.998 | | 23.98 | | PASS |
| 44 | 5220 | 6 | 19.5 | 20.18 | 104.316 | | 23.98 | | PASS |
| 48 | 5240 | 6 | 20 | 20.71 | 117.856 | | 23.98 | | PASS |
| 52 | 5260 | 6 | 19.5 | 20.38 | 109.232 | 23.98 | or 11+10log(B) = | 23.77 | PASS |
| 60 | 5300 | 6 | 19 | 19.97 | 99.392 | 23.98 | or 11+10log(B) = | 23.81 | PASS |
| 64 | 5320 | 6 | 18.5 | 19.17 | 82.671 | 23.98 | or 11+10log(B) = | 23.76 | PASS |
| 100 | 5500 | 6 | 18 | 18.55 | 71.672 | 23.98 | or 11+10log(B) = | 23.77 | PASS |
| 116 | 5580 | 6 | 18.5 | 19.27 | 84.596 | 23.98 | or 11+10log(B) = | 23.78 | PASS |
| 140 | 5700 | 6 | 18 | 18.81 | 76.094 | 23.98 | or 11+10log(B) = | 23.83 | PASS |
| 144 | 5720(U-NII 2C) | 6 | 18.5 | 18.16 | 65.39 | 23.98 | or 11+10log(B) = | 22.60 | PASS |
| 144 | 5720 (U-NII 3) | 6 | 18.5 | 13.05 | 20.18 | | 30 | | PASS |
| 149 | 5745 | 6 | 26 | 25.87 | 386.680 | | 30 | | PASS |
| 157 | 5785 | 6 | 26 | 26.65 | 462.755 | | 30 | | PASS |
| 165 | 5825 | 6 | 26 | 26.18 | 415.290 | | 30 | | PASS |

802.11a_Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 36 | 5180 | 6 | 20 | 19.65 | 92.332 | | 23.98 | | PASS |
| 44 | 5220 | 6 | 19.5 | 19.34 | 85.971 | | 23.98 | | PASS |
| 48 | 5240 | 6 | 20 | 19.84 | 96.461 | | 23.98 | | PASS |
| 52 | 5260 | 6 | 19.5 | 19.43 | 87.771 | 23.98 | or 11+10log(B) = | 23.74 | PASS |
| 60 | 5300 | 6 | 19 | 19.02 | 79.864 | 23.98 | or 11+10log(B) = | 23.81 | PASS |
| 64 | 5320 | 6 | 18.5 | 18.98 | 79.132 | 23.98 | or 11+10log(B) = | 23.73 | PASS |
| 100 | 5500 | 6 | 18 | 18.45 | 70.041 | 23.98 | or 11+10log(B) = | 23.72 | PASS |
| 116 | 5580 | 6 | 18.5 | 18.90 | 77.688 | 23.98 | or 11+10log(B) = | 23.77 | PASS |
| 140 | 5700 | 6 | 18 | 18.69 | 74.020 | 23.98 | or 11+10log(B) = | 23.75 | PASS |
| 144 | 5720(U-NII 2C) | 6 | 18.5 | 17.91 | 61.84 | 23.98 | or 11+10log(B) = | 22.61 | PASS |
| 144 | 5720 (U-NII 3) | 6 | 18.5 | 12.82 | 19.13 | | 30 | | PASS |
| 149 | 5745 | 6 | 26 | 25.74 | 375.276 | | 30 | | PASS |
| 157 | 5785 | 6 | 26 | 25.65 | 367.579 | | 30 | | PASS |
| 165 | 5825 | 6 | 26 | 25.77 | 377.878 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. N | Io.134, Wu Kung Road, New Taipei Industrial | Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|---|---|----------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | M I (000.0 |



Report No.: ER/2022/30017 Page: 106 of 774

000 44 . **2**TY

| 802.11a_2TX | | | | | | | | | | | |
|-------------|----------------|------|-------|----------|-----------|----------------|---------------|-------|------------------|-------|---------|
| 011 | Frequency | Data | Power | Avg. POV | /ER (dBm) | TOTAL | TOTAL | | REQUIRED | | DEOLU T |
| СН | (MHz) | Rate | set | СН 0 | CH 1 | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 36 | 5180 | 6 | 19 | 19.66 | 18.45 | 22.41 | 174.213 | | 23.98 | | PASS |
| 44 | 5220 | 6 | 19 | 19.3 | 18.69 | 22.32 | 170.589 | | 23.98 | | PASS |
| 48 | 5240 | 6 | 20 | 20.36 | 19.55 | 23.29 | 213.190 | | 23.98 | | PASS |
| 52 | 5260 | 6 | 19.5 | 20.05 | 19.12 | 22.92 | 196.050 | 23.98 | or 11+10log(B) = | 23.74 | PASS |
| 60 | 5300 | 6 | 19 | 19.64 | 18.65 | 22.49 | 177.295 | 23.98 | or 11+10log(B) = | 23.81 | PASS |
| 64 | 5320 | 6 | 18.5 | 18.86 | 18.74 | 22.11 | 162.713 | 23.98 | or 11+10log(B) = | 23.73 | PASS |
| 100 | 5500 | 6 | 18 | 18.34 | 18.08 | 21.53 | 142.094 | 23.98 | or 11+10log(B) = | 23.72 | PASS |
| 116 | 5580 | 6 | 18.5 | 19.08 | 18.99 | 22.35 | 171.753 | 23.98 | or 11+10log(B) = | 23.77 | PASS |
| 140 | 5700 | 6 | 18 | 18.51 | 18.38 | 21.76 | 149.944 | 23.98 | or 11+10log(B) = | 23.75 | PASS |
| 144 | 5720(U-NII 2C) | 6 | 18.5 | 17.78 | 17.57 | 20.99 | 125.519 | 23.98 | or 11+10log(B) = | 22.60 | PASS |
| 144 | 5720 (U-NII 3) | 6 | 18.5 | 12.68 | 12.47 | 15.89 | 38.789 | | 30 | | PASS |
| 149 | 5745 | 6 | 26 | 25.58 | 25.36 | 28.79 | 755.998 | | 30 | | PASS |
| 157 | 5785 | 6 | 26 | 26.18 | 25.33 | 29.09 | 810.881 | | 30 | | PASS |
| 165 | 5825 | 6 | 26 | 25.95 | 25.52 | 29.05 | 804.291 | | 30 | | PASS |

802.11n_HT20_Ch0

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm) | | RESULT | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|----------------------------|------------------|--------|------|
| 36 | 5180 | MCS0 | 20 | 20.74 | 118.467 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 19.5 | 20.01 | 100.137 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 20 | 20.55 | 113.396 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 20 | 20.68 | 116.841 | 23.98 | or 11+10log(B) = | 24.03 | PASS |
| 60 | 5300 | MCS0 | 20 | 20.67 | 116.573 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS0 | 19 | 19.38 | 86.616 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 100 | 5500 | MCS0 | 18.5 | 18.94 | 78.270 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 116 | 5580 | MCS0 | 19 | 19.68 | 92.810 | 23.98 | or 11+10log(B) = | 24.05 | PASS |
| 140 | 5700 | MCS0 | 18.5 | 19.15 | 82.148 | 23.98 | or 11+10log(B) = | 24.07 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 19 | 18.29 | 67.43 | 23.98 | or 11+10log(B) = | 22.82 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 19 | 13.63 | 23.05 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 26 | 25.82 | 381.590 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 26 | 26.68 | 465.154 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26 | 26.11 | 407.940 | | 30 | | PASS |

802.11n_HT20_Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm) | | RESULT | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|----------------------------|------------------|--------|------|
| 36 | 5180 | MCS0 | 20 | 19.50 | 89.042 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 19.5 | 19.20 | 83.099 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 20 | 19.73 | 93.885 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 20 | 19.68 | 92.810 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 60 | 5300 | MCS0 | 20 | 19.54 | 89.866 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS0 | 19 | 19.36 | 86.218 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS0 | 18.5 | 18.78 | 75.439 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 116 | 5580 | MCS0 | 19 | 19.59 | 90.907 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 140 | 5700 | MCS0 | 18.5 | 19.13 | 81.770 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 19 | 18.25 | 66.81 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 19 | 13.43 | 22.03 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 26 | 25.78 | 378.091 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 26 | 25.60 | 362.741 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26 | 25.72 | 372.904 | r | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial Park, Wuku Distri | ct, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|---|-------------------------------------|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 107 of 774

802 11n HT20 MIMO

| | | | | | | TOTAL | | | | | |
|-----|----------------|------|-------|----------|------------------|----------------|---------------|----------------|------------------|--------|--------|
| СН | Frequency | Data | Power | Avg. POV | Avg. POWER (dBm) | | TOTAL | | REQUIRED | | RESULT |
| СП | (MHz) | Rate | set | CH 0 | CH 1 | POWER (dBm) | POWER (mW) | LIMIT (dBm) | | RESULT | |
| 36 | 5180 | MCS8 | 20 | 20.45 | 19.27 | 23.14 | 205.884 | | 23.98 | | PASS |
| 44 | 5220 | MCS8 | 19.5 | 19.84 | 19.1 | 22.72 | 187.155 | | 23.98 | | PASS |
| 48 | 5240 | MCS8 | 20 | 20.31 | 19.47 | 23.15 | 206.374 | | 23.98 | | PASS |
| 52 | 5260 | MCS8 | 20 | 20.31 | 19.38 | 23.11 | 204.461 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 60 | 5300 | MCS8 | 20 | 20.23 | 19.43 | 23.08 | 203.454 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS8 | 19 | 19.17 | 19.06 | 22.35 | 171.855 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS8 | 18.5 | 18.73 | 18.57 | 21.89 | 154.419 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 116 | 5580 | MCS8 | 19 | 19.52 | 19.41 | 22.70 | 186.278 | 23.98 | or 11+10log(B) = | 24.05 | PASS |
| 140 | 5700 | MCS8 | 18.5 | 18.92 | 18.83 | 22.11 | 162.611 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 144 | 5720(U-NII 2C) | MCS8 | 19 | 18.01 | 18.02 | 21.26 | 133.594 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS8 | 19 | 13.35 | 13.20 | 16.52 | 44.863 | | 30 | | PASS |
| 149 | 5745 | MCS8 | 26 | 25.72 | 25.42 | 28.81 | 760.126 | | 30 | | PASS |
| 157 | 5785 | MCS8 | 26 | 25.22 | 25.17 | 28.43 | 696.841 | | 30 | | PASS |
| 165 | 5825 | MCS8 | 26 | 25.98 | 25.42 | 28.95 | 784.384 | | 30 | | PASS |

802.11ac_VHT20_Ch0

| сн | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm) | | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|----------------------------|------------------|-------|--------|
| 36 | 5180 | MCS0 | 20 | 20.67 | 116.686 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 19.5 | 19.96 | 99.087 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 20 | 20.50 | 112.206 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 20 | 20.61 | 115.085 | 23.98 | or 11+10log(B) = | 24.03 | PASS |
| 60 | 5300 | MCS0 | 20 | 20.59 | 114.556 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS0 | 19 | 19.30 | 85.117 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 100 | 5500 | MCS0 | 18.5 | 18.86 | 76.916 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 116 | 5580 | MCS0 | 19 | 19.58 | 90.786 | 23.98 | or 11+10log(B) = | 24.05 | PASS |
| 140 | 5700 | MCS0 | 18.5 | 19.09 | 81.099 | 23.98 | or 11+10log(B) = | 24.07 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 19 | 18.24 | 66.73 | 23.98 | or 11+10log(B) = | 22.82 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 19 | 13.58 | 22.81 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 26 | 25.80 | 380.204 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 26 | 26.65 | 462.399 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26 | 26.08 | 405.524 | | 30 | | PASS |

802.11ac_VHT20_Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | REQUIRED LIMIT (dBm) | | RESULT | |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|----------------------------|------------------|--------|------|
| 36 | 5180 | MCS0 | 20 | 19.47 | 88.515 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 19.5 | 19.17 | 82.607 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 20 | 19.68 | 92.900 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 20 | 19.60 | 91.205 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 60 | 5300 | MCS0 | 20 | 19.47 | 88.515 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS0 | 19 | 19.26 | 84.337 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS0 | 18.5 | 18.71 | 74.305 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 116 | 5580 | MCS0 | 19 | 19.53 | 89.746 | 23.98 | or 11+10log(B) = | 24.06 | PASS |
| 140 | 5700 | MCS0 | 18.5 | 19.06 | 80.541 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 19 | 18.19 | 65.95 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 19 | 13.37 | 21.75 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 26 | 25.72 | 373.265 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 26 | 25.55 | 358.936 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26 | 25.61 | 363.929 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, Wuku | 」District, New Taipei City, Taiwan/新北市五股區新步 | 上產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 108 of 774

802 11ac VHT20 MIMO

| SU2.11ac_VH12 | | | | r | | | | | | | 1 |
|---------------|----------------|------|-------|----------|----------|----------------|----------------|-------|------------------|-------|--------|
| СН | Frequency | Data | Power | Avg. POW | ER (dBm) | TOTAL POWER | TOTAL POWER | | | | RESULT |
| | (MHz) | Rate | set | СНО | CH 1 | (dBm) | (mW) | | (dBm) | | |
| 36 | 5180 | MCS0 | 20 | 20.2 | 19.22 | 22.99 | 198.978 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | 19.5 | 19.77 | 19.02 | 22.66 | 184.571 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | 20 | 20.29 | 19.34 | 23.09 | 203.770 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | 20 | 20.26 | 19.28 | 23.05 | 201.746 | 23.98 | or 11+10log(B) = | 23.97 | PASS |
| 60 | 5300 | MCS0 | 20 | 20.16 | 19.32 | 23.01 | 200.021 | 23.98 | or 11+10log(B) = | 24.00 | PASS |
| 64 | 5320 | MCS0 | 19 | 19.13 | 18.95 | 22.29 | 169.489 | 23.98 | or 11+10log(B) = | 24.01 | PASS |
| 100 | 5500 | MCS0 | 18.5 | 18.66 | 18.51 | 21.84 | 152.620 | 23.98 | or 11+10log(B) = | 23.98 | PASS |
| 116 | 5580 | MCS0 | 19 | 19.47 | 19.35 | 22.66 | 184.539 | 23.98 | or 11+10log(B) = | 24.05 | PASS |
| 140 | 5700 | MCS0 | 18.5 | 18.86 | 18.75 | 22.06 | 160.539 | 23.98 | or 11+10log(B) = | 23.99 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | 19 | 17.95 | 17.94 | 21.20 | 131.761 | 23.98 | or 11+10log(B) = | 22.74 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | 19 | 13.29 | 13.12 | 16.46 | 44.249 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 26 | 25.66 | 25.36 | 28.76 | 752.153 | | 30 | | PASS |
| 157 | 5785 | MCS0 | 26 | 25.13 | 25.11 | 28.37 | 687.145 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26 | 25.92 | 25.34 | 28.89 | 774.488 | | 30 | | PASS |

802.11ax_HE20_Ch0

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|------------|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| | | MCS0 | full | 20 | 21.01 | 126.089 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 26/0 | 15 | 16.03 | 40.057 | | 23.98 | | PASS |
| 50 | 5190 | MCS0 | 52/37 | 15 | 16.17 | 41.369 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 20 | 20.56 | 113.679 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 19.5 | 20.27 | 106.336 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 19.5 | 20.25 | 105.847 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 20 | 20.95 | 124.359 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 60 | 5300 | MCS0 | full | 19 | 19.92 | 98.102 | 23.98 | or 11+10log(B) = | 24.13 | PASS |
| | | MCS0 | full | 19 | 19.66 | 92.401 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| C A | 5220 | MCS0 | 26/8 | 17 | 17.56 | 56.974 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 16.5 | 17.27 | 53.294 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| | | MCS0 | 106/54 | 20 | 20.22 | 105.118 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| | | MCS0 | full | 19 | 19.50 | 89.059 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 | 5500 | MCS0 | 26/0 | 15.5 | 16.05 | 40.242 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 | 5500 | MCS0 | 52/37 | 16 | 16.68 | 46.524 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| | | MCS0 | 106/53 | 15.5 | 15.92 | 39.055 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 116 | 5580 | MCS0 | full | 19 | 19.87 | 96.979 | 23.98 | or 11+10log(B) = | 24.23 | PASS |
| | | MCS0 | full | 18 | 18.92 | 77.925 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 140 | 5700 | MCS0 | 26/8 | 13.5 | 14.37 | 27.332 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 13.5 | 14.48 | 28.034 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| | | MCS0 | 106/54 | 14 | 14.76 | 29.900 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 19 | 18.45 | 70.017 | 23.98 | or 11+10log(B) = | 22.87 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 19 | 13.90 | 24.537 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 27.49 | 560.633 | | 30 | | PASS |
| 140 | 5745 | MCS0 | 26/0 | 20 | 20.66 | 116.326 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 23 | 23.43 | 220.130 | | 30 | | PASS |
| | | MCS0 | 106/53 | 22.5 | 22.82 | 191.284 | r | 30 | | PASS |
| 157 | 5785 | MCS0 | full | 26 | 26.65 | 462.039 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 27.22 | 526.840 | | 30 | | PASS |
| 105 | 5025 | MCS0 | 26/8 | 20 | 20.69 | 117.133 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 52/40 | 23.5 | 23.76 | 237.508 | | 30 | | PASS |
| | | MCS0 | 106/54 | 22.5 | 22.77 | 189.094 | · | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial Park, V | Vuku District, New Taipei City, Taiwan/新北市五股區新: | 比產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 109 of 774



802.11ax HE20 Ch1

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|------------|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| | | MCS0 | full | 20 | 19.75 | 94.336 | | 23.98 | | PASS |
| 26 | 5180 | MCS0 | 26/0 | 15 | 14.90 | 30.880 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 52/37 | 15 | 14.98 | 31.454 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 20 | 19.36 | 86.234 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 19.5 | 19.44 | 87.837 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 19.5 | 19.59 | 90.924 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 20 | 19.97 | 99.238 | 23.98 | or 11+10log(B) = | 24.16 | PASS |
| 60 | 5300 | MCS0 | full | 19 | 19.05 | 80.293 | 23.98 | or 11+10log(B) = | 24.17 | PASS |
| | | MCS0 | full | 19 | 19.55 | 90.090 | 23.98 | or 11+10log(B) = | 24.25 | PASS |
| C A | 5220 | MCS0 | 26/8 | 17 | 17.55 | 56.843 | 23.98 | or 11+10log(B) = | 24.25 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 16.5 | 17.11 | 51.366 | 23.98 | or 11+10log(B) = | 24.25 | PASS |
| | | MCS0 | 106/54 | 20 | 20.18 | 104.155 | 23.98 | or 11+10log(B) = | 24.25 | PASS |
| | | MCS0 | full | 19 | 19.43 | 87.635 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 100 | 5500 | MCS0 | 26/0 | 15.5 | 15.80 | 37.991 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 100 | 5500 | MCS0 | 52/37 | 16 | 16.36 | 43.219 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| | | MCS0 | 106/53 | 15.5 | 15.56 | 35.948 | 23.98 | or 11+10log(B) = | 24.19 | PASS |
| 116 | 5580 | MCS0 | full | 19 | 19.76 | 94.554 | 23.98 | or 11+10log(B) = | 24.14 | PASS |
| | | MCS0 | full | 18 | 18.89 | 77.389 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| 140 | 5700 | MCS0 | 26/8 | 13.5 | 14.15 | 25.982 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 13.5 | 14.34 | 27.144 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| | | MCS0 | 106/54 | 14 | 14.55 | 28.489 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 19 | 18.39 | 68.951 | 23.98 | or 11+10log(B) = | 22.87 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 19 | 13.82 | 24.090 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 26.82 | 480.483 | | 30 | | PASS |
| 140 | 5745 | MCS0 | 26/0 | 20 | 20.60 | 114.730 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 23 | 23.15 | 206.385 | | 30 | | PASS |
| | | MCS0 | 106/53 | 22.5 | 22.71 | 186.500 | | 30 | | PASS |
| 157 | 5785 | MCS0 | full | 26 | 25.77 | 377.293 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 26.47 | 443.280 | | 30 | | PASS |
| 165 | 5825 | MCS0 | 26/8 | 20 | 20.51 | 112.377 | | 30 | | PASS |
| 207 | 5625 | MCS0 | 52/40 | 23.5 | 23.59 | 228.391 | | 30 | | PASS |
| | | MCS0 | 106/54 | 22.5 | 22.76 | 188.659 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2022/30017 Page: 110 of 774



| СН | Frequency | Data | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
|------|----------------|------|------------|-------|----------|------------|----------------|----------------|-------|-------------------|-------|--------|
| Сн | (MHz) | Rate | RU config. | set | CH 0 | CH 1 | (dBm) | (mW) | (dBm) | | | RESULT |
| | | MCS0 | full | 20 | 20.73 | 19.81 | 23.50 | 223.944 | - | 23.98 | | PASS |
| 26 | 5400 | MCS0 | 26/0 | 15 | 15.88 | 14.57 | 18.48 | 70.490 | | 23.98 | | PASS |
| 36 | 5180 | MCS0 | 52/37 | 14.5 | 15.84 | 14.22 | 18.31 | 67.798 | | 23.98 | | PASS |
| | | MCS0 | 106/53 | 17.5 | 18.26 | 16.93 | 20.85 | 121.697 | | 23.98 | | PASS |
| 44 | 5220 | MCS0 | full | 19.5 | 20.05 | 19.36 | 22.93 | 196.145 | | 23.98 | | PASS |
| 48 | 5240 | MCS0 | full | 19.5 | 20.08 | 19.28 | 22.91 | 195.231 | | 23.98 | | PASS |
| 52 | 5260 | MCS0 | full | 20 | 20.67 | 19.78 | 23.45 | 221.556 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 60 | 5300 | MCS0 | full | 19 | 19.73 | 18.84 | 22.51 | 178.437 | 23.98 | or 11+10log(B) = | 24.13 | PASS |
| | | MCS0 | full | 19 | 19.68 | 19.36 | 22.73 | 187.501 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| | | MCS0 | 26/8 | 15.5 | 16.14 | 15.83 | 19.19 | 83.078 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| 64 | 5320 | MCS0 | 52/40 | 16 | 16.7 | 16.37 | 19.75 | 94.302 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| | | MCS0 | 106/54 | 17.5 | 17.97 | 17.57 | 20.98 | 125.363 | 23.98 | or 11+10log(B) = | 24.12 | PASS |
| | | MCS0 | full | 19 | 19.36 | 19.35 | 22.56 | 180.388 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| | | MCS0 | 26/0 | 15 | 15.46 | 14.95 | 18.42 | 69.495 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 100 | 5500 | MCS0 | 52/37 | 16 | 16.83 | 15.72 | 19.52 | 89.484 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| | | MCS0 | 106/53 | 15 | 15.38 | 14.36 | 18.11 | 64.669 | 23.98 | or 11+10log(B) = | 24.15 | PASS |
| 116 | 5580 | MCS0 | full | 19 | 19.76 | 19.6 | 22.89 | 194.438 | 23.98 | or 11+10log(B) = | 24.14 | PASS |
| | | MCS0 | full | 18 | 18.68 | 18.65 | 21.87 | 153.890 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| | | MCS0 | 26/8 | 13.5 | 14.14 | 14.1 | 17.33 | 54.040 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| 140 | 5700 | MCS0 | 52/40 | 13.5 | 14.37 | 14.15 | 17.47 | 55.827 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| | | MCS0 | 106/54 | 14 | 14.45 | 14.37 | 17.62 | 57.773 | 23.98 | or 11+10log(B) = | 24.18 | PASS |
| 144 | 5720(U-NII 2C) | MCS0 | full | 19 | 18.28 | 18.18 | 21.44 | 139.236 | 23.98 | or 11+10log(B) = | 22.87 | PASS |
| 144 | 5720 (U-NII 3) | MCS0 | full | 19 | 13.72 | 13.61 | 16.88 | 48.721 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 27.19 | 26.23 | 29.94 | 987.087 | | 30 | | PASS |
| | 5745 | MCS0 | 26/0 | 20 | 20.54 | 20.45 | 23.70 | 234.548 | | 30 | | PASS |
| 149 | 5745 | MCS0 | 52/37 | 23 | 23.22 | 23.05 | 26.34 | 430.816 | | 30 | | PASS |
| | | MCS0 | 106/53 | 22.5 | 22.53 | 22.28 | 25.61 | 364.241 | | 30 | | PASS |
| 157 | 5785 | MCS0 | full | 26 | 26.23 | 25.48 | 29.08 | 808.771 | | 30 | | PASS |
| | | MCS0 | full | 27.5 | 26.75 | 26.1 | 29.64 | 921.347 | | 30 | | PASS |
| 4.65 | 5005 | MCS0 | 26/8 | 20 | 20.7 | 20.2 23.66 | | 232.502 | 30 | | | PASS |
| 165 | 5825 | MCS0 | 52/40 | 23.5 | 23.45 | 23.43 | 26.65 | 462.072 | 30 | | PASS | |
| | | MCS0 | 106/54 | 22.5 | 22.35 | 22.28 | 25.52 | 356.634 | | 30 | | PASS |

802.11n_HT40_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | 5190 | MCS0 | 19.5 | 20.29 | 106.929 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 19.5 | 20.43 | 110.433 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 20 | 20.85 | 121.646 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 62 | 5310 | MCS0 | 19.5 | 20.16 | 103.776 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 102 | 5510 | MCS0 | 19.5 | 20.10 | 102.352 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | 19 | 19.59 | 91.012 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 134 | 5670 | MCS0 | 19.5 | 20.38 | 109.168 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 19 | 19.20 | 83.20 | 23.98 | or 11+10log(B) = | 26.41 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 19 | 10.59 | 11.44 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 23.5 | 24.29 | 268.594 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 24 | 25.47 | 352.450 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, V | Nuku District, New Taipei City, Taiwan/新北市五股區新北) | 產業園區五工路 134 號 |
|-------------------|--|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 111 of 774



802.11n HT40 Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | 5190 | MCS0 | 19.5 | 19.35 | 86.119 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 19.5 | 19.87 | 97.073 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 20 | 19.99 | 99.792 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 62 | 5310 | MCS0 | 19.5 | 20.07 | 101.648 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 102 | 5510 | MCS0 | 19.5 | 20.05 | 101.181 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 110 | 5550 | MCS0 | 19 | 19.38 | 86.716 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 134 | 5670 | MCS0 | 19.5 | 19.96 | 99.105 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 19 | 19.19 | 82.97 | 23.98 | or 11+10log(B) = | 26.39 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 19 | 10.42 | 11.02 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 23.5 | 24.00 | 251.245 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 24 | 24.33 | 271.080 | | 30 | | PASS |

802.11n_HT40_MIMO

| СН | Frequency | Data | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | REQUIRED LIMIT | | | RESULT |
|-----|----------------|------|-------|----------|-----------|----------------|----------------|-------------------|------------------|-------|--------|
| СП | (MHz) | Rate | set | CH 0 | CH 1 | (dBm) | (mW) | | (dBm) | | RESULT |
| 38 | 5190 | MCS8 | 19.5 | 20.02 | 19.16 | 22.93 | 196.450 | | 23.98 | | PASS |
| 46 | 5230 | MCS8 | 19.5 | 20.33 | 19.56 | 23.28 | 212.976 | | 23.98 | | PASS |
| 54 | 5270 | MCS8 | 20 | 20.52 | 19.86 | 23.52 | 225.102 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 62 | 5310 | MCS8 | 19.5 | 19.87 | 19.44 | 22.98 | 198.682 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 102 | 5510 | MCS8 | 19.5 | 19.82 | 19.75 | 23.11 | 204.475 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 110 | 5550 | MCS8 | 19 | 19.31 | 19.15 | 22.55 | 179.970 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 134 | 5670 | MCS8 | 19.5 | 20.24 | 20.05 | 23.47 | 222.193 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 142 | 5710(U-NII 2C) | MCS8 | 19 | 19.00 | 18.94 | 22.29 | 169.423 | 23.98 | or 11+10log(B) = | 26.39 | PASS |
| 142 | 5710 (U-NII 3) | MCS8 | 19 | 10.39 | 10.17 | 13.60 | 22.907 | | 30 | | PASS |
| 151 | 5755 | MCS8 | 23.5 | 24.01 | 23.84 | 27.25 | 530.530 | | 30 | | PASS |
| 159 | 5795 | MCS8 | 24 | 25.26 | 24.21 | 28.09 | 643.862 | | 30 | | PASS |

802.11ac_VHT40_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | 5190 | MCS0 | 19.5 | 20.24 | 105.638 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 19.5 | 20.33 | 107.850 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 20 | 20.76 | 119.075 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 62 | 5310 | MCS0 | 19.5 | 20.07 | 101.583 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 102 | 5510 | MCS0 | 19.5 | 20.00 | 99.959 | 23.98 | or 11+10log(B) = | 27.00 | PASS |
| 110 | 5550 | MCS0 | 19 | 19.51 | 89.294 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 134 | 5670 | MCS0 | 19.5 | 20.27 | 106.370 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 19 | 19.15 | 82.20 | 23.98 | or 11+10log(B) = | 26.41 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 19 | 10.53 | 11.31 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 23.5 | 24.22 | 264.131 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 24 | 25.44 | 349.800 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wuk | u District, New Taipei City, Taiwan/新北市五股區新步 | L產業園區五工路 134 號 |
|-------------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 112 of 774



802.11ac VHT40 Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | 5190 | MCS0 | 19.5 | 19.23 | 83.718 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 19.5 | 19.80 | 95.460 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 20 | 19.94 | 98.587 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 62 | 5310 | MCS0 | 19.5 | 20.01 | 100.189 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 102 | 5510 | MCS0 | 19.5 | 19.96 | 99.042 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 110 | 5550 | MCS0 | 19 | 19.30 | 85.079 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 134 | 5670 | MCS0 | 19.5 | 19.87 | 97.011 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 19 | 19.06 | 80.47 | 23.98 | or 11+10log(B) = | 26.39 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 19 | 10.29 | 10.69 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 23.5 | 23.91 | 245.935 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 24 | 24.26 | 266.575 | | 30 | | PASS |

| 802.11ac_VHT40 | _MIMO | | | | | | | | | | |
|----------------|----------------|------|---------------|----------|-----------|----------------|----------------|-------|-------------------|--------|--------|
| сн | Frequency | Data | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
| СП | (MHz) | Rate | Set CH 0 CH 1 | | (dBm) | | | | | RESULI | |
| 38 | 5190 | MCS0 | 19.5 | 19.86 | 19.03 | 22.85 | 192.899 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | 19.5 | 20.21 | 19.42 | 23.22 | 209.964 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | 20 | 20.48 | 19.71 | 23.50 | 223.900 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 62 | 5310 | MCS0 | 19.5 | 19.76 | 19.29 | 22.92 | 195.878 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 102 | 5510 | MCS0 | 19.5 | 19.68 | 19.59 | 23.02 | 200.620 | 23.98 | or 11+10log(B) = | 26.94 | PASS |
| 110 | 5550 | MCS0 | 19 | 19.16 | 19.01 | 22.47 | 176.773 | 23.98 | or 11+10log(B) = | 26.95 | PASS |
| 134 | 5670 | MCS0 | 19.5 | 20.08 | 19.02 | 22.97 | 198.187 | 23.98 | or 11+10log(B) = | 26.96 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | 19 | 18.82 | 18.82 | 22.21 | 166.327 | 23.98 | or 11+10log(B) = | 26.39 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | 19 | 10.21 | 10.05 | 13.52 | 22.486 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 23.5 | 23.89 | 23.71 | 27.19 | 523.532 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 24 | 25.13 | 24.08 | 28.03 | 634.623 | | 30 | | PASS |

802.11ax_HE40_Ch0

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 38 | F100 | MCS0 | full | 19.5 | 20.36 | 108.679 | | 23.98 | | PASS |
| 38 | 5190 | MCS0 | 242/61 | 16.5 | 17.46 | 55.737 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | full | 19.5 | 20.65 | 116.184 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | full | 19.5 | 20.48 | 111.724 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 63 | 5240 | MCS0 | full | 19.5 | 20.17 | 104.027 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 62 | 5310 | MCS0 | 242/62 | 19 | 19.61 | 91.442 | 23.98 | or 11+10log(B) = | 27.05 | PASS |
| 102 | 5540 | MCS0 | full | 18 | 18.74 | 74.842 | 23.98 | or 11+10log(B) = | 27.07 | PASS |
| 102 | 5510 | MCS0 | 242/61 | 15 | 15.97 | 39.550 | 23.98 | or 11+10log(B) = | 27.07 | PASS |
| 110 | 5550 | MCS0 | full | 19 | 19.57 | 90.604 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 124 | 5.670 | MCS0 | full | 19 | 20.07 | 101.659 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 134 | 5670 | MCS0 | 242/62 | 15 | 15.99 | 39.732 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | full | 19 | 19.22 | 83.515 | 23.98 | or 11+10log(B) = | 26.46 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | full | 19 | 10.88 | 12.236 | | 30 | | PASS |
| 151 | 5755 | MCS0 | full | 23.5 | 24.33 | 271.110 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 242/61 | 19 | 20.04 | 100.959 | | 30 | | PASS |
| 150 | 5705 | MCS0 | full | 24 | 25.39 | 346.056 | | 30 | | PASS |
| 123 | 159 5795 | MCS0 | 242/62 | 18.5 | 19.75 | 94.438 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, V | Nuku District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 113 of 774



802.11ax HE40 Ch1

| | | Dete | | Power | TOTAL | TOTAL | | REQUIRED | | |
|-----|--------------------|--------------|------------|-------|----------------|---------------|-------|------------------|-------|--------|
| СН | Frequency (MHz) | Data Rate | RU config. | set | POWER (dBm) | POWER (mW) | | LIMIT (dBm) | | RESULT |
| 38 | E100 | MCS0 | full | 19.5 | 19.49 | 88.950 | | 23.98 | | PASS |
| 38 | 5190 | MCS0 | 242/61 | 16.5 | 16.30 | 42.672 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | full | 19.5 | 19.85 | 96.638 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | full | 19.5 | 19.54 | 89.980 | 23.98 | or 11+10log(B) = | 27.07 | PASS |
| 62 | 5210 | MCS0 | full | 19.5 | 19.97 | 99.345 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 62 | 5310 | MCS0 | 242/62 | 19 | 19.39 | 86.925 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 102 | 5510 | MCS0 | full | 18 | 18.71 | 74.327 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 102 | 5510 | MCS0 | 242/61 | 15 | 15.41 | 34.765 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 110 | 5550 | MCS0 | full | 19 | 19.41 | 87.326 | 23.98 | or 11+10log(B) = | 27.04 | PASS |
| 124 | 5,670 | MCS0 | full | 19 | 20.01 | 100.264 | 23.98 | or 11+10log(B) = | 27.09 | PASS |
| 134 | 5670 | MCS0 | 242/62 | 15 | 15.97 | 39.550 | 23.98 | or 11+10log(B) = | 27.09 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | full | 19 | 19.16 | 82.394 | 23.98 | or 11+10log(B) = | 26.47 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | full | 19 | 10.89 | 12.261 | | 30 | | PASS |
| 151 | | MCS0 | full | 23.5 | 24.14 | 259.505 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 242/61 | 19 | 19.81 | 95.752 | | 30 | | PASS |
| 150 | 450 5705 | MCS0 | full | 24 | 24.44 | 278.065 | | 30 | | PASS |
| 159 | 5795 | MCS0 | 242/62 | 18.5 | 19.05 | 80.380 | | 30 | | PASS |

| 802.11ax_HE40 | _MIMO | | | | | | | | | | | |
|---------------|----------------|------|-------------|-------|----------|-----------|----------------|----------------|----------------------------|------------------|-------|--------|
| СН | Frequency | Data | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | REQUIRED LIMIT (dBm) | | | RESULT |
| on | (MHz) | Rate | ito coning. | set | CH 0 | CH 1 | (dBm) | (mW) | | | | RESULT |
| 38 | 5100 | MCS0 | full | 19 | 19.68 | 18.83 | 22.52 | 178.547 | | 23.98 | | PASS |
| 38 | 5190 | MCS0 | 242/61 | 16.5 | 17.16 | 16.05 | 19.88 | 97.322 | | 23.98 | | PASS |
| 46 | 5230 | MCS0 | full | 19.5 | 20.54 | 19.75 | 23.40 | 219.013 | | 23.98 | | PASS |
| 54 | 5270 | MCS0 | full | 19.5 | 20.23 | 19.54 | 23.14 | 206.084 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| (2) | 5210 | MCS0 | full | 18 | 18.56 | 18.35 | 21.70 | 147.844 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 62 | 5310 | MCS0 | 242/62 | 17 | 17.39 | 17.18 | 20.53 | 112.928 | 23.98 | or 11+10log(B) = | 26.99 | PASS |
| 102 | 5540 | MCS0 | full | 18 | 18.62 | 18.42 | 21.76 | 150.069 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 102 | 5510 | MCS0 | 242/61 | 15 | 15.69 | 15.34 | 18.76 | 75.167 | 23.98 | or 11+10log(B) = | 27.06 | PASS |
| 110 | 5550 | MCS0 | full | 19 | 19.35 | 19.24 | 22.54 | 179.354 | 23.98 | or 11+10log(B) = | 27.04 | PASS |
| 124 | 5670 | MCS0 | full | 19 | 19.95 | 19.82 | 23.13 | 205.459 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 134 | 5670 | MCS0 | 242/62 | 15 | 16.18 | 15.88 | 19.27 | 84.613 | 23.98 | or 11+10log(B) = | 27.01 | PASS |
| 142 | 5710(U-NII 2C) | MCS0 | full | 19 | 19.17 | 18.98 | 22.31 | 170.340 | 23.98 | or 11+10log(B) = | 26.46 | PASS |
| 142 | 5710 (U-NII 3) | MCS0 | full | 19 | 10.83 | 10.70 | 14.01 | 25.149 | | 30 | | PASS |
| 151 | 5755 | MCS0 | full | 23.5 | 24.15 | 24.06 | 27.35 | 542.874 | | 30 | | PASS |
| 151 | 5755 | MCS0 | 242/61 | 19 | 19.73 | 19.56 | 22.89 | 194.428 | | 30 | | PASS |
| 159 | 5795 | MCS0 | full | 24 | 25.29 | 24.3 | 28.06 | 640.458 | | 30 | | PASS |
| 139 | 5795 | MCS0 | 242/62 | 18.5 | 19.75 | 18.68 | 22.49 | 177.404 | | 30 | | PASS |

802.11ac_VHT80_Ch0

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | 19 | 20.28 | 106.734 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 20 | 21.06 | 127.733 | 23.98 | or 11+10log(B) = | 30.11 | PASS |
| 106 | 5530 | MCS0 | 16 | 16.75 | 47.348 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5610 | MCS0 | 18 | 18.62 | 72.829 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 20 | 20.35 | 108.50 | 23.98 | or 11+10log(B) = | 29.78 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 20 | 9.03 | 7.99 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 20 | 20.93 | 123.967 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wuku D | listrict, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 114 of 774



802.11ac VHT80 Ch1

| СН | Frequency (MHz) | Data Rate | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | 19 | 19.05 | 80.409 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 20 | 20.25 | 106.000 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 106 | 5530 | MCS0 | 16 | 16.69 | 46.699 | 23.98 | or 11+10log(B) = | 30.04 | PASS |
| 122 | 5610 | MCS0 | 18 | 18.57 | 71.995 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 20 | 20.34 | 108.08 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 20 | 8.82 | 7.61 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 20 | 20.35 | 108.469 | | 30 | | PASS |

802.11ac VHT80 MIMO

| СН | Frequency | Data | | | /ER (dBm) | TOTAL POWER | TOTAL POWER | | REQUIRED LIMIT | | RESULT |
|-----|----------------|------|------|-------|-----------|----------------|----------------|-------|-------------------|-------|--------|
| Ch | (MHz) | Rate | set | CH 0 | CH 1 | (dBm) | (mW) | | (dBm) | | RESOLI |
| 42 | 5210 | MCS0 | 19 | 19.9 | 18.82 | 22.71 | 186.502 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | 17.5 | 18.08 | 17.37 | 21.05 | 127.434 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 106 | 5530 | MCS0 | 16 | 16.69 | 16.33 | 19.83 | 96.096 | 23.98 | or 11+10log(B) = | 30.04 | PASS |
| 122 | 5610 | MCS0 | 18 | 18.43 | 18.31 | 21.68 | 147.359 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | 20 | 20.04 | 19.98 | 23.32 | 214.945 | 23.98 | or 11+10log(B) = | 29.77 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | 20 | 8.71 | 8.46 | 11.90 | 15.488 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 20 | 20.54 | 19.91 | 23.55 | 226.452 | | 30 | | PASS |

802.11ax_HE80_Ch0

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | full | 18.5 | 19.66 | 92.548 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 15 | 15.33 | 34.148 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | full | 19.5 | 20.49 | 112.039 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 50 | 5290 | MCS0 | 484/66 | 17 | 17.12 | 51.567 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 100 | 5520 | MCS0 | full | 14.5 | 15.50 | 35.511 | 23.98 | or 11+10log(B) = | 30.13 | PASS |
| 106 | 5530 | MCS0 | 484/65 | 13 | 13.65 | 23.194 | 23.98 | or 11+10log(B) = | 30.13 | PASS |
| 122 | 5610 | MCS0 | full | 18 | 18.91 | 77.870 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 122 | 5610 | MCS0 | 484/66 | 20 | 20.19 | 104.561 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 20 | 20.55 | 113.427 | 23.98 | or 11+10log(B) = | 29.79 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 20 | 9.33 | 8.575 | | 30 | | PASS |
| | | MCS0 | full | 20 | 21.05 | 127.458 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 15 | 15.80 | 38.051 | | 30 | | PASS |
| | | MCS0 | 484/66 | 15.5 | 16.14 | 41.150 | | 30 | | PASS |

802.11ax_HE80_Ch1

| СН | Frequency (MHz) | Data Rate | RU config. | Power set | TOTAL POWER (dBm) | TOTAL POWER (mW) | | REQUIRED LIMIT (dBm) | | RESULT |
|-----|--------------------|--------------|------------|--------------|-------------------------|------------------------|-------|----------------------------|-------|--------|
| 42 | 5210 | MCS0 | full | 18.5 | 18.69 | 74.023 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 15 | 13.87 | 24.399 | | 23.98 | | PASS |
| 58 | 5290 | MCS0 | full | 19.5 | 19.48 | 88.791 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 56 | 5290 | MCS0 | 484/66 | 17 | 15.79 | 37.964 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 100 | 5520 | MCS0 | full | 14.5 | 15.41 | 34.783 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 106 | 5530 | MCS0 | 484/65 | 13 | 13.04 | 20.154 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5610 | MCS0 | full | 18 | 18.84 | 76.625 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 122 | 5010 | MCS0 | 484/66 | 20 | 20.05 | 101.244 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 20 | 20.53 | 113.012 | 23.98 | or 11+10log(B) = | 29.80 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 20 | 9.40 | 8.709 | | 30 | | PASS |
| | | MCS0 | full | 20 | 21.03 | 126.873 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 15 | 15.25 | 33.525 | | 30 | | PASS |
| | | MCS0 | 484/66 | 15.5 | 15.37 | 34.464 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Distri | ict, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |
|-------------------|--|--------------------------------------|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 115 of 774

| 802.11ax_HE80 | _MIMO | | | | | | | | | | | |
|---------------|----------------|------------|------------|-------|----------|-----------|----------------|----------------|-------------------|------------------|-------|--------|
| СН | Frequency | Data BU co | RU config. | Power | Avg. POW | /ER (dBm) | TOTAL POWER | TOTAL POWER | REQUIRED LIMIT | | | RESULT |
| | (MHz) | Rate | Ro comg. | set | CH 0 | CH 1 | (dBm) | (mW) | | (dBm) | | RESOLI |
| 42 5210 | | MCS0 | full | 18.5 | 19.32 | 18.35 | 22.10 | 162.032 | | 23.98 | | PASS |
| 42 | 5210 | MCS0 | 484/65 | 14.5 | 14.64 | 13.3 | 17.26 | 53.155 | | 23.98 | | PASS |
| 58 | 5200 | MCS0 | full | 17 | 17.84 | 16.95 | 20.65 | 116.191 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 58 | 5290 | MCS0 | 484/66 | 15 | 14.79 | 14.21 | 17.74 | 59.479 | 23.98 | or 11+10log(B) = | 30.06 | PASS |
| 106 | 5520 | MCS0 | full | 14.5 | 15.29 | 15.15 | 18.45 | 70.057 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 100 | 5530 | MCS0 | 484/65 | 13 | 13.34 | 12.81 | 16.32 | 42.826 | 23.98 | or 11+10log(B) = | 30.08 | PASS |
| 122 | 5610 | MCS0 | full | 18 | 18.68 | 18.56 | 21.85 | 153.264 | 23.98 | or 11+10log(B) = | 30.09 | PASS |
| 122 | 5010 | MCS0 | 484/66 | 20 | 19.98 | 19.72 | 23.09 | 203.513 | 23.98 | or 11+11log(B) = | 30.09 | PASS |
| 138 | 5690(U-NII 2C) | MCS0 | full | 20 | 20.31 | 20.19 | 23.48 | 222.910 | 23.98 | or 11+10log(B) = | 29.79 | PASS |
| 138 | 5690 (U-NII 3) | MCS0 | full | 20 | 9.10 | 9.06 | 12.31 | 17.013 | | 30 | | PASS |
| | | MCS0 | full | 20 | 20.85 | 20.28 | 23.81 | 240.343 | | 30 | | PASS |
| 155 | 5775 | MCS0 | 484/65 | 14.5 | 15.17 | 14.43 | 18.05 | 63.822 | | 30 | | PASS |
| | | MCS0 | 484/66 | 15.5 | 15.97 | 15.15 | 18.81 | 76.090 | | 30 | | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | Io.134, Wu Kung Road, New Taipei Industrial Park, | Wuku District, New Taipei City, Taiwan/新北市五股區新北点 | E業園區五工路 134 號 |
|-------------------|---|--|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

| OPERZTION Band | | EUT CATEGORY | LIMIT | | | | | | | |
|---|-------------------------|-----------------------------------|------------|--|--|--|--|--|--|--|
| | | Access Point (Master device) | 17dBm/ MHz | | | | | | | |
| U-NII-1 | | Fixed point-to-point Access Ponit | | | | | | | | |
| | \boxtimes | Mobile and portable client device | 11dBm/ MHz | | | | | | | |
| U-NII-2A | \boxtimes | | 11dBm/ MHz | | | | | | | |
| U-NII-2C | \boxtimes | | 11dBm/ MHz | | | | | | | |
| U-NII-3 | U-NII-3 🛛 30dBm/ 500kHz | | | | | | | | | |
| If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. | | | | | | | | | | |

CDD

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

(ii) If all transmit signals are *completely uncorrelated*, then

Directional gain = $10 \log[(10^{G_I/10} + 10^{G_2/10} + ... + 10^{G_N/10})/NANT] dBi$

where

NANT = the total number of antennas G is the gain in dBi.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Beamforming

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream; NSS = the number of independent spatial streams of data; NANT = the total number of antennas $g_{i,k} = /20$ 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. For U-NII1, U-NII-2A, U-NII-2C Band: Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth. Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth) For U-NII-3 Band:

Set RBW= approximately 1% of EBW, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
- 8. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + $10 \log (N)$, where N is number of transmitting antenna.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemniinformation contraction contractions and contractions in Lieuconic Decements at <u>inter/www.ags.contruetries-and-contractions</u>. An endation of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.3 **Measurement Equipment Used**

| Conducted Emission Test Site: Conducted 2 | | | | | | | | |
|--|---------------|---------------|------------|------------|------------|--|--|--|
| EQUIPMENT TYPE MFR MODEL NUMBER BER LAST CAL. CAL DUE. | | | | | | | | |
| EXA Spectrum Analyzer | KEYSIGHT | N9010B | MY60240503 | 12/11/2020 | 12/10/2021 | | | |
| Attenuator | Mini-Circuit | BW- S10W2+ | 2 | 12/16/2020 | 12/15/2021 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 12/16/2020 | 12/15/2021 | | | |

10.4 Test Set-up



10.5 **Beamforming Mode Measurement Result**

10.5.1 **Power spectral density**

| | | POWER | R DENSITY 802.1 | 1n HT20 MODE | | | |
|--------------------|---------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|
| Frequency (MHz) | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd P | 'SD(dBm/MHz) | Limit | Margin (dB) |
| 5180.00 | 2.38 | 0.14 | 0.32 | 4. | 73 | 11.00 dBm/MHz | -6.27 |
| 5220.00 | 0.26 | 1.37 | 0.32 | 4.1 | 18 | 11.00 dBm/MHz | -6.82 |
| 5240.00 | 3.15 | 4.22 | 0.32 | 7.0 | 05 | 11.00 dBm/MHz | -3.95 |
| 5260.00 | 2.78 | 2.57 | 0.32 | 6.0 | 01 | 11.00 dBm/MHz | -4.99 |
| 5300.00 | 2.40 | 0.98 | 0.32 | 5.0 | 08 | 11.00 dBm/MHz | -5.92 |
| 5320.00 | -0.54 | -0.87 | 0.32 | 2.0 | 63 | 11.00 dBm/MHz | -8.37 |
| 5500.00 | 3.78 | 0.60 | 0.32 | 5.8 | 81 | 11.00 dBm/MHz | -5.19 |
| 5580.00 | 3.63 | 2.02 | 0.32 | 6.2 | 23 | 11.00 dBm/MHz | -4.77 |
| 5700.00 | 2.98 | 1.28 | 0.32 | 5. | 54 | 11.00 dBm/MHz | -5.46 |
| 5720 (U-NII 2C) | 1.22 | 1.60 | 0.32 | 4.1 | 74 | 11.00 dBm/MHz | -6.26 |
| Frequency (MHz) | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500k Hz) | Limit | Margin (dB) |
| 5720 (U-NII 3) | -3.14 | -3.72 | 0.32 | 2.22 | 2.13 | 30.00 dBm/500kHz | -27.87 |
| 5745.00 | 4.92 | 3.06 | 0.32 | 2.22 | 9.64 | 30.00 dBm/500kHz | -20.36 |
| 5785.00 | 5.40 | 3.83 | 0.32 | 2.22 | 10.24 | 30.00 dBm/500kHz | -19.76 |
| 5825.00 | 4.08 | 4.58 | 0.32 | 2.22 | 9.89 | 30.00 dBm/500kHz | -20.11 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | | | | |
|-------------------|---|---------------------|---------------------|--|--|--|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | | | | |
| | | | Member of SGS Group | | | | |

SG

Report No.: ER/2022/30017 Page: 119 of 774

| | | | POW | ER DENSITY 802.1 | 1ax 20 MODE | | | |
|--------------------|------------|---------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd F | PSD(dBm/MHz) | Limit | Margin (dB) |
| | full | 2.07 | 4.49 | 0.22 | 6. | 68 | 11.00 dBm/MHz | -4.32 |
| 5180 | 26/0 | 4.01 | 4.98 | 0.22 | 7. | 75 | 11.00 dBm/MHz | -3.25 |
| 5180 | 52/37 | 1.56 | 5.01 | 0.22 | 6. | 85 | 11.00 dBm/MHz | -4.15 |
| | 106/53 | 0.39 | 3.54 | 0.22 | 5. | 47 | 11.00 dBm/MHz | -5.53 |
| 5220 | full | 2.01 | 1.36 | 0.22 | 4. | 93 | 11.00 dBm/MHz | -6.07 |
| 5240 | full | 2.91 | 1.57 | 0.22 | 5. | 52 | 11.00 dBm/MHz | -5.48 |
| 5260 | full | 2.82 | 1.73 | 0.22 | 5. | 54 | 11.00 dBm/MHz | -5.46 |
| 5300 | full | 1.70 | 2.12 | 0.22 | 5. | 15 | 11.00 dBm/MHz | -5.85 |
| | full | 2.24 | 0.33 | 0.22 | 4. | 62 | 11.00 dBm/MHz | -6.38 |
| 5000 | 26/8 | 2.47 | 4.63 | 0.22 | 6. | 91 | 11.00 dBm/MHz | -4.09 |
| 5320 | 52/40 | 6.44 | 4.54 | 0.22 | 8. | 82 | 11.00 dBm/MHz | -2.18 |
| | 106/54 | -0.14 | 0.33 | 0.22 | 3. | 33 | 11.00 dBm/MHz | -7.67 |
| | full | 3.78 | -0.33 | 0.22 | 5. | 42 | 11.00 dBm/MHz | -5.58 |
| 5500 | 26/0 | 2.09 | 1.41 | 0.22 | 4. | 99 | 11.00 dBm/MHz | -6.01 |
| 5500 | , 52/37 | 5.56 | 2.74 | 0.22 | 7. | 61 | 11.00 dBm/MHz | -3.39 |
| | 106/53 | -2.28 | -4.37 | 0.22 | 0. | 03 | 11.00 dBm/MHz | -10.97 |
| 5580 | full | 4.19 | 1.76 | 0.22 | 6. | 37 | 11.00 dBm/MHz | -4.63 |
| | full | 1.79 | 0.21 | 0.22 | 4. | 30 | 11.00 dBm/MHz | -6.70 |
| 5300 | 26/8 | 3.65 | 0.92 | 0.22 | 5. | 73 | 11.00 dBm/MHz | -5.27 |
| 5700 | 52/40 | 3.11 | 1.56 | 0.22 | 5. | 63 | 11.00 dBm/MHz | -5.37 |
| | 106/54 | -4.43 | -2.82 | 0.22 | -0. | .32 | 11.00 dBm/MHz | -11.32 |
| 5720 (U-NII 2C) | full | 4.34 | 1.66 | 0.22 | 6. | 43 | 11.00 dBm/MHz | -4.57 |
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500kHz) | Limit | Margin (dB) |
| 5720 (U-NII 3) | full | -4.58 | -5.04 | 0.22 | 2.22 | 0.65 | 30.00 dBm/500kHz | -29.35 |
| | full | 3.43 | 4.39 | 0.22 | 2.22 | 9.39 | 30.00 dBm/500kHz | -20.61 |
| 5745 | 26/0 | 1.20 | 2.77 | 0.22 | 2.22 | 7.51 | 30.00 dBm/500kHz | -22.49 |
| 5745 | 52/37 | 6.40 | 5.83 | 0.22 | 2.22 | 11.57 | 30.00 dBm/500kHz | -18.43 |
| | 106/53 | 3.27 | 0.16 | 0.22 | 2.22 | 7.44 | 30.00 dBm/500kHz | -22.56 |
| 5785 | full | 4.38 | 4.25 | 0.22 | 2.22 | 9.77 | 30.00 dBm/500kHz | -20.23 |
| | full | 6.78 | 5.13 | 0.22 | 2.22 | 11.48 | 30.00 dBm/500kHz | -18.52 |
| 5825 | 26/8 | -0.47 | 3.35 | 0.22 | 2.22 | 7.30 | 30.00 dBm/500kHz | -22.70 |
| J02J | 52/40 | 6.52 | 5.61 | 0.22 | 2.22 | 11.54 | 30.00 dBm/500kHz | -18.46 |
| | 106/54 | 1.83 | -1.84 | 0.22 | 2.22 | 5.82 | 30.00 dBm/500kHz | -24.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial | Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北, | 產業園區五工路 134 號 |
|-------------------|---|--|----------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | |

Report No.: ER/2022/30017 Page: 120 of 774



| | | POWER | DENSITY 802.1 | 1n HT40 MODE | | | |
|--------------------|---------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|
| Frequency (MHz) | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd P | PSD(dBm/MHz) | Limit | Margin (dB) |
| 5190.00 | -1.65 | -2.80 | 0.32 | 1.1 | 14 | 11.00 dBm/MHz | -9.86 |
| 5230.00 | -2.10 | 0.75 | 0.32 | 2.8 | 89 | 11.00 dBm/MHz | -8.11 |
| 5270.00 | 0.64 | -0.69 | 0.32 | 3.: | 36 | 11.00 dBm/MHz | -7.64 |
| 5310.00 | -2.77 | -0.06 | 0.32 | 2. | 12 | 11.00 dBm/MHz | -8.88 |
| 5510.00 | 0.50 | -0.60 | 0.32 | 3.: | 32 | 11.00 dBm/MHz | -7.68 |
| 5550.00 | -1.08 | -0.68 | 0.32 | 2.4 | 45 | 11.00 dBm/MHz | -8.55 |
| 5670.00 | 1.72 | -0.83 | 0.32 | 3.9 | 96 | 11.00 dBm/MHz | -7.04 |
| 5710 (U-NII 2C) | 0.54 | -2.07 | 0.32 | 2. | 76 | 11.00 dBm/MHz | -8.24 |
| Frequency (MHz) | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500k Hz) | Limit | Margin (dB) |
| 5710 (U-NII 3) | -7.08 | -9.44 | 0.32 | 2.22 | -2.55 | 30.00 dBm/500kHz | -32.55 |
| 5755.00 | 0.05 | -0.73 | 0.32 | 2.22 | 5.23 | 30.00 dBm/500kHz | -24.77 |
| 5795.00 | 1.25 | -0.42 | 0.32 | 2.22 | 6.05 | 30.00 dBm/500kHz | -23.95 |

| | POWER DENSITY 802.11ax 40 MODE | | | | | | | |
|--------------------|--------------------------------|---------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd F | PSD(dBm/MHz) | Limit | Margin (dB) |
| 5190 | full | -0.67 | -0.15 | 0.22 | 2. | 83 | 11.00 dBm/MHz | -8.17 |
| 5190 | 242/61 | -3.21 | 0.30 | 0.22 | 2. | 12 | 11.00 dBm/MHz | -8.88 |
| 5230 | full | -3.36 | -0.82 | 0.22 | 1. | 32 | 11.00 dBm/MHz | -9.68 |
| 5270 | full | -2.56 | -0.32 | 0.22 | 1. | 93 | 11.00 dBm/MHz | -9.07 |
| 5310 | full | -0.26 | -4.22 | 0.22 | 1. | 43 | 11.00 dBm/MHz | -9.57 |
| 5310 | 242/62 | -2.27 | -2.73 | 0.22 | 0. | 74 | 11.00 dBm/MHz | -10.26 |
| 5510 | full | -0.94 | -2.10 | 0.22 | 1.75 | | 11.00 dBm/MHz | -9.25 |
| 5510 | 242/61 | -6.10 | -5.87 | 0.22 | -2 | .75 | 11.00 dBm/MHz | -13.75 |
| 5550 | full | 0.90 | -1.38 | 0.22 | 3. | 14 | 11.00 dBm/MHz | -7.86 |
| 5670 | full | -0.59 | 0.56 | 0.22 | 3. | 25 | 11.00 dBm/MHz | -7.75 |
| 5670 | 242/62 | -1.39 | -3.34 | 0.22 | 0. | 97 | 11.00 dBm/MHz | -10.03 |
| 5710 (U-NII 2C) | full | -1.43 | -1.51 | 0.22 | 1. | 76 | 11.00 dBm/MHz | -9.24 |
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500kHz) | Limit | Margin (dB) |
| 5710 (U-NII 3) | full | -6.87 | -9.26 | 0.22 | 2.22 | -2.45 | 30.00 dBm/500kHz | -32.45 |
| 5755 | full | 0.32 | -0.24 | 0.22 | 2.22 | 5.50 | 30.00 dBm/500kHz | -24.50 |
| 5755 | 242/61 | -2.32 | -5.09 | 0.22 | 2.22 | 1.96 | 30.00 dBm/500kHz | -28.04 |
| 5795 | full | 0.86 | -2.04 | 0.22 | 2.22 | 5.10 | 30.00 dBm/500kHz | -24.90 |
| 5795 | 242/62 | -4.17 | -5.38 | 0.22 | 2.22 | 0.72 | 30.00 dBm/500kHz | -29.28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | 0.134,Wu Kung Road, New Taipei Industrial Park, W | 'uku District, New Taipei City, Taiwan/新北市五股區新北 | 產業園區五工路 134 號 |
|-------------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |

Report No.: ER/2022/30017 Page: 121 of 774




| | POWER DENSITY 802.11ac VHT80 MODE | | | | | | |
|--------------------|-----------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|
| Frequency (MHz) | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd P | SD(dBm/MHz) | Limit | Margin (dB) |
| 5210.00 | -5.78 | -4.27 | 0.41 | -1. | 54 | 11.00 dBm/MHz | -12.54 |
| 5290.00 | -6.56 | -5.45 | 0.41 | -2. | 55 | 11.00 dBm/MHz | -13.55 |
| 5530.00 | -3.02 | -2.86 | 0.41 | 0.4 | 48 | 11.00 dBm/MHz | -10.52 |
| 5610.00 | -3.10 | -3.55 | 0.41 | 0. | 10 | 11.00 dBm/MHz | -10.90 |
| 5690 (U-NII 2C) | -0.15 | -4.08 | 0.41 | 1.1 | 74 | 11.00 dBm/MHz | -9.26 |
| Frequency (MHz) | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500kHz) | Limit | Margin (dB) |
| 5690 (U-NII 3) | -8.43 | -12.45 | 0.41 | 2.22 | -4.35 | 30.00 dBm/500kHz | -34.35 |
| 5775.00 | -5.98 | -8.24 | 0.41 | 2.22 | -1.32 | 30.00 dBm/500kHz | -31.32 |

| | POWER DENSITY 802.11ax 80 MODE | | | | | | | | |
|--------------------|--------------------------------|---------------------------------|---------------------------------|------------------------|-------------------------------------|-------------------------------------|------------------|----------------|--|
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/MHz) | ch1 meas PSD (dBm/MHz) | Duty Factor (dB) | Total Corr'd P | SD(dBm/MHz) | Limit | Margin (dB) | |
| 5210 | full | -4.81 | -2.78 | 0.22 | -0. | 45 | 11.00 dBm/MHz | -11.45 | |
| 5210 | 484/65 | -13.87 | -13.32 | 0.22 | -10 | .36 | 11.00 dBm/MHz | -21.36 | |
| 5290 | full | -6.30 | -4.58 | 0.22 | -2. | 13 | 11.00 dBm/MHz | -13.13 | |
| 5290 | 484/66 | -11.97 | -13.62 | 0.22 | -9. | 49 | 11.00 dBm/MHz | -20.49 | |
| 5530 | full | -8.24 | -8.48 | 0.22 | -5. | 13 | 11.00 dBm/MHz | -16.13 | |
| 5550 | 484/65 | -11.28 | -11.11 | 0.22 | -7. | 96 | 11.00 dBm/MHz | -18.96 | |
| 5610 | full | -4.96 | -4.47 | 0.22 | -1. | 48 | 11.00 dBm/MHz | -12.48 | |
| 5010 | 484/66 | -3.66 | -5.35 | 0.22 | -1. | 19 | 11.00 dBm/MHz | -12.19 | |
| 5690 (U-NII 2C | full | -2.69 | -2.43 | 0.22 | 0.0 | 67 | 11.00 dBm/MHz | -10.33 | |
| Frequency (MHz) | RU config. | ch0 meas PSD (dBm/300kHz) | ch1 meas PSD (dBm/300kHz) | Duty Factor (dB) | 10log (500kHz/RBW) Factor(dB) | Total Corr'd PSD(dBm/500k Hz) | Limit | Margin (dB) | |
| 5690 (U-NII 3) | full | -11.63 | -14.84 | 0.22 | 2.22 | -7.49 | 30.00 dBm/500kHz | -37.49 | |
| | full | -5.76 | -8.56 | 0.22 | 2.22 | -1.49 | 30.00 dBm/500kHz | -31.49 | |
| 5775 | 484/65 | -13.46 | -14.87 | 0.22 | 2.22 | -8.66 | 30.00 dBm/500kHz | -38.66 | |
| | 484/66 | -10.56 | -15.55 | 0.22 | 2.22 | -6.92 | 30.00 dBm/500kHz | -36.92 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2022/30017 Page: 122 of 774





802.11n 20MHz Chain0 5260MHz ctrum Analyz . 24 · + REYSIGHT Input R Center F 5.26000 tings an Ref. Int (S A3.000 \$ £M Span 50.000000 MH 63 65 G Ref LvI Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB 2.779 d Swept Span Zero Span (Full Span Start Freq 5.2350000 Stop Freq AUTO TUNE #Video BW 3.0 MHz Center 5.26000 GH #Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.263 65 GHz 2.779 dBm Freq Offset 0 Hz X Axis Scale Mar 18, 2021 X .:: 😵 802.11n_20MHz_Chain0_5300MHz ٥ . 22 Frequ KEYSIGHT Input Center Frequency 5.30000000 GHz Settings req Ref. Int (S) Span 50.0000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 dB Swept Span ٠ Full Span Start Freq 5.275000000 GHz Stop Freq 5.325000000 GHz AUTO TUNE Center 5.30000 GH #Res BW 1.0 MHz CF Step Auto Man Mode Trace Scale Function Function Width Funct X Y 5.305 95 GHz 2.398 dBm Freq Offset 0 Hz X Axis Scal Mar 18, 2021 .: 🖌 🗄 🗙 802.11n 20MHz Chain0 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. No | p.134,Wu Kung Road, New Taipei Industrial Park, Wuku Distric | , New Taipei City, Taiwan/新北市五股區新1 | 上產業園區五工路 134 號 |
|--------------------|--|------------------------------------|---------------------|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw |
| | | | Member of SGS Group |



Report No.: ER/2022/30017 Page: 123 of 774



802.11n 20MHz Chain0 5720MHz UNII 2C ø . 34 · + REYSIGHT Input R Center F 5.72000 tings o Ref. let (S 50.00 5.718 15 G 00000 MH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm 1.216 d Swept Span Zero Span ٠ Full Span art Freq 5.69500 Stop Freq 5.745000 AUTO TUNE Center 5.72000 GH #Res BW 1.0 MHz #Video BW 3.0 MHz Auto Man Mode Trace Scale X Y N I 5.718 15 GHz 1.216 dBm Freq Offset 0 Hz X Axis Scale .: 🕃 🗄 🗙 802.11n_20MHz_Chain0_5720MHz_UNII 3 . 24 ٥ Fre REVSIGHT Input Center Frequency 5.72000000 GHz Settings req Ref. Int (S) Span 50.0000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm tum Div 10 dB Swept Span Full Span Start Freq 5.6950000 000 GHz

Stop Freq 5.74500000 GHz AUTO TUNE Center 5.72000 GH #Res BW 300 kHz Span 5 Nep 1.73 ms CF Step Auto Man Mode Trace Scale Function Function Width Funct X Y 5.725 85 GHz -3.135 dBm Freq Offset 0 Hz X Axis Scal Mar 17, 2021 HX 802.11n 20MHz Chain0 5745MHz Spectrum Analyzer 1 Swept SA ø . 3.5 · + Swept SA KEYSIGHT Input RF R
Align Auto er Frequency 5000000 GHz Center F 5.74500 ttings Freiz Ref. Int (S) 1 Spectrum Scale/Div 10 dB 5.746 55 G 000 MH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm 4.921 d Swept Span Zero Span ٠ Full Span tart Freq 5.72000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


| SGS Taiwan Ltd. N | SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | | | |
|-------------------|---|---------------------|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | | | |
| | | | Member of SGS Group | | | |

Report No.: ER/2022/30017 Page: 124 of 774





802.11n_20MHz_Chain1_5220MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | | |
|-------------------|---|---------------------|---------------------|--|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | | |
| | | | Member of SGS Group | | |

Report No.: ER/2022/30017 Page: 125 of 774








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-------------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| _ | | | Member of SGS Group | |

Report No.: ER/2022/30017 Page: 126 of 774







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. N | φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 | | | |
|-------------------|--|---------------------|---------------------|--|
| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| | | | Member of SGS Group | |

Report No.: ER/2022/30017 Page: 127 of 774

802.11n 40MHz Chain0 5550MHz





ctrum Analyz . 24 + REYSIGHT Input R Senter i 5.5500 tings A3.000 \$ an Rof. Int (S Span 100.000000 MH 5,545 2 G Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB -1.079 d Swept Span Zero Span ٥ Full Span art Freq 5.50000 top Fred AUTO TUNE #Video BW 3.0 MHz Center 5.55000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.545 2 GHz -1.079 dBm Freq Offset 0 Hz X Axis Scale IX .:: 😵 802.11n_40MHz_Chain0_5670MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.67000000 GHz Settings req Ref. Int (S) Span 100.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de 1.717 0 Swept Span . Full Span Start Freq 5.620000 00 GHz Stop Freq 5.72000000 GHz AUTO TUNE Center 5.67000 G #Res BW 1.0 MHz CF Step 10.000000 1 Auto Man Mode Trace Scale Function Function Width Fund X Y 5.659 1 GHz 1.717 dBm Freq Offset 0 Hz X Axis Scal 1) C I ? Mar 17, 2021 .:: 🖹 🗄 🗙 802.11n_40MHz_Chain0_5710MHz_UNII 2C ø . 34 · + KEYSIGHT Input. RF er Frequency 10000000 GHz Center Fr 5.71000 rtings Algn Auto Freiz Ref. Int (S) LNI. Span 100.0 5.704 4 GH 1 Spectrum Scale/Div 10 dB 000 MH Ref LvI Offset 12.45 dB Ref Level 20.00 dBm Swept Span Zero Span ٥ Full Spar Start Freq 5.660000 Stop Freq 5.760000 AUTO TUN #Video BW 3.0 MH Center 5.71000 Ge Res BW 1.0 MHz Auto Man Function Value Mode Trace Scale Function Width X Y 5.704 4 GHz 0.5397 dBm Freq Offset 0 Hz X Axis Sca Log 4 5 C 1 ? Mar 17, 2021 BX .:: 🖎

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial F | Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北; | 產業園區五工路 134 號 | |
|-----------------|--|--|---------------------|--|
| 灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.sgs.com.tw | |
| _ | | | Member of SGS Group | |