









CONDUCTED EMISSION MEASUREMENT
 802.11b

Low Channel 2412MHz

Middle Channel 2437MHz

High Channel 2462MHz




CHENZHEN

802.11g



Low Channel 2412MHz









Middle Channel 2437MHz



High Channel 2462MHz



802.11n20

Low Channel 2412MHz

Middle Channel 2437MHz

High Channel 2462MHz


13. Duty Cycle Of Test Signal

13.1 Standard Requirement

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

13.2 Formula


$$\text{Duty Cycle} = \text{Ton} / (\text{Ton} + \text{Toff})$$




13.3 Test Procedure



1. Set span = Zero
2. RBW = 8MHz
3. VBW = 8MHz,
4. Detector = Peak

13.4 Test Result



	Duty Cycle	Duty Factor (dB)
802.11b	1	0
802.11g	1	0
802.11n(HT20)	1	0





**b Mode
TX CH 01**

TX CH 06



TX CH 11

**g Mode
TX CH 01**


CO.LTD


TX CH 06

TX CH 11


**N20 Mode
TX CH 01**

TX CH 06


SPINNIEN

TX CH 11


BCTC
B
AP
停



14. Antenna Requirement


14.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

14.2 Test Result


The EUT antenna is PCB antenna, The antenna gain is 2.54 dBi, fulfill the requirement of this section.

IC
C
PR
測




15. EUT Photographs


EUT Photo 1



EUT Photo 2



TE
T
OV
檢




16. EUT Test Setup Photographs


Conducted Measurement Photo




Radiated Measurement Photos



EST
C
'ED
测





STATEMENT

1. The equipment lists are traceable to the national reference standards.
2. The test report can not be partially copied unless prior written approval is issued from our lab.
3. The test report is invalid without the "special seal for inspection and testing".
4. The test report is invalid without the signature of the approver.
5. The test process and test result is only related to the Unit Under Test.
6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
7. The test report without CMA mark is only used for scientific research, teaching, enterprise product development and internal quality control purposes.
8. The quality system of our laboratory is in accordance with ISO/IEC17025.
9. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: <http://www.chnbctc.com>

E-Mail: bctc@bctc-lab.com.cn

***** END *****