

Remote Control Model : EM-101R2 / EM-103MDR2 / EM-103SDR2/ EM-104R2

1. INTRODUCTION

The transmitter allows you to operate the receiver. It is a visor mount type transmitter to allow to access easily.

2. LEARN TRANSMITTER TO THE RECEIVER UNIT

In order for the transmitter to communicate with the receiver properly, the transmitter must be programmed to the receiver. Follow the brief instructions below or refer to the detail instructions from the User's Instructions to program the transmitter to the receiver.

To program the transmitter to the receiver unit:

1. Connect the receiver unit RE-101 to 24VDC.
2. Press and hold the 'Learn' button in the receiver. The 'ON' LED will begin to flash.
3. Press the button on the transmitter for 1 second and release.
4. If a connection has been made, the 'ON' LED on the receiver will stop flashing.

3. OPERATION

Press the button for 1 second and release, this will activate the "learned" receiver.

4. BATTERY

The remote transmitter operates on a 3-volt lithium battery that is installed at the factory. The battery does not need to be replaced if used under normal condition.

Recommendation: Test your transmitter periodically to ensure that the battery is working.

5. FCC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

6. ISED :

This device complies contains licence-exempt transmitter that comply with Innovation Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference; and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) L'appareil ne doit pas produire de brouillage; (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

7. CUSTOMER SERVICE

9141-0720 Quebec Inc. DBA MANARAS/OPERA
136 Oneida Drive, POINTE-CLAIRES, QC, H9R 1A8 Canada
Tel: 514-426-1332 Fax: 514-426-4330
Email: support@manaras.com
Website: <http://www.manaras.com>



