

Remote Control Model : EM-901 /EM-903 / EM-932 / RE-900**1. INTRODUCTION**

The transmitter EM-901, EM-903, EM-932 allows you to operate the receiver RE-900. EM-901 is a hand-held type 1-button transmitter to allow to access anywhere. EM-903 is a visor mount type 3-button transmitter to allow to access easily. EM-932 is a 32-channel wall mount type transmitter to allow control multiple functions.

2. PROGRAMMING THE TRANSMITTER AND RECEIVER UNIT

In order for the transmitter to communicate with the receiver properly, set the DIP switches in the transmitter and then learn to the receiver for operation.

Setup the receiver unit:

1. Connect the receiver unit to 24VDC.
2. Press and hold the 'Learn' button on the receiver. The 'ON' LED will start flashing.
3. Press the button on the transmitter for 1 second and release.
4. Once the button on the transmitter is programmed, the 'ON' LED on the receiver will stop flashing indicating the programming has been successful.

3. OPERATION

Press the button for 1 second and then release, this will activate the "learned" receiver.

4. BATTERY

The remote transmitter operates on one 12V A29 battery for EM-901, one 3-volt lithium CR-2032 battery for EM-903 and one 9V battery for EM-932 that are installed at the factory.

Recommendation: Test your transmitter periodically to ensure that the battery is working.

5. WARRANTY

If, within one year from date of purchase, this product should become defective (except battery), due to faulty workmanship or materials, it will be repaired or replaced, without charge. Proof of purchase is required.

6. FCC and ISED

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :
(1) l'appareil ne doit pas produire de brouillage, et
(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

7. CUSTOMER SERVICE

Manaras-Opera
136 Oneida Drive, Pointe-Claire, Quebec, Canada H9R 1A8
Tel: 514-426-1332



