



InterLab[®]

Photo Report on

Test Setups

Related to the Test Reports:

- MDE_ECOM_1305_FCCa
- MDE_ECOM_1305_FCCb

Report Reference: MDE_ECOM_1305_FCC_Photo_Setups

Ex-RSM Aurelis BT

FCC ID XAM500030GR01

IC: 8311A-500030GR01

Test Laboratory:

7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany



Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH

Borsigstraße 11
40880 Ratingen, Germany
T +49 (0) 2102 749 0
F +49 (0) 2102 749 350

Geschäftsführer/
Managing Director:
Dr. Harald Ansorge

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159652
Steuer-Nr./TAX-No. 147/5869/0385

*a Bureau Veritas
Group Company*

www.7layers.com



Photo 1: Test setup for conducted measurements on AC port, EUT supplied by AC/DC adapter, used for intentional and unintentional radiator measurements.



Photo 2: Test setup for radiated measurements in the range 30 – 1000 MHz, EUT supplied by AC/DC adapter, used for unintentional radiator measurements.




Photo 3: Test setup for radiated measurements in the range 30 – 1000 MHz, EUT supplied by AC/DC adapter, used for intentional and unintentional radiator measurements.




Photo 4: Test setup for radiated measurements in the range 1-18 GHz, fully-anechoic chamber, used for intentional radiator measurements.



Photo 5: Test setup for radiated measurements in the range 18 – 25 GHz, fully-anechoic chamber, used for intentional radiator measurements.