


U10C082.80




TITLE: HonHai label
P/N:503.00096.015

LABEL TEXT:

1. barcode content

Foxconn barcode: 7digit (code 128)

XX XXXX



XXXXXXX barcode content words(ditto description)

2. blank for customer

3. U10C082.80 LF

4. MO-VVSS

Notes:

1. VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)
2. SS:the version of A300/A400 product(refer to Doc Rev. in the cover of MFG document)


產地編碼明細

LOCATION	LOCATIONNAME
0	新竹
1	中山
2	福田
3	土城
4	泰詠
5	精陽
6	廣川
7	台表
8	宏鉅
9	新進
A	香港
B	國璉
C	重慶CBT
D	FOR DUMMY
E	上海
F	龍華E5資料庫
G	龍華E5A資料庫
H	龍華E6資料庫
I	保留
J	保留
K	南寧
L	環電
M	EASTAR
N	龍華CBT
O	保留
P	龍華CPEI RMA
Q	重慶CPEI
R	上海RMA
S	CPEII
T	煙台 (Sony機種)
U	越南桂武CMB
V	煙台 (任天堂機種)
Y	越南黃田
Z	越南桂武CPEII

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2013.01.23	First Release	Zhou Cun
0.1	△		2013.02.27	update SSID and WPA2-PSK Key	Zhou Cun
0.2	△		2013.03.21	update SSID	Zhou Cun

Housing label & Giftbox label 503.00944.005 54*(48+42)mm

Housing Label
503.00944.005-1
stick on housing



Box Label
503.00944.005-2
stick on box

Notes:

- All of the barcode range please refer to the test spec.
- SSID: DDW366.XXXXXX-2.4G
XXXXXX is the last six (6) digits of the Wi-Fi MAC(2.4G).
SSID: DDW366.XXXXXX-5G
XXXXXX is the last six (6) digits of the Wi-Fi MAC(5G)
- WPA2-PSK Key: XXXXXXXXXXXXXXX
The format of the encryption key MUST be set to the last 13 characters of the devices Serial Number.
- WPS PIN: A randomly generated eight (8) digit number in accordance with the WPS specification
- DC (Date Code), in MMDDYY format
- ASSEMBLED IN XXXXX
XXXXX:Country of Manufacture, base on the manufacture factory

Barcode format: code 128
Font: Arial

Notes:

- Surface Material: Mylar 50#
- Liner: Glassine release paper
- Adhesive: 壓花膠 thickness: 0.025 +/- 0.003
- Package Style: Reel
- The part must be RoHS compliant

MATERIAL (SPEC.)

50# Mylar

SCALE

1:1

FINISH

SHEET

1/1

FOXCONN

HON HAI PRECISION IND. CO., LTD.
CNSBG

Select Dim.	Tol.	A	B	C	EPS	EPE	BAG	CTN	Label	USR
0~6	0.05	0.05	0.10						0.20	
6~30	0.10	0.15	0.20	0.50	0.50	3.00			0.20	
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00		0.25	
120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00		0.30	
300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00		0.50	
450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00		0.80	
DRAFT TOLERANCE				±0.2% X	CRITICAL DIM. MARK		*			

UNIT
MM

PART NAME

Housing Label+Box Label

SIZE

MODEL

U10C082.80

PART NO.

503.00944.005

DESIGNED

Zhou Cun



CUSTOMER MODEL

CUSTOMER PART NO.

APPROVED


Yanli Yu

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2013.02.28	First Release	Zhou Cun
0.1			2013.05.16	add logo "回"	Zhou Cun



Foxconn printing
Arial 8.4pt

Scale:1:1
Vendor provide



Packaging Style

NOTES:

- 1.Material: #50 Mylar + 25# PET(matte, printable)
- 2.Adhesive: 壓花膠
- 3.Adhesive thickness :
50#Mylar: 0.025+/-0.003mm
25#PET: 0.018+/-0.003mm
- 4.Printing Color:Black
- 5.Background: White
- 6.Liner:Glassine release paper
- 7.Packaging Style: Reel
- 8.The part must be RoHS compliant



"X": UL Factory ID,
please see the list, if the manufacturer
is not in the list, please confirm with
PM or Compliance Engineer.
Foxconn printing
Arial, 7pt

Vendor code: []

Factory ID list

=====
(100544-836) FUHONG PRECISION COMPONENT (BAC GIANG) LTD
DINH TRAM INDUSTRY PARK
VIET YEN DISTRICT VIET NAM

Factory ID: Y

=====
(100568-850) NANNING FUGUI PRECISION INDUSTRIAL CO LTD
18 ZONGBU RD
NEW & HIGH-TECH INDUSTRIAL
DEVELOPMENT ZONE
NANNING GUANGXI CHINA

Factory ID: N

=====
(128685-001) AMBIT MICROSYSTEMS (SHANGHAI) LTD
1925 NAN-LE RD
SONGJIANG EXPORT PROCESSING ZONE
SHANGHAI
201613 CHINA

Factory ID: E

=====
(223850-001) HONG FU JIN PRECISION INDUSTRY
(SHENZHEN) CO LTD
10TH YOUSONG INDUSTRIAL DISTRICT
2ND DONGHUAN RD NO 2
BAO'AN LONGHUA TOWN
SHENZHEN 518109 GUANGDONG CHINA

Factory ID: F

MATERIAL (SPEC.)
50# Mylar+25#PET(matte,printable)

SCALE
1:1

FINISH
SHEET
1/1

FOXCONN

HON HAI PRECISION IND. CO., LTD.
CNSBG

Select	Dim.	Tol.	A	B	C	EPS	EPE	BAG	CTN	Label	USR
	0~6		0.05	0.05	0.10						0.20
	6~30		0.10	0.15	0.20	0.50	0.50	3.00			0.20
	30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00		0.25
	120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00		0.30
	300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00		0.50
	450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00		0.80
	DRAFT TOLERANCE		±0.2		X	CRITICAL		DIM. MARK		*	

UNIT
MM


PART NAME
PTT Label

SIZE

MODEL
U10C082.80

PART NO.
500.0XXXX.005

DESIGNED
Zhou Cun




CUSTOMER MODEL

CUSTOMER PART NO.























APPROVED
Yanli Yu

D		C		B		A
REV.	MARK	ECR/ECN NO.	DATE	UPDATE	DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2013.02.28		First Release	Cun



MATERIAL (SPEC.)										SCALE	FOXCONN HON HAI PRECISION IND. CO., LTD. CNSBG																																																																																																																		
FINISH										SHEET 1/1																																																																																																																			
<table border="1"> <thead> <tr> <th>Select</th> <th colspan="2">A</th> <th colspan="2">B</th> <th colspan="2">C</th> <th>EPS</th> <th>EPE</th> <th>BAG</th> <th>CTN</th> <th>*</th> <th>Label</th> <th>USR</th> </tr> <tr> <th>Dim.</th> <th>Tol.</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>0~6</td> <td>0.05</td> <td>0.05</td> <td>0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> <td></td> </tr> <tr> <td>6~30</td> <td>0.10</td> <td>0.15</td> <td>0.20</td> <td>0.50</td> <td>0.50</td> <td>3.00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> <td></td> </tr> <tr> <td>30~120</td> <td>0.15</td> <td>0.20</td> <td>0.30</td> <td>0.50</td> <td>0.50</td> <td>5.00</td> <td>2.00</td> <td>0.25</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>120~300</td> <td>0.20</td> <td>0.30</td> <td>0.40</td> <td>1.00</td> <td>1.00</td> <td>10.00</td> <td>3.00</td> <td>0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>300~450</td> <td>0.25</td> <td>0.40</td> <td>0.50</td> <td>2.00</td> <td>2.00</td> <td>15.00</td> <td>5.00</td> <td>0.50</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>450~600</td> <td>0.30</td> <td>0.50</td> <td>0.60</td> <td>3.00</td> <td>3.00</td> <td>20.00</td> <td>5.00</td> <td>0.80</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										Select	A		B		C		EPS	EPE	BAG	CTN	*	Label	USR	Dim.	Tol.													0~6	0.05	0.05	0.10									0.20		6~30	0.10	0.15	0.20	0.50	0.50	3.00						0.20		30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25						120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30						300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50						450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80						UNIT MM	PART NAME Label Placement		
Select	A		B		C		EPS	EPE	BAG	CTN	*	Label	USR																																																																																																																
Dim.	Tol.																																																																																																																												
0~6	0.05	0.05	0.10									0.20																																																																																																																	
6~30	0.10	0.15	0.20	0.50	0.50	3.00						0.20																																																																																																																	
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25																																																																																																																					
120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30																																																																																																																					
300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50																																																																																																																					
450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80																																																																																																																					
DRAFT TOLERANCE										SIZE A4	MODEL U10C082.80	PART NO.	DESIGNED Zhou Cun																																																																																																																
DRAFT TOLERANCE											CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Yanli Yu																																																																																																																
DRAFT TOLERANCE																																																																																																																													


REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2013.01.23	First Release	Cun


Product:  Ubee P/N: DDW3666		Qty: 6 
 Foxconn P/N: U10C082.80	Assembled in XXXXXX	DATE: MM/DD/YY TIME: HH:MM
Carton ID:  CXXXXXXXXXX		
Serial Number	Cable RF MAC Address	WAN-MAN MAC Address
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX
THIS PRODUCT CONTAINS ENCRYPTION AND MAY REQUIRE U.S. AND/OR LOCAL GOVERNMENT AUTHORIZATION PRIOR TO EXPORT OR IMPORT TO ANOTHER COUNTRY		
135mm		

160mm

- Notes:
1. Background color: White
 2. Printing color: Black
 3. Material: art paper
 4. Carton ID: follow Foxconn rule
 5. DATE/TIME (Variable) that modem was assembled
According to the actual manufacturing time to print
DATE: MM/DD/YY (e.g.: DATE: 07/25/12)
TIME: HH:MM (e.g.: TIME: 21:30)
 6. Assembled in XXXXXX: Country of Manufacture
(base on the manufacture factory)
 7. MAC and SN range please refer to the test spec.
 8. Stick position please refer to ASY document

Barcode format: code 128
Font: Arial

MATERIAL (SPEC.) Art Paper		SCALE 3/4	FOXCONN		
FINISH		SHEET 1/1	HON HAI PRECISION IND. CO., LTD. CNSBG		
Select		UNIT MM	PART NAME Carton Label		
Dim.	Tol.	A	B	C	Label
0~6	0.05	0.05	0.10	0.50	0.20
6~30	0.10	0.15	0.20	0.50	0.20
30~120	0.15	0.20	0.30	0.50	0.25
120~300	0.20	0.30	0.40	1.00	0.30
300~450	0.25	0.40	0.50	2.00	0.50
450~600	0.30	0.50	0.60	3.00	0.80
DRAFT TOLERANCE		±0.2°		CRITICAL DIM. MARK	*
		SIZE A4	MODEL U10C082.80	PART NO. 503.00519.005	DESIGNED Zhou Cun
			CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Yanli Yu



Hon Hai Pallet Label:503.00089.005

Size:110mm*36mm

P/N:U10C082.80

Barcode and words description:

1. PIPPYWWSSSS:

P:Pallet,

I:Location name, refer to reference

PP:Line name,

Y:Year,

WW:Week,

SSSS:Serial number (0001-ZZZZ, reset to 0001 every week)

2. Rev:VVSS:Product manufacturing document revision

VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)

SS:the version of A300/A400 product(refer to Doc Rev. in the cover of MFG document)