


U10C072.11




TITLE: HonHai label
P/N:503.00096.015

LABEL TEXT:

1. barcode content

Foxconn barcode: 7digit (code 128)

X XX XXXX



XXXXXXX barcode content words(ditto description)

2. blank for customer

3. U10C072.11 LF

4. MO-VVSS


Notes:

1. VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)
2. SS:the version of A300/A400 product(refer to Doc Rev. in the cover of MFG document)


產地編碼明細

LOCATION	LOCATIONNAME
0	新竹
1	中山
2	福田
3	土城
4	泰詠
5	精陽
6	廣川
7	台表
8	宏鉅
9	新進
A	香港
B	國璉
C	重慶CBT
D	FOR DUMMY
E	上海
F	龍華E5資料庫
G	龍華B5A資料庫
H	龍華B6資料庫
I	保留
J	保留
K	南寧
L	環電
M	EASTAR
N	龍華CBT
O	保留
P	龍華CPEI RMA
Q	重慶CPEI
R	上海RMA
S	CPEII
T	煙台 (Sony機種)
U	越南桂武CMB
V	煙台 (任天堂機種)
Y	越南黃田
Z	越南桂武CPEII

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2012.07.25	First Release	Zhou Cun
0.1			2012.11.08	add Model No.	Zhou Cun
0.2			2013.05.16	add logo "回"	Zhou Cun




Scale:1:1
Vendor provide



Packaging Style

NOTES:

- Material: 50# Mylar + 25# PET(matte, printable)
- Adhesive: 壓花膠
- Adhesive thickness :
50#Mylar: 0.025+/-0.003mm
25#PET: 0.018+/-0.003mm
- Printing Color:Black
- Background: White
- Liner:Glassine release paper
- Packaging Style: Reel
- The part must be RoHS compliant



Scale:1:1

Foxconn printing
Arial Bold 8.4pt
Foxconn printing
Arial 8.4pt



Vendor code [redacted]

"X": UL Factory ID,
please see the list, if the manufacturer
is not in the list, please confirm with
PM or Compliance Engineer.
Foxconn printing
Arial, 7pt

Factory ID list

=====
(100544-836) FUHONG PRECISION COMPONENT (BAC GIANG) LTD
DINH TRAM INDUSTRY PARK
VIET YEN DISTRICT VIET NAM

Factory ID: Y

=====
(100568-850) NANNING FUGUI PRECISION INDUSTRIAL CO LTD
18 ZONGBU RD
NEW & HIGH-TECH INDUSTRIAL
DEVELOPMENT ZONE
NANNING GUANGXI CHINA

Factory ID: N

=====
(128685-001) AMBIT MICROSYSTEMS (SHANGHAI) LTD
1925 NAN-LE RD
SONGJIANG EXPORT PROCESSING ZONE
SHANGHAI
201613 CHINA

Factory ID: E

=====
(223850-001) HONG FU JIN PRECISION INDUSTRY
(SHENZHEN) CO LTD
10TH YOUSONG INDUSTRIAL DISTRICT
2ND DONGHUAN RD NO 2
BAO'AN LONGHUA TOWN
SHENZHEN 518109 GUANGDONG CHINA

Factory ID: F

=====

MATERIAL (SPEC.)
50# Mylar+25#PET(matte,printable)

SCALE
1:1

FINISH

SHEET
1/1

FOXCONN

HON HAI PRECISION IND. CO., LTD.
CNSBG

Select Dim.	Col.	A	B	C	EPS	EPE	BAG	CTN	Label	USR
0~6		0.05	0.05	0.10					0.20	
6~30		0.10	0.15	0.20	0.50	0.50	3.00		0.20	
30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25	
120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30	
300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50	
450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80	
DRAFT TOLERANCE		± 0.2φX		CRITICAL		DIM. MARK		*		

UNIT
MM

PART NAME

PTT Label

SIZE

MODEL


U10C072.11

PART NO.

500.0XXXX.005

DESIGNED

Zhou Cun




CUSTOMER MODEL

CUSTOMER PART NO.

APPROVED

Yanli Yu

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0	N/A	N/A	2012.10.18	First release	Zhou Cun




Scale : 1/1

Notes:

1. Printing color: Black
2. Text font: Arial
3. Materials: 50# Mylar
Adhesive: 壓花膠
thickness: 0.025 +/- 0.003
Liner: glassine release paper
4. 來料方式無要求

MATERIAL (SPEC.)										SCALE 1:1	FOXCONN HON HAI PRECISION IND. CO., LTD.																																																																																						
FINISH										SHEET 1/1																																																																																							
<table border="1"> <thead> <tr> <th>Select Dim.</th> <th>Col.</th> <th>A</th> <th>B</th> <th>C</th> <th>EPS</th> <th>EPE</th> <th>BAG</th> <th>CTN</th> <th>v</th> <th>Label</th> <th>USR</th> </tr> </thead> <tbody> <tr> <td>0~6</td> <td></td> <td>0.05</td> <td>0.05</td> <td>0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.20</td> <td></td> </tr> <tr> <td>6~30</td> <td></td> <td>0.10</td> <td>0.15</td> <td>0.20</td> <td>0.50</td> <td>0.50</td> <td>3.00</td> <td></td> <td></td> <td>0.20</td> <td></td> </tr> <tr> <td>30~120</td> <td></td> <td>0.15</td> <td>0.20</td> <td>0.30</td> <td>0.50</td> <td>0.50</td> <td>5.00</td> <td>2.00</td> <td></td> <td>0.25</td> <td></td> </tr> <tr> <td>120~300</td> <td></td> <td>0.20</td> <td>0.30</td> <td>0.40</td> <td>1.00</td> <td>1.00</td> <td>10.00</td> <td>3.00</td> <td></td> <td>0.30</td> <td></td> </tr> <tr> <td>300~450</td> <td></td> <td>0.25</td> <td>0.40</td> <td>0.50</td> <td>2.00</td> <td>2.00</td> <td>15.00</td> <td>5.00</td> <td></td> <td>0.50</td> <td></td> </tr> <tr> <td>450~600</td> <td></td> <td>0.30</td> <td>0.50</td> <td>0.60</td> <td>3.00</td> <td>3.00</td> <td>20.00</td> <td>5.00</td> <td></td> <td>0.80</td> <td></td> </tr> </tbody> </table>										Select Dim.	Col.	A	B	C	EPS	EPE	BAG	CTN	v	Label	USR	0~6		0.05	0.05	0.10						0.20		6~30		0.10	0.15	0.20	0.50	0.50	3.00			0.20		30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00		0.25		120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00		0.30		300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00		0.50		450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00		0.80		UNIT MM	PART NAME MESSAGE LABEL		
Select Dim.	Col.	A	B	C	EPS	EPE	BAG	CTN	v	Label	USR																																																																																						
0~6		0.05	0.05	0.10						0.20																																																																																							
6~30		0.10	0.15	0.20	0.50	0.50	3.00			0.20																																																																																							
30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00		0.25																																																																																							
120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00		0.30																																																																																							
300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00		0.50																																																																																							
450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00		0.80																																																																																							
DRAFT TOLERANCE ±0.2*										CRITICAL DIM. MARK *	SIZE A4	MODEL U10C072.11	PART NO. 504.00555.025	DESIGNED Zhou Cun																																																																																			
											CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Yan-li Yu																																																																																				

D		C		B		A
REV.	MARK	ECR/ECN NO.	DATE	UPDATE	DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2012.08.30		First Release	Cun































- HH label
- Message label
- PTT label
- Housing label

MATERIAL (SPEC.)										SCALE	FOXCONN HON HAI PRECISION IND. CO., LTD. CNSBG			
FINISH										SHEET 1/1				
Select										UNIT MM	PART NAME Label Placement			
Dim.	Tol.	A	B	C	EPS	EPE	BAG	CTN	Label	USR	SIZE	MODEL	PART NO.	DESIGNED
0~6	0.05	0.05	0.10	0.50	0.50	3.00	3.00	2.00	0.20		A4	U10C072.11		Zhou Cun
6~30	0.10	0.15	0.20	0.50	0.50	5.00	2.00	0.25						
30~120	0.15	0.20	0.30	0.50	0.50	10.00	3.00	0.30						
120~300	0.20	0.30	0.40	1.00	1.00	15.00	5.00	0.50						
300~450	0.25	0.40	0.50	2.00	2.00	20.00	5.00	0.80						
450~600	0.30	0.50	0.60	3.00	3.00									
DRAFT TOLERANCE					±0.2°		CRITICAL DIM. MARK		*					



REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0.0	N/A	N/A	2012.07.25	First Release	Cun

Product:  Ubee P/N: DVW3231B		Qty: 6 	
 Foxconn P/N: U10C072.11		Assembled in XXXXXX	DATE: MM/DD/YY TIME: HH:MM
Carton ID: 		CXXXXXXXXXX	
Serial Number	Cable RF MAC Address	eMTA MAC Address	WAN-MAN MAC Address
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
 1234567YYYYYY	XXXXXXXXXXXX 	 XXXXXXXXXXXX	XXXXXXXXXXXX 
THIS PRODUCT CONTAINS ENCRYPTION AND MAY REQUIRE U.S. AND/OR LOCAL GOVERNMENT AUTHORIZATION PRIOR TO EXPORT OR IMPORT TO ANOTHER COUNTRY			
135mm			


160mm

Notes:

1. Background color: White
2. Printing color: Black
3. Material: art paper
4. Carton ID: follow Foxconn rule
5. DATE/TIME(Variable) that modem was assembled
According to the actual manufacturing time to print
DATE: MM/DD/YY (e.g.: DATE: 07/25/12)
TIME: HH:MM (e.g.: TIME: 21:30)
6. Assembled in XXXXXX: Country of Manufacture
(base on the manufacture factory)
7. MAC and SN range please refer to the test spec.
8. Stick position please refer to ASY document

Barcode format: code 128
Font: Arial

MATERIAL (SPEC.) Art Paper		SCALE 3/4	FOXCONN		
FINISH		SHEET 1/1	HON HAI PRECISION IND. CO., LTD. CNSBG		
Select		UNIT MM	PART NAME Carton Label		
Dim. Tol.	A B C EPS EPE BAG CTN Label	USR	MODEL U10C072.11	PART NO. 503.00519.005	DESIGNED Zhou Cun
0~6	0.05 0.05 0.10	0.20			
6~30	0.10 0.15 0.20 0.50 0.50 3.00	0.20			
30~120	0.15 0.20 0.30 0.50 0.50 5.00 2.00	0.25			
120~300	0.20 0.30 0.40 1.00 1.00 10.00 3.00	0.30			
300~450	0.25 0.40 0.50 2.00 2.00 15.00 5.00	0.50			
450~600	0.30 0.50 0.60 3.00 3.00 20.00 5.00	0.80			
DRAFT TOLERANCE		± 0.2°	CRITICAL DIM. MARK	*	
			CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Yanli Yu



Hon Hai Pallet Label:503.00089.005

Size:110mm*36mm

P/N:U10C072.11

Barcode and words description:

1. PIPPYWWSSSS:

P:Pallet,

I:Location name,refer to reference

PP:Line name,

Y:Year,

WW:Week,

SSSS:Serial number (0001-ZZZZ, reset to 0001 every two weeks)

2. Rev:VVSS:Product manufacturing document revision

VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)

SS:the version of A300/A400 product(refer to Doc Rev. in the cover of MFG document)