


REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
0			2018.11.15	First release	Yong-feng Li

# Label position




5	pallet label	503.00089.005	2/168
4	carton label	503.00541.005	1/14
3	PTT label	500.02331.015	1
2.3	Spare label	503.01291.015	4/6
2.2	PE bag label	503.01291.015	1/6
2.1	housing label	503.01291.015	1/6
1	safety sticker Label	504.01268.005	1
Item	Description	Foxconn PN	QTY

MATERIAL (SPEC.):		SCALE	<b>FOXCONN</b> HON HAI PRECISION IND. CO., LTD CNSBG		
FINISH:		SHEET 1/1			
DIM. TOLERANCES		UNIT	PART NAME		DESIGNED
WARPAGE		mm	Label position		Yong-feng Li
DIM.	TOL.	D(MAX.)	MODEL	PART NO.	REV.
0~6	±0.05	=0.2%L	U10C147.00		
6~30	±0.10	ANGLE TOLERANCES			CHECKED
30~120	±0.15	ANGLE			Bailey Tan
120~300	±0.20	TOL.			APPROVED
300~	±0.25	X°	CUSTOMER MODEL	CUSTOMER PART NO.	
		X°	UBC1310BA10		
CRITICAL DIM. MARK "※"					


REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
0			2018.10.10	First release	Yong-feng Li

**Warranty VOID if  
Broken or Removed**

Size:25\*8\*4R1.5mm  
Vendor supply  
Scale: 4:1



Package style




Vendor supply

- NOTES:
- Surface Material:25#消銀龍防偽VOID
  - Surface Material tolerance:0.025±0.001mm
  - Surface Material color:Matt silver
  - printing color is as color defined
  - Adhesive base:Acrylic
  - Adhesive thickness:0.015+/-0.002mm
  - Initial Tack:minimum 6#
  - Adhesion to steel:1+/-0.3 kg/25mm
  - Holding Power:minimum 1hr/kg\*20mm<sup>2</sup>
  - Package Style:Reel or sheet
  - This part must comply with ROHS
  - size tolerance:  
0~30mm, ±0.2mm  
30~120mm, ±0.25mm

MATERIAL (SPEC.):			SCALE	<b>FOXCONN</b> HON HAI PRECISION IND. CO., LTD CNSBG			
FINISH:			SHEET 1/1				
DIM. TOLERANCES		WARPAGE		UNIT	PART NAME		DESIGNED
DIM.	TOL.	D(MAX.)		mm	safety sticker Label		Yong-feng Li
0~6	±0.05	=0.2%L		SIZE	MODEL	PART NO.	REV.
6~30	±0.10	ANGLE TOLERANCES		A4	U10C147.00	504.01268.005	
30~120	±0.15	ANGLE	TOL.				CHECKED
120~300	±0.20	X°	±0.20°				Bailey Tan
300~	±0.25	.X°	±0.10°		CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED
CRITICAL DIM. MARK "*"					UBC1310BA10		


REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
0			2018.11.02	FIRST RELEASE	Yong-feng Li



Housing Label  
503.01291.005-1  
sticking on housing  
Font:4.5pt,Arial  
Barcode Height:3mm

Big PE bag Label  
503.01291.005-2  
sticking on big PE bag  
Font:4.5pt,Arial  
Barcode Height:4mm

Spare Label  
503.01291.005-3  
Put in the bubble  
Bag as accessory  
Font:4.5pt,Arial  
Barcode Height:3mm



NOTES:Barcode format: code 128  
 1. All of the barcode range and SN definition please refer to the test spec  
 2. 2.4GHz SSID: UbeeXXXX-2.4G (Last 4 chars of CM MAC(2.4G) address)  
 3. 5GHz SSID: UbeeXXXX-5G (Last 4 chars of CM MAC(5G) address)  
 4. W-Fi Pre-shared Key: Last 10 chars of CM MAC address  
 5. HH PN: U10C147.00,U10C147.00 is FOXCONN PN,  
 6. MO: XXXXXXXXXX is FOXCONN MO Number.  
 Version: VVSS,  
 VV: the engineering version(refer to Foxconn label Rev. column in the cover of the MFG document)  
 SS: the version of A300/A400 product(refer to FDoc Rev. in the cover of MFG document)  
 7. Assembled in XXXXX (XXXXX:Country of Manufacture, base on the manufacture factory)  
 8. DC (Date Code), in MMDDYY format: MM表示月,DD表示天,YY表示年

NOTES:  
 1.Surface Material color:white  
 2.Printing color is as color defined in artwork  
 3.Adhesive:Acrylic  
 4.Adhesive thickness:0.022+/-0.003mm  
 5.Adhesion to steel(180° 磨钢粘着力):1.8+/-0.3 kg/25mm  
 6.Initial Tack (初期力) : 4 #/boll  
 7.Release Power(90° 剥离力):5 g/25mm  
 8.Holding Power(持粘力测试法):1 hr/kg/20mm<sup>2</sup>  
 9.Shipment method: Roll  
 10.This part must comply with RoHS.

MATERIAL (SPEC.):			SCALE 2:1	 HON HAI PRECISION IND. CO., LTD CNSBG			
FINISH:			SHEET 1/1				
DIM. TOLERANCES			UNIT mm	PART NAME housing label +PE bag label+spare label			DESIGNED Yong-feng Li
DIM. TOL.		WARPAGE	SIZE A3	MODEL U10C147.00	PART NO. 503.01291.015	REV. 0	CHECKED Bailey Tan
0~6	±0.05	D(MAX.) =0.2%L					
6~30	±0.10	ANGLE TOLERANCES		CUSTOMER MODEL UBC1310BA10	CUSTOMER PART NO.	APPROVED	
30~120	±0.15	ANGLE TOL.					
120~300	±0.20	X°. ±0.20°					
300~	±0.25	X°. ±0.10°					
CRITICAL DIM. MARK "*"							

REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
0			2018.12.20	FIRST RELEASE	Yong-feng Li




- Pantone Black C
- Pantone 107C
- White

Scale:1:1  
Vendor provide

Factory ID list

- =====
- (100575-633) FUNING PRECISION COMPONENT CO LTD  
LOT NO C3 QUE VO INDUSTRIAL PARK  
VAN DUONG COMMUNE  
BAC NINH CITY VIET NAM
- Factory ID: U  
UL Contracting Party for above site is: UL AG  
558825 (Party Site)
- (100590-873) Nanning Fugui Precision Industrial Co Ltd  
No. 51 Tongle Road  
Foxconn Industrial Park  
Jiangnan District  
Nanning  
Guangxi 530033 CHINA
- Factory ID: SG or K  
UL Contracting Party for above site is: UL AG  
588355 (Party Site)
- (100544-836) FUHONG PRECISION COMPONENT (BAC GIANG) LTD  
DINH TRAM INDUSTRY PARK  
VIET YEN DISTRICT  
. VIET NAM
- Factory ID: Y  
UL Contracting Party for above site is: UL AG  
6857 (Party Site)
- (223850-001) Hong Fu Jin Precision Industry (Shenzhen) Co Ltd  
10TH YOUSONG INDUSTRIAL DISTRICT  
2ND DONGHUAN RD NO 2  
BAO'AN LONGHUA TOWN  
SHENZHEN  
GUANGDONG 518109 CHINA
- Factory ID: F  
UL Contracting Party for above site is: UL AG





































NOTES:

- 1.Material: #50 Mylar + 25# PET(matte, printable)
- 2.Adhesive: 壓花膠
- 3.Adhesive thickness :  
50#Mylar: 0.030+/-0.003mm  
25#PET: 0.018+/-0.003mm
- 4.Printing Color:Black
- 5.Background: White
- 6.Liner:Glassine release paper
- 7.Packaging Style: Reel
- 8.The part must be RoHS compliant
- 9.Mark UL logo and vender code on out packing.

MATERIAL (SPEC.):		SCALE	<b>FOXCONN</b> HON HAI PRECISION IND. CO., LTD CNSBG					
FINISH:		1:1						
		SHEET						
		1/1	UNIT	PART NAME			DESIGNED	
		mm	PTT label			Yong-feng Li		
DIM. TOLERANCES		WARPAGE		SIZE	MODEL	PART NO.	REV.	CHECKED
DIM.	TOL.	D(MAX.)		A4	U10C147.00	500.02331.015	0	Bailey Tan
0~6	±0.05	=0.2%L		ANGLE TOLERANCES	CUSTOMER MODEL	CUSTOMER PART NO.		APPROVED
6~30	±0.10		ANGLE	UBC1310BA10				
30~120	±0.15		TOL.					
120~300	±0.20		X°					
300~	±0.25		X°					
CRITICAL DIM. MARK "*"								

- NOTES:  
 1. THIS PART MUST BE COMPLIED WITH EU WEEE,REACH AND RoHS RULE.  
 2. APPEARANCE TO BE FREE OF SINK, SCRAPE, GATE,EJECTOR,  
 BURNED MARKS AND OTHER COSMETIC DEFECTS.  
 3. PART TO BE FREE OF MANUFACTURING LUBRICANTS.

REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
00			2018/10/10	FIRST RELEASE	Yong-feng Li

Product:  Ubee P/N: UBC1310BA10		Qty: XX		
 Foxconn P/N: U10C147.00		DATE: MM/DD/YY TIME: HH:MM		
Carton ID:  CXXXXXXXXXX		Assembled in XXXXXX		
Serial Number	Cable RF MAC Address	MTA MAC Address	WAN-MAN MAC Address	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
 1234567YYYYYY	XXXXXXXXXXXX	 XXXXXXXXXXXX	XXXXXXXXXXXX	
THIS PRODUCT CONTAINS ENCRYPTION AND MAY REQUIRE U.S. AND/OR LOCAL GOVERNMENT AUTHORIZATION PRIOR TO EXPORT OR IMPORT TO ANOTHER COUNTRY				

QR code

180

135

Notes:

1. Background color: White
2. Printing color: Black
3. Material: art paper
4. Carton ID: follow Foxconn rule
5. DATE/TIME (Variable) that modem was assembled  
According to the actual manufacturing time to print  
DATE: MM/DD/YY (e.g.: DATE: 04/23/12)  
TIME: HH:MM (e.g.: TIME: 21:30)
6. Assembled in XXXXXX: Country of Manufacture  
(base on the manufacture factory)
7. MAC and SN range please refer to the test spec.
8. Stick position please refer to ASY document
9. QR code content: list of all products SN in the carton,  
format as below: 1234567YYYYYY/1234567YYYYYY/  
1234567YYYYYY/1234567YYYYYY/1234567YYYYYY/  
1234567YYYYYY/1234567YYYYYY/1234567YYYYYY/  
1234567YYYYYY/1234567YYYYYY/1234567YYYYYY/  
1234567YYYYYY/1234567YYYYYY/1234567YYYYYY

1D Barcode format: code 128

2D barcode format: QR code Element width(dots): 11

Font: Arial

1	ITEM	CNSBG P/N	CUSTOMER P/N	DESCRIPTIONS	QTY	REMARKS
	MATERIAL (SPEC.):			<b>FOXCONN</b> HON HAI PRECISION IND. CO., LTD CNSBG		
	FINISH:					
				SCALE 1:1 SHEET 1/1 UNIT mm	PART NAME Carton Label	DESIGNED Yong-feng Li
				SIZE A3	MODEL U10C147.00	PART NO. 503.00541.005
					CUSTOMER MODEL	CUSTOMER PART NO.
						CHECKED Bailey Tan
						APPROVED
	CRITICAL DIM. MARK					

產地編號明細

LOCATION	LOCATIONNAME
0	Hsinchu
1	Zhongshan
2	Futian
3	Tucheng
4	Taiyoung
5	Jingyang
6	Guangchuan
7	Taibiao
8	Hongju
9	Xinjin
A	Hongkong
B	Guolian
C	Chongqing CBT
D	Dummy Lable
E	Ambit
F	Longhua E5 database
G	Longhua E5A database
H	Longhua E6 database
I	RESERVE
J	RESERVE
K	Nanning
L	Huandian
M	EASTAR
N	Mexico
P	Longhua RMA
Q	Chongqing CPEI
R	Shanghai RMA
S	Shanghai CPEII
T	Yantai(S-customer)
U	Vietnam(Bac Ninh,CMB)
V	Yantai(RTT-customer)
Y	Vietnam(Bac Giang)
Z	Vietnam(Bac Ninh,CPEII)

REV.	MARK.	ECN NO.	DATE	UPDATE DESCRIPTIONS	SIGNATURE
0			2018.10.10	First release	Yong-feng Li

**Size:110mm\*36mm**

P/N:U10C147.00

Barcode and words description:

barcode 1: UBC1310BA10

barcode 2: PIPPYWWSSSS

1. PIPPYWWSSSS:

P:Pallet,

I:Location name,refer to reference

PP:Line name,

Y:Year,

WW:Week,

SSSS:Serial number (0001-ZZZZ, reset to 0001 every week)

2. Rev:VVSS:Product manufacturing document revision

VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)

SS:the version of A300/A400 product(refer to Doc Rev. in the cover of MFG document)



MATERIAL (SPEC.):			SCALE 1:1	<b>FOXCONN</b> HDN HAI PRECISION IND. CO., LTD CNSBG				
FINISH:			SHEET 1/1					
DIM. TOLERANCES		WARPAGE		UNIT mm	PART NAME Hon Hai Pallet Label		DESIGNED Yong-feng Li	
DIM.	TOL.	D(MAX.)		SIZE A4	MODEL	PART NO.	REV.	CHECKED
0~6	±0.05	=0.2%L			ANGLE TOLERANCES	U10C147.00	503.00089.005	0
6~30	±0.10		ANGLE					
30~120	±0.15		TOL.					
120~300	±0.20	X°	±0.20°		CUSTOMER MODEL	CUSTOMER PART NO.		APPROVED
300~	±0.25	.X°	±0.10°					
CRITICAL DIM. MARK "*"								

## Modification list

Date	Version	Description
2018/10/26	V1	Update PTT label: remove UL and FCC logo
2018/11/13	V2	Update PTT label: add information of instalar verticalmente
2018/11/15	V3	Update PTT label size
2018/12/07	V4	Update PTT label: add FCC and UL logo, change Model name to R1UBC1310
2018/12/20	V5	Update PTT label size and add FCC statement