SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.

588 West Jindu Road,Songjiang District,Shanghai,China
Telephone: +86 (0) 21 6191 5666
Fax: +86 (0) 21 6191 5678
ee.shanghai@sgs.com

1 Cover Page

FCC MPE REPORT

Application No.:	SHEM1402000322RF
Applicant:	Hansong (Nanjing) Technology Ltd.
Manufacturer:	Clint Digital ApS
FCC ID:	XCO-FR14W
IC:	7756A-FR14W
Equipment Under Test (EUT): **NOTE:** The following sample(s) submitted was/were identified on behalf of the client as	
Product Name:	Wi-Fi Speaker
Model No.(EUT):	FREYA, FREYA-B
Standards:	FCC Rules 47 CFR §2.1091 KDB447498 D01 General RF Exposure Guidance
Date of Receipt:	February 18, 2014
Date of Test:	March 03, 2014 to March 13, 2014
Date of Issue:	March 14, 2014
Test Result:	**Pass***

* In the configuration tested, the EUT complied with the standards specified above.

Tony Wu
E&E Section Manager
SGS-CSTC (Shanghai) Co., Ltd.

2 Version

Revision Record				
Version	**Chapter**	**Date**	**Modifier**	**Remark**
00	/	March 14, 2014	/	Original

Authorized for issue by:				
Engineer		Eddy Zong **Print Name**		
Clerk		Susie Liu **Print Name**		
Reviewer		Keny Xu **Print Name**		

3 Contents

4 General Information

4.1 Client Information

Applicant:	Hansong (Nanjing) Technology Ltd.
Address of Applicant:	8th Kangping Road, Jiangning Economy and Technology Development Zone, Nanjing, 211106, China
Manufacturer:	Clint Digital ApS
Address of Manufacturer:	Tempovej 41, 2750 Ballerup, Denmark
Factory:	Hansong (Nanjing) Technology Ltd.
Address of Factory:	8th Kangping Road, Jiangning Economy and Technology Development Zone, Nanjing, 211106, China

4.2 General Description of E.U.T.

Product Name:	Wi-Fi Speaker
Model No.(EUT):	FREYA, FREYA-B
Brand Name:	Clint®
Product Description:	Mobile product

4.3 Details of E.U.T.

Operation Frequency:	2412MHz~2462MHz
Modulation Technique:	802.11b: DSSS(CCK, DQPSK, DBPSK) 802.11g: OFDM(64QAM, 16QAM, QPSK, BPSK)
Data Rate:	802.11b: 1Mbps, 5.5Mbps, 11Mbps, 802.11g: 6Mbps, 9Mbps, 12Mbps, 18Mbps, 36Mbps, 48Mbps, 54Mbps
Number of Channel:	11
Antenna Type	Integral Remark: The two PIFA antennas are not working simultameously.
Antenna Gain	2 dBi
Rechargeable Batteries:	DC 8.4V Li-on Rechargeable Battery Supply the EUT with fully charged battery during the testing.
Adapter:	Manufacturer: KINGWALL Model No.: AS360-120-AD200 Rated Input: AC 100V-240V 50/60Hz 1.2A Rated Output: DC 12V 2.0A Cable length: AC port: (2 wires) DC port: 150cm

4.4 Test Location

All tests were performed at SGS E&E EMC lab

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

No.588 West Jindu Road, Songjiang District, Shanghai, China. 201612.

Tel: +86 21 6191 5666
Fax: +86 21 6191 5678

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **CNAS (No. CNAS L0599)**

  CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing. Date of expiry: 2014-07-26.

- **FCC – Registration No.: 402683**

  SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered and fully described in a report filed with the Federal Communications Commission (FCC). The acceptance letter from the FCC is maintained in our files. Registration No.: 402683, Expiry Date: 2015-02-22.

- **Industry Canada (IC) – IC Assigned Code: 8617A**

  The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 8617A. Expiry Date: 2014-09-20.

- **VCCI (Member No.: 3061)**

  The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-3868 and C-4336 respectively. Date of Registration: 2012-05-29. Date of Expiry: 2015-05-28.

5 Test Standards and Limits

According to§1.1310 Radiofrequency radiation exposure limits:

The limit for general population/uncontrolled exposures

Frequency	Power density(mW/cm^2)	Averaging time(minutes)
300MHz~1.5GHz	f/1500	30
1.5GHz~100GHz	1.0	30

6 Measurement and Calculation

6.1 Maximum transmit power

EUT Operation: Test in fixing frequency operating mode at lowest, middle and highest frequency.

Test Configuration:



Test Data:

Test mode	Channel	Reading Peak Power (dBm)	Cable Loss (dB)	Peak Power (dBm)	Peak Power (mW)	Peak Power Limit (dBm)	Result
802.11b	Low	17.49	0.5	17.99	62.95	30	PASS
	Mid	17.82	0.5	18.32	67.92	30	PASS
	High	18.15	0.5	18.65	73.28	30	PASS
802.11g	Low	19.09	0.5	19.59	90.99	30	PASS
	Mid	18.87	0.5	19.37	86.50	30	PASS
	High	18.84	0.5	19.34	85.90	30	PASS

6.2 MPE Calculation

According to the formula S= $\frac{PG}{4R^2\pi}$, we can calculate S which is MPE.

Note:

1) P (Watts) =Power Input to antenna = $10^{\frac{dBm}{10}}$ / 1000

2) G (Antenna gain in numeric) = 10^ (Antenna gain in dBi /10)

3) R = distance to the center of radiation of antenna (in meter) = 20cm

4) MPE limit = 1mW/cm²

The Max Conducted Peak Output Power is 19.59dBm(90.99mW) in low channel of 802.11g;
The best case gain of the antenna is 2dBi. 2dB logarithmic terms convert to numeric result is nearly 1.58

So, S= $\frac{PG}{4R^2\pi}$ = $\frac{90.99\times1.58}{4\times400\times3.14}$ =0.0286 mW/cm^2 $<$ 1mW/cm^2

So the device is exclusion from SAR test.

7 EUT Constructional Details

Refer to the < FREYA, FREYA-B _External Photos -FCC> & < FREYA, FREYA-B _Internal Photos-FCC>.

--End of the Report--