Telephone: +86 (0) 21 61915666 Report No.: SHEM111100145805

Fax: +86 (0) 21 61915655 Page 1 of 9

ee.shanghai@sgs.com

MPE REPORT

According to

FCC Rules 47 CFR §2.1091 & FCC OET Bulletin 65 supplement C

Hansong(Nanjing) Technology Ltd.

Application No.: SHEM111100145805

Address of Hansong(Nanjing) Technology Ltd.

Applicant:

Equipment Under Test (EUT):

NOTE: The following sample(s) submitted was/were identified on behalf of the client as

EUT Name: Wireless transmitter

Model No.: Cloud9 CTX

Standards: FCC OET Bulletin 65 supplement C: 2001

Date of Receipt: Nov. 17, 2011

Date of Test: Nov. 21, 2011 to Feb, 28. 2012

Date of Issue: Feb. 29, 2012

Test Result : PASS*

E&E Section Head

SGS-CSTC(Shanghai) Co., Ltd.

E&E EMC Engineer

Zenger Zhang

SGS-CSTC(Shanghai) Co., Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e- e- document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to thesample(s) tested and such sample(s) are retained for 90 days only

^{*} In the configuration tested, the EUT complied with the standards specified above.

Telephone: +86 (0) 21 61915666 Fax: +86 (0) 21 61915655 Report No.: SHEM111100145805

Fax: +86 (0) 21 61915655
ee.shanghai@sgs.com
Page 2 of 9

1 Contents

			Page
1	CO	VER PAGE	1
1	CO	NTENTS	2
2	GE	NERAL INFORMATION	3
	2.1	GENERAL DESCRIPTION OF E.U.T.	3
	2.2	DETAILS OF E.U.T.	3
	2.3	TEST LOCATION	3
	2.4	TEST CONFIDENT LEVEL	4
3	TES	ST STANDARDS AND LIMITS	5
4	SUI	MMARY OF RESULTS	6
5	ME	ASUREMENT AND CALCULATION	6
	5.1	MAXIMUM TRANSMIT POWER	6
	5.2	SAR CALCULATION	7
6	EU	T CONSTRUCTIONAL PHOTOS	8

+86 (0) 21 61915666 Telephone: Report No.: SHEM111100145805 +86 (0) 21 61915655 Fax:

Page 3 of 9 ee.shanghai@sgs.com

2 **General Information**

2.1 General Description of E.U.T.

EUT Name: Wireless transmitter

Model No.: Cloud9 CTX Fundamental Frequency: 2412-2464 MHz

Details of E.U.T. 2.2

VM1.0 Hardware Version: VM1.00 Software Version:

EUT Power Supply: DC 5.0V A & B Antenna:

Remark: A and B do not work at same time.

2.3 **Test Location**

All tests were performed at SGS E&E EMC lab

SGS-CSTC EMC Laboratory, No.588 West Jindu Road, Songjiang District, Shanghai, China Tel:+86 21 6191 5666 Fax:+86 21 6191 5655

Telephone: +86 (0) 21 61915666 Fax: +86 (0) 21 61915655 Report No.: SHEM111100145805

ee.shanghai@sgs.com

Page 4 of 9

2.4 Test Confident level

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L0599)

CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing. Date of expiry: 2014-07-26.

• FCC – Registration No.: 402683

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered and fully described in a report filed with the Federal Communications Commission (FCC). The acceptance letter from the FCC is maintained in our files. Registration No.: 402683, Expiry Date: 2012-03-17.

• Industry Canada (IC) - IC Assigned Code: 8617A

The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 8617A. Expiry Date: 2014-09-20.

VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-3172 and C-3514 respectively. Date of Registration: 2009-11-30. Date of Expiry: 2012-03-17.

Telephone: +86 (0) 21 61915666 Fax: +86 (0) 21 61915655 Report No.: SHEM111100145805

Page 5 of 9

3 Test Standards and Limits

The Equipment under Test (EUT) has been tested at SGS's (own or subcontracted) laboratories.

The following table summarizes the specific reference documents such as harmonized standards or test specifications which were used for testing as SGS's (own or subcontracted) laboratories.

Identity	Document Title	Version
	Evaluating Compliance with FCC Guidelines	
· ·	for Human Exposure to Radiofrequency Electromagnetic Fields	2001

In the configuration tested, the EUT complied with the standards specified above.

FCC LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time $ E ^2$, $ H ^2$ or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	$(180/f^2)*$	30
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

f = frequency in MHz *Plane-wave equivalent power density

+86 (0) 21 61915666 Telephone: Report No.: SHEM111100145805 +86 (0) 21 61915655 Fax:

Page 6 of 9 ee.shanghai@sgs.com

Summary of Results

For antenna A

Frequency Band	Limit (mW/cm²)	Result (mW/cm²)	Verdict	
2412-2464MHz	1.0	0.0251	Pass	

For antenna B

Frequency Band	Limit (mW/cm²)	Result (mW/cm²)	Verdict	
0410 0404MH=	1.0		Doos	
2412-2464MHz	1.0	0.0255	Pass	

5 Measurement and Calculation


5.1 **Maximum transmit power**

Test Date: Feb 04, 2012

Test in fixing frequency operating mode at lowest, middle and highest **EUT Operation:**:

frequency.

Test Configuration:



Test Results

For Antenna A

СН	Frequency (MHz)	Reading Power(dBm)	Cable Loss (dB)	Correction Factor (dB)	Output Power (dBm)	Output Power (mW)	Limit (dBm)	Result
LOW	2412	9.36	0.5	9.22	19.08	80.91	30	PASS
MID	2438	9.40	0.5	9.22	19.12	81.66	30	PASS
HIGH	2464	9.80	0.5	9.22	19.52	89.54	30	PASS

For Antenna B

CH	Frequency (MHz)	Reading Power(dBm)	Cable Loss (dB)	Correction Factor (dB)	Output Power (dBm)	Output Power (mW)	Limit (dBm)	Result
LOW	2412	9.56	0.5	9.22	19.28	84.72	30	PASS
MID	2438	9.28	0.5	9.22	19.00	79.43	30	PASS
HIGH	2464	9.86	0.5	9.22	19.58	90.78	30	PASS

Telephone: +86 (0) 21 61915666 Report No.: SHEM111100145805 +86 (0) 21 61915655

Fax: Page ee.shanghai@sgs.com

5.2 **SAR Calculation**

For Antenna A:

Test Results: MPE Limit Calculation: the EUT's operating frequencies 2412MHz to 2464MHz; the highest power is High channel (2464MHz). The Measured maximum radiated power is 19.52 dBm(89.54mW).with maximum peak gain is 1.50dBi. Duty factor is 100%

Equation from page 18 of OET 65, Edition 97-01

 $S = PG^*$ Duty factor $/ 4\pi R^2$

P = Power Input to antenna (89.54mWatts)

G = Antenna Gain (1.413 numeric)

R = distance to the center of radiation of antenna (in meter) = 20cm

7 of 9

 $S = (89.54 *1.413*1)/(4\pi * 20^2) = 0.0251 \text{mW/cm}^2$

For Antenna B:

Test Results: MPE Limit Calculation: the EUT's operating frequencies 2412MHz to 2464MHz; the highest power is High channel (2464MHz). The Measured maximum radiated power is 19.58 dBm(90.78mW) with maximum peak gain is 1.50dBi. Duty factor is 100%

Equation from page 18 of OET 65, Edition 97-01

 $S = PG^*$ Duty factor $/ 4\pi R^2$

P = Power Input to antenna (90.78mWatts)

G = Antenna Gain (1.413 numeric)

R = distance to the center of radiation of antenna (in meter) = 20cm

 $S = (90.78 *1.413*1)/(4\pi * 20^2) = 0.0255 \text{mW/cm}^2$

MPE limit = 1.0mW/cm^2

Note:

1) P (Watts)= 10^{10} / 1000

2) G (Antenna gain in numeric) = 10⁴ (Antenna gain in dBi /10)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to thesample(s) tested and such sample(s) are retained for 90 days only



Telephone: +86 (0) 21 61915666 Fax: +86 (0) 21 61915655 Report No.: SHEM111100145805

Page 8 of 9

6 EUT Constructional Photos



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to thesample(s) tested and such sample(s) are retained for 90 days only



SGS-CSTC Standards Technical Services Co., Ltd.

No. 588 West Jindu Road, Songjiang District, Shanghai, China

Telephone: +86 (0) 21 61915666 Fax: +86 (0) 21 61915655 Report No.: SHEM111100145805

Page 9 of 9



THE END OF REPORT