







1-N77-3700-3980-PC2-30-60-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant3-3700.00-7.26--20.26-PASS




1-N77-3700-3980-PC2-30-60-L-3-DFT-PI2BPSK-Outer_Full-162@0-Ant3-3700.00-20.66--33.66-PASS




1-N77-3700-3980-PC2-30-60-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant3-3700.00-5.87--18.87-PASS




1-N77-3700-3980-PC2-30-60-L-6-CP-QPSK-Outet_Full-162@0-Ant3-3699.99-22.58--35.58-PASS




1-N77-3700-3980-PC2-30-60-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@161-Ant3-3980.01-4.79--17.79-PASS




1-N77-3700-3980-PC2-30-60-H-3-DFT-PI2BPSK-Outet_Full-162@0-Ant3-3980.00-20.25--33.25-PASS




1-N77-3700-3980-PC2-30-60-H-5-CP-QPSK-Edge_1RB_Right-1@161-Ant3-3980.00-4.47--17.47-PASS




1-N77-3700-3980-PC2-30-60-H-6-CP-QPSK-Outer_Full-162@0-Ant3-3980.01-21.38--34.38-PASS




1-N77-3700-3980-PC2-30-70-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant3-3699.98-21.62--34.62-PASS




1-N77-3700-3980-PC2-30-70-L-3-DFT-PI2BPSK-Outter_Full-180@0-Ant3-3699.97-22.06--35.06-PASS




1-N77-3700-3980-PC2-30-70-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant3-3700.00-20.43--33.43-PASS




1-N77-3700-3980-PC2-30-70-L-6-CP-QPSK-Outter_Full-189@0-Ant3-3699.01-23.22--36.22-PASS




1-N77-3700-3980-PC2-30-70-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@188-Ant3-3980.02-20.94--33.94-PASS




1-N77-3700-3980-PC2-30-70-H-3-DFT-PI2BPSK-Outer_Full-180@0-Ant3-3980.65-25.94--38.94-PASS




1-N77-3700-3980-PC2-30-70-H-5-CP-QPSK-Edge_1RB_Right-1@188-Ant3-3980.01-20.44--33.44-PASS




1-N77-3700-3980-PC2-30-70-H-6-CP-QPSK-Outer_Full-189@0-Ant3-3980.32-23.00--36.00-PASS




1-N77-3700-3980-PC2-30-80-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant3-3700.00-18.64--31.64-PASS




1-N77-3700-3980-PC2-30-80-L-3-DFT-PI2BPSK-Outer_Full-216@0-Ant3-3699.99-20.59--33.59-PASS




1-N77-3700-3980-PC2-30-80-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant3-3700.00-16.82--29.82-PASS




1-N77-3700-3980-PC2-30-80-L-6-CP-QPSK-Outer_Full-217@0-Ant3-3699.91-23.32--36.32-PASS




1-N77-3700-3980-PC2-30-80-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@216-Ant3-3980.00-18.97--31.97-PAS




1-N77-3700-3980-PC2-30-80-H-3-DFT-PI2BPSK-Outter_Full-216@0-Ant3-3980.10-25.41--38.41-PASS




1-N77-3700-3980-PC2-30-80-H-5-CP-QPSK-Edge_1RB_Right-1@216-Ant3-3980.00-18.80--31.80-PASS




1-N77-3700-3980-PC2-30-80-H-6-CP-QPSK-Outter_Full-217@0-Ant3-3980.71-23.98--36.98-PASS




1-N77-3700-3980-PC2-30-90-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant3-3700.00-15.41--28.41-PASS




1-N77-3700-3980-PC2-30-90-L-3-DFT-PI2BPSK-Outer_Full-240@0-Ant3-3699.22-21.76--34.76-PASS




1-N77-3700-3980-PC2-30-90-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant3-3700.00-13.32--26.32-PASS




1-N77-3700-3980-PC2-30-90-L-6-CP-QPSK-Outer_Full-245@0-Ant3-3699.64-23.79--36.79-PASS




1-N77-3700-3980-PC2-30-90-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@244-Ant3-3980.01-16.11--29.11-PASS
S




1-N77-3700-3980-PC2-30-90-H-3-DFT-PI2BPSK-Outer_Full-240@0-Ant3-3980.84-25.91--38.91-PASS




1-N77-3700-3980-PC2-30-90-H-5-CP-QPSK-Edge_1RB_Right-1@244-Ant3-3980.01-16.63--29.63-PASS




1-N77-3700-3980-PC2-30-90-H-6-CP-QPSK-Outer_Full-245@0-Ant3-3980.99-23.45--36.45-PASS




1-N77-3700-3980-PC2-30-100-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant3-3700.00-7.32--20.32-PASS




1-N77-3700-3980-PC2-30-100-L-3-DFT-PI2BPSK-Outet_Full-270@0-Ant3-3700.00-21.22--34.22-PASS




1-N77-3700-3980-PC2-30-100-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant3-3700.00-5.78--18.78-PASS




1-N77-3700-3980-PC2-30-100-L-6-CP-QPSK-Outet_Full-273@0-Ant3-3700.00-23.15--36.15-PASS




1-N77-3700-3980-PC2-30-100-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@272-Ant3-3980.01-8.76--21.76-PASS



1-N77-3700-3980-PC2-30-100-H-3-DFT-PI2BPSK-Outer_Full-270@0-Ant3-3980.69-26.72--39.72-PASS



1-N77-3700-3980-PC2-30-100-H-5-CP-QPSK-Edge_1RB_Right-1@272-Ant3-3980.00-8.57--21.57-PASS



1-N77-3700-3980-PC2-30-100-H-6-CP-QPSK-Outer_Full-273@0-Ant3-3980.01-22.83--35.83-PASS

Conducted Spurious Emission for SA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result (dBm)	Limit (dBm)	Verdict
N77-3700-3980	30	100	DFT-PI2BPSK	L	0.009	0.15	1@0	-51.52	-43	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	0.15	30	1@0	-70.67	-33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	30	1000	1@0	-56.58	-23	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	1000	6000	1@0	-37.11	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	6000	26000	1@0	-33.43	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	26000	40000	1@0	-35.71	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	0.009	0.15	1@0	-53.99	-43	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	0.15	30	1@0	-70.85	-33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	30	1000	1@0	-56.67	-23	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	1000	6000	1@0	-37.18	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	6000	26000	1@0	-33.31	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	26000	40000	1@0	-35.96	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	0.009	0.15	1@0	-51.64	-43	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	0.15	30	1@0	-71.56	-33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	30	1000	1@0	-56.49	-23	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	1000	6000	1@0	-37.10	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	6000	26000	1@0	-33.21	-13	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	26000	40000	1@0	-36.28	-13	PASS


Test Graphs




1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant3-0.01--51.5
2--43-PASS



1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.15-30-Ant3-0.16--70.67--3
3-PASS




1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-30-1000-Ant3-855.57--56.5
8--23-PASS



1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-1000-6000-Ant3-3689.00--3
7.11--13-PASS




1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-6000-26000-Ant3-25632.00
--33.43--13-PASS




1-N77-3700-3980-PC2-30-100-L-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-26000-40000-Ant3-38924.8
0--35.71--13-PASS




1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant3-0.01--53.9
9--43-PASS



1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.15-30-Ant3-0.16--70.85--
33-PASS



1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-30-1000-Ant3-938.50--56.6
7--23-PASS




1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-1000-6000-Ant3-3689.50--
37.18--13-PASS




1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-6000-26000-Ant3-25627.00
--33.31--13-PASS



1-N77-3700-3980-PC2-30-100-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-26000-40000-Ant3-38930.4
0--35.96--13-PASS




1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant3-0.01--51.6
4--43-PASS



1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.15-30-Ant3-0.15--71.56--
33-PASS



1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-30-1000-Ant3-873.32--56.4
9--23-PASS



1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-1000-6000-Ant3-3679.00--3
7.10--13-PASS



1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-6000-26000-Ant3-25644.00
--33.21--13-PASS



1-N77-3700-3980-PC2-30-100-H-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-26000-40000-Ant3-38915.7
0--36.28--13-PASS

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(°C)	Deviation(Hz)	Deviation (ppm)	Verdict
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	NT	-19.99	-0.00521	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	LV	NT	-10.16	-0.00265	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	HV	NT	-13.99	-0.00364	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	NT	-19.15	-0.00499	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	LV	NT	-21.48	-0.00559	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	HV	NT	-19.85	-0.00517	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(°C)	Deviation(Hz)	Deviation (ppm)	Verdict
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	20	-17.980000	-0.004682	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	50	-19.248000	-0.005013	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	40	-19.022000	-0.004954	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	-10	-18.743000	-0.004881	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	10	-21.439000	-0.005583	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	30	-19.577000	-0.005098	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	-30	-20.824000	-0.005423	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	0	-17.552000	-0.004571	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	270@0	NV	-20	-22.038000	-0.005739	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	0	-21.471000	-0.005591	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	-10	-19.275000	-0.005020	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	10	-21.024000	-0.005475	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	20	-21.193000	-0.005519	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	50	-15.948000	-0.004153	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	-30	-19.139000	-0.004984	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	30	-20.492000	-0.005336	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	40	-20.096000	-0.005233	PASS
N77-3700-3980	30	100	CP-QPSK	M	273@0	NV	-20	-20.289000	-0.005284	PASS

Field Strength of Spurious Radiation

NR N77 3700-3980MHz-Low channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-32.88	-13	-19.88	-39.57	4.94	11.63	Horizontal	Pass
11115.0	-55.04	-13	-42.04	-62.49	5.81	13.26	Horizontal	Pass
14820.0	-54.82	-13	-41.82	-62.38	6.92	14.48	Horizontal	Pass
7410.0	-45.09	-13	-32.09	-51.78	4.94	11.63	Vertical	Pass
11115.0	-55.52	-13	-42.52	-62.97	5.81	13.26	Vertical	Pass
14820.0	-53.44	-13	-40.44	-61.0	6.92	14.48	Vertical	Pass

NR N77 3700-3980MHz-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7590.0	-42.34	-13	-29.34	-49.24	4.95	11.85	Horizontal	Pass
11385.0	-55.71	-13	-42.71	-63.1	5.86	13.25	Horizontal	Pass
15180.0	-54.24	-13	-41.24	-61.57	7.09	14.42	Horizontal	Pass
7590.0	-49.79	-13	-36.79	-56.69	4.95	11.85	Vertical	Pass
11385.0	-53.14	-13	-40.14	-60.53	5.86	13.25	Vertical	Pass
15180.0	-51.53	-13	-38.53	-58.86	7.09	14.42	Vertical	Pass

NR N77 3700-3980MHz-High channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7770.0	-53.21	-13	-40.21	-60.31	4.96	12.06	Horizontal	Pass
11655.0	-55.38	-13	-42.38	-62.73	5.9	13.25	Horizontal	Pass
15540.0	-53.37	-13	-40.37	-60.47	7.12	14.22	Horizontal	Pass
7770.0	-47.29	-13	-34.29	-54.39	4.96	12.06	Vertical	Pass
11655.0	-53.13	-13	-40.13	-60.48	5.9	13.25	Vertical	Pass
15540.0	-51.33	-13	-38.33	-58.43	7.12	14.22	Vertical	Pass

NSA_66A_n77A 3700-3980-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-40.75	-13	-27.75	-47.44	4.94	11.63	Horizontal	Pass
11115.0	-55.17	-13	-42.17	-62.62	5.81	13.26	Horizontal	Pass
14820.0	-55.03	-13	-42.03	-62.59	6.92	14.48	Horizontal	Pass
7410.0	-52.74	-13	-39.74	-59.43	4.94	11.63	Vertical	Pass
11115.0	-55.07	-13	-42.07	-62.52	5.81	13.26	Vertical	Pass
14820.0	-55.11	-13	-42.11	-62.67	6.92	14.48	Vertical	Pass

NSA_66A_n77A 3700-3980-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7590.0	-46.01	-13	-33.01	-52.91	4.95	11.85	Horizontal	Pass
11385.0	-55.97	-13	-42.97	-63.36	5.86	13.25	Horizontal	Pass
15180.0	-54.49	-13	-41.49	-61.82	7.09	14.42	Horizontal	Pass
7590.0	-50.83	-13	-37.83	-57.73	4.95	11.85	Vertical	Pass
11385.0	-55.95	-13	-42.95	-63.34	5.86	13.25	Vertical	Pass
15180.0	-53.93	-13	-40.93	-61.26	7.09	14.42	Vertical	Pass

NSA_66A_n77A 3700-3980-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7770.0	-59.02	-13	-46.02	-66.12	4.96	12.06	Horizontal	Pass
11655.0	-54.91	-13	-41.91	-62.26	5.9	13.25	Horizontal	Pass
15540.0	-53.82	-13	-40.82	-60.92	7.12	14.22	Horizontal	Pass
7770.0	-55.04	-13	-42.04	-62.14	4.96	12.06	Vertical	Pass
11655.0	-55.64	-13	-42.64	-62.99	5.9	13.25	Vertical	Pass
15540.0	-53.77	-13	-40.77	-60.87	7.12	14.22	Vertical	Pass

Test on the worst case(Sample2#):

NSA_66A_n77A 3700-3980-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410	-41.19	-13	-28.19	-47.88	4.94	11.63	Horizontal	Pass
11115	-55.4	-13	-42.4	-62.85	5.81	13.26	Horizontal	Pass
14820	-54.85	-13	-41.85	-62.41	6.92	14.48	Horizontal	Pass
7410	-43.14	-13	-30.14	-49.83	4.94	11.63	Vertical	Pass
11115	-55.62	-13	-42.62	-63.07	5.81	13.26	Vertical	Pass
14820	-54.6	-13	-41.6	-62.16	6.92	14.48	Vertical	Pass

NSA_66A_n77A 3700-3980-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7590	-49.83	-13	-36.83	-56.73	4.95	11.85	Horizontal	Pass
11385	-56.05	-13	-43.05	-63.44	5.86	13.25	Horizontal	Pass
15180	-54.55	-13	-41.55	-61.88	7.09	14.42	Horizontal	Pass
7590	-54.49	-13	-41.49	-61.39	4.95	11.85	Vertical	Pass
11385	-55.87	-13	-42.87	-63.26	5.86	13.25	Vertical	Pass
15180	-51.61	-13	-38.61	-58.94	7.09	14.42	Vertical	Pass

NSA_66A_n77A 3700-3980-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7770	-56.83	-13	-43.83	-63.93	4.96	12.06	Horizontal	Pass
11655	-55.65	-13	-42.65	-63.0	5.9	13.25	Horizontal	Pass
15540	-53.51	-13	-40.51	-60.61	7.12	14.22	Horizontal	Pass
7770	-58.96	-13	-45.96	-66.06	4.96	12.06	Vertical	Pass
11655	-53.58	-13	-40.58	-60.93	5.9	13.25	Vertical	Pass
15540	-51.93	-13	-38.93	-59.03	7.12	14.22	Vertical	Pass