



EX3DV4- SN:3617

January 30, 2020

10220	CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10221	CAC	IEEE 802.11n (HT Mixed, 40.3 Mbps, 10-QAM)	WLAN	8.27	± 9.6 %
10222	CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.06	± 9.6 %
10223	CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	± 9.6 %
10224	CAC	IEEE 802.11n (HT Mixed, 30 Mbps, 64-QAM)	WLAN	8.08	± 9.6 %
10225	CAB	UMTS-FDD (HSPA+)	WCDMA	5.97	± 9.6 %
10225	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.49	
10227	CAB				± 9.6 %
10227	CAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	± 9.6 %
10229		LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	± 9.6 %
	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10230	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10231	CAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9.19	± 9.6 %
10232	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10233	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10234	CAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10235	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10236	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10237	CAG	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10238	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10239	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10240	CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10241	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	± 9.6 %
10242	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	± 9.6 %
10243	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	± 9.6 %
10244	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10245	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	± 9.6 %
10246	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10247	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	± 9.6 %
10248	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	± 9.6 %
10249	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10250	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	± 9.6 %
10251	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	± 9.6 %
10252	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10253	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.90	± 9.6 %
10254	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	± 9.6 %
10255	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	± 9.6 %
10256	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	± 9.6 %
10257	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	± 9.6 %
10257	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	± 9.6 %
	CAD	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSR)		9.98	± 9.6 %
10259			LTE-TDD		
10260	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	± 9.6 %
10261	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10262	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.83	± 9.6 %
10263	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-TDD	10.16	± 9.6 %
10264	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	± 9.6 %
10265	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10266	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	± 9.6 %
10267	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10268	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10269	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	± 9.6 %
	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	± 9.6 %
10270					± 9.6 %
10270 10274	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	
10270 10274 10275	CAB CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9.6 %
10270 10274 10275 10277	CAB CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK)	WCDMA PHS	3.96 11.81	± 9.6 % ± 9.6 %
10270 10274 10275	CAB CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9.6 %
10270 10274 10275 10277	CAB CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK)	WCDMA PHS	3.96 11.81	± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278	CAB CAB CAA	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38)	WCDMA PHS PHS	3.96 11.81 11.81	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290	CAB CAB CAA CAA	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate	WCDMA PHS PHS PHS	3.96 11.81 11.81 12.18	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290 10291	CAB CAA CAA CAA AAB AAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate CDMA2000, RC3, SO55, Full Rate	WCDMA PHS PHS PHS CDMA2000 CDMA2000	3.96 11.81 11.81 12.18 3.91 3.46	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290 10291 10292	CAB CAA CAA CAA AAB AAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate CDMA2000, RC3, SO55, Full Rate CDMA2000, RC3, SO52, Full Rate	WCDMA PHS PHS PHS CDMA2000 CDMA2000 CDMA2000	3.96 11.81 11.81 12.18 3.91 3.46 3.39	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290 10291 10292 10293	CAB CAA CAA CAA AAB AAB AAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate CDMA2000, RC3, SO55, Full Rate CDMA2000, RC3, SO32, Full Rate CDMA2000, RC3, SO32, Full Rate	WCDMA PHS PHS PHS CDMA2000 CDMA2000 CDMA2000 CDMA2000 CDMA2000	3.96 11.81 11.81 12.18 3.91 3.46 3.39 3.50	± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290 10291 10292 10293 10295	CAB CAA CAA CAA AAB AAB AAB AAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate CDMA2000, RC3, SO55, Full Rate CDMA2000, RC3, SO32, Full Rate CDMA2000, RC3, SO35, Full Rate CDMA2000, RC3, SO31, Full Rate CDMA2000, RC3, SO31, Full Rate CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	WCDMA PHS PHS PHS CDMA2000 CDMA2000 CDMA2000 CDMA2000 CDMA2000 CDMA2000 CDMA2000	3.96 11.81 11.81 12.18 3.91 3.46 3.39 3.50 12.49	± 9.6 % ± 9.6 %
10270 10274 10275 10277 10278 10279 10290 10291 10292 10293	CAB CAA CAA CAA AAB AAB AAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) PHS (QPSK) PHS (QPSK, BW 884MHz, Rolloff 0.5) PHS (QPSK, BW 884MHz, Rolloff 0.38) CDMA2000, RC1, SO55, Full Rate CDMA2000, RC3, SO55, Full Rate CDMA2000, RC3, SO32, Full Rate CDMA2000, RC3, SO32, Full Rate	WCDMA PHS PHS PHS CDMA2000 CDMA2000 CDMA2000 CDMA2000 CDMA2000	3.96 11.81 11.81 12.18 3.91 3.46 3.39 3.50	± 9.6 % ± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 13 of 23





10300	AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10300	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	WiMAX	12.03	± 9.6 %
10301	AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	WiMAX	12.57	± 9.6 %
10303	AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	12.52	± 9.6 %
10303	AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	11.86	± 9.6 %
10305	AAA	IEEE 802.16e WIMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15	WiMAX	15.24	± 9.6 %
10306	AAA	symbols) IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18	WiMAX	14.67	± 9.6 %
10307	AAA	symbols) IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	WiMAX	14.49	± 9.6 %
10308	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	WiMAX	14.46	± 9.6 %
10309	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	WiMAX	14.58	± 9.6 %
10310	AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	WiMAX	14.57	± 9.6 %
10311	AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	± 9.6 %
10313	AAA	IDEN 1:3	iDEN	10.51	± 9.6 %
10314	AAA	iDEN 1:6	iDEN	13.48	± 9.6 %
10315	AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	WLAN	1.71	± 9.6 %
10316	AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	± 9.6 %
10317	AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	WLAN	8.36	± 9.6 %
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	± 9.6 %
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	± 9.6 %
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	± 9.6 %
10355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	± 9.6 %
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	± 9.6 %
10387	AAA	QPSK Waveform, 1 MHz	Generic	5.10	± 9.6 %
10388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	± 9.6 %
10396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	± 9.6 %
10399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	± 9.6 %
10400	AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10401	AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	WLAN	8.60	± 9.6 %
10402	AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	WLAN	8.53	± 9.6 %
10403 10404	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	± 9.6 %
	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	± 9.6 %
10406 10410	AAG	CDMA2000, RC3, SO32, SCH0, Full Rate LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL	CDMA2000 LTE-TDD	5.22 7.82	± 9.6 % ± 9.6 %
10410	AAG	Subframe=2,3,4,7,8,9, Subframe Conf=4)	LIE-IDD	7.02	± 9.0 %
10414	AAA	WLAN CCDF, 64-QAM, 40MHz	Generic	8.54	± 9.6 %
10415	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	WLAN	1.54	± 9.6 %
10416	AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10417	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10418	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	WLAN	8.14	± 9.6 %
10419	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	WLAN	8.19	± 9.6 %
10422	AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	± 9.6 %
10423	AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	± 9.6 %
10424	AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	± 9.6 %
10425	AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	± 9.6 %
10426	AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	± 9.6 %
10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	± 9.6 %
10430	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	± 9.6 %
10432	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10434	AAA	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	± 9.6 %
10435	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10447	AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	± 9.6 %
	AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	LTE-FDD	7.53	± 9.6 %
10448					
10448 10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Cliping 44%) LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.51 7.48	± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 14 of 23





10453 AAD Validation (Square, 10ms, 1ms) Test 10,00 ± 9,6 % 10456 AAB EEE 802 118 wifer (160MHz, 64-GAM, 99pc duty cycle) WLAN 8.63 ± 9,6 % 10457 AAA UMTS-FDD (DC-HSDPA) WCDMA 6.62 ± 9,6 % 10458 AAA CDMA2000 (15EV-DC, Rev. B, 2 carriers) CDMA2000 6.55 ± 9,6 % 10459 AAA CDMA2000 (15EV-DC, Rev. B, 3 carriers) CDMA2000 6.55 ± 9,6 % 10460 AAA CDMA2000 (15EV-DC, Rev. B, 3 carriers) CDMA2000 6.55 ± 9,6 % 10461 AAB LTE-TDD (SC-FDMA, 1 RB, 1 4 MHz, GPSK, UL LTE-TDD 7.82 ± 9,6 % 10462 AAB LTE-TDD (SC-FDMA, 1 RB, 1 4 MHz, GPSK, UL LTE-TDD 8.30 ± 9,6 % 10463 AAB LTE-TDD (SC-FDMA, 1 RB, 1 4 MHz, GPSK, UL LTE-TDD 8.56 ± 9,6 % 10464 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPSK, UL LTE-TDD 8.56 ± 9,6 % 10465 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPACM, UL LTE-TDD 8.32 ± 9,6 % 10466 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPACM, UL LTE-TDD 8.32 ± 9,6 % 10467 AAF LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPACM, UL LTE-TDD 8.57 ± 9,6 % 10468 AAC LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.57 ± 9,6 % 10469 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.57 ± 9,6 % 10469 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.59 ± 9,6 % 10469 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.59 ± 9,6 % 10470 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.52 ± 9,6 % 10470 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.52 ± 9,6 % 10470 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.52 ± 9,6 % 10470 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPACM, UL LTE-TDD 8.59 ± 9,6 % 10471 AAF LTE-TDD (SC-FDMA, 1 RB, 15 MHz, GPACM, UL LTE-TDD 8.57 ± 9,6 % 10472 AAF LTE-TDD (SC-FDMA, 1 RB, 15 MHz, GPACM, UL LTE-TDD 8.59 ± 9,6 % 10473 AAE LTE-TDD (SC-FDMA, 1 RB, 15 MHz, GPACM, UL LTE-TDD 8.59 ± 9,6 % 104	10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	± 9.6 %
19456 AAB						
19457 AAA UNTS-FDD (DC-HSDPA) WCDMA 6.62 ±9.6 % 19458 AAA CDMA2000 (15EV-DC, Rev. B.; 2 carriers) CDMA2000 6.55 ±9.6 % 19459 AAA CDMA2000 (15EV-DC, Rev. B.; 2 carriers) CDMA2000 6.55 ±9.6 % 19461 AAB LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 7.82 ±9.6 % 19461 AAB LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.30 ±9.6 % 19462 AAB LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.30 ±9.6 % 19463 AAB LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.56 ±9.6 % 19464 AAC LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.56 ±9.6 % 19465 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL LTE-TDD 7.82 ±9.6 % 19466 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPSK, UL LTE-TDD 8.32 ±9.6 % 19466 AAC LTE-TDD (SC-FDMA, 1 RB, 3 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19466 AAC LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19466 AAC LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19466 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19467 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.32 ±9.6 % 19468 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.32 ±9.6 % 19469 AAF LTE-TDD (SC-FDMA, 1 RB, 5 MHz, GPSK, UL LTE-TDD 8.56 ±9.6 % 19470 AAF LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.56 ±9.6 % 19471 AAF LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.56 ±9.6 % 19472 AAF LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19473 AAE LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19474 AAF LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19475 AAF LTE-TDD (SC-FDMA, 1 RB, 10 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19480 AAF LTE-TDD (SC-FDMA, 1 RB, 15 MHz, GPSK, UL LTE-TDD 8.57 ±9.6 % 19481 AAF LTE-TDD (SC-FDMA, 50% RB, 1 MHz, GPSK, UL LTE-TDD 8.59 ±9.6	10456					
10458 AAA CDMA2000 (1xEV-DO, Rev. B. 2 carriers) CDMA2000 8.25 ±9.6 % 10460 AAA CDMA2000 (1xEV-DO, Rev. B.) carriers) CDMA2000 8.25 ±9.6 % 10460 AAA UMTS-FDD (WCDMA, AMR) WCDMA 2.39 ±9.6 % 10461 AB LTE-TDD (SC-PDMA, 1 RB, 1.4 MHz, QPSK, UL LTE-TDD 7.82 ±9.6 % 10462 AB LTE-TDD (SC-PDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.30 ±9.6 % 10462 AB LTE-TDD (SC-PDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.30 ±9.6 % 10463 AAB LTE-TDD (SC-PDMA, 1 RB, 1.4 MHz, GPSK, UL LTE-TDD 8.55 ±9.6 % 10464 AAC LTE-TDD (SC-PDMA, 1 RB, 3 MHz, QPSK, UL LTE-TDD 8.25 ±9.6 % 10465 AAC LTE-TDD (SC-PDMA, 1 RB, 3 MHz, GP-QAM, UL LTE-TDD 8.25 ±9.6 % 10466 AAC LTE-TDD (SC-PDMA, 1 RB, 3 MHz, GP-QAM, UL LTE-TDD 8.25 ±9.6 % 10466 AAC LTE-TDD (SC-PDMA, 1 RB, 3 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10466 AAC LTE-TDD (SC-PDMA, 1 RB, 5 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10467 AAF LTE-TDD (SC-PDMA, 1 RB, 5 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10468 AAF LTE-TDD (SC-PDMA, 1 RB, 5 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10469 AAF LTE-TDD (SC-PDMA, 1 RB, 5 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10469 AAF LTE-TDD (SC-PDMA, 1 RB, 5 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10470 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10470 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10470 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10471 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.57 ±9.6 % 10472 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.52 ±9.6 % 10473 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM, UL LTE-TDD 8.57 ±9.6 % 10473 AAF LTE-TDD (SC-PDMA, 1 RB, 15 MHz, GP-QAM, UL LTE-TDD 8.57 ±9.6 % 10474 AAF LTE-TDD (SC-PDMA, 1 RB, 15 MHz, GP-QAM, UL LTE-TDD 8.57 ±9.6 % 10474 AAF LTE-TDD (SC-PDMA, 1 RB, 10 MHz, GP-QAM	10457	AAA		WCDMA		± 9.6 %
10459 AAA CDMA2000 (18EV-DO, Rev. B. 3 carriers)						
10460 AAA UMTS-FDD (WCDMA ANR) WCDMA 2.99 ±9.6 % Subframe=2,3.4,7.8.9 Subfr						
10461 AAB LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL LTE-TDD 7.82 ±9.6 % Subframe-2,3.4,7.8.9) LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL LTE-TDD 8.30 ±9.6 % Subframe-2,3.4,7.8.9) LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL LTE-TDD 8.50 ±9.6 % Subframe-2,3.4,7.8.9) LTE-TDD						
Subframe=2,3,4,7,8,9						
10462 AAB	10-10-1	7010		LIL IDD	7.02	2 0.0 70
Subframe=2,3,4,7,8,9	10462	AAR		LTF-TDD	8 30	+96%
10463	10102	7010		LIL IDD	0.00	2 0.0 /0
Subframe=2,3,4,7,8,9 LTE-TDD	10463	AAR		I TE-TOD	8 56	+96%
10464	10400	700		LIL-IDD	0.50	2 3.0 70
Subframe=2,3,4,7,8,9	10464	AAC		LTE TOD	7.82	+06%
10465	10404	7,70		LIL-IDD	1.02	1 3.0 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL LTE-TDD S.57	10465	AAC		LTE-TOD	8 32	+06%
10466	10400	AAC		LIL-IDD	0.52	± 3.0 /6
Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 1 RB, 5 MHz, QPSK, UL LTE-TDD T.82 ±9.6 % Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL LTE-TDD S.56 ±9.6 % Subframe=2,3,4,7,8,9 LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 Subframe=2,3,4,7,8,9 LTE-TDD SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 Subframe=2	10466	AAC		LTE TOD	0.57	+069/
10468	10400	AAC		LIE-IDD	0.57	± 9.0 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL LTE-TDD S.56	10467	۸۸⊏		LTE TOD	7.00	1069/
10468	10407	AAF		LIE-IDD	1.02	± 9.0 %
Subframe=2,3,4,7,8,9	40400	A A E		LTE TOD	0.00	1.0.0.0/
10469	10468	AAF		LIE-IDD	8.32	± 9.6 %
Subframe=2,3,4,7,8,9	40400	A A E		LTE TOD	0.50	10000
10470	10469	AAF		LIE-IDD	8.56	± 9.6 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL LTE-TDD S.57	40.470	A A E		L TE TOO	7.00	. 0 0 0/
10471	10470	AAF		LIE-IDD	7.82	± 9.6 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL LTE-TDD S.57 ±9.6 % Subframe=2,3,4,7,8,9 Subfr	10.17.1	=			0.00	. 0 0 01
10472	104/1	AAF		LIE-IDD	8.32	± 9.6 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9 LTE-TDD (SC-F						
10473	10472	AAF		LTE-TDD	8.57	± 9.6 %
Subframe=2,3,4,7,8,9						
10474 AAE LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDM	10473	AAE		LTE-TDD	7.82	± 9.6 %
Subframe=2,3,4,7,8,9						
10475 AAE LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) </td <td>10474</td> <td>AAE</td> <td></td> <td>LTE-TDD</td> <td>8.32</td> <td>± 9.6 %</td>	10474	AAE		LTE-TDD	8.32	± 9.6 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GPSK, UL Subframe=2,3,4						
10477 AAF LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, GA-QAM, UL Subframe=2,3,4,7,	10475	AAE		LTE-TDD	8.57	± 9.6 %
Subframe=2,3,4,7,8,9 10478						
10478 AAF LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.57 ± 9.6 % 10479 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.74 ± 9.6 % 10480 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.18 ± 9.6 % 10481 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.45 ± 9.6 % 10482 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.71 ± 9.6 % 10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, GPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50%	10477	AAF		LTE-TDD	8.32	± 9.6 %
Subframe=2,3,4,7,8,9 LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL SUBframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM						
10479 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.74 ± 9.6 % 10480 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.18 ± 9.6 % 10481 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.45 ± 9.6 % 10482 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.71 ± 9.6 % 10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA	10478	AAF		LTE-TDD	8.57	± 9.6 %
Subframe=2,3,4,7,8,9			Subframe=2,3,4,7,8,9)			
10480	10479	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL	LTE-TDD	7.74	± 9.6 %
Subframe=2,3,4,7,8,9 Subframe=2,3,4,7,8,9 10481			Subframe=2,3,4,7,8,9)			
10481 AAB LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.45 ± 9.6 % 10482 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD LTE-TDD 7.71 ± 9.6 % 10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10480	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL	LTE-TDD	8.18	± 9.6 %
Subframe=2,3,4,7,8,9			Subframe=2,3,4,7,8,9)			23.554.1
10482 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.71 ± 9.6 % 10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10481	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL	LTE-TDD	8.45	± 9.6 %
10482 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.71 ± 9.6 % 10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %		23 70 16000	Subframe=2,3,4,7,8,9)			200 723022 845
Subframe=2,3,4,7,8,9 Subframe=2,3,4,7,8,9 10483	10482	AAC		LTE-TDD	7.71	± 9.6 %
10483 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.39 ± 9.6 % 10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %		20 20 2020		The second second	N 575 MI	200 200 200
Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 10 MH	10483	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL	LTE-TDD	8.39	± 9.6 %
10484 AAC LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.47 ± 9.6 % 10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %			Subframe=2.3.4.7.8.9)		153.5.5	
Subframe=2,3,4,7,8,9 10485	10484	AAC		LTE-TDD	8.47	+9.6 %
10485 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.59 ± 9.6 % 10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10101	7010		LIL IDD	0.11	2 0.0 70
Subframe=2,3,4,7,8,9	10485	ΔΔF		LTE-TOD	7 59	+96%
10486 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.38 ± 9.6 % 10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD 8.54 ± 9.6 %	10400	7011		LIL 100	7.00	2 0.0 /0
Subframe=2,3,4,7,8,9	10/186	AAE		LTE-TDD	8 38	+96%
10487 AAF LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.60 ± 9.6 % 10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10400	7771		LIL-IDD	0.50	2 0.0 /0
Subframe=2,3,4,7,8,9	40407	A A E		I TE TOD	8 60	+06%
10488 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) LTE-TDD 7.70 ± 9.6 % 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10407	AAF		LIE-IDD	0.00	± 9.0 %
Subframe=2,3,4,7,8,9) 10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL LTE-TDD 8.31 ± 9.6 % Subframe=2,3,4,7,8,9) 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD 8.54 ± 9.6 %	10400	A A E		LTE TOO	7.70	+060/
10489 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) LTE-TDD 8.31 ± 9.6 % 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD LTE-TDD 8.54 ± 9.6 %	10488	AAF		LIE-IDD	1.70	± 9.0 %
Subframe=2,3,4,7,8,9) 10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD 8.54 ± 9.6 %	40400	A A F		LTC TOO	0.04	1000
10490 AAF LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL LTE-TDD 8.54 ± 9.6 %	10489	AAF		LIE-IDD	0.31	I 9.6 %
	10/00	A		1 70 700	0.51	1.000
	10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LIE-IDD	8.54	± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 15 of 23





10491	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL	LTE-TDD	7.74	. 0 0 0/
10492		Subframe=2,3,4,7,8,9)	LIE-IDD	7.74	± 9.6 %
10432	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2.3.4.7.8,9)	LTE-TDD	8.41	± 9.6 %
10493	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL	LTE-TDD	7.74	± 9.6 %
10495	AAF	Subframe=2,3,4,7,8,9) LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	± 9.6 %
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10497	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	± 9.6 %
10498	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.40	± 9.6 %
10499	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.68	± 9.6 %
10500	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	± 9.6 %
10501	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.44	± 9.6 %
10502	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.52	± 9.6 %
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.72	± 9.6 %
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	± 9.6 %
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10509	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.99	± 9.6 %
10510	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.49	± 9.6 %
10511	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	± 9.6 %
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	± 9.6 %
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	± 9.6 %
10517	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10518	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10519	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10523	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.08	± 9.6 %
10524	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.27	± 9.6 %
10525	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10525	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	WLAN	8.42	
					± 9.6 %
10527	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	WLAN	8.21	± 9.6 %
10528	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10529	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10531	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	WLAN	8.43	± 9.6 %
10532	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10533	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	WLAN	8.38	± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 16 of 23





10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10535	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10536	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	WLAN	8.32	± 9.6 %
10537	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	WLAN	8.44	± 9.6 %
10538	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10540	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10541	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10542	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10543	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10544	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10545	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10546	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	WLAN	8.35	± 9.6 %
10547	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10548	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10550	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	WLAN	8.38	± 9.6 %
10551	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	WLAN	8.50	± 9.6 %
10552	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10553	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10564	AAA	IEEE 802.11g WiFi (160MHz, MCS9, 99pc duty cycle)	WLAN	8.25	
10304	AAA	cycle)	WLAIN	0.25	± 9.6 %
10565	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.13	± 9.6 %
10567	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	± 9.6 %
10568	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	± 9.6 %
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10576	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10577	AAA	IÉEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10578	AAA	IÉEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %
10579	AAA	IÉEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	± 9.6 %
10580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10581	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	± 9.6 %
10582	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10583	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10584	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10585	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10586	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %

Certificate No: EX3-3617_Jan20/2 Page 17 of 23





10507	A A D	IEEE OOO AA-II- MIEE E OUI- (OEDM OA Miere OO de terrele)	I MALL AND	0.00	10000/
10587	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	± 9.6 %
10588	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10589	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	± 9.6 %
10590	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10591	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	WLAN	8.63	± 9.6 %
10592	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10593	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10594	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10595	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10596	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	WLAN	8.71	± 9.6 %
10597	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	WLAN	8.72	± 9.6 %
10598	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	WLAN	8.50	± 9.6 %
10599	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10600	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	WLAN	8.88	± 9.6 %
10601	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10602	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10603	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	WLAN	9.03	± 9.6 %
10604	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10605	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	WLAN	8.97	± 9.6 %
10606	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10607	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10608	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10609	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	WLAN	8.57	± 9.6 %
10610	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10611	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10612	AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10613	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10614	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10615	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10616	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10617	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10618	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	WLAN	8.58	± 9.6 %
10619	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10620	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	WLAN	8.87	
10620	AAB			8.77	± 9.6 %
		IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	WLAN		
10622 10623	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	WLAN	8.68	± 9.6 %
		IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10624	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	WLAN	8.96	± 9.6 %
10625	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	WLAN	8.96	± 9.6 %
10626	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10627	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	WLAN	8.88	± 9.6 %
10628	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	WLAN	8.71	± 9.6 %
10629	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	WLAN	8.85	± 9.6 %
10630	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	WLAN	8.72	± 9.6 %
10631	AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10632	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10000	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10633			VVL/AIN		
10633	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	WLAN	8.80	
				8.80 8.81	
10634	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	WLAN		± 9.6 %
10634 10635	AAB AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	WLAN WLAN	8.81	± 9.6 % ± 9.6 %
10634 10635 10636	AAB AAB AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	WLAN WLAN WLAN	8.81 8.83 8.79	± 9.6 % ± 9.6 % ± 9.6 %
10634 10635 10636 10637	AAB AAB AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639	AAB AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640	AAB AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641	AAB AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06	± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642 10643	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89	± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642 10643 10644	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89 9.05	± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642 10643 10644 10645	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89 9.05 9.11	±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 % ±9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642 10643 10644 10645	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) IEEE TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89 9.05 9.11	±9.6 % ±9.6 %
10634 10635 10636 10637 10638 10640 10641 10642 10643 10644 10645 10646 10647	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS5, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89 9.05 9.11 11.96	± 9.6 % ± 9.6 %
10634 10635 10636 10637 10638 10639 10640 10641 10642 10643 10644 10645	AAB AAC AAC AAC AAC AAC AAC AAC AAC AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle) IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS1, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS2, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS3, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS4, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS6, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS7, 90pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS9, 90pc duty cycle) IEEE TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.81 8.83 8.79 8.86 8.85 8.98 9.06 9.06 8.89 9.05 9.11	±9.6 % ±9.6 %

Certificate No: EX3-3617_Jan20/2 Page 18 of 23





10654	AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAA	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAA	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAA	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAA	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAA	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAA	IEEE 802.11ax (20MHz, MCS0, 90pc duty cycle)	WLAN	9.09	± 9.6 %
10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc duty cycle)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc duty cycle)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc duty cycle)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc duty cycle)	WLAN	8.62	± 9.6 %
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc duty cycle)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS), 99pc duty cycle)	WLAN	8.42	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10685	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc duty cycle)	WLAN	8.28	± 9.6 %
10687	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10689	AAA		WLAN		± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle) IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.55 8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.25	
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc duty cycle)	WLAN		± 9.6 %
10692	AAA			8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc duty cycle) IEEE 802.11ax (20MHz, MCS11, 99pc duty cycle)	WLAN WLAN	8.25 8.57	± 9.6 %
10695	AAA				
	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10696 10697		IEEE 802.11ax (40MHz, MCS1, 90pc duty cycle)	WLAN	8.91	± 9.6 %
	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc duty cycle)	WLAN	8.61	± 9.6 %
10698		IEEE 802.11ax (40MHz, MCS3, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc duty cycle)	WLAN	8.73	± 9.6 %
		IEEE 802.11ax (40MHz, MCS6, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc duty cycle)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc duty cycle)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc duty cycle)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc duty cycle)	WLAN	8.55	± 9.6 %
10723	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10724	AAA	IEEE 802.11ax (80MHz, MCS5, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS7, 90pc duty cycle)	WLAN	8.72	± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 19 of 23





10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc duty cycle)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc duty cycle)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc duty cycle)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc duty cycle)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc duty cycle)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc duty cycle)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc duty cycle)	WLAN	8.51	± 9.6 %
10767	AAB	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1	7.99	± 9.6 %
10707	7010	OCTAT (OF OF DIM, TTD, OTMIZ, GFOR, TO KIZ)	TDD	7.00	2 0.0 70
10768	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1	8.01	± 9.6 %
10100	7 0 10		TDD	0.01	20.070
10769	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1	8.01	± 9.6 %
10100	7 0 15		TDD	0.01	2 0.0 70
10770	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
1.5.1.1.5.			TDD	0.00	_ 0.0 70
10771	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
10771	7010	oo maa on on one on one on one one	TDD	0.02	2 0.0 70
10772	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1	8.23	± 9.6 %
10112	7010	oo maa oo	TDD	0.20	2 0.0 70
10773	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1	8.03	± 9.6 %
10110	7010	oo maa on on on on, made on, no made	TDD	0.00	2 0.0 70
10774	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
10774	7010	OCTATE (OF SOF DIM, 1170), OCTATILE, QUION, 10 KI12)	TDD	0.02	2 3.0 70
10776	AAB	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1	8.30	± 9.6 %
10770	7010	00 1417 (01 -01 DIVI, 00 /0 17B, 10 WILLE, Q1 OIX, 10 KILE)	TDD	0.50	± 3.0 /6
10778	AAB	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1	8.34	± 9.6 %
10,70	, ,,,,	00 1.1. (01 01 014), 00 /0 1/D, 20 WII IZ, QI OIX, 10 KI IZ)	TDD	0.04	- 0.0 /0
	1			0.00	± 9.6 %
10780	AAR	1.5G NR (CP-OFDM 50% RB 30 MHz OPSK 15 kHz)	L 5G NR FR1	8 38	
10780	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1	8.38	1 9.0 %
10780	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz) 5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD 5G NR FR1	8.38	± 9.6 %

Certificate No: EX3-3617_Jan20/2

Page 20 of 23