Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 1 of 61

	TEST REPORT
Application No.:	SEWM2308000313RG
Applicant:	Shenzhen Tinno Mobile Technology Corp.
Address of Applicant:	27-001, South Side of Tianlong Mobile Headquarters Building, Tongfa South Road, Xili Community, Xili Street, Nanshan District, Shenzhen , PRC
Manufacturer:	Shenzhen Tinno Mobile Technology Corp.
Address of Manufacturer:	27-001, South Side of Tianlong Mobile Headquarters Building, Tongfa South Road, Xili Community, Xili Street, Nanshan District, Shenzhen , PRC
EUT Description:	Smart Phone
Model No.:	Celero3 5G+
FCC ID:	XD6U695DS
Standards:	47 CFR Part 2
	47 CFR Part 22
	47 CFR Part 24
	47 CFR Part 27
	47 CFR Part 90
	47 CFR Part 96
Date of Receipt:	2023/08/11
Date of Test:	2023/09/12 to 2023/10/12
Date of Issue:	2023/10/13
Test Result:	PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

1 NC11

Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by overleaf, available on request or accessible at http://www.sgs.com subject to Terms and Conditions for Electronic Documents at <u>ht</u> Attention is drawn to the limitation of liability, indemnification and advised that information contained hereon reflects the Company Client's instructions, if any. The Company's sole responsibility transaction from exercising all their rights and obligations unde except in full, without prior written approval of the Company. A appearance of this document is unlawful and offenders may be p results shown in this test report refer only to the sample(s) tested a Attention: To check the authenticity of testing /inspection repor or email: <u>Ch.Doccheck@sasc.com</u> Swiththe Fibet N. Rinsten Rod Subunbastinet, Subunkes, Chis Liargul Plat Fe Tas 22.	n/e ttp:/ id j /'s f is er tl .ny ros and ort	n/Terms-and /www.sgs.co urisdiction is indings at th to its Client to transactio unauthorized ecuted to the such sample	- <u>Conditions.aspx</u> and, for electro- mien/Terms-and-Conditions.Ter sues defined therein. Any hold e time of its intervention only a and this document does not e n documents. This document d alteration, forgery or falsifica fullest extent of the law. Unles (s) are retained for 30 days only	nic format documents, ms-e-Document.aspx. er of this document is und within the limits of xonerate parties to a cannot be reproduced tion of the content or s otherwise stated the
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zo	one	215000	t (86–512) 62992980	www.sgsgroup.com.cn
中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮	编:	215000	t (86–512) 62992980	sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 2 of 61

1 Version

Revision Record						
Version Chapter		Date	Modifier	Remark		
01		2023/10/13		Original		

Prepared By	Cleriti (Levi Li) / Test Engineer
Checked By	Stone Ju (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

www.sgsgroup.com.cn

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 3 of 61

Content

SG

1	Vers	sion	.2
2	Tes	t Summary	.5
	2.1	NR Band n5/ NR Band n26(824~849 MHz)	.5
	2.2	NR Band n41	.6
	2.3	NR Band n2/ NR Band n25	.7
	2.4	NR Band n26(814~824 MHz)	.8
	2.5	NR Band n30	.9
	2.6	NR Band n481	1
	2.7	NR Band n66/ NR Band n701	13
	2.8	NR Band n711	14
	2.9	NR Band n771	15
3	Gen	eral Information1	17
	3.1	Client Information	17
	3.2	Test Location1	17
	3.3	Test Facility1	17
	3.4	General Description of EUT1	8
	3.5	Test Mode1	9
	3.6	Test Environment1	19
	3.7	Description of Support Units1	19
	3.8	Technical Specification	20
	3.9	Test Frequencies	25
	3.9.	1 Reference test frequencies for NR operating band n2	25
	3.9.	2 Reference test frequencies for NR operating band n5	27
	3.9.	3 Reference test frequencies for NR operating band n252	29
	3.9.	4 Reference test frequencies for NR operating band n26	31
	3.9.	5 Reference test frequencies for NR operating band n30	33
	3.9.	6 Reference test frequencies for NR operating band n41	34
	3.9.	7 Reference test frequencies for NR operating band n48	36
	3.9.	8 Reference test frequencies for NR operating band n66	37
	3.9.	1 1 5	
	3.9.	10 Reference test frequencies for NR operating band n71	10



			Report No.: Rev.: Page:	SEWM2308000313RG02 01 4 of 61
	3.9.	11 Reference test frequencies for NR ope	rating band	n7742
4	Des	cription of Tests		46
4	4.1	Conducted Output Power		46
4	4.2	Effective (Isotropic) Radiated Power of Trar		
4	4.3	Occupied Bandwidth		
4	4.4	Band Edge at Antenna Terminals		
4	4.5	Spurious And Harmonic Emissions at Anter		
4	4.6	Peak-Average Ratio		
4	4.7	Field Strength of Spurious Radiation		
4	4.8	Frequency Stability / Temperature Variation	۱	53
4	4.9	Test Setups		54
	4.9.	1 Test Setup 1		54
	4.9.	2 Test Setup 2		54
	4.9.	3 Test Setup 3		
4	4.10	Test Conditions		56
5	Mai	n Test Instruments		
6	Mea	asurement Uncertainty		60
7	Арр	endixes		61



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润畦路1号约4号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 5 of 61

2 Test Summary

2.1 NR Band n5/ NR Band n26(824~849 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	FCC: ERP ≤ 7 W	Section 1 of Appendix B.17&B.20	Pass
Peak-Average Ratio	§22.913(d)	Limit≤13 dB	Section 2 of Appendix B.17&B.20	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.17&B.20	Pass
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.17&B.20	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.17&B.20	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.17&B.20	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §22.355	±2.5ppm.	Section 7 of Appendix B.17&B.20	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet axtent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention, To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 6 of 61

2.2 NR Band n41

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	Section 1 of Appendix B.22	Pass
Peak-Average Ratio		≤13 dB	Section 2 of Appendix B.22	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.22	Pass
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, wdhere X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Section 4 of Appendix B.22	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	P kHz 9.5 MHz XMHz 10th harmonics X=Max {6MHz, EBW}	Section 5 of Appendix B.22	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	P kHz % 5 MHz X MHz 10 th harmonics X=Max {6MHz, EBW}	Section 6 of Appendix B.22	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.22	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
or email: CN Doccheck@sgs.com

or email: <u>CH.Doccheck@sgs.com</u> South of No. 6 Plant, No. 1, Runsharg Road, Suzhou holastrial Park, Suzhou Area, China (Jangsai) Pilot Firee Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业型区湾性路1号的号厂房南部 幹線: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 7 of 61

2.3 NR Band n2/ NR Band n25

SG

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Section 1 of Appendix B.16&B.18	Pass
Peak-Average Ratio	§24.232(d)	Limit≤13 dB	Section 2 of Appendix B.16&B.18	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.16&B.18	Pass
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.16&B.18	Pass
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.16&B.18	Pass
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.16&B.18	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §24.235	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.16&B.18	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plent, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, Chine (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 8 of 61

	-	-		
Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Transmitter Conducted Power Output	§2.1046, §90.635(b)	< 100 W.	Section 1 of Appendix B.19	Pass
Peak-Average Ratio		Limit≤13 dB	Section 2 of Appendix B.19	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.19	Pass
Emission Mask	§2.1051 § 90.691(a)	For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50+10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.	Section 4 of Appendix B.19	Pass
Spurious Emission at Antenna Terminals	§2.1051, §90.691	< 43 + 10Log10(P[Watts]) for all out- of-band emissions	Section 5 of Appendix B.19	Pass
Field Strength of Spurious Radiation	§2.1053, §90.691	< 43 + 10Log10(P[Watts]) for all out- of-band emissions	Section 6 of Appendix B.19	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §90.213	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.19	Pass

2.4 NR Band n26(814~824 MHz)

SG



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, save and therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 9 of 61

2.5 NR Band n30

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(a)(3)	EIRP ≤ 250mW/5MHz	Section 1 of Appendix B.21	Pass
Peak-Average Ratio		FCC: Limit≤13 dB	Section 2 of Appendix B.21	Pass
Bandwidth	§2.1049,	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.21	Pass
Band Edges Compliance	§2.1051, §27.53(a)(4)	< -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.21	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(a)(4)	 For the set of the set of the format blacket between 2305 and 2320 MHz and on all frequencies between 2305 and 2320 MHz and 2350-2360 MHz bands: (i) By a factor of not less than: 43 + 10 log (P) dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than 55 + 10 log (P) dB on all frequencies between 2324 and 2324 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2324 and 2327 MHz; (ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2328 and 2337 MHz; (ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2328 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2300 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2296 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 + 10 log (P) dB on all frequencies 	Section 5 of Appendix B.21	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gas.com/en/Terma-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at http://www.gas.com/en/Terma-and-Conditions/Terma-eDocument.aspx, Attention is drawn to the limitation of liability. Indemnification and juriadicion issued defined therein. Any holder of this document is advised that informatic contained hereon reflects the Company's lite is instructions. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test extention of the 30 of 30 o

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Holustia/ Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2308000313RG02

		Rev.: 0 [°]	1	
		Page: 10) of 61	
		between 2288 and 2292 MHz, and 70 + 10 log (P) dB below 2288 MHz;(iii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 + 10 log (P) dB above 2365 MHz.		
Field Strength of Spurious Radiation	§2.1053, §27.53(a)(4)	≤ -40dBm/MHz.	Section 6 of Appendix B.21	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	within the range of the operating frequency blocks	Section 7 of Appendix B.21	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoh taves room of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoh taves room of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou holushisia Plank, Suchou Area, China (Liangou) Pilot Fiee Taxie Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区河胜商に号的6号厂房南部 単集: 215000 t (86-512) 62992980

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 11 of 61

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP ≤ 23dBm/10MHz	Section 1 of Appendix B.23	Pass
Peak-Average Ratio	§96.41	FCC: Limit≤13 dB	Section 2 of Appendix B.23	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.23	Pass
Adjacent Channel Leakage Ratio	§96.41	the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB.	Section 4 of Appendix B.23	Pass
Band Edges Compliance	§2.1051, §96.41	for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD- assigned channel edge.	Section 5 of Appendix B.23	Pass
Spurious Emission at Antenna Terminals	§2.1051, §96.41	 for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz 	Section 6 of Appendix B.23	Pass

2.6 NR Band n48



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Rev.:

Report No.: SEWM2308000313RG02

01	
UT I	

•••		
10	of	6

		Page: 12	of 61	
		or above 3720 MHz shall not exceed -40dBm/MHz. for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz	of 61	
Field Strength of Spurious Radiation	§2.1053, §96.41	 (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3720 MHz shall not exceed -40dBm/MHz. 	Section 7 of Appendix B.23	Pass
Frequency Stability	§2.1055, §96.41	Within authorized bands of operation/ frequency block.	Section 8 of Appendix B.23	Pass



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 13 of 61

2.7 NR Band n66/ NR Band n70

SG

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.24&B.25	Pass
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB	Section 2 of Appendix B.24&B.25	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.24&B.25	Pass
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.24&B.25	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.24&B.25	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.24&B.25	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.24&B.25	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 14 of 61

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §27.50(c)(10)	ERP ≤ 3 W	Section 1 of Appendix B.26	Pass
Peak-Average Ratio		Limit≤13 dB	Section 2 of Appendix B.26	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.26	Pass
Band Edges Compliance	§2.1051, §27.53(g)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.26	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.26	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.26	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	within the authorized bands of operation.	Section 7 of Appendix B.26	Pass

2.8 NR Band n71



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Hudashia Park, Suzhou Avea, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 15 of 61

2.9 NR Band n77

3700-3980MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(j)(3)	EIRP ≤ 1W	Section 1 of Appendix B.28	Pass
Peak-Average Ratio		≤13 dB	Section 2 of Appendix B.28	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.28	Pass
Band Edges Compliance	§2.1051, §27.53(l)(2)	 (2) For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (I)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. 	Section 4 of Appendix B.28	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(l)(2)	not exceed -13 dBm/MHz.	Section 5 of Appendix B.28	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(l)(2)	not exceed -13 dBm/MHz	Section 6 of Appendix B.28	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.28	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 16 of 61

3450-3550MHz:					
Test Item	FCC Rule No.	Requirements	Test Result	Verdict	
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(k)(3)	EIRP ≤ 30dBm	Section 1 of Appendix B.27	Pass	
Peak-Average Ratio	§27.50(k)(4)	FCC: Limit≤13 dB	Section 2 of Appendix B.27	Pass	
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.27	Pass	
Band Edges Compliance	§2.1051, §27.50(n)(2)	For mobile operations in the 3450- 3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 4 of Appendix B.27	Pass	
Spurious Emission at Antenna Terminals	§2.1051, §27.50(n)(2)	For mobile operations in the 3450- 3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 5 of Appendix B.27	Pass	
Field Strength of Spurious Radiation	§2.1053, §27.50(n)(2)	For mobile operations in the 3450- 3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 6 of Appendix B.27	Pass	
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(2) §27.54	Within authorized bands of operation/ frequency block.	Section 7 of Appendix B.27	Pass	



24EO 2EEOMIL-

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 17 of 61

3 General Information

3.1 Client Information

Applicant:	Shenzhen Tinno Mobile Technology Corp.	
Address of Applicant:	27-001, South Side of Tianlong Mobile Headquarters Building, Tongfa South Road, Xili Community, Xili Street, Nanshan District, Shenzhen , PRC	
Manufacturer:	Shenzhen Tinno Mobile Technology Corp.	
Address of Manufacturer:	27-001, South Side of Tianlong Mobile Headquarters Building, Tongfa South Road, Xili Community, Xili Street, Nanshan District, Shenzhen , PRC	

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000	
Test engineer:	Levi Li, Tizzy Song	

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to exonce experise parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company have nave unaversed atteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: CM Doccheck "docs.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 18 of 61

3.4 General Description of EUT

EUT Description:	Smart Phone	Smart Phone			
Model No.:	Celero3 5G+	Celero3 5G+			
Hardware Version:	V1.0				
Software Version:	U695DSV01.01.10				
Power Supply:	Lithium Battery (3.8	35V)			
	RF Conducted		867222060002153		
IMEI:	RSE		867222065005508		
HPUE Power Class:	Class 2: NR Band	n41; NF	R Band n77		
Antenna Type:	PIFA Antenna				
	NR Band n2: -0.4dBi (Ant3)				
	NR Band n5:	-3.8dBi (Ant1)			
	NR Band n25:	NR Band n25: -0.4dBi (Ant3)			
	NR Band n26:	NR Band n26: -3.7dBi (Ant1)			
	NR Band n30: -1.0dBi (Ant3)				
	NR Band n41:	NR Band n41: -0.8dBi (Ant3)			
Antenna Gain:	NR Band n48:	NR Band n48: -0.5dBi (Ant5)			
	NR Band n66:	-1.1d	Bi (Ant3)		
	NR Band n70:	-1.7d	Bi (Ant3)		
	NR Band n71:	-2.7d	Bi (Ant1)		
	NR Band n77:	-0.4d	Bi (Ant5)		
	Note: The antenna gain are derived from the gain information report provided by the manufacturer.				
	0.8dB(Below 1GHz	<u>:</u>)	1.0dB(1.0~2.4GHz)	1.2dB(2.4~3.4GHz)	
RF Cable:	1.5dB(Above 3.4G	1.5dB(Above 3.4GHz)			
Remark:					

1. We tested the conducted power and EIRP of all antennas and only provided the worst data. Conducting other test items using the highest power port for testing.

2. As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document coment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) neares to as dos son). Attention: To check the authenticity of testing inspection procent & certificate, please contact us at telephone: (86-755) 8307 1443.	
Attention: To check the autenticity of testing inspection report a certificate, please contact us at telephone: (66-75) 6307 1443, or email: CN.Doccheck@sgs.com	

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业国区湖胜路1号的6号厂房南部 単編: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 19 of 61

3.5 Test Mode

Test Mode	Test Modes Description				
NR/TM1	NR system, DFT-s-Pi/2-BPSK modulation				
NR/TM2	NR system, DFT-s-QPSK modulation				
NR/TM3 NR system, DFT-s-16QAM modulation					
NR/TM4 NR system, DFT-s-64QAM modulation					
NR/TM5 NR system, DFT-s-256QAM modulation					
NR/TM6 NR system, CP-QPSK modulation					
NR/TM7	NR system, CP-16QAM modulation				
NR/TM8	NR system, CP-64QAM modulation				
NR/TM9 NR system, CP-256QAM modulation					
Remark: The test mode	s) are selected according to relevant radio technology specifications.				

3.6 Test Environment

Environment Paramete	er	101.0 kPa Selected Values During Tests			
Relative Humidity		44-46 % RH Ambient			
Value		Temperature(°C)	Voltage(V)		
NTNV		22~23	3.85		
LTLV		-30	3.6		
LTHV		-30	4.4		
HTLV		50	3.6		
HTHV		50	4.4		
Remark:					
NV: Normal Voltage LV: Low		Extreme Test Voltage	HV: High Extreme Test Voltage		
NT: Normal Temperature	LT: Low	Extreme Test Temperature	HT: High Extreme Test Temperature		

3.7 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Shid occument is not exonerate parties to a except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM-Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 20 of 61

3.8 Technical Specification

Characteristics	Description								
Radio System Type	🖾 SA 🖾 NSA								
	Band	Т	ТХ		RX				
	NR Band n2	1850 to 2	1850 to 1910 MHz		1990 MHz				
	NR Band n5	824 to 849 MHz		869 to	894 MHz				
	NR Band n25	1850 to	1915MHz	1930 to	1995 MHz				
	NR Band n26 (814 to 824 MHz)	814 to 8	824MHz	859 to	869 MHz				
	NR Band n26 (824 to 849 MHz)	824 to 8	349 MHz	869 to	894 MHz				
	NR Band n30	2305 to 2	2315 MHz	2350 to 2	2360 MHz				
	NR Band n41	2496 to 2	2690 MHz	2496 to 2	2690 MHz				
	NR Band n48	3550 to 3	3700 MHz	3550 to	3700 MHz				
Supported Frequency Range	NR Band n66	1710 to 7	1780 MHz	2110 to 2	2180 MHz				
	NR Band n70	1695 to 1	1710 MHz	1995 to 2	2020 MHz				
	NR Band n71	663 to 698 MHz		617 to 652 MHz					
	NR Band n77	3700 to 3	3700 to 3980 MHz		3980 MHz				
		3450 to 3	3550 MHz	3450 to	3550 MHz				
	NR CA: CA_n26A-n66A; CA ENDC: DC_2A_n5A; DC_3 DC_30A_n66A; DC DC_66A_n66A; DC DC_30A_n77A; DC DC_14A_n2A; DC_ DC_66A_n41A; Remark: ENDC& N	0A_n5A; DC_6 _5A_n2A; DC_ _2A_n2A; DC_ _12A_n77A; D 66A_n71A; DC	6A_n5A; DC_2 30A_n2A; DC_ 2A_n77A; DC_ C_14A_n77A; 2A_n71A; DC	2A_n66A; DC_ _12A_n2A; DC_ _5A_n77A; DC_ DC_14A_n66A C_2A_n41A; DC	12A_n66A; _66A_n2A; _66A_n77A; ; 2_66A_n25A;				
		SCS 15kHz:							
		⊠5 MHz	⊠10 MHz	🛛 15 MHz	20 MHz				
	NR Band n2	SCS 30kHz:							
Supported Channel		⊠10 MHz	🛛 15 MHz	⊠20 MHz					
Bandwidth		SCS 15kHz:							
	ND Dood 75	⊠5 MHz	⊠10 MHz	🛛 15 MHz	20 MHz				
	NR Band n5	SCS 30kHz:							
		⊠10 MHz	🛛 15 MHz	20 MHz					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

			Report No.: Rev.: Page:	SEWM2308 01 21 of 61	000313RG02
		SCS 15kHz:			
		🛛 5 MHz	🛛 10 MHz	🖾 15 MHz	⊠20 MHz
	ND Dand n25	🛛 25 MHz	🖂 30 MHz	⊠40 MHz	
	NR Band n25	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	25 MHz
		⊠30 MHz	🛛 40 MHz		
		SCS 15kHz:			
		⊠5 MHz	⊠10 MHz	🛛 15 MHz	20 MHz
	NR Band n26	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	
		SCS 15kHz:			
		🛛 5 MHz	🛛 10 MHz		
	NR Band n30	SCS 30kHz:			
		⊠10 MHz			
	NR Band n41	SCS 15kHz:			
		🛛 10 MHz	🛛 15 MHz	20 MHz	⊠30 MHz
		🖂 40 MHz	⊠50 MHz		
		SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	⊠30 MHz
		⊠40 MHz	⊠50 MHz	⊠60 MHz	⊠70 MHz
		🛛 80 MHz	🛛 90 MHz	⊠100 MHz	
		SCS 15kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	⊠30 MHz
		🖂 40 MHz			
	NR Band n48	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	⊠30 MHz
		🖂 40 MHz			
		SCS 15kHz:			
		⊠5 MHz	⊠10 MHz	🛛 15 MHz	20 MHz
		25 MHz	🖂 30 MHz	🖂 40 MHz	
	NR Band n66	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	25 MHz
		⊠30 MHz	⊠40 MHz		
	NR Band n70	SCS 15kHz:			
	ININ DAILU II/U	⊠5 MHz	⊠10 MHz	🛛 15 MHz	



SG:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in flui, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 30 sole. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@sgs.com

South of Na.6 Plant, No.1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000 SGS

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

			Report No.: Rev.: Page:	SEWM230 01 22 of 61	8000313RG02
		SCS 30kHz:	<u>U</u>		
		⊠10 MHz	🛛 15 MHz		
		SCS 15kHz:			
		⊠5 MHz	⊠10 MHz	🛛 15 MHz	⊠20 MHz
	NR Band n71	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	
		SCS 15kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	🛛 25 MHz
		30 MHz	⊠40 MHz	⊠50 MHz	
	NR Band n77	SCS 30kHz:			
		⊠10 MHz	🛛 15 MHz	20 MHz	25 MHz
		30 MHz	⊠40 MHz	⊠50 MHz	⊠60 MHz
		⊠70 MHz	🛛 80 MHz	⊠90 MHz	⊠100 MHz
	Remark: The SCS 1			d are tested,	but only
	showed the worst ca	DFT-s-Pi/2- BPSK	CP-16QAM		
	NR Band n2	SCS 15kHz:			
		4M46G7D	4M46W7D		
		8M92G7D	9M28W7D		
		13M4G7D	14M1W7D		
		17M9G7D	18M9W7D		
Designation of	NR Band n5	SCS 15kHz:			
Emissions (Remark: the necessary		4M46G7D	4M47W7D		
bandwidth of which is		8M92G7D	9M28W7D		
the worst value from		13M5G7D	14M2W7D		
the measured occupied bandwidths for each		17M9G7D	19M0W7D		
type of channel		SCS 15kHz:			
bandwidth		4M46G7D	4M46W7D		
configuration.)		8M94G7D	9M29W7D		
	ND Dond n25	13M4G7D	14M1W7D		
	NR Band n25	17M9G7D	19M0W7D		
		22M9G7D	23M7W7D		
		28M6G7D	28M6W7D		
		38M6G7D	38M5W7D		
	NR Band n26	SCS 15kHz:			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

of and the CHARDENT CALL STATE CONTINUE CONTINUE CONTINUE (Jargau) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6日「房南部 邮编: 215000

	Page:	
	M46W7D	23 of 61
8M90G7D 8M	M91W7D	
SCS 15kHz:		
4M46G7D 4M	M47W7D	
NR Band n26 (824 to 849 MHz) 8M93G7D 9M	M28W7D	
	4M2W7D	
17M9G7D 18	8M9W7D	
SCS 15kHz:		
NR Band n30 4M47G7D 4M	M48W7D	
8M91G7D 9N	M27W7D	
SCS 30kHz:		
8M61G7D 8N	M57W7D	
12M9G7D 13	3M6W7D	
17M9G7D 18	8M3W7D	
26M9G7D 27	7M8W7D	
NR Band n41	7M9W7D	
	7M4W7D	
57M8G7D 57	7M8W7D	
64M2G7D 67	7M6W7D	
77M1G7D 77	7M6W7D	
85M6G7D 87	7M5W7D	
96M3G7D 97	7M4W7D	
SCS 30kHz:		
8M57G7D 8M	M59W7D	
NR Band n48	3M6W7D	
17M8G7D 18	8M2W7D	
26M8G7D 27	7M9W7D	
35M7G7D 37	7M9W7D	
SCS 15kHz:		
4M46G7D 4M	M47W7D	
8M93G7D 9N	M30W7D	
NR Band n66 13M4G7D 14	4M1W7D	
17M9G7D 19	9M0W7D	
22M9G7D 23	3M7W7D	
28M6G7D 28	8M6W7D	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of Na.6 Plant, No.1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000

			Report No.: Rev.: Page:	SEWM2308000313RG02 01 24 of 61
		38M6G7D	38M6W7D	
		SCS 15kHz:		
	ND Dand n70	4M46G7D	4M47W7D	
	NR Band n70	8M90G7D	9M30W7D	
		13M4G7D	14M1W7D	
		SCS 15kHz:		
		4M46G7D	4M47W7D	
	NR Band n71	8M94G7D	9M32W7D	
		13M4G7D	14M1W7D	
		17M9G7D	18M9W7D	
		SCS 30kHz:		
		8M53G7D	8M59W7D	
		12M9G7D	13M6W7D	
		17M9G7D	18M3W7D	
	NR Band n77 (3450 to 3550 MHz)	22M8G7D	23M2W7D	
		26M9G7D	27M9W7D	
		35M9G7D	38M0W7D	
		45M8G7D	47M5W7D	
		57M9G7D	57M6W7D	
		64M1G7D	67M4W7D	
		77M0G7D	77M5W7D	
		85M7G7D	87M3W7D	
		96M6G7D	97M3W7D	
		SCS 30kHz:		
		8M54G7D	8M57W7D	
		12M8G7D	13M6W7D	
		17M9G7D	18M1W7D	
		22M8G7D	23M2W7D	
	NR Band n77	26M8G7D	27M9W7D	
	(3700 to 3980 MHz)	35M9G7D	37M8W7D	
		45M8G7D	47M4W7D	
		57M7G7D	57M8W7D	
		64M2G7D	67M4W7D	
		77M0G7D	77M4W7D	
		85M7G7D	87M5W7D	



SG:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or fasification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CM.Doccheck@ss.com

South of Na.6 Plant, No.1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000 SGS

		Report No.: Rev.: Page:	SEWM2308000313RG02 01 25 of 61
	96M4G7D	97M5W7D	

3.9 Test Frequencies

3.9.1 Reference test frequencies for NR operating band n2

3.9.1.1 Test frequencies for NR operating band n2 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]		
		Low	1932.5	386500			
	Downlink	Mid	1960	392000	15		
5		High	1987.5	397500			
5		Low	1852.5	370500			
	Uplink	Mid	1880	376000	-		
		High	1907.5	381500			
		Low	1935	387000			
	Downlink	Mid	1960	392000	15		
10		High	1985	397000			
10		Low	1855	371000			
	Uplink	Mid	1880	376000	-		
		High	1905	381000			
		Low	1937.5	387500			
	Downlink	Mid	1960	392000	15		
15		High	1982.5	396500			
15		Low	1857.5	371500			
	Uplink	Mid	1880	376000	-		
		High	1902.5	380500			
		Low	1940	388000			
	Downlink	Mid	1960	392000	15		
20		High	1980	396000			
20		Low	1860	372000			
	Uplink	Mid	1880	376000	-		
		High	1900	380000			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测能路1号约6号厂房南部 邮编: 215000

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 26 of 61

Г	ay	e.			20	01	0

CBW [MHz]	Range)	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1935	387000	
	Downlink	Mid	1960	392000	30
10		High	1985	397000	
10		Low	1855	371000	
	Uplink	Mid	1880	376000	-
		High	1905	381000	
		Low	1937.5	387500	
	Downlink	Mid	1960	392000	30
15		High	1982.5	396500	
15		Low	1857.5	371500	
	Uplink	Mid	1880	376000	1 -
		High	1902.5	380500	
		Low	1940	388000	
	Downlink	Mid	1960	392000	30
20		High	1980	396000]
		Low	1860	372000	
	Uplink	Mid	1880	376000] -
		High	1900	380000	7



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. *Aremabil* 10 Decohards of Lesting Inspection report & certificate, please contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the Sample(s) lested and such sample(s) are tables others: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Ar*

Continue Control (1997) (19

Rev.:

Report No.: SEWM2308000313RG02

	0	1
	- 17	

27 of 61

Page:

Reference test frequencies for NR operating band n5 3.9.2

SG

3.9.2.1 Test frequencies for NR operating band n5 and SCS 15 kHz

CBW [MHz]	Range	• •	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	871.5	174300	
	Downlink	Mid	881.5	176300	15
5		High	891.5	178300	
5		Low	826.5	165300	
	Uplink	Mid	836.5	167300	-
		High	846.5	169300	
		Low	874	174800	
	Downlink	Mid	881.5	176300	15
10		High	889	177800	
10		Low	829	165800	
	Uplink	Mid	836.5	167300	-
	·	High	844	168800	
		Low	876.5	175300	
	Downlink	Mid	881.5	176300	15
45		High	886.5	177300	
15		Low	831.5	166300	
	Uplink	Mid	836.5	167300	-
		High	841.5	168300	
		Low	879	175800	
	Downlink	Mid	881.5	176300	15
20		High	884	176800	
20		Low	834	166800	
	Uplink	Mid	836.5	167300	-
		High	839	167800	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

SEWM2308000313RG02

-	_	-	-		_	_	_	-	-
					\sim	 4			

Rev.: 01

Page: 28 of 61

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	874	174800	
		Mid	881.5	176300	30
10		High	889	177800	
10	Uplink	Low	829	165800	
		Mid	836.5	167300	- [
		High	844	168800	
	Downlink	Low	876.5	175300	
		Mid	881.5	176300	30
15		High	886.5	177300	
15	Uplink	Low	831.5	166300	
		Mid	836.5	167300	-
		High	841.5	168300	
	Downlink	Low	879	175800	
		Mid	881.5	176300	30
20		High	884	176800	
20	Uplink	Low	834	166800	
		Mid	836.5	167300] -
		High	839	167800	7



SG:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, http:// How how for the supervision of the supervision of the supervision of the supervision and the supervis

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Rev.:

Report No.: SEWM2308000313RG02

	0	4
	U	

29 of 61

Page:

Reference test frequencies for NR operating band n25 3.9.3

SG

3.9.3.1 Test frequencies for NR operating band n25 and SCS 15 kHz

CBW	Range		Carrier centre	Carrier centre	SS block SCS
[MHz]	J		[MHz]	[ARFCN]	[kHz]
		Low	1932.5	386500	
	Downlink	Mid	1962.5	392500	15
F		High	1992.5	398500	
5		Low	1852.5	370500	
	Uplink	Mid	1882.5	376500	-
		High	1912.5	382500	
		Low	1935	387000	
	Downlink	Mid	1962.5	392500	15
10		High	1990	398000	
10		Low	1855	371000	
	Uplink	Mid	1882.5	376500	-
		High	1910	382000	
		Low	1937.5	387500	
	Downlink	Mid	1962.5	392500	15
45		High	1987.5	397500	
15		Low	1857.5	371500	
	Uplink	Mid	1882.5	376500	
	I I	High	1907.5	381500	
		Low	1940	388000	
	Downlink	Mid	1962.5	392500	15
		High	1985	397000	
20		Low	1860	372000	
	Uplink	Mid	1882.5	376500	1.
	• P · · · · ·	High	1905	381000	
		Low	1942.5	388500	
	Downlink	Mid	1962.5	392500	15
05		High	1982.5	396500	
25		Low	1862.5	372500	
	Uplink	Mid	1882.5	376500	
		High	1902.5	380500	
		Low	1945	389000	
	Downlink	Mid	1962.5	392500	15
00		High	1980	396000	
30		Low	1865	373000	
	Uplink	Mid	1882.5	376500	1 -
		High	1900	380000	1
		Low	1950	390000	
	Downlink	Mid	1962.5	392500	15
	-	High	1975	395000	-
40		Low	1870	374000	
	Uplink	Mid	1882.5	376500	-
	оршк				
		High	1895	379000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2308000313RG02

01

Rev.: 01 30 of 61 Daga.

Pa	ge.		30	OI	C

CBW [MHz]	Range	•	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1935	387000	
10	Downlink	Mid	1962.5	392500	30
		High	1990	398000	
10		Low	1855	371000	
	Uplink	Mid	1882.5	376500	-
		High	1910	382000	
		Low	1937.5	387500	
	Downlink	Mid	1962.5	392500	30
45		High	1987.5	397500	
15		Low	1857.5	371500	
	Uplink	Mid	1882.5	376500	
	I	High	1907.5	381500	
		Low	1940	388000	
	Downlink	Mid	1962.5	392500	30
		High	1985	397000	
20		Low	1860	372000	
	Uplink	Mid	1882.5	376500	
		High	1905	381000	
	Downlink	Low	1942.5	388500	
		Mid	1962.5	392500	30
		High	1982.5	396500	
25		Low	1862.5	372500	
	Uplink	Mid	1882.5	376500	
	• F	High	1902.5	380500	-
		Low	1945	389000	
	Downlink	Mid	1962.5	392500	30
		High	1980	396000	
30		Low	1865	373000	
	Uplink	Mid	1882.5	376500	1 -
	- r	High	1900	380000	1
		Low	1950	390000	
	Downlink	Mid	1962.5	392500	30
		High	1975	395000	
40		Low	1870	374000	
	Uplink	Mid	1882.5	376500	1 -
	- F	High	1895	379000	1



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile (10 DoccheckTere com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 31 of 61

3.9.4 Reference test frequencies for NR operating band n26

3.9.4.1 Test frequencies for NR operating band n26 and SCS 15 kHz

814-824:

004 040.

SG

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	861.5	172300	
	Downlink	Mid	864	172800	15
5		High	866.5	173300	
5		Low	816.5	163300	
	Uplink	Mid	819	163800	-
		High	821.5	164300	
	Downlink	Low	/	/	
		Mid	864	172800	15
10		High	/	/	
10		Low	/	/	
	Uplink	Mid	819	163800	-
		High	/	/	

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	871.5	174300	
	Downlink	Mid	881.5	176300	15
F		High	891.5	178300	
5		Low	826.5	165300	
	Uplink	Mid	836.5	167300	-
		High	846.5	169300	
		Low	874	174800	
	Downlink	Mid	881.5	176300	15
10		High	889	177800	1
10	Uplink	Low	829	165800	
		Mid	836.5	167300	-
		High	844	168800	
		Low	876.5	175300	15
	Downlink	Mid	881.5	176300	
45		High	886.5	177300	
15		Low	831.5	166300	
	Uplink	Mid	836.5	167300	-
		High	841.5	168300	
		Low	879	175800	
	Downlink	Mid	881.5	176300	15
20		High	884	176800	
20		Low	834	166800	
	Uplink	Mid	836.5	167300	-
	•	High	839	167800	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attender to <u>Docech Hermennet</u> of Lesting/Impaction report a certificate, please contact us at telephone: (86-755) 8307 1443, Attender to <u>Docech Hermennet</u> (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 32 of 61

3.9.4.2 Test frequencies for NR operating band n26 and SCS 30 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	861.5	172300	
	Downlink	Mid	864	172800	30
F		High	866.5	173300	
5		Low	816.5	163300	
	Uplink	Mid	819	163800	-
		High	821.5	164300	
		Low	/	/	
	Downlink	Mid	864	172800	30
10		High	/	/	
10		Low	/	/	
	Uplink	Mid	819	163800	
		High	/	/	

824-849:

SG

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	874	174800	
	Downlink	Mid	881.5	176300	30
10		High	889	177800	
10		Low	829	165800	
	Uplink	Mid	836.5	167300	-
		High	844	168800	
		Low	876.5	175300	
	Downlink	Mid	881.5	176300	30
45		High	886.5	177300	
15		Low	831.5	166300	
	Uplink	Mid	836.5	167300	-
	-	High	841.5	168300	
		Low	879	175800	
	Downlink	Mid	881.5	176300	30
20		High	884	176800	
		Low	834	166800	
	Uplink	Mid	836.5	167300	-
		High	839	167800	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 33 of 61

Reference test frequencies for NR operating band n30 3.9.5

SG

3.9.5.1 Test frequencies for NR operating band n30 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2352.5	470500	
	Downlink	Mid	2355	471000	15
5		High	2357.5	471500	
5		Low	2307.5	461500	
	Uplink	Mid	2310	462000	-
		High	2312.5	462500	
		Low	2355	471000	
	Downlink	Mid	2355	471000	15
10		High	2355	471000	
10		Low	2310	462000	
	Uplink	Mid	2310	462000	-
		High	2310	462000	

3.9.5.2 Test frequencies for NR operating band n30 and SCS 30 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2355	471000	
	Downlink	Mid	2355	471000	30
10		High	2355	471000	
10		Low	2310	462000	
	Uplink	Mid	2310	462000	-
		High	2310	462000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document context parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307144 content o ne: (86-755) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

Rev.:

Report No.: SEWM2308000313RG02

01

34 of 61

Page:

3.9.6 Reference test frequencies for NR operating band n41 3.9.6.1 Test frequencies for NR operating band n41 and SCS 15 kHz

SG

Bandwidth [MHz]	Ra	nge	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	2501.01	500202	
10	&	Mid	2593.005	518601	15
	Uplink	High	2685	537000	
	Downlink	Low	2503.5	500700	
15	&	Mid	2593.005	518601	15
	Uplink	High	2682.495	536499	
	Downlink	Low	2506.005	501201	15
20	&	Mid	2593.005	518601	
	Uplink	High	2679.99	535998	
	Downlink	Low	2511	502200	
30	&	Mid	2593.005	518601	15
	Uplink	High	2674.995	534999	
	Downlink	Low	2516.01	503202	
40	&	Mid	2593.005	518601	15
	Uplink	High	2670	534000	
	Downlink	Low	2521.005	504201	
50	&	Mid	2593.005	518601	15
	Uplink	High	2664.99	532998	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the available sonty. Attention: To breek the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To breek the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

sgs.china@sgs.com

Rev.:

Report No.: SEWM2308000313RG02

01	
υı	

Page: 35 of 61

3.9.6.2 Test frequenci	es for NR operating bar	nd n41 and SCS 30 kHz

SG

Bandwidth [MHz]	Ran	ge	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	2501.01	500202	
10	&	Mid	2592.99	518598	30
	Uplink	High	2685	537000	
	Downlink	Low	2503.5	500700	
15	&	Mid	2592.99	518598	30
	Uplink	High	2682.48	536496	
	Downlink	Low	2506.02	501204	
20	&	Mid	2592.99	518598	30
	Uplink	High	2679.99	535998	
	Downlink	Low	2511	502200	
30	&	Mid	2592.99	518598	30
	Uplink	High	2674.98	534996	
	Downlink	Low	2516.01	503202	
40	&	Mid	2592.99	518598	30
	Uplink	High	2670	534000	
	Downlink	Low	2521.02	504204	
50	&	Mid	2592.99	518598	30
	Uplink	High	2664.99	532998	
	Downlink	Low	2526	505200	
60	&	Mid	2592.99	518598	30
	Uplink	High	2659.98	531996	
	Downlink	Low	2531	506200	
70	&	Mid	2592.29	518598	30
	Uplink	High	2655	531000	
	Downlink	Low	2536.02	507204	
80	&	Mid	2592.99	518598	30
	Uplink	High	2649.99	529998	
	Downlink	Low	2541	508200	
90	&	Mid	2592.99	518598	30
	Uplink	High	2644.98	528996	
	Downlink	Low	2546.01	509202	
100	&	Mid	2592.99	518598	30
	Uplink	High	2640	528000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

of and the CHARDENT CALL PROFERENCE CONTROL CONTRO CONTROL C

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 36 of 61

3.9.7 Reference test frequencies for NR operating band n48 3.9.7.1 Test frequencies for NR operating band n48 and SCS 15 kHz

SG

Bandwidth [MHz]	Ra	nge	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3555	637000	
10	&	Mid	3624.99	641666	15
	Uplink	High	3694.98	646332	
	Downlink	Low	3557.52	637168	15
15	&	Mid	3624.99	641666	
	Uplink	High	3692.49	646166	
	Downlink	Low	3560.01	637334	
20	&	Mid	3624.99	641666	15
	Uplink	High	3690	646000	
	Downlink	Low	3565.02	637668	
30	&	Mid	3624.99	641666	15
	Uplink	High	3684.99	645666	
40	Downlink	Low	3570	638000	
	&	Mid	3624.99	641666	15
	Uplink	High	3679.98	645332	

3.9.7.2 Test frequencies for NR operating band n48 and SCS 30 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3555	637000	
10	&	Mid	3624.99	641666	30
	Uplink	High	3694.98	646332	
	Downlink	Low	3557.52	637168	
15	&	Mid	3624.99	641666	30
	Uplink	High	3692.49	646166	
	Downlink	Low	3560.01	637334	
20	&	Mid	3624.99	641666	30
	Uplink	High	3690	646000	
	Downlink	Low	3565.02	637668	
30	&	Mid	3624.99	641666	30
	Uplink	High	3684.99	645666	
40	Downlink	Low	3570	638000	
	&	Mid	3624.99	641666	30
	Uplink	High	3679.98	645332	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document conson to excere the parties to a transaction from exercising all their rights and obligations under the transaction document. This document conson to exporerate parties to a transaction from exercising all their rights and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443**,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2308000313RG02

	0	1
	- U	

Rev.:

Page: 37 of 61

3.9.8 Reference test frequencies for NR operating band n66

SG

3.9.8.1 Test frequencies for NR operating band n66 and SCS 15 kHz

CBW	Range		Carrier centre	Carrier centre	SS block SCS
[MHz]			[MHz]	[ARFCN]	[kHz]
		Low	2112.5	422500	
	Downlink	Mid	2145	429000	15
5		High	2177.5	435500	
5		Low	1712.5	342500	
	Uplink	Mid	1745	349000	-
		High	1777.5	355500	
		Low	2115	423000	
	Downlink	Mid	2145	429000	15
10		High	2175	435000	
10		Low	1715	343000	
	Uplink	Mid	1745	349000	-
		High	1775	355000	
		Low	2117.5	423500	
	Downlink	Mid	2145	429000	15
45		High	2172.5	434500	1
15		Low	1717.5	343500	
	Uplink	Mid	1745	349000	-
	·	High	1772.5	354500	1
		Low	2120	424000	15
	Downlink	Mid	2145	429000	
		High	2170	434000	
20		Low	1720	344000	
	Uplink	Mid	1745	349000	
	- 1	High	1770	354000	
		Low	2122.5	424500	
	Downlink	Mid	2145	429000	15
		High	2167.5	433500	
25		Low	1722.5	344500	
	Uplink	Mid	1745	349000	- 1
		High	1767.5	353500	1
		Low	2125	425000	
	Downlink	Mid	2145	429000	15
	-	High	2165	433000	-
30		Low	1725	345000	
	Uplink	Mid	1745	349000	1 -
	- F	High	1765	353000	1
		Low	2130	426000	
	Downlink	Mid	2145	429000	15
	Dominin	High	2143	432000	
40					
	L In Back	Low	1730	346000	-
	Uplink	Mid	1745	349000	
		High	1760	352000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2308000313RG02

01	
0.1	

Rev.: 38 of 61 Doue.

Г	aye.		30	U
-				

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2115	423000	
10	Downlink	Mid	2145	429000	15
		High	2175	435000	
10 -		Low	1715	343000	
	Uplink	Mid	1745	349000	-
	·	High	1775	355000	
		Low	2117.5	423500	
	Downlink	Mid	2145	429000	15
4 5		High	2172.5	434500	
15		Low	1717.5	343500	
	Uplink	Mid	1745	349000	-
	·	High	1772.5	354500	
		Low	2120	424000	
	Downlink	Mid	2145	429000	15
		High	2170	434000	-
20		Low	1720	344000	
	Uplink	Mid	1745	349000	-
		High	1770	354000	1
		Low	2122.5	424500	
	Downlink		429000	15	
25		High	2167.5	433500	
25		Low	1722.5	344500	
	Uplink	Mid	1745	349000	-
	·	High	1767.5	353500	
		Low	2125	425000	
	Downlink	Mid	2145	429000	15
20		High	2165	433000	
30		Low	1725	345000	
	Uplink	Mid	1745	349000	-
		High	1765	353000	1
		Low	2130	426000	
	Downlink	Mid	2145	429000	15
		High	2160	432000	1
40		Low	1730	346000	
	Uplink	Mid	1745	349000	1.
	Opinin	High	1743	352000	-



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi*: A Doce here you festing fingescion report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi*: A Doce here you festing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SEWM2308000313RG02

01

Rev.:

Page: 39 of 61

Reference test frequencies for NR operating band n70 3.9.9

SG

3.9.9.1 Test frequencies for NR operating band n70 and SCS 15 kHz

Bandwidth [MHz]	Rang	9	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1997.5	399500	
	Downlink	Mid	2002.5	400500	15
5		High	2007.5	401500	
5		Low	1697.5	339500	
	Uplink	Mid	1702.5	340500	
		High	1707.7	341500	
		Low	2000	400000	
	Downlink	Mid	2002.5	400500	15
10		High	2005	401000	
10		Low	1700	340000	
	Uplink	Mid	1702.5	340500	
		High	1705	341000	
		Low	/	/	
	Downlink	Mid	2002.5	400500	15
15		High	/	/	
15	15 Uplink	Low	/	/	
		Mid	1702.5	340500	
		High	/	/	

3.9.9.2 Test frequencies for NR operating band n70 and SCS 30 kHz

Bandwidth [MHz]	Rang	e	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2000	400000	
	Downlink	Mid	2002.5	400500	30
10		High	2005	401000	
10	Uplink	Low	1700	340000	
		Mid	1702.5	340500	
		High	1705	341000	
		Low	/	/	
	Downlink	Mid	2002.5	400500	30
4.5		High	/	/	
15		Low	/	/	
	Uplink	Mid	1702.5	340500	
		High	/	/	



is otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p baf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format docur ct to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format docur to to is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this docurn ed that information contained hereon reflects the Company's findings at the time of its intervention only and within the lin 's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partie action from exercising all their rights and obligations under the transaction documents. This document does not exonerate partie arance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise is shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. <u>Built CN Doceberk/Bress</u>, and <u>and company is and such as a protect</u> at at leipshone: (86-755) 8307 except in content o appearan ne: (86-755) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Rev.:

Report No.: SEWM2308000313RG02

01

40 of 61

Page:

3.9.10 Reference test frequencies for NR operating band n71

SG

3.9.10.1 Test frequencies for NR operating band n71 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	619.5	123900	
	Downlink	Mid	634.5	126900	15
5		High	649.5	129900	
5		Low	665.5	133100	
	Uplink	Mid	680.5	136100	
		High	695.5	139100	
		Low	622	124400	
	Downlink	Mid	634.5	126900	15
10		High	647	129400	1
10		Low	668	133600	
	Uplink	Mid	680.5	136100	- 1
		High	693	138600	
		Low	624.5	124900	
	Downlink	Mid	634.5	126900	15
4 5		High	644.5	128900	
15		Low	670.5	134100	
	Uplink	Mid	680.5	136100	- 1
	-	High	690.5	138100	
		Low	627	125400	
	Downlink	Mid	634.5	126900	15
00		High	642	128400	1
20		Low	673	134600	
	Uplink	Mid	680.5	136100	1 -
		High	688	137600	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the as otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

01	

Rev.: 01 Page: 41 of 61

CBW [MHz]	Range)	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	622	124400	
	Downlink	Mid	634.5	126900	30
10		High	647	129400	
10		Low	668	133600	
	Uplink	Mid	680.5	136100	-
		High	693	138600	1
		Low	624.5	124900	
	Downlink	Mid	634.5	126900	30
15		High	644.5	128900	
15		Low	670.5	134100	
	Uplink	Mid	680.5	136100	- 1
		High	690.5	138100	
		Low	627	125400	
	Downlink	Mid	634.5	126900	30
20		High	642	128400	
20		Low	673	134600	
	Uplink	Mid	680.5	136100	-
	·	High	688	137600]



SGS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, http://www.setup.astentee

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980

Rev.:

Report No.: SEWM2308000313RG02

01

Page: 42 of 61

3.9.11 Reference test frequencies for NR operating band n77

3.9.11.1 Test frequencies for NR operating band n77 and SCS 15 kHz

2700	-3980:
- 3700	- SYXII'
0100	

SG

CBW [MHz]	Range	1	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3840	656000	15
	Uplink	High	3975	665000	
	Downlink	Low	3707.52	647168	
15	&	Mid	3840	656000	15
	Uplink	High	3972.48	664832	
	Downlink	Low	3710.01	647334	
20	&	Mid	3840	656000	15
	Uplink	High	3969.99	664666	
	Downlink	Low	3712.515	647501	
25	&	Mid	3840	656000	15
	Uplink	High	3967.485	664499	
	Downlink	Low	3714.99	647666	
30	&	Mid	3840	656000	15
	Uplink	High	3965.01	664334	
	Downlink	Low	3720	648000	
40	40 &	Mid	3840	656000	15
	Uplink	High	gh 3960 664000	1	
	Downlink Low 372	3725.01	648334		
50	&	Mid	3840	656000	15
	Uplink	High	3954.99	663666	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document tage not excered the partice of the content or atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Part, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏器(号的6号厂店南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 43 of 61

CBW [MHz]	Range	•	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	15
	Uplink	High	3545.01	636334	
	Downlink	Low	3457.5	630500	
15	&	Mid	3500.01	633334	15
	Uplink	High	3542.49	636166	
	Downlink	Low	3460.02	630668	
20	&	Mid	3500.01	633334	15
	Uplink	High	3540	636000	
	Downlink	Low	3462.51	630834	
25	&	Mid	3500.01	633334	15
	Uplink	High	3537.51	635834	
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	15
	Uplink	High	3534.99	635666	
	Downlink	Downlink Low 3470.01	3470.01	631334	
40	&	Mid	3500.01	633334	15
	Uplink	High	3530.01	635334	
	Downlink	Low	3475.02	631668	
50	&	Mid	3500.01	633334	15
	Uplink	High	3525	635000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

 South of No. 6 Plant, Mo. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Plut Fiee Trade Zone
 21 50000
 t (86-中国・苏州・中国(江苏)自由貿易試量区苏州片区苏州工业団区測胜路号約6号厂房南部 邮编: 21 50000
 t (86

Rev.:

Report No.: SEWM2308000313RG02

01

01

Page: 44 of 61

3.9.11.2 Test frequencies for NR operating band n77 and SCS 30 kHz

27	nn	-39	0	Λ.
37	υu		O	U.

SG

CBW [MHz]	Range	•	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3840	656000	30
	Uplink	High	3975	665000	
	Downlink	Low	3707.52	647168	
15	&	Mid	3840	656000	30
	Uplink	High	3972.48	664832	
	Downlink	Low	3710.01	647334	
20	&	Mid	3840	656000	30
	Uplink	High	3969.99	664666	
	Downlink	Low	3712.515	647501	
25	&	Mid	3840	656000	30
	Uplink	High	3967.485	664499	
	Downlink	Low	3714.99	647666	
30	&	Mid	3840	656000	30
	Uplink	High	3965.01	664334	
	Downlink	Low	3720	648000	30
40	&	Mid	3840	656000	
	Uplink	High	3960	664000	
	Downlink	Low	3725.01	648334	
50	&	Mid	3840	656000	30
	Uplink	High	3954.99	663666	
	Downlink	Low	3730.02	648668	
60	&	Mid	3840	656000	30
	Uplink	High	3949.98	663332	
	Downlink	Low	3735	649000	
70	&	Mid	3840	656000	30
	Uplink	High	3945	663000	
	Downlink Low 374	3740.01	649334		
80	&	Mid	3840	656000	30
	Uplink	High	3939.99	662666	
	Downlink	Low	3745.02	649668	
90	&	Mid	3840	656000	30
	Uplink	High	3934.98	662332	1
	Downlink	Low	3750	650000	
100	&	Mid	3840	656000	30
	Uplink	High	3930	662000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 45 of 61

CBW [MHz]	Range	•	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	30
	Uplink	High	3545.01	636334	
	Downlink	Low	3457.5	630500	
15	&	Mid	3500.01	633334	30
	Uplink H	High	3542.49	636166	
	Downlink	Low	3460.02	630668	
20	&	Mid	3500.01	633334	30
	Uplink	High	3540	636000	
	Downlink	Low	3462.51	630834	
25	&	Mid	3500.01	633334	30
	Uplink	High	3537.51	635834	1
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	30
	Uplink	High	3534.99	635666	
	Downlink	Low	3470.01	631334	
40	&	Mid	3500.01	633334	30
	Uplink	High	3530.01	635334	
	Downlink	Low	3475.02	631668	
50	&	Mid	3500.01	633334	30
	Uplink	High	3525	635000	
	Downlink	Low	3480	632000	
60	&	Mid	3500.01	633334	30
	Uplink	High	3519.99	634666	1
	Downlink	Low	3485.01	632334	
70	&	Mid	3500.01	633334	30
-	Uplink	High	3515.01	634334	-
	Downlink	Low	3490.02	632668	
80	&	Mid	3500.01	633334	30
50	Uplink	High	3510	634000	
	Downlink	Low	3495	633000	
90	&	Mid	3500.01	633334	30
	Uplink	High	3504.99	633666	
	Downlink	Low	\		
100	&	Mid	3500.01	633334	30
100	Uplink	High	\	\	- ~~



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Attention: Desch Handerson of Jesting inspection report à certificate, please contact us at telehome: (86-75) 8307 1443, Attention: Desch Handerson (90 testing inspection report à certificate, please contact us at telehome: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 46 of 61

4 Description of Tests

S

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.2.1

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Diless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: <u>Deteck the authenticity of testing finspection report & certificate, please contact us at telephone</u>: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Plank, Suzhou Area, Chine (Jiangsu) Plink Fiee Trade Zone 215000 t (86-512) 629929800 中国・苏州・中国(江苏)自由貿易试验区苏州厂区苏州工业団区洞路路1号的6号厂房南部 解编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 47 of 61

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8.4 Calculate power in dBm by the following formula: ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd) EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi) EIRP=ERP+2.15dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised to Terms on the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document conson excentere parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor rolly to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

 South of No. 6 Plant, Mo. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Pliot Free Trade Zone
 215000
 t (86-512) 62992980

 中国・苏州・中国(江苏)自由民勇试道区苏州上区苏州工业园区调胜路1号的号厂房南都
 戦場:
 215000
 t (86-512) 62992980

www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 48 of 61

4.3 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2 & 4.3

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client accounted to the sole of the exponent cannot be reproduced except in fail, without prior witen approved of the Company. Any unautorize fullestion, forger is failed on of the content or results shown in this test report refer only do the Company (a) best ad auch sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at leephone: (86-755) 8307 1443, or email: Check the authenticity of testing /inspection report & certificate, please contact us at leephone: (86-755) 8307 1443, or email:

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 49 of 61

4.4 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to peak or peak hold power.

Remark: Reference test setup 1

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- VBW ≥ 3 x RBW
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document connect to any personal of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at theephone; (66-755) 83071443

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jangsu) Plot Fiee Trade Zone 215000 t (66-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州厂区苏州工业园区周범路1号的6号厂房南部 邮编: 215000 t (66-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 50 of 61

4.5 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

1. Start frequency was set to 9kHz and stop frequency was set to at least 10* the fundamental frequency(Separated into at least two plots per channel)

- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissinos, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unaktifue and for the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unaktifue and of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing function and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Avez, China (Jiangsu) Pikol Free Trade Zone 215000 th 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润盖路1号约6号厂房南部 邮编: 215000 th

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 51 of 61

4.6 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.2

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documenta, subject to the service printed for the service printed and service printed service printed

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 52 of 61

4.7 Field Strength of Spurious Radiation

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8

Below 1GHz test procedure as below:

- 1). The EUT was powered ON and placed on a 80cm high table in the chamber. The antenna of the transmitter was extended to its maximum length.
- 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4). Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- 5). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- Repeat above procedures until all frequencies measured was complete.
 E (dBμV/m) = Measured amplitude level (dBμV) + (Cable Loss (dB) + Antenna Factor (dB/m) AMP(dB))
 EIRP (dBm) = E (dBμV/m) + 20 log D 104.8; where D is the measurement distance in meters

Above 1GHz test procedure as below:

- Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber
- 2) Calculate power in dBm by the following formula:
 E (dBµV/m) = Measured amplitude level (dBµV) + (Cable Loss (dB) + Antenna Factor (dB/m) AMP(dB))
 EIRP (dBm) = E (dBµV/m) + 20 log D 104.8; where D is the measurement distance in meters
- 3). Test the EUT in the lowest channel, the middle channel the Highest channel
- 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 5). Repeat above procedures until all frequencies measured was complete

Remark1: Reference test setup 2

Remark2: The emission below 18G were measured at a 3m test distance, while emissions above 18GHz were measured at a 1m test distance. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Remark: Reference test setup 2

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics

had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) All modes have been tested, but only the worst case data displayed in this report.



Inless otherwise agreed in writing, this document is issued by the Company subje	ect to its General Conditions of Service printed
verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Cond	
ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en	
ttention is drawn to the limitation of liability, indemnification and jurisdiction issues	
dvised that information contained hereon reflects the Company's findings at the tim	ne of its intervention only and within the limits of
client's instructions, if any. The Company's sole responsibility is to its Client and	
ransaction from exercising all their rights and obligations under the transaction do	
except in full, without prior written approval of the Company. Any unauthorized alter	
ppearance of this document is unlawful and offenders may be prosecuted to the fulle	
esults shown in this test report refer only to the sample(s) tested and such sample(s) ar	re retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, ple	ase contact us at telephone: (86-755) 8307 1443
or email: CN.Doccheck@sgs.com	
	. /

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.c t (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 53 of 61

4.8 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01 Section 9

The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document connect to the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Inless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, please contact us at telephone: (86-755) 83071443

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000


 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 54 of 61

4.9 Test Setups

4.9.1 Test Setup 1






 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 55 of 61

4.9.3 Test Setup 3





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Plich Fees Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区调胜路1号的6月厂房南都 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 56 of 61

4.10 Test Conditions

	Transmit Output Power Data - Average Power, Total	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)	
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5	
	Peak-to-Average Ratio	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)	
Test Mode	NR/TM5; NR/TM9	
	Bandwidth - Occupied Bandwidth	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	M (M= middle channel)	
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5; NR/TM6; NR/TM7; NR/TM8; NR/TM9	
	Bandwidth - Emission Bandwidth	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	M (M= middle channel)	
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5; NR/TM6; NR/TM7; NR/TM8; NR/TM9	
	Band Edges Compliance	
Test Case	Test Conditions	
Test Environment	Ambient Climate & Rated Voltage	
Test Setup	Test Setup 1	
RF Channels (TX)	L, H (L= low channel, H= high channel)	
Test Mode	NR/TM1; NR/TM6	
	Spurious Emission at Antenna Terminals	
Test Case	Test Conditions	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. For the company subject to the second therein. Any holder of this documents at divised that information contained herein referse the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawill and offenders may be prosecuted to the fullest extent of the law longer states the results shown in this test report refer only to the sample(s) itested and such sample(s) are relatined for 30 days only. Comment us at the sample(s) or lesting inspection report a certificate, please contact us at telephone: (86-75) 8307 1443, Standtke/Refut, h.Rusegravad, show hadded park, show here Take, and where Take 215000 t (86-512) 62992980 www.segroup.com.cn

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

		Report No.: Rev.:	SEWM2308000313RG02 01	
		Page:	57 of 61	
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 1			
RF Channels (TX)	L, M, H (L= low channel, M= middle cha	nnel, H= high c	channel)	
Test Mode	NR/TM1			
	Field Strength of Spurious	s Radiation		
Test Case	Test	Conditions		
Test Environment	Ambient Climate & Rated Voltage			
Test Setup	Test Setup 2			
RF Channels (TX)	L, M, H (L= low channel, M= middle cha	nnel, H= high c	channel)	
Test Mode	NR/TM1 Remark: All bandwidth and modulation of worst results are reflected in the report.	of NR have bee	en pre tested, and only the	
	Frequency Stabil	ity		
Test Case	Test	Conditions		
Test Environment	(1) -30 °C to +50 °C with step 10 °C at Rated Voltage			
Test Environment	(2) VL, VN and VH of Rated Voltage at A	Ambient Climat	е.	
Test Setup	Test Setup 3			
RF Channels (TX)	M (M= middle channel)			
Test Mode	NR/TM1; NR/TM6			
	The report only show the bandwidth with	n the worst case	е.	



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No.6 Plant, No.1, Ransteng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jaingsu) Plof Free Trade Zone 215000 t (中国・苏州・中国(江苏)自由贸易试验区苏州川区苏州工业园区周囲路1号的6月厂房南部 戦場: 215000 t (

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 58 of 61

5 Main Test Instruments

SG

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2023/05/11	2024/05/10
Measurement Software	Tonscend	JS1120-3 Test System V 2.6.88.0336	SUWI-02-09-09	NCR	NCR
Radio Communication Analyzer	Anritsu	MT8821C	SUWI-01-26-03	2022/11/23	2023/11/22
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05
Wideband Radio Communication Test Ststion	Anritsu	MT8000A	SUWI-01-34-02	2023/09/12	2024/09/11
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law content such as the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria/ Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 卸编: 215000

			Report No. Rev.: Page:	: SEWM23080 01 59 of 61	00313RG02
RSE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-02	2021/11/25	2024/11/24
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-13	2023/02/07	2024/02/06
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-06	2022/11/23	2023/11/22
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9168	SUWI-01-11-04	2021/12/05	2023/12/04
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-05	2021/12/05	2023/12/04
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12
Amplifier	Tonscend	TAP9K3G32	SUWI-01-14-06	2022/11/23	2023/11/22
Amplifier	Tonscend	TAP01018050	SUWI-01-14-04	2022/11/23	2023/11/22
Amplifier	Tonscend	TAP30M7G30	SUWI-01-14-05	2022/11/23	2023/11/22
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05
Radio Communication Analyzer	Anritsu	MT8821C	SUWI-01-26-03	2022/11/23	2023/11/22
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2023/02/06	2024/02/05
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR



SG:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM Doccheck@ses.com

South of Na.6 Plant, No.1, Runsheng Read, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的45厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 60 of 61

6 Measurement Uncertainty

S

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
		± 3.13dB (9k -30MHz)
7	Redicted Emission	± 4.88dB (30M -1GHz)
7 Ra	Radiated Emission —	± 4.75dB (1GHz to 18GHz)
		± 4.77dB (Above 18GHz)

The U_{lab} (lab Uncertainty) is less than $U_{cispt/ETSI}$ (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

– non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attention taken to the instance of the instance of the subject of

South of No. 6 Pant, No. 1, Runsheng Road, Starbou Industria Pank, Starbou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2308000313RG02

 Rev.:
 01

 Page:
 61 of 61

7 Appendixes

Appendix A.3	WWAN Setup Photos
Appendix B.16	NR Band n2
Appendix B.17	NR Band n5
Appendix B.18	NR Band n25
Appendix B.19	NR Band n26(814-824)
Appendix B.20	NR Band n26(824-849)
Appendix B.21	NR Band n30
Appendix B.22	NR Band n41
Appendix B.23	NR Band n48
Appendix B.24	NR Band n66
Appendix B.25	NR Band n70
Appendix B.26	NR Band n71
Appendix B.27	NR Band n77(3450-3550)
Appendix B.28	NR Band n77(3700-3980)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) testend and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区调胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com