



The Photos of SAR test

No. I21Z60214-SEM01

For

Shenzhen Tinno Mobile Technology Corp.

4G MIFI

Model Name: UM200AA

with

Hardware Version: V1.0

Software Version: UM200AA01.20.10

FCC ID: XD6UM200AA

Issued Date: 2021-2-27

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



Picture - 1 Constituents of the sample

Test positions for body:


The Body SAR is tested at the following 9 test positions all with the distance =17mm /19mm and 5mm between the EUT and the phantom bottom:




Picture 1 Front 5mm




Picture 2 Rear 5mm




Picture 3 Left 5mm



Picture 4 Bottom 5mm




Picture 5 Top 5mm




Picture6 Front 17mm



Picture 7 Rear 17mm



Picture 8 left 19mm



Picture 9 Front USB 5mm