



# The Photos of SAR test

No. I21Z60407-SEM01

For

**Shenzhen Tinno Mobile Technology Corp.**

**4G MIFI**

**Model Name: UM200AA**

with

**Hardware Version: V1.2**

**Software Version: UM200AA V01.64.10**

**FCC ID: XD6UM200AA**

**Issued Date: 2021-3-3**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

**CTTL-Telecommunication Technology Labs, CAICT**

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



**Picture - 1 Constituents of the sample**

**Test positions for body:**


The Body SAR is tested at the following 9 test positions all with the distance =17mm /19mm and 5mm between the EUT and the phantom bottom:




**Picture 1 Front 5mm**



**Picture 2 Rear 5mm**




Picture 3 Left 5mm



Picture 4 Bottom 5mm






**Picture 5 Top 5mm**




**Picture6 Front 17mm**



**Picture 7 Rear 17mm**



**Picture 8 left 19mm**



**Picture 9 Front USB 5mm**