



Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:02:52

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:03:18



Middle



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:03:41

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:04:01

Highest



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:04:22

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:04:51



Occupied Bandwidth

Channel

15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:06:47

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:07:14



Middle



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:07:36

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:08:12

Highest



ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:08:33

ProjectNo.:DG1240227-09527E Tester:Loge Long
Date: 21.MAR.2024 14:09:00

Occupied Bandwidth

Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.500800 GHz</td> <td>-11.68 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5010579 GHz</td> <td>11.22 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.519022 GHz</td> <td>9.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>20.0 MHz</td> <td>0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:10:01</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.500800 GHz	-11.68 dBm			T1	1		2.5010579 GHz	11.22 dBm	Occ Bw	17.964071856 MHz	T2	1		2.519022 GHz	9.56 dBm			D1	M1	1	20.0 MHz	0.03 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.500320 GHz</td> <td>-12.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5010579 GHz</td> <td>9.55 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.5191018 GHz</td> <td>6.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.76 MHz</td> <td>-0.42 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:10:22</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.500320 GHz	-12.07 dBm			T1	1		2.5010579 GHz	9.55 dBm	Occ Bw	18.043912176 MHz	T2	1		2.5191018 GHz	6.89 dBm			D1	M1	1	19.76 MHz	-0.42 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.500800 GHz	-11.68 dBm																																																																				
T1	1		2.5010579 GHz	11.22 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.519022 GHz	9.56 dBm																																																																				
D1	M1	1	20.0 MHz	0.03 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.500320 GHz	-12.07 dBm																																																																				
T1	1		2.5010579 GHz	9.55 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		2.5191018 GHz	6.89 dBm																																																																				
D1	M1	1	19.76 MHz	-0.42 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.5251600 GHz</td> <td>-11.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.525978 GHz</td> <td>10.30 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.5439421 GHz</td> <td>10.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.6 MHz</td> <td>-0.43 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:10:46</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.5251600 GHz	-11.23 dBm			T1	1		2.525978 GHz	10.30 dBm	Occ Bw	17.964071856 MHz	T2	1		2.5439421 GHz	10.02 dBm			D1	M1	1	19.6 MHz	-0.43 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.52624 GHz</td> <td>-13.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5260579 GHz</td> <td>10.13 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.544022 GHz</td> <td>9.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.68 MHz</td> <td>-0.64 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:11:10</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.52624 GHz	-13.10 dBm			T1	1		2.5260579 GHz	10.13 dBm	Occ Bw	17.964071856 MHz	T2	1		2.544022 GHz	9.52 dBm			D1	M1	1	19.68 MHz	-0.64 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.5251600 GHz	-11.23 dBm																																																																				
T1	1		2.525978 GHz	10.30 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.5439421 GHz	10.02 dBm																																																																				
D1	M1	1	19.6 MHz	-0.43 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.52624 GHz	-13.10 dBm																																																																				
T1	1		2.5260579 GHz	10.13 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.544022 GHz	9.52 dBm																																																																				
D1	M1	1	19.68 MHz	-0.64 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.5502400 GHz</td> <td>-11.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>9.28 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.569022 GHz</td> <td>10.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.6 MHz</td> <td>0.53 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:11:47</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.5502400 GHz	-11.01 dBm			T1	1		2.5510579 GHz	9.28 dBm	Occ Bw	17.964071856 MHz	T2	1		2.569022 GHz	10.13 dBm			D1	M1	1	19.6 MHz	0.53 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.550080 GHz</td> <td>-11.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.5510579 GHz</td> <td>7.99 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.569022 GHz</td> <td>8.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.6 MHz</td> <td>0.10 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 14:12:11</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.550080 GHz	-11.60 dBm			T1	1		2.5510579 GHz	7.99 dBm	Occ Bw	17.964071856 MHz	T2	1		2.569022 GHz	8.90 dBm			D1	M1	1	19.6 MHz	0.10 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.5502400 GHz	-11.01 dBm																																																																				
T1	1		2.5510579 GHz	9.28 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.569022 GHz	10.13 dBm																																																																				
D1	M1	1	19.6 MHz	0.53 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		2.550080 GHz	-11.60 dBm																																																																				
T1	1		2.5510579 GHz	7.99 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		2.569022 GHz	8.90 dBm																																																																				
D1	M1	1	19.6 MHz	0.10 dB																																																																				

Spurious Emissions at Antenna Terminal

Channel	5MHz Bandwidth QPSK	
Lowest	<p>Ref Level 0.00 dBm Offset 7.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max M1[1] -49.76 dBm 981.60 MHz</p> <p>D1 -25.000 dBm</p> <p>Start 30.0 MHz 501 pts Stop 1.0 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:24:54</p>	<p>Ref Level 30.00 dBm Offset 7.50 dB RBW 1 MHz Att 35 dB SWT 102 ms VBW 3 MHz Mode Sweep</p> <p>1Pk Max M1[1] -30.06 dBm 6.2170 GHz</p> <p>D1 -25.000 dBm</p> <p>Start 1.0 GHz 501 pts Stop 26.5 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:25:16</p>
Middle	<p>Ref Level 0.00 dBm Offset 7.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max M1[1] -49.68 dBm 619.60 MHz</p> <p>D1 -25.000 dBm</p> <p>Start 30.0 MHz 501 pts Stop 1.0 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:25:49</p>	<p>Ref Level 30.00 dBm Offset 7.50 dB RBW 1 MHz Att 35 dB SWT 102 ms VBW 3 MHz Mode Sweep</p> <p>1Pk Max M1[1] -30.13 dBm 6.8280 GHz</p> <p>D1 -25.000 dBm</p> <p>Start 1.0 GHz 501 pts Stop 26.5 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:26:07</p>
Highest	<p>Ref Level 0.00 dBm Offset 7.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max M1[1] -49.65 dBm 855.80 MHz</p> <p>D1 -25.000 dBm</p> <p>Start 30.0 MHz 501 pts Stop 1.0 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:26:36</p>	<p>Ref Level 30.00 dBm Offset 7.50 dB RBW 1 MHz Att 35 dB SWT 102 ms VBW 3 MHz Mode Sweep</p> <p>1Pk Max M1[1] -28.85 dBm 6.9810 GHz</p> <p>D1 -25.000 dBm</p> <p>Start 1.0 GHz 501 pts Stop 26.5 GHz</p> <p>ProjectNo.:DG1240227-09527E Tester:Loge Long Date: 21.MAR.2024 20:26:58</p>