


Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5803.1000	81.06	16.09	97.15	122.20	-25.05	Peak	No Limit
2	5850.0000	35.17	16.00	51.17	122.20	-71.03	Peak	
3	5860.0000	33.21	15.98	49.19	109.40	-60.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11588.6100	37.09	9.84	46.93	74.00	-27.07	Peak	
2 *	11594.7100	27.08	9.84	36.92	54.00	-17.08	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	28.800	17.200
40	5200	26.899	17.200
48	5240	24.889	17.100

CH36




Date: 14.JUL.2022 15:11:38

CH40
26 dB Bandwidth




Date: 14.JUL.2022 15:12:50

CH48




Date: 14.JUL.2022 15:14:15


99 % Occupied Bandwidth



Date: 14.JUL.2022 15:11:03



Date: 14.JUL.2022 15:12:05




Date: 14.JUL.2022 15:13:19

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	29.390	18.200
40	5200	30.000	18.100
48	5240	27.949	18.000

CH36




Date: 14.JUL.2022 16:20:58

CH40 26 dB Bandwidth




Date: 14.JUL.2022 16:22:14

CH48




Date: 14.JUL.2022 16:25:12


99 % Occupied Bandwidth



Date: 14.JUL.2022 16:20:16



Date: 14.JUL.2022 16:22:10




Date: 14.JUL.2022 16:25:06

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	74.300	37.600
46	5230	76.990	37.400

CH38




Date: 14.JUL.2022 17:04:31

CH46 26 dB Bandwidth




Date: 14.JUL.2022 17:09:45



Date: 14.JUL.2022 17:03:47

99 % Occupied Bandwidth




Date: 14.JUL.2022 17:09:00

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.950	17.200
60	5300	24.850	17.100
64	5320	24.290	17.000

CH52




Date: 14.JUL.2022 15:15:32

CH60
26 dB Bandwidth




Date: 14.JUL.2022 15:17:32

CH64




Date: 14.JUL.2022 15:19:04


99 % Occupied Bandwidth



Date: 14.JUL.2022 15:14:54



Date: 14.JUL.2022 15:16:50




Date: 14.JUL.2022 15:18:14

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	28.200	18.000
60	5300	25.790	18.000
64	5320	27.499	18.000

CH52




Date: 14.JUL.2022 16:30:45

CH60 26 dB Bandwidth




Date: 14.JUL.2022 16:36:42

CH64




Date: 14.JUL.2022 16:37:48


99 % Occupied Bandwidth



Date: 14.JUL.2022 16:30:06



Date: 14.JUL.2022 16:35:57




Date: 14.JUL.2022 16:37:11

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	69.196	37.200
62	5310	67.988	37.200

CH54




Date: 14.JUL.2022 17:11:46

CH62 26 dB Bandwidth




Date: 14.JUL.2022 17:14:24



Date: 14.JUL.2022 17:11:46

99 % Occupied Bandwidth




Date: 14.JUL.2022 17:12:52

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.450	17.100
116	5580	25.150	17.100
140	5700	20.950	17.000

CH100




Date: 14.JUL.2022 15:20:16

CH116 26 dB Bandwidth




Date: 14.JUL.2022 15:21:28

CH140




Date: 14.JUL.2022 15:22:52


99 % Occupied Bandwidth



Date: 14.JUL.2022 15:19:38



Date: 14.JUL.2022 15:20:42




Date: 14.JUL.2022 15:22:03

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.700	17.900
116	5580	24.100	17.900
140	5700	23.099	17.800

CH100




Date: 14.JUL.2022 16:39:00

CH116
26 dB Bandwidth




Date: 14.JUL.2022 16:40:09

CH140




Date: 14.JUL.2022 16:41:46


99 % Occupied Bandwidth



Date: 14.JUL.2022 16:39:11



Date: 14.JUL.2022 16:39:28




Date: 14.JUL.2022 16:41:02

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	74.300	37.200
110	5550	75.098	37.400
134	5670	54.205	37.000

CH102




Date: 14.JUL.2022 17:15:51

CH110
26 dB Bandwidth




Date: 14.JUL.2022 17:18:01

CH134




Date: 14.JUL.2022 17:21:39


99 % Occupied Bandwidth



Date: 14.JUL.2022 17:15:17



Date: 14.JUL.2022 17:17:13




Date: 14.JUL.2022 17:20:25

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.450	16.900	0.5	Complies
157	5785	15.690	17.100	0.5	Complies
165	5825	15.650	17.000	0.5	Complies

CH149




Date: 14.JUL.2022 15:24:21

**CH157
6 dB Bandwidth**




Date: 14.JUL.2022 15:26:30

CH165




Date: 14.JUL.2022 15:27:47


99 % Occupied Bandwidth



Date: 14.JUL.2022 15:23:31



Date: 14.JUL.2022 15:25:41




Date: 14.JUL.2022 15:26:58

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.250	17.900	0.5	Complies
157	5785	15.200	18.000	0.5	Complies
165	5825	15.400	18.000	0.5	Complies

CH149




Date: 14.JUL.2022 16:43:03

**CH157
6 dB Bandwidth**




Date: 14.JUL.2022 16:44:35

CH165




Date: 14.JUL.2022 16:46:02


99 % Occupied Bandwidth



Date: 14.JUL.2022 16:42:10



Date: 14.JUL.2022 16:43:40




Date: 14.JUL.2022 16:45:10

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.400	37.000	0.5	Complies
159	5795	35.300	37.200	0.5	Complies

CH151




Date: 14.JUL.2022 17:23:04

CH159 6 dB Bandwidth




Date: 14.JUL.2022 17:24:34



Date: 14.JUL.2022 17:22:16

99 % Occupied Bandwidth



Date: 14.JUL.2022 17:23:46

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.32	0.00	12.32	23.98	0.2500	Complies
40	5200	12.04	0.00	12.04	23.98	0.2500	Complies
48	5240	11.72	0.00	11.72	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.08	0.00	12.08	23.98	0.2500	Complies
40	5200	12.15	0.00	12.15	23.98	0.2500	Complies
48	5240	12.27	0.00	12.27	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.85	0.23	9.08	23.98	0.2500	Complies
46	5230	12.34	0.23	12.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.11	0.00	12.11	23.98	0.2500	Complies
60	5300	11.94	0.00	11.94	23.98	0.2500	Complies
64	5320	12.13	0.00	12.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.12	0.00	12.12	23.98	0.2500	Complies
60	5300	12.01	0.00	12.01	23.98	0.2500	Complies
64	5320	12.12	0.00	12.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.28	0.23	12.51	23.98	0.2500	Complies
62	5310	9.36	0.23	9.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.84	0.00	11.84	23.98	0.2500	Complies
116	5580	11.85	0.00	11.85	23.98	0.2500	Complies
140	5700	11.98	0.00	11.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.94	0.00	11.94	23.98	0.2500	Complies
116	5580	11.86	0.00	11.86	23.98	0.2500	Complies
140	5700	11.87	0.00	11.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.81	0.23	12.04	23.98	0.2500	Complies
110	5550	12.32	0.23	12.55	23.98	0.2500	Complies
134	5670	12.11	0.23	12.34	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.08	0.00	12.08	30.00	1.0000	Complies
157	5785	12.23	0.00	12.23	30.00	1.0000	Complies
165	5825	11.95	0.00	11.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.99	0.00	11.99	30.00	1.0000	Complies
157	5785	12.25	0.00	12.25	30.00	1.0000	Complies
165	5825	12.31	0.00	12.31	30.00	1.0000	Complies


Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.91	0.23	12.14	30.00	1.0000	Complies
159	5795	12.16	0.23	12.39	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.33	0.00	3.33	11.00	Complies
40	5200	3.77	0.00	3.77	11.00	Complies
48	5240	3.13	0.00	3.13	11.00	Complies



Date: 14_JUL_2022 14:57:02




Date: 14_JUL_2022 14:57:17




Date: 14_JUL_2022 14:58:11

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.02	0.00	3.02	11.00	Complies
40	5200	3.02	0.00	3.02	11.00	Complies
48	5240	3.20	0.00	3.20	11.00	Complies



Date: 14_JUL_2022 15:29:26



Date: 14_JUL_2022 15:29:53




Date: 14_JUL_2022 15:30:20

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.16	0.23	0.39	11.00	Complies
46	5230	-0.06	0.23	0.17	11.00	Complies

CH38



Date: 14.JUL.2022 16:48:44

CH46




Date: 14.JUL.2022 16:51:52

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.94	0.00	3.94	11.00	Complies
60	5300	3.04	0.00	3.04	11.00	Complies
64	5320	3.16	0.00	3.16	11.00	Complies

CH52




Date: 14.JUL.2022 14:59:07

CH60



Date: 14.JUL.2022 15:00:15




CH64



Date: 14.JUL.2022 15:01:17



Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.10	0.00	3.10	11.00	Complies
60	5300	2.76	0.00	2.76	11.00	Complies
64	5320	2.92	0.00	2.92	11.00	Complies




Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.23	0.23	0.00	11.00	Complies
62	5310	-0.27	0.23	-0.04	11.00	Complies




Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.43	0.00	3.43	11.00	Complies
116	5580	3.18	0.00	3.18	11.00	Complies
140	5700	3.40	0.00	3.40	11.00	Complies



Date: 14_JUL_2022 15:02:56




Date: 14_JUL_2022 15:04:21




Date: 14_JUL_2022 15:05:18

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.22	0.00	3.22	11.00	Complies
116	5580	2.84	0.00	2.84	11.00	Complies
140	5700	3.35	0.00	3.35	11.00	Complies



Date: 14_JUL_2022 15:32:38



Date: 14_JUL_2022 15:33:32




Date: 14_JUL_2022 15:33:59

Test Mode UNII-2C_TX N(HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.12	0.23	0.35	11.00	Complies
110	5550	0.51	0.23	0.74	11.00	Complies
134	5670	0.20	0.23	0.43	11.00	Complies

CH102




Date: 14.JUL.2022 16:56:35

CH110



Date: 14.JUL.2022 16:57:37




CH134



Date: 14.JUL.2022 16:58:33




Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.32	0.00	1.32	30.00	Complies
157	5785	1.13	0.00	1.13	30.00	Complies
165	5825	1.01	0.00	1.01	30.00	Complies



Test Mode UNII-3_TX N(HT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.10	0.00	1.10	30.00	Complies
157	5785	0.55	0.00	0.55	30.00	Complies
165	5825	-0.32	0.00	-0.32	30.00	Complies



Test Mode UNII-3_TX N(HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.76	0.23	-2.53	30.00	Complies
159	5795	-2.96	0.23	-2.73	30.00	Complies

CH151



Date: 14_JUL_2022 16:59:10

CH159



Date: 14_JUL_2022 16:59:45

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9950
120	5179.9950
102	5179.9799
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8851

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9799
10	5179.9548
20	5179.9599
30	5179.9750
40	5179.9750
50	5179.9799
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	8.7259

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9800
120	5259.9950
102	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0000
10	5259.9800
20	5259.9950
30	5260.0000
40	5259.9750
50	5259.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9950
120	5499.9800
102	5499.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5432

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9800
10	5499.9800
20	5499.9600
30	5499.9800
40	5499.9800
50	5499.9799
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.2773

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9799
120	5744.9800
102	5744.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	6.9843

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9800
10	5744.9800
20	5744.9902
30	5744.9750
40	5744.9750
50	5744.9950
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3494

End of Test Report