

esca 2

OhMiBod®

powered by



OhMiBod is committed to bringing you high quality technology enabled pleasure products and accessories. Before you begin enjoying **esca 2**, please take a moment to review this manual.

esca 2 - What's in the box

Bluetooth®-enabled wearable vibrator



• USB charging cable

• Privacy pouch

Controlling **esca 2** Via App - OhMiBod Remote

To pair with and control by your phone/tablet, within Bluetooth® range or over wifi, download and launch the **OhMiBod Remote App**:

1. DOWNLOAD

OhMiBod® Remote App




2. TURN ON **esca 2**



3. PAIR devices Make sure your mobile device's Bluetooth® is turned on. Launch the app, and your **esca 2** and mobile device will pair automatically.



The volume on your phone/tablet controls the vibration intensity. For optimal experience, volume should be set at **50%** or higher.

TIP: You can check your vibe status, e.g., if it is paired, turn off the vibe remotely, and even check your vibe battery level in your app profile! Tap the  icon to access your profile.

Additional support can also be found at: www.ohmibod.com/app

Controlling **esca 2** Via App - FeelConnect

To be paired with and be controlled by a Kiiro° device, download the **FeelConnect App**:



To connect with a partner's device within Bluetooth® range or over wifi, follow the instructions on the FeelConnect App to pair to your device(s).

-OR-

Visit www.kiiror.com/pages/support for more information.



Using esca 2 - 2 Modes of Operation

BLUETOOTH MODE® HAS 3 SETTINGS:

1. Initial mode = 100% power & 100% light




2. 1 click = 50% power & 100% light



3. 2 clicks = 100% power & no light




Bluetooth® Mode:

1. Press  3-4 seconds to turn on.





NOTE: *Blinking LED power button indicates vibe is ready to connect via Bluetooth®.*

Blinking →



2. Pair to phone/tablet. Bluetooth® range up to 26ft (8m). See section “Pairing Your Phone/Tablet.”
3. Launch OhMiBod® Remote App or FeelConnect App.
4. Press and hold  for 3-4 seconds to turn off.


Manual Mode:

1. Press  3-4 seconds to turn on.
2. Press  3 times to switch to manual mode. First pulsation is a continuous vibration. This confirms manual mode is active. Press  to move to next pulsation pattern. There are a total of 4 pulsations. Pressing the button again will cycle back to Bluetooth® mode.
3. Press  for 3-4 seconds to turn off.

Charging esca 2

Simply plug the USB charging cable provided with **esca 2** into the USB port on your computer or USB wall charger adapter. Connect the other end of the cable into the charging socket on the end of **esca 2** (see *diagram*). The LED on **esca 2** will blink indicating the massager is charging. Please be sure that the massager is completely dry before charging.

≈ 1.5 HRS TO REACH FULL CHARGE 



LED will glow steady when fully charged.

NOTE: The USB port is for charging use only, no data transmission functionality. When product is charging, the product will not be able to vibrate until the USB cable is removed from charging socket.

NOTICE Additional Charging Safeguards

- Please be sure that the massager is completely dry before charging.
- Only use the charging cable provided to charge the massager.
- Do not use USB charging hubs to charge the massager.
- Only use with UL certified USB wall chargers.

Troubleshooting

If the LED does not blink when the product is connected to the USB cable, check to make sure the USB cable is properly connected to the USB port and **esca 2**.

Battery Disposal

- **Esca 2** contains a rechargeable battery. Please do not dispose of this product with normal household waste.
- Please dispose of this product at the appropriate electrical and electronic equipment recycling disposal locations in accordance with government regulations.
- The recycling of this product appropriately will help to protect our environment.

Care & Cleaning

- Clean after every use with mild soap and water. Dry thoroughly.
- Store in privacy pouch to keep **esca 2** clean and safe until next use.

CAUTION Important Safeguards

- Do not use on areas that are swollen, inflamed or have skin lacerations.
- Stop using the massager if you experience pain or discomfort.

Specifications

ESCA 2

Materials: Body-safe Silicone, ABS

Size: 7.3" length, 1.3" diameter
(185.4mm length, 33.1mm diameter)

Weight: 1.9 oz. (56g)

Battery: Lithium-ion, 3.7V with 220mAH

Charging: 1.5 hours

User time: Up to 3 hours

WIRELESS SPECIFICATIONS:

Bluetooth® Version 4.1 BLE

Frequency: 2.402-2.480GHz

Receive sensitivity: Better than -90dBm

Range: 26ft (8m), better than 10m in line of sight

Data rates: Up to 3Mbps (over the air)

UART data transfer rate: 115200bps

Warranty

OhMiBod warrants this product for a period of one (1) year from the date of original purchase, against defects due to faulty workmanship or materials. In the event that this product fails during the warranty period, simply email us at customercare@ohmibod.com and provide us with a valid proof of the date of original purchase and we will replace the faulty product at no extra charge.

This warranty does not cover cosmetic deterioration caused by normal wear and tear or damage caused by accident, misuse, neglect or other use not in accordance with this instruction manual. Any attempt to open or take apart this product or its accessories will void the warranty.

Contact Us

If you have any questions regarding your new product, please check out additional information at www.ohmibod.com/customercare. You can also reach us via email at customercare@ohmibod.com.

For Declaration of Conformity, please go to www.ohmibod.com/certificates.

No medical claims are warranted or implied by the use of this product.

Special Note from Founder

“OhMiBod’s goal is to reflect the collective personality of our customers who have an open, honest attitude toward sexuality and personal pleasure. My hope is that OhMiBod becomes a symbol of liberation, reflecting new and progressive attitudes toward personal pleasure for the young and the young at heart... People who are comfortable with their bodies, know what feels good and who, not only aren’t afraid to admit it, are empowered to go after it.”



FCC ID: XG5OMBES02

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

IC STATEMENT

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The device is compliance with RF field strength limits, users can obtain Canadian information on RF exposure and compliance.

Le présent appareil est conforme de ce matériel aux conformités ou aux limites d'intensité de champ RF, les utilisateurs peuvent sur l'exposition aux radiofréquences et la conformité d'acquérir les informations correspondante.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

CAN ICES-3 (B)/NMB-3(B)

OhMiBod 致力于带给你高技术质量的娱乐产品及附件。开始使用自由风尚前, 请仔细阅读本手册。

esca 2 - 盒子里装的是什么

启用蓝牙技术的可穿戴式振动按摩器



- USB 充电线缆
- 隐私袋

通过应用程序控制设备 - OhMiBod Remote

在蓝牙® 范围内或 wifi 环境下通过您的手机/平板电脑配对并控制，请下载并启动 OhMiBod远程App应用：

1. 下载 **OhMiBod®** 远程应用程序




2. 打开 **esca 2**



3. 将设备 **配对** 确保您的移动设备的蓝牙®已打开。启动应用程序，您的 esca 2 和移动设备将自动配对。



手机/平板电脑的音量控制
振动强度。音量必须设置在
50% 或更高。

温馨提示：您可以检查您的按摩器状态。例如，如果它已配对，请远程关闭按摩器，甚至在您的应用配置文件中检查您的按摩器电池电量！**单击**  图标访问您的个人资料。

还可在如下网址找到其他支持信息：OhMiBod.com/app

通过应用程序控制设备 - FeelConnect

要通过 Kiiro° 设备配对并控制，请下载FeelConnect App应用：



ANDROID

IPHONE



欲与蓝牙(BLUETOOTH®)讯号覆盖范围内的一位伙伴的设备进行连接，请遵照FeelConnect(感觉连接)应用上的操作说明去与您的器具配接。

-或-

欲获取更多信息，请登入 www.kiiroo.com/pages/support 网页。




手动 - 两种操作模式

蓝牙模式® 有三种设置

1. 初始模式
= 100% 功率
& 100% 灯光



2. 按一下=
50% 功率 &
100% 灯光




3. 按两下=
100% 功率 &
灯光关闭。



蓝牙模式:





1. 按下  三到四秒以将其打开。

注意: 若蓝色 LED 电源按钮闪烁, 则表示振动按摩器已准备好通过蓝牙连接。

2. 与手机/平板电脑配对。蓝牙有效范围长达 26 英尺 (8 米)
3. 启动 OhMiBod® 远程应用程序。
4. 按住  三到四秒以将其关闭。




手动模式:

1. 按下  三到四秒以将其打开。
2. 再次按下  以切换到手动模式。第一次搏动为连续震动。这表明手动模式已开启。
按下  可移动到下一搏动模式。共有四种搏动模式。再次按下按钮将循环回到蓝牙模式。
3. 按下  三到四秒以将其关

自由风尚充电方法

直接将提供的 esca 2 USB 充电线缆插入您计算机上的 USB 端口或 USB 壁式充电适配器。随后，将线缆的另一端连接至 esca 2 底端的充电插口（请参阅图示）。esca 2 上的 LED 灯将闪烁，表示按摩器正在充电。请确保按摩器在充电前保持完全干爽。

充满电大约需要 1.5 到两个小时 



当充满电时，LED 灯发出稳定的光 。

注意：USB 端口仅用于充电，不具备数据传输功能。本产品充电时，将不能振动，直到 USB 线缆从充电插座拔掉为止。

注意 其他充电安全措施

- 請確保按摩器充電前已保持完全乾燥。
- 僅使用隨附充電線給按摩器充電。
- 請勿使用 USB 充電插座給按摩器充電。
- 僅使用 UL 認證之 USB 壁式充電器。

故障排除

如果本产品已连接至 USB 线缆时，LED 灯未闪烁，请检查以确保 USB 正确连接至 USB 端口和 esca 2。

电池处理

- **Esca 2** 包含充电电池，请勿与日常生活垃圾一起处理本产品。
- 请按照政府规定，在适当的电气与电子设备回收/处理地点处理本产品。
- 正确回收本产品有助于保护环境。

保养与清洁

- 每次使用後，請塗抹玩具清潔劑進行清潔，再以流水沖洗，並徹底晾乾。
- 储存于珍藏袋中，esca 2 在下次使用前保持清洁、安全。



小心

重要安全措施

- 禁止在肿胀、发炎或皮肤裂伤的部位使用。
- 如果感觉疼痛或不舒服，停止使用按摩器。

规格

ESCA 2

材料: 医用硅胶和ABS环保塑胶

尺寸: 长7.3", 直径1.3"
(长185.4毫米, 直径33.1毫米)

重量: 1.9 盎司 (56克)

电池: 锂离子电池, 3.7 伏, 220 毫安

充电时间: 1.5小时

使用时间: 长达3小时

无线使用说明:

蓝牙版本 **4.1 BLE**

频率: 2.402-2.480吉赫

接收灵敏度: 高于 -90 分贝毫瓦

有效范围: 26 英尺 (8 米)

数据速率: 高达 3 兆比特/秒 (通过空气)

UART 数据传输速率: 115200 比特/秒

担保

OhMiBod产品担保期为原始购买日期起一年, 担保范围为工艺或材料缺陷造成的故障。如果我们的产品在担保期内出现故障, 您只需发送电子邮件至customercare@ohmibod.com, 并提供有效的原始购买日期证明, 我们将免费更换故障产品。

本担保范围不包括正常磨损造成的表面损伤, 或意外、滥用、疏忽及未按照本说明手册使用造成的损坏。若自行拆卸本产品或其配件, 本担保即失效。

联系我们

如果您对 [esca 2](#) 这一新产品有任何疑问, 请访问 www.ohimbod.com/customercare 查找更多信息。您也可以通过下列电子邮件地址与我们联系: customercare@ohmibod.com。

有關符合性聲明, 請訪問 www.ohmibod.com/certificates

本产品的使用不保证也不暗示有任何疗效。

日本語

OhMiBodは高品質の技術によって可能となった快樂を得られる製品およびアクセサリーを提供することに全力を注いでいます。Esca 2 を楽しむ前に、この説明書をよくお読みください。

esca 2 - 箱の中身

Bluetooth® 対応の装着型バイブレーター



• USB充電用ケーブル

• プライバシーポーチ

如何使用 - OhMiBod Remote

Bluetooth®かWiFiが使える範囲で電話やタブレットと連動させるには、OhMiBod Remoteアプリをダウンロードして起動してください：

1. **OhMiBod®**
リモートアプリをダウンロードする




2. **esca 2** の電源を入れる



3. **デバイスとペアリングする** 確保您的移動設備的藍牙®已打開。啟動應用程序，您的 esca 2 和移動設備將自動配對。



手機/平板電腦的音量控制
振動強度。音量必須設置在
50% 或更高。

溫馨提示：您可以檢查您的按摩器狀態。例如，如果它已配對，請遠程關閉按摩器，甚至在您的應用配置文件中檢查您的按摩器電池電量！點擊  圖標訪問您的個人資料。

OhMiBod.com/app で、さらにサポートが受けられます。

如何使用 - FeelConnect

Kiiro®デバイスと連動させるには、FeelConnectアプリをダウンロードしてください：



ANDROID

IPHONE



Bluetooth®の圏内でパートナーのデバイスに接続するには、FeelConnect Appの指示に従ってあなたのデバイスとペアリングしてください。

-または-

詳細は、www.kiiroo.com/pages/support を参照してください。

KIIRO®
対話型製品



esca 2 の使用 - 2 つのモードでの操作

Bluetoothモード®には次の3つの設定があります。:

1. 初期モード
= 電力 100% &
照明 100%



2. 1回クリック =
電力 50% &
照明 100%



3. 2回クリック
= 電力 100% &
照明オフ 50%



Bluetooth® モード:

1.  を3~4秒間押しして電源を入れます。

注: 電源ボタンのLEDが青く点滅している場合は、パイプのBluetooth®接続の準備が整っていることを表します。

2. 携帯電話/タブレットとペアリングします。Bluetooth®の範囲は最大8m (26フィート) です。



3. OhMiBod®リモートアプリを起動します。

4. 電源を切るには、 を3~4秒間押します。



手動モード:

1.  を3~4秒間押しして電源を入れます。


2. 再度  を押しして手動モードに切り替えます。最初の振動は連続的なパイプです。これは手動モードが有効になったことを意味しています。  を押しして、次の振動パターンに移ります。振動パターンは全部で4種類です。ボタンを再度押すとBluetooth®モードに戻ります。

3. 電源を切るには  を3~4秒間押します。

esca 2 の充電

esca 2 に付属されているUSB充電用ケーブルをお使いのコンピュータのUSBポートまたは壁用のUSB充電器用アダプタに差し込みます。ケーブルのもう一端を esca2 の先端にある充電用ソケットに接続します（図を参照）。esca 2 のLEDが点滅を始め、マッサージャーが充電中であることを示します。充電を行う前にマッサージャーが完全に乾いていることを確認してください。

充電が完了するには～1.5時間かかります。 



充電が完了すると、LEDは常時点灯に変わります。

注: USBポートは充電にのみ使用してください。データ転送の機能はありません。製品が充電されている際、USBケーブルが充電ソケットから外されるまで製品は振動しません。

注記 充電時の安全に関する補足

- マッサージ機を充電する前に本体が完全に乾いていることを確認してください。
- このマッサージ機の充電用として提供されている充電ケーブルのみを使用してください。
- マッサージ機の充電にはUSB充電ハブを使用しないでください。
- UL認証を受けた壁取り付け型USB充電器のみを使用してください。

トラブルシューティング

本品がUSBケーブルに接続されているにもかかわらずLEDが点滅しない場合には、USBケーブルが適切にUSBポートとesca2に接続されていることを確認してください。

電池の廃棄

- esca2は再充電可能な電池を含んでいます。この製品を通常の家庭用ごみと一緒に廃棄しないでください。
- 政府の規定に従って、この製品を適切な電気製品のリサイクル/廃棄センターで廃棄してください。
- この製品の適切なリサイクルは環境保護につながります。

ケアとクリーニング

- 使用後は毎回、トイクリーナーで洗浄して水ですすぎ、完全に乾燥させてください。
- esca2を次回使用時まで清潔で安全に保つよう、専用のポーチに入れて保管してください。

注意 重要な注意事項

- 腫れ、炎症あるいは皮膚の裂傷部分には使用しないでください。
- 痛みあるいは不快感を伴う場合は使用を中止してください。

仕様

ESCA 2

材料：人体に害のないシリコンおよびABS

サイズ：長さ 7.3"、直径 1.3"(長さ 185.4 mm、直径 33.1 mm)

重量：1.9 oz. (56g)

電池：リチウムイオン、3.7V (220 mAh)

充電時間：1.5 時間

使用時間：3 時間まで

無線の仕様：

Bluetooth® バージョン 4.1 BLE

周波数：2.402-2.480GHz

受信感度：-90dBm以上

範囲：8m (26フィート)

データレート：最大3Mbps (空中)

UARTデータ転送レート：115200bps

保証

OhMiBod はこの製品の購入から1年間仕上がりあるいは材料による欠陥があった場合、保証します。この製品が保証期間中に故障した場合、customercare@ohmibod.com までメールを送信し、お買い上げ年月日を証明するものを添えていただければ、無償で新品と交換させていただきます。

この保証は通常の摩耗および破れによる外観の劣化、事故、誤使用、または使用説明書に準じていないその他の使用や無視によって発生した損傷は保証対象外となります。この製品あるいはその装備品を開けたり、分解しようとしたりした場合も、保証が無効となります。

お問い合わせ

新しいesca2製品に関するご質問は、www.ohimbod.com/customercare にアクセスして、追加の情報をご確認ください。または、メールで customercare@ohmibod.com までどうぞ。

適合宣言については、www.ohmibod.com/certificates を参照してください。

この製品の使用によっていかなる医療的クレームも保証あるいは示唆されていません。

OhMiBod[®]

Copyright© Suki, LLC 2018. All rights reserved.
Designed in the United States / Made in China

