



香港高立德國際商品試驗有限公司桃園分公司

BUREAU VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : SK8035P

Remark : TX , Wireless GFSK , CH : 2403 MHz

Sample No.

Tested by : William Su

ROCCAT

Wireless Keyboard

VULCAN II MINI AIR

FCC ID:XGB-V2MA

IC:3879A-V2MA

BT:2402-2480MHz

SRD:2403-2480MHz

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:33:44

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2403.00

Antenna Polarity : Horizontal

Average Value (dBi) : -5.43

Maximum Value (dBi) : -0.86

Maximum Value (degree) : 359

Minimum Value (dBi) : -24.91

Minimum Value (degree) : 185

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

BUREAU VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Yu Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5955343

Brand / Model : SK8035P
Remark : TX , Wireless GFSK , CH : 2403 MHz
Sample No.
Tested by : William Su

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:12:58

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2403.00

Antenna Polarity : Vertical

Average Value (dBi) : -10.64

Maximum Value (dBi) : -5.22

Maximum Value (degree) : 133

Minimum Value (dBi) : -23.25

Minimum Value (degree) : 350

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

BUREAU VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Yu Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5955343

Brand / Model : SK8035P
Remark : TX , Wireless GFSK , CH : 2441 MHz
Sample No.
Tested by : William Su

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:31:32

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2441.00

Antenna Polarity : Horizontal

Average Value (dBi) : -5.46

Maximum Value (dBi) : -1.12

Maximum Value (degree) : 359

Minimum Value (dBi) : -23.06

Minimum Value (degree) : 169

V 6.2

D:\2Antenna Pattern V6.2\Graph\0701\07010022.png



香港高立德國際商品試驗有限公司桃園分公司

BUREAU
VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Yu Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5955343

Brand / Model : SK8035P
Remark : TX , Wireless GFSK , CH : 2441 MHz
Sample No.
Tested by : William Su

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:19:17

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2441.00

Antenna Polarity : Vertical

Average Value (dBi) : -10.87

Maximum Value (dBi) : -4.82

Maximum Value (degree) : 135

Minimum Value (dBi) : -22.72

Minimum Value (degree) : 307

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

BUREAU VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Yu Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5955343

Brand / Model : SK8035P
Remark : TX , Wireless GFSK , CH : 2480 MHz
Sample No.
Tested by : William Su

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:24:47

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2480.00

Antenna Polarity : Horizontal

Average Value (dBi) : -4.94

Maximum Value (dBi) : 1.20

Maximum Value (degree) : 306

Minimum Value (dBi) : -21.26

Minimum Value (degree) : 173

V 6.2



香港高立德國際商品試驗有限公司桃園分公司

BUREAU VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Yu Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5955343

Brand / Model : SK8035P
Remark : TX , Wireless GFSK , CH : 2480 MHz
Sample No.
Tested by : William Su

Location: RF Chamber


Date: 2022/7/1

Time: 下午 07:22:08

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2480.00

Antenna Polarity : Vertical

Average Value (dBi) : -11.82

Maximum Value (dBi) : -6.70

Maximum Value (degree) : 140

Minimum Value (dBi) : -22.28

Minimum Value (degree) : 307

V 6.2