




5.2G:


Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	98.74	0.06	0.49
NVNT	a	5200	Ant1	98.71	0.06	0.49
NVNT	a	5240	Ant1	98.69	0.06	0.48
NVNT	n20	5180	Ant1	98.5	0.07	0.58
NVNT	n20	5200	Ant1	98.52	0.06	0.57
NVNT	n20	5240	Ant1	98.51	0.07	0.58
NVNT	n40	5190	Ant1	97.03	0.13	1.16
NVNT	n40	5230	Ant1	97.1	0.13	1.16
NVNT	ac20	5180	Ant1	98.48	0.07	0.57
NVNT	ac20	5200	Ant1	98.55	0.06	0.57
NVNT	ac20	5240	Ant1	98.53	0.06	0.57
NVNT	ac40	5190	Ant1	97.11	0.13	1.16
NVNT	ac40	5230	Ant1	97.09	0.13	1.16
NVNT	ac80	5210	Ant1	94.31	0.25	2.38

















Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.34	0.06	9.4	24	Pass
NVNT	a	5200	Ant1	9.89	0.06	9.95	24	Pass
NVNT	a	5240	Ant1	9.11	0.06	9.17	24	Pass
NVNT	n20	5180	Ant1	9.33	0.07	9.4	24	Pass
NVNT	n20	5200	Ant1	9.77	0.06	9.83	24	Pass
NVNT	n20	5240	Ant1	9.05	0.07	9.12	24	Pass
NVNT	n40	5190	Ant1	9.51	0.13	9.64	24	Pass
NVNT	n40	5230	Ant1	9.81	0.13	9.94	24	Pass
NVNT	ac20	5180	Ant1	9.32	0.07	9.39	24	Pass
NVNT	ac20	5200	Ant1	9.77	0.06	9.83	24	Pass
NVNT	ac20	5240	Ant1	9.04	0.06	9.1	24	Pass
NVNT	ac40	5190	Ant1	9.44	0.13	9.57	24	Pass
NVNT	ac40	5230	Ant1	9.74	0.13	9.87	24	Pass
NVNT	ac80	5210	Ant1	9.14	0.25	9.39	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	21.561	Pass
NVNT	a	5200	Ant1	22.485	Pass
NVNT	a	5240	Ant1	21.216	Pass
NVNT	n20	5180	Ant1	21.912	Pass
NVNT	n20	5200	Ant1	21.93	Pass
NVNT	n20	5240	Ant1	23.142	Pass
NVNT	n40	5190	Ant1	40.692	Pass
NVNT	n40	5230	Ant1	40.92	Pass
NVNT	ac20	5180	Ant1	23.331	Pass
NVNT	ac20	5200	Ant1	22.245	Pass
NVNT	ac20	5240	Ant1	23.421	Pass
NVNT	ac40	5190	Ant1	41.106	Pass
NVNT	ac40	5230	Ant1	41.01	Pass
NVNT	ac80	5210	Ant1	83.34	Pass


Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1





-26dB Bandwidth NVNT a 5200MHz Ant1





















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.603
NVNT	a	5200	Ant1	16.504
NVNT	a	5240	Ant1	16.483
NVNT	n20	5180	Ant1	17.773
NVNT	n20	5200	Ant1	17.752
NVNT	n20	5240	Ant1	17.752
NVNT	n40	5190	Ant1	36.14
NVNT	n40	5230	Ant1	36.206
NVNT	ac20	5180	Ant1	17.761
NVNT	ac20	5200	Ant1	17.728
NVNT	ac20	5240	Ant1	17.815
NVNT	ac40	5190	Ant1	36.122
NVNT	ac40	5230	Ant1	36.218
NVNT	ac80	5210	Ant1	75.592





















Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.71	0.06	-0.65	11	Pass
NVNT	a	5200	Ant1	-0.76	0.06	-0.7	11	Pass
NVNT	a	5240	Ant1	-0.88	0.06	-0.82	11	Pass
NVNT	n20	5180	Ant1	-1.12	0.07	-1.05	11	Pass
NVNT	n20	5200	Ant1	-1.12	0.06	-1.06	11	Pass
NVNT	n20	5240	Ant1	-1.63	0.07	-1.56	11	Pass
NVNT	n40	5190	Ant1	-4.36	0.13	-4.23	11	Pass
NVNT	n40	5230	Ant1	-4.47	0.13	-4.34	11	Pass
NVNT	ac20	5180	Ant1	-1.17	0.07	-1.1	11	Pass
NVNT	ac20	5200	Ant1	-1.39	0.06	-1.33	11	Pass
NVNT	ac20	5240	Ant1	-1.57	0.06	-1.51	11	Pass
NVNT	ac40	5190	Ant1	-4.53	0.13	-4.4	11	Pass
NVNT	ac40	5230	Ant1	-4.2	0.13	-4.07	11	Pass
NVNT	ac80	5210	Ant1	-9.34	0.25	-9.09	11	Pass





















Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-29.94	-27	Pass
NVNT	a	5240	Ant1	-43.64	-27	Pass
NVNT	n20	5180	Ant1	-31.17	-27	Pass
NVNT	n20	5240	Ant1	-43.85	-27	Pass
NVNT	n40	5190	Ant1	-35.41	-27	Pass
NVNT	n40	5230	Ant1	-43.97	-27	Pass
NVNT	ac20	5180	Ant1	-31.37	-27	Pass
NVNT	ac20	5240	Ant1	-43.79	-27	Pass
NVNT	ac40	5190	Ant1	-34.39	-27	Pass
NVNT	ac40	5230	Ant1	-43.27	-27	Pass
NVNT	ac80	5210	Ant1	-42.65	-27	Pass
NVNT	ac80	5210	Ant1	-33.99	-27	Pass


















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.87	-27	Pass
NVNT	a	5200	Ant1	-35.84	-27	Pass
NVNT	a	5240	Ant1	-34.25	-27	Pass
NVNT	n20	5180	Ant1	-33.78	-27	Pass
NVNT	n20	5200	Ant1	-34.47	-27	Pass
NVNT	n20	5240	Ant1	-34.23	-27	Pass
NVNT	n40	5190	Ant1	-34.65	-27	Pass
NVNT	n40	5230	Ant1	-34.28	-27	Pass
NVNT	ac20	5180	Ant1	-34.01	-27	Pass
NVNT	ac20	5200	Ant1	-34.48	-27	Pass
NVNT	ac20	5240	Ant1	-31.89	-27	Pass
NVNT	ac40	5190	Ant1	-34.45	-27	Pass
NVNT	ac40	5230	Ant1	-33.65	-27	Pass
NVNT	ac80	5210	Ant1	-33.76	-27	Pass

















5.3G:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	98.71	0.06	0.48
NVNT	a	5280	Ant1	98.7	0.06	0.48
NVNT	a	5320	Ant1	98.71	0.06	0.49
NVNT	n20	5260	Ant1	98.55	0.06	0.57
NVNT	n20	5280	Ant1	98.43	0.07	0.58
NVNT	n20	5320	Ant1	98.48	0.07	0.57
NVNT	n40	5270	Ant1	97.08	0.13	1.18
NVNT	n40	5310	Ant1	97.08	0.13	1.18
NVNT	ac20	5260	Ant1	98.55	0.06	0.57
NVNT	ac20	5280	Ant1	98.5	0.07	0.57
NVNT	ac20	5320	Ant1	98.54	0.06	0.57
NVNT	ac40	5270	Ant1	97.11	0.13	1.16
NVNT	ac40	5310	Ant1	97.08	0.13	1.16
NVNT	ac80	5290	Ant1	94.3	0.25	2.38