
























Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	9.25	0.06	9.31	24	Pass
NVNT	a	5280	Ant1	9.01	0.06	9.07	24	Pass
NVNT	a	5320	Ant1	9.6	0.06	9.66	24	Pass
NVNT	n20	5260	Ant1	9.2	0.06	9.26	24	Pass
NVNT	n20	5280	Ant1	8.88	0.07	8.95	24	Pass
NVNT	n20	5320	Ant1	9.54	0.07	9.61	24	Pass
NVNT	n40	5270	Ant1	9.43	0.13	9.56	24	Pass
NVNT	n40	5310	Ant1	9.73	0.13	9.86	24	Pass
NVNT	ac20	5260	Ant1	9.24	0.06	9.3	24	Pass
NVNT	ac20	5280	Ant1	8.98	0.07	9.05	24	Pass
NVNT	ac20	5320	Ant1	9.58	0.06	9.64	24	Pass
NVNT	ac40	5270	Ant1	9.43	0.13	9.56	24	Pass
NVNT	ac40	5310	Ant1	9.75	0.13	9.88	24	Pass
NVNT	ac80	5290	Ant1	9.58	0.25	9.83	24	Pass


-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	22.029	Pass
NVNT	a	5280	Ant1	22.722	Pass
NVNT	a	5320	Ant1	23.4	Pass
NVNT	n20	5260	Ant1	22.764	Pass
NVNT	n20	5280	Ant1	22.176	Pass
NVNT	n20	5320	Ant1	23.742	Pass
NVNT	n40	5270	Ant1	41.202	Pass
NVNT	n40	5310	Ant1	40.872	Pass
NVNT	ac20	5260	Ant1	22.953	Pass
NVNT	ac20	5280	Ant1	22.17	Pass
NVNT	ac20	5320	Ant1	23.772	Pass
NVNT	ac40	5270	Ant1	41.478	Pass
NVNT	ac40	5310	Ant1	41.028	Pass
NVNT	ac80	5290	Ant1	82.968	Pass


















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.501
NVNT	a	5280	Ant1	16.513
NVNT	a	5320	Ant1	16.528
NVNT	n20	5260	Ant1	17.794
NVNT	n20	5280	Ant1	17.662
NVNT	n20	5320	Ant1	17.737
NVNT	n40	5270	Ant1	36.224
NVNT	n40	5310	Ant1	36.146
NVNT	ac20	5260	Ant1	17.773
NVNT	ac20	5280	Ant1	17.767
NVNT	ac20	5320	Ant1	17.692
NVNT	ac40	5270	Ant1	36.236
NVNT	ac40	5310	Ant1	36.152
NVNT	ac80	5290	Ant1	75.376


Test Graphs


OBW NVNT a 5260MHz Ant1





OBW NVNT a 5280MHz Ant1





















Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-2.05	0.06	-1.99	11	Pass
NVNT	a	5280	Ant1	-1.57	0.06	-1.51	11	Pass
NVNT	a	5320	Ant1	-1.95	0.06	-1.89	11	Pass
NVNT	n20	5260	Ant1	-2.59	0.06	-2.53	11	Pass
NVNT	n20	5280	Ant1	-1.84	0.07	-1.77	11	Pass
NVNT	n20	5320	Ant1	-2.67	0.07	-2.6	11	Pass
NVNT	n40	5270	Ant1	-4.61	0.13	-4.48	11	Pass
NVNT	n40	5310	Ant1	-5.14	0.13	-5.01	11	Pass
NVNT	ac20	5260	Ant1	-2.44	0.06	-2.38	11	Pass
NVNT	ac20	5280	Ant1	-2.16	0.07	-2.09	11	Pass
NVNT	ac20	5320	Ant1	-2.41	0.06	-2.35	11	Pass
NVNT	ac40	5270	Ant1	-4.68	0.13	-4.55	11	Pass
NVNT	ac40	5310	Ant1	-5.27	0.13	-5.14	11	Pass
NVNT	ac80	5290	Ant1	-8.46	0.25	-8.21	11	Pass


















Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-43.52	-27	Pass
NVNT	a	5320	Ant1	-37.99	-27	Pass
NVNT	n20	5260	Ant1	-43.48	-27	Pass
NVNT	n20	5320	Ant1	-38.23	-27	Pass
NVNT	n40	5270	Ant1	-44.01	-27	Pass
NVNT	n40	5310	Ant1	-33.01	-27	Pass
NVNT	ac20	5260	Ant1	-44.17	-27	Pass
NVNT	ac20	5320	Ant1	-37.08	-27	Pass
NVNT	ac40	5270	Ant1	-43.93	-27	Pass
NVNT	ac40	5310	Ant1	-34.62	-27	Pass
NVNT	ac80	5290	Ant1	-39.15	-27	Pass
NVNT	ac80	5290	Ant1	-44.23	-27	Pass


Test Graphs


Band Edge NVNT a 5260MHz Low Ant1





Band Edge NVNT a 5320MHz High Ant1


















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-34.47	-27	Pass
NVNT	a	5280	Ant1	-34.37	-27	Pass
NVNT	a	5320	Ant1	-34.78	-27	Pass
NVNT	n20	5260	Ant1	-34.62	-27	Pass
NVNT	n20	5280	Ant1	-33.38	-27	Pass
NVNT	n20	5320	Ant1	-33.87	-27	Pass
NVNT	n40	5270	Ant1	-33.66	-27	Pass
NVNT	n40	5310	Ant1	-34.81	-27	Pass
NVNT	ac20	5260	Ant1	-34.59	-27	Pass
NVNT	ac20	5280	Ant1	-33.98	-27	Pass
NVNT	ac20	5320	Ant1	-34.76	-27	Pass
NVNT	ac40	5270	Ant1	-34.9	-27	Pass
NVNT	ac40	5310	Ant1	-34.52	-27	Pass
NVNT	ac80	5290	Ant1	-33.7	-27	Pass

















5.6G:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	98.72	0.06	0.49
NVNT	a	5600	Ant1	98.73	0.06	0.48
NVNT	a	5700	Ant1	98.71	0.06	0.48
NVNT	n20	5500	Ant1	98.54	0.06	0.57
NVNT	n20	5600	Ant1	98.51	0.07	0.58
NVNT	n20	5700	Ant1	98.41	0.07	0.57
NVNT	n40	5510	Ant1	97.08	0.13	1.18
NVNT	n40	5590	Ant1	96.97	0.13	1.18
NVNT	n40	5670	Ant1	97.09	0.13	1.16
NVNT	ac20	5500	Ant1	98.53	0.06	0.57
NVNT	ac20	5600	Ant1	98.49	0.07	0.57
NVNT	ac20	5700	Ant1	98.5	0.07	0.57
NVNT	ac40	5510	Ant1	97.11	0.13	1.16
NVNT	ac40	5590	Ant1	97.08	0.13	1.16
NVNT	ac40	5670	Ant1	97.12	0.13	1.15
NVNT	ac80	5530	Ant1	94.46	0.25	2.38
NVNT	ac80	5610	Ant1	94.4	0.25	2.38

