





5.3G:


Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	93.83	0.28
NVNT	a	5280	Ant1	93.71	0.28
NVNT	a	5320	Ant1	93.79	0.28
NVNT	n20	5260	Ant1	93.79	0.28
NVNT	n20	5280	Ant1	93.75	0.28
NVNT	n20	5320	Ant1	93.75	0.28
NVNT	n40	5270	Ant1	88.37	0.54
NVNT	n40	5310	Ant1	88.4	0.54
NVNT	ac20	5260	Ant1	93.73	0.28
NVNT	ac20	5280	Ant1	93.67	0.28
NVNT	ac20	5320	Ant1	93.74	0.28
NVNT	ac40	5270	Ant1	88.54	0.53
NVNT	ac40	5310	Ant1	88.54	0.53
NVNT	ac80	5290	Ant1	80.08	0.96





















Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.47	0.28	10.75	24	Pass
NVNT	a	5280	Ant1	9.56	0.28	9.84	24	Pass
NVNT	a	5320	Ant1	10.24	0.28	10.52	24	Pass
NVNT	n20	5260	Ant1	10.49	0.28	10.77	24	Pass
NVNT	n20	5280	Ant1	9.57	0.28	9.85	24	Pass
NVNT	n20	5320	Ant1	10.27	0.28	10.55	24	Pass
NVNT	n40	5270	Ant1	10.04	0.54	10.58	24	Pass
NVNT	n40	5310	Ant1	10.8	0.54	11.34	24	Pass
NVNT	ac20	5260	Ant1	10.48	0.28	10.76	24	Pass
NVNT	ac20	5280	Ant1	9.51	0.28	9.79	24	Pass
NVNT	ac20	5320	Ant1	10.24	0.28	10.52	24	Pass
NVNT	ac40	5270	Ant1	10.01	0.53	10.54	24	Pass
NVNT	ac40	5310	Ant1	10.8	0.53	11.33	24	Pass
NVNT	ac80	5290	Ant1	11.02	0.96	11.98	24	Pass



-26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.704	Pass
NVNT	a	5280	Ant1	19.596	Pass
NVNT	a	5320	Ant1	20.148	Pass
NVNT	n20	5260	Ant1	19.734	Pass
NVNT	n20	5280	Ant1	20.169	Pass
NVNT	n20	5320	Ant1	21.804	Pass
NVNT	n40	5270	Ant1	58.278	Pass
NVNT	n40	5310	Ant1	55.272	Pass
NVNT	ac20	5260	Ant1	26.256	Pass
NVNT	ac20	5280	Ant1	23.46	Pass
NVNT	ac20	5320	Ant1	22.335	Pass
NVNT	ac40	5270	Ant1	53.682	Pass
NVNT	ac40	5310	Ant1	52.818	Pass
NVNT	ac80	5290	Ant1	89.124	Pass


























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.552
NVNT	a	5280	Ant1	16.639
NVNT	a	5320	Ant1	16.501
NVNT	n20	5260	Ant1	17.611
NVNT	n20	5280	Ant1	17.545
NVNT	n20	5320	Ant1	17.707
NVNT	n40	5270	Ant1	36.332
NVNT	n40	5310	Ant1	36.374
NVNT	ac20	5260	Ant1	17.593
NVNT	ac20	5280	Ant1	17.59
NVNT	ac20	5320	Ant1	17.647
NVNT	ac40	5270	Ant1	36.356
NVNT	ac40	5310	Ant1	36.386
NVNT	ac80	5290	Ant1	75.7


























Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-1.87	0.28	-1.59	11	Pass
NVNT	a	5280	Ant1	-3.18	0.28	-2.9	11	Pass
NVNT	a	5320	Ant1	-2.38	0.28	-2.1	11	Pass
NVNT	n20	5260	Ant1	-3.3	0.28	-3.02	11	Pass
NVNT	n20	5280	Ant1	-2.62	0.28	-2.34	11	Pass
NVNT	n20	5320	Ant1	-3.28	0.28	-3	11	Pass
NVNT	n40	5270	Ant1	-6.27	0.54	-5.73	11	Pass
NVNT	n40	5310	Ant1	-4.66	0.54	-4.12	11	Pass
NVNT	ac20	5260	Ant1	-3.17	0.28	-2.89	11	Pass
NVNT	ac20	5280	Ant1	-2.99	0.28	-2.71	11	Pass
NVNT	ac20	5320	Ant1	-3	0.28	-2.72	11	Pass
NVNT	ac40	5270	Ant1	-6.95	0.53	-6.42	11	Pass
NVNT	ac40	5310	Ant1	-7.49	0.53	-6.96	11	Pass
NVNT	ac80	5290	Ant1	-13.41	0.96	-12.45	11	Pass



























Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-37.8	-27	Pass
NVNT	a	5320	Ant1	-34.54	-27	Pass
NVNT	n20	5260	Ant1	-40.7	-27	Pass
NVNT	n20	5320	Ant1	-29.48	-27	Pass
NVNT	n40	5270	Ant1	-42.03	-27	Pass
NVNT	n40	5310	Ant1	-30.14	-27	Pass
NVNT	ac20	5260	Ant1	-40.87	-27	Pass
NVNT	ac20	5320	Ant1	-31.46	-27	Pass
NVNT	ac40	5270	Ant1	-42.32	-27	Pass
NVNT	ac40	5310	Ant1	-28.58	-27	Pass
NVNT	ac80	5290	Ant1	-43.1	-27	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-36.62	-27	Pass
NVNT	a	5280	Ant1	-36.3	-27	Pass
NVNT	a	5320	Ant1	-37.43	-27	Pass
NVNT	n20	5260	Ant1	-37.5	-27	Pass
NVNT	n20	5280	Ant1	-36.72	-27	Pass
NVNT	n20	5320	Ant1	-37	-27	Pass
NVNT	n40	5270	Ant1	-36.53	-27	Pass
NVNT	n40	5310	Ant1	-37.35	-27	Pass
NVNT	ac20	5260	Ant1	-37.33	-27	Pass
NVNT	ac20	5280	Ant1	-35.9	-27	Pass
NVNT	ac20	5320	Ant1	-36.45	-27	Pass
NVNT	ac40	5270	Ant1	-36.83	-27	Pass
NVNT	ac40	5310	Ant1	-37.06	-27	Pass
NVNT	ac80	5290	Ant1	-37.37	-27	Pass

