

EMITECH GRAND SUD
BP 25
145 rue du Massacan
34741 VENDARGUES CEDEX
Phone: 04 67 87 11 02
Fax: 04 67 70 94 55



Aix-en-Provence, Saturday, 03 October 2015

Subject: Acknowledgment of FCC Modular approval requirements

Applicant: COPPERNIC
Product: Bluetooth Device and Wi-Fi Device
Model: BT-WIFI-21-148603-0B
FCC ID: XGK211486030B

To Whom It May Concern:

We would like to submit the above product for Certification concerning FCC.

This application is a Bluetooth and Local Area Network (LAN) Device.

This device is plugged into several configuration based on a WORKABOUT PRO4 Handheld Computer with a RFID module HF ELYCTIS FOR WAP model number: ELY-28780008. These configurations are:

- MC4 200 W (WAP4 BT/WIFI/RFID reader/SmartCard reader/Finger Print)
- MC4 250 W (WAP4 BT/WIFI/RFID reader/SmartCard reader/Finger Print/Imager 2D)
- MC4 300 W (WAP4 BT/WIFI/RFID reader/SmartCard reader/Finger Print/OCR reader)
- WA4 e-ID (WAP4 BT/WIFI/RFID reader with options: SmartCard reader, Finger print, Imager 2D and OCR reader)

The WORKABOUT PRO4 is a mobile device, it has a Lithium Ion polymer rechargeable battery pack and is supplied with an AC/DC adaptor.

The device has to pass Limited Modular approval for FCC.

This module will be approved for use when installed in the following WORKABOUT PRO4 Handheld Computer models:

Model: 7528XHFELY-28780008 in co-transmission with Bluetooth module and WLAN

The RFID module used in the configuration is already approved:

Model: ELY-28780008
FCC ID: XGKHFEWAP3

Modular Approval Requirement	Yes	No
(i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	X	
(ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation.	X	
(iii) The modular transmitter must have its own power supply regulation.	X	
(iv) The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a “unique” antenna coupler (at all connections between the module and the antenna, including the cable). The “professional installation” provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	X	
(v) The modular transmitter must be tested in a stand-alone configuration	X	
(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	X	
(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	X	
(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	X	



COPPERNIC
créateurs en solutions mobiles

If you have any queries, please do not hesitate to contact us.

Regards,
Marc Piepers
Chief Technical Officer
10/03/2015

Siège social
Les Fontaines de la Duranne
185 avenue Archimède
13857 Aix-en-Provence Cedex 3 - France
Tel. +33 (0)4 42 65 25 65

www.coppernic.fr