

FCC Part 96

RF power output

n48 , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.42	21.82	0.152	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.41	21.81	0.152	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.46	21.86	0.153	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.89	21.29	0.135	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	22.36	21.76	0.15	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	22.39	21.79	0.151	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	22.18	21.58	0.144	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	21.31	20.71	0.118	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	20.38	19.78	0.095	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	19.9	19.3	0.085	0.2	Pass
n48_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	17.94	17.34	0.054	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	20.93	20.33	0.108	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	20.89	20.29	0.107	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	20.69	20.09	0.102	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	19.29	18.69	0.074	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	19.35	18.75	0.075	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	18.89	18.29	0.067	0.2	Pass
n48_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	15.9	15.3	0.034	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.98	21.38	0.137	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.98	21.38	0.137	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.1	21.5	0.141	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.51	20.91	0.123	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@1	21.94	21.34	0.136	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB12@6	22.01	21.41	0.138	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@22	22.04	21.44	0.139	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB24@0	21.04	20.44	0.111	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM 16 QAM_RB24@0	20.02	19.42	0.087	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM 64 QAM_RB24@0	19.48	18.88	0.077	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_DFT-s-OFDM 256 QAM_RB24@0	17.45	16.85	0.048	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@1	20.49	19.89	0.097	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB12@6	20.48	19.88	0.097	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@22	20.5	19.9	0.098	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB24@0	19	18.4	0.069	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM 16 QAM_RB24@0	19.07	18.47	0.07	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM 64 QAM_RB24@0	18.47	17.87	0.061	0.2	Pass
n48_10MHz_30kHz_3624.99MHz_CP-OFDM 256 QAM_RB24@0	15.54	14.94	0.031	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.06	21.46	0.14	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.92	21.32	0.136	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.01	21.41	0.138	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.42	20.82	0.121	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM QPSK_RB1@1	22.03	21.43	0.139	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM QPSK_RB12@6	22.01	21.41	0.138	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM QPSK_RB1@22	21.99	21.39	0.138	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM QPSK_RB24@0	20.96	20.36	0.109	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM 16 QAM_RB24@0	19.99	19.39	0.087	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM 64 QAM_RB24@0	19.45	18.85	0.077	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_DFT-s-OFDM 256 QAM_RB24@0	17.42	16.82	0.048	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM QPSK_RB1@1	20.52	19.92	0.098	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM QPSK_RB12@6	20.49	19.89	0.097	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM QPSK_RB1@22	20.49	19.89	0.097	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM QPSK_RB24@0	18.93	18.33	0.068	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM 16 QAM_RB24@0	18.99	18.39	0.069	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM 64 QAM_RB24@0	18.49	17.89	0.062	0.2	Pass
n48_10MHz_30kHz_3694.98MHz_CP-OFDM 256 QAM_RB24@0	15.54	14.94	0.031	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.56	21.96	0.157	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.37	21.77	0.15	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.34	21.74	0.149	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.88	21.28	0.134	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM QPSK_RB1@1	22.44	21.84	0.153	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM QPSK_RB25@12	22.36	21.76	0.15	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM QPSK_RB1@49	22.23	21.63	0.146	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM QPSK_RB50@0	21.3	20.7	0.117	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM 16 QAM_RB50@0	20.32	19.72	0.094	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM 64 QAM_RB50@0	19.83	19.23	0.084	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_DFT-s-OFDM 256 QAM_RB50@0	17.81	17.21	0.053	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM QPSK_RB1@1	21.09	20.49	0.112	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM QPSK_RB25@12	20.82	20.22	0.105	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM QPSK_RB1@49	21.08	20.48	0.112	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM QPSK_RB51@0	19.32	18.72	0.074	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM 16 QAM_RB51@0	19.32	18.72	0.074	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM 64 QAM_RB51@0	18.87	18.27	0.067	0.2	Pass
n48_20MHz_30kHz_3560.01MHz_CP-OFDM 256 QAM_RB51@0	15.84	15.24	0.033	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.18	21.58	0.144	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.1	21.5	0.141	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.08	21.48	0.141	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.56	20.96	0.125	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@1	22.02	21.42	0.139	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB25@12	22.12	21.52	0.142	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@49	22.04	21.44	0.139	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB50@0	21.11	20.51	0.112	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM 16 QAM_RB50@0	20.09	19.49	0.089	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.7	19.1	0.081	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_20MHz_30kHz_3624.99MHz_DFT-s-OFDM 256 QAM_RB50@0	17.61	17.01	0.05	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@1	20.58	19.98	0.1	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB25@12	20.6	20	0.1	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@49	20.59	19.99	0.1	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB51@0	19.15	18.55	0.072	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM 16 QAM_RB51@0	19.16	18.56	0.072	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM 64 QAM_RB51@0	18.55	17.95	0.062	0.2	Pass
n48_20MHz_30kHz_3624.99MHz_CP-OFDM 256 QAM_RB51@0	15.63	15.03	0.032	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.99	21.39	0.138	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.08	21.48	0.141	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.06	21.46	0.14	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.49	20.89	0.123	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	21.98	21.38	0.137	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	22.02	21.42	0.139	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	22.05	21.45	0.14	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	20.94	20.34	0.108	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	20	19.4	0.087	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	19.48	18.88	0.077	0.2	Pass
n48_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	17.48	16.88	0.049	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	20.49	19.89	0.097	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	20.56	19.96	0.099	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	20.5	19.9	0.098	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	18.96	18.36	0.069	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	19.03	18.43	0.07	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	18.45	17.85	0.061	0.2	Pass
n48_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	15.42	14.82	0.03	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.61	22.01	0.159	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.5	21.9	0.155	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.5	21.9	0.155	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.89	21.29	0.135	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	22.6	22	0.158	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	22.49	21.89	0.155	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	22.43	21.83	0.152	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	21.45	20.85	0.122	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	20.46	19.86	0.097	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	19.89	19.29	0.085	0.2	Pass
n48_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	17.94	17.34	0.054	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	21.25	20.65	0.116	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	20.9	20.3	0.107	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	21.17	20.57	0.114	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	19.47	18.87	0.077	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	19.41	18.81	0.076	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	18.95	18.35	0.068	0.2	Pass
n48_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	15.92	15.32	0.034	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.32	21.72	0.149	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.25	21.65	0.146	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.17	21.57	0.144	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.77	21.17	0.131	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@1	22.27	21.67	0.147	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB50@25	22.26	21.66	0.147	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB1@104	22.17	21.57	0.144	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM QPSK_RB100@0	21.19	20.59	0.115	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM 16 QAM_RB100@0	20.27	19.67	0.093	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM 64 QAM_RB100@0	19.7	19.1	0.081	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_DFT-s-OFDM 256 QAM_RB100@0	17.8	17.2	0.052	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@1	20.74	20.14	0.103	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB53@26	20.74	20.14	0.103	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB1@104	20.55	19.95	0.099	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM QPSK_RB106@0	19.27	18.67	0.074	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM 16 QAM_RB106@0	19.18	18.58	0.072	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM 64 QAM_RB106@0	18.71	18.11	0.065	0.2	Pass
n48_40MHz_30kHz_3624.99MHz_CP-OFDM 256 QAM_RB106@0	15.71	15.11	0.032	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.06	21.46	0.14	0.2	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.13	21.53	0.142	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.14	21.54	0.143	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.64	21.04	0.127	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM QPSK_RB1@1	21.97	21.37	0.137	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM QPSK_RB50@25	22.04	21.44	0.139	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM QPSK_RB1@104	22.18	21.58	0.144	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM QPSK_RB100@0	21.08	20.48	0.112	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM 16 QAM_RB100@0	20.02	19.42	0.087	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM 64 QAM_RB100@0	19.54	18.94	0.078	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_DFT-s-OFDM 256 QAM_RB100@0	17.51	16.91	0.049	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM QPSK_RB1@1	20.51	19.91	0.098	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM QPSK_RB53@26	20.55	19.95	0.099	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM QPSK_RB1@104	20.59	19.99	0.1	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM QPSK_RB106@0	19.1	18.5	0.071	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM 16 QAM_RB106@0	19.01	18.41	0.069	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM 64 QAM_RB106@0	18.59	17.99	0.063	0.2	Pass
n48_40MHz_30kHz_3679.98MHz_CP-OFDM 256 QAM_RB106@0	15.53	14.93	0.031	0.2	Pass

Note:**EIRP = Value + Ant Gain – CL;****ERP = EIRP -2.15;****n48:****1.Ant Gain =-0.6 dBi;****2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;**