



33.51 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.35	13	Pass



33.52 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.38	13	Pass



33.53 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.39	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3954.99000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	795000	10,000%	3.609 dB
Sample Time	8.000 ms	1,0000%	6.609 dB
Avg Power	-26.249 dBm	0,1000%	8.390 dB
Max Power	-14.898 dBm	0,0100%	9.562 dB
PAR	11.351 dB	0,0010%	10.593 dB
		0,0001%	11.343 dB

Go To Local Show Remote Screen


33.54 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.38	13	Pass




33.55 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.34	13	Pass




33.56 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.38	13	Pass




33.57 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.34	13	Pass




33.58 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.36	13	Pass




33.59 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.42	13	Pass




33.60 Peak to Average Ratio for SA_Part96(NTNV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3954.99	0.1	8.37	13	Pass




33.61 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.35	13	Pass




33.62 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.39	13	Pass




33.63 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.34	13	Pass



33.64 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.39	13	Pass



33.65 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.35	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3750.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]

AWGN Current

Statistic Count 10 / 10


Sample Count	Sample Time	Avg Power	Max Power	PAR
1590000	8.000 ms	-24.618 dBm	-12.404 dBm	12.213 dB

Probability	Value
10.000%	3.571 dB
1.0000%	6.618 dB
0.1000%	8.352 dB
0.0100%	9.571 dB
0.0010%	10.508 dB
0.0001%	11.727 dB

Go To Local Show Remote Screen


33.66 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.34	13	Pass




33.67 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.38	13	Pass




33.68 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.36	13	Pass




33.69 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.41	13	Pass




33.70 Peak to Average Ratio for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	8.36	13	Pass




33.71 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.35	13	Pass



33.72 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.35	13	Pass



33.73 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.35	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3840.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	1590000	10,000%	3.618 dB
Sample Time	8.000 ms	1,0000%	6.618 dB
Avg Power	-24.336 dBm	0,1000%	8.352 dB
Max Power	-12.663 dBm	0,0100%	9.571 dB
PAR	11.674 dB	0,0010%	10.415 dB
		0,0001%	11.024 dB

Go To Local Show Remote Screen


33.74 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.34	13	Pass




33.75 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.39	13	Pass



33.76 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.39	13	Pass



33.77 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.37	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3840.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]

AWGN Current

Statistic Count	10 / 10	Probability	
Sample Count	1590000	10,000%	3.593 dB
Sample Time	8.000 ms	1,0000%	6.593 dB
Avg Power	-24.311 dBm	0,1000%	8.374 dB
Max Power	-12.837 dBm	0,0100%	9.640 dB
PAR	11.475 dB	0,0010%	10.530 dB
		0,0001%	11.186 dB

Go To Local Show Remote Screen

33.78 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.38	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3840.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	1590000	10,000%	3.600 dB
Sample Time	8.000 ms	1,0000%	6.600 dB
Avg Power	-24.319 dBm	0,1000%	8.382 dB
Max Power	-12.900 dBm	0,0100%	9.600 dB
PAR	11.419 dB	0,0010%	10.585 dB
		0,0001%	11.100 dB

Go To Local Show Remote Screen

33.79 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.33	13	Pass



33.80 Peak to Average Ratio for SA_Part96(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	8.36	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3840.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	1590000	10,000%	3.582 dB
Sample Time	8.000 ms	1,0000%	6.582 dB
Avg Power	-24.301 dBm	0,1000%	8.363 dB
Max Power	-13.043 dBm	0,0100%	9.582 dB
PAR	11.258 dB	0,0010%	10.660 dB
		0,0001%	11.223 dB

Go To Local Show Remote Screen


33.81 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.35	13	Pass




33.82 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.36	13	Pass



33.83 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.4	13	Pass



33.84 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.34	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3930.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	1590000	10,000%	3.610 dB
Sample Time	8.000 ms	1,0000%	6.610 dB
Avg Power	-23.814 dBm	0,1000%	8.345 dB
Max Power	-12.192 dBm	0,0100%	9.657 dB
PAR	11.622 dB	0,0010%	10.595 dB
		0,0001%	11.439 dB

Go To Local Show Remote Screen

33.85 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.36	13	Pass



33.86 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.37	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3930.00000 Ref. Level: 30.00 Connector: RF2COM


Probability[%] vs dB graph showing AWGN (red) and Current (blue) curves. The x-axis ranges from 0 to 20 dB, and the y-axis ranges from 0.000001 to 100%.

Statistic Count	10 / 10	Probability	
Sample Count	1590000	10.000%	3.584 dB
Sample Time	8.000 ms	1.0000%	6.631 dB
Avg Power	-23.834 dBm	0.1000%	8.365 dB
Max Power	-12.290 dBm	0.0100%	9.631 dB
PAR	11.544 dB	0.0010%	10.521 dB
		0.0001%	11.365 dB

Go To Local Show Remote Screen

33.87 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.36	13	Pass



33.88 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.37	13	Pass

General Purpose RF Measurement - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3930.00000 Ref. Level: 30.00 Connector: RF2COM

Probability[%]


AWGN Current

Statistic Count	Value	Probability	Value
Sample Count	1590000	10.000%	3.584 dB
Sample Time	8.000 ms	1.0000%	6.584 dB
Avg Power	-23.834 dBm	0.1000%	8.366 dB
Max Power	-12.121 dBm	0.0100%	9.678 dB
PAR	11.714 dB	0.0010%	10.663 dB
		0.0001%	11.600 dB

Go To Local Show Remote Screen


33.89 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.34	13	Pass




33.90 Peak to Average Ratio for SA_Part96(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3930	0.1	8.34	13	Pass




34. n78 30kHz(3450-3550)

34.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




34.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	8.4	13	Pass




34.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	8.38	13	Pass




34.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




34.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	8.44	13	Pass




34.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	8.38	13	Pass




34.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3455.01	0.1	8.33	13	Pass




34.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)



34.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




34.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




34.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.4	13	Pass




34.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.38	13	Pass




34.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.39	13	Pass




34.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.39	13	Pass



34.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.37	13	Pass




34.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.45	13	Pass

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR	Probability	Value
10 / 10	397500	0.008 s	-34.189 dBm	-23.080 dBm	11.108 dB	10,000%	3.580 dB
						1,0000%	6.580 dB
						0,1000%	8.455 dB
						0,0100%	9.861 dB
						0,0010%	10.939 dB
						0,0001%	11.080 dB


34.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.46	13	Pass




34.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.33	13	Pass




34.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.37	13	Pass




34.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




34.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.36	13	Pass




34.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.36	13	Pass




34.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.41	13	Pass




34.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




34.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.31	13	Pass




34.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




34.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.41	13	Pass




34.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.38	13	Pass




34.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.33	13	Pass




34.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3544.98	0.1	8.51	13	Pass




34.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




34.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3457.5	0.1	8.36	13	Pass




34.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3457.5	0.1	8.39	13	Pass




34.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)




34.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3457.5	0.1	8.43	13	Pass




34.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3457.5	0.1	8.33	13	Pass




34.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



34.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)




34.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




34.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3457.5	0.1	8.42	13	Pass




34.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




34.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.29	13	Pass




34.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.33	13	Pass




34.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.4	13	Pass




34.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.42	13	Pass




34.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.41	13	Pass




34.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.33	13	Pass




34.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.38	13	Pass




34.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.45	13	Pass




34.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	8.33	13	Pass




34.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




34.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.34	13	Pass




34.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.32	13	Pass




34.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.41	13	Pass




34.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.48	13	Pass




34.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.39	13	Pass




34.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.43	13	Pass




34.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.31	13	Pass




34.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.42	13	Pass




34.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636166, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3542.49	0.1	8.37	13	Pass




34.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	8.38	13	Pass




34.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	8.4	13	Pass



34.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	8.34	13	Pass



34.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3475.02	0.1	8.36	13	Pass

