




29.71 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




29.72 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




29.73 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)



29.74 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)




29.75 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)




29.76 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.85	61.6	60	Pass




29.77 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.89	61.66	60	Pass




29.78 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)




29.79 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




29.80 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




29.81 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)



29.82 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)




29.83 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)




29.84 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.95	60.97	60	Pass




29.85 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.39	70.7	70	Pass




29.86 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




29.87 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	67.44	70.9	70	Pass




29.89 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




29.90 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	67.48	70.82	70	Pass




29.91 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.45	70.92	70	Pass




29.92 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	67.42	70.71	70	Pass




29.93 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	67.46	70.72	70	Pass




29.94 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.16	70.63	70	Pass




29.95 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	67.19	70.65	70	Pass



29.96 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)




29.97 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




29.98 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.39	80.85	80	Pass




29.99 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




29.100 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.31	80.83	80	Pass




29.101 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.3	80.77	80	Pass




29.102 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



29.103 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




29.104 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




29.105 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.3	80.73	80	Pass




29.106 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




29.107 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




29.108 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




29.109 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




29.110 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




29.111 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)



29.112 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




29.113 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




29.114 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.56	90.88	90	Pass




29.115 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)



29.116 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




29.117 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




29.118 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.41	90.89	90	Pass




29.119 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)




29.120 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)



29.121 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




29.122 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




29.123 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.15	101.12	100	Pass




29.124 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




29.125 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




29.126 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




29.127 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)



29.128 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




29.129 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




29.130 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	97.54	100.77	100	Pass




29.131 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.47	100.89	100	Pass




29.132 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




30. n66 15kHz

30.1 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




30.2 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.5	5.3	5	Pass




30.3 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.51	5.34	5	Pass




30.4 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




30.5 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.51	5.19	5	Pass




30.6 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




30.7 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	5.31	5	Pass



30.8 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




30.9 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




30.10 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.51	5.25	5	Pass



30.11 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




30.12 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




30.13 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.25	9.8	10	Pass




30.14 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




30.15 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.26	9.81	10	Pass




30.16 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




30.17 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




30.18 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




30.19 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




30.20 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)



30.21 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




30.22 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




30.23 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.27	9.8	10	Pass



30.24 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




30.25 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




30.26 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.75	15	Pass




30.27 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




30.28 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.08	14.74	15	Pass



30.29 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




30.30 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




30.31 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.09	14.74	15	Pass




30.32 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.72	15	Pass



30.33 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




30.34 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




30.36 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.08	14.57	15	Pass




30.37 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




30.38 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.87	19.44	20	Pass




30.39 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




30.40 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.89	19.54	20	Pass




30.41 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.89	19.59	20	Pass




30.42 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




30.43 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.9	19.55	20	Pass




30.44 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




30.45 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.88	19.5	20	Pass



30.46 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.9	19.49	20	Pass



30.47 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


30.48 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.89	19.49	20	Pass




30.49 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1722.5	99	26	1	Peak	24.07	26.42	25	Pass




30.50 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	24.04	26.39	25	Pass




30.51 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1767.5	99	26	1	Peak	24.07	26.35	25	Pass




30.52 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)



30.53 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




30.54 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




30.55 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1722.5	99	26	1	Peak	24.08	26.21	25	Pass




30.56 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	24.07	26.26	25	Pass




30.57 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




30.58 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



30.59 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




30.60 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




30.61 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.83	30.3	30	Pass




30.62 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.8	30.28	30	Pass




30.63 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.81	30.35	30	Pass



30.64 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




30.65 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




30.66 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.87	30.25	30	Pass



30.67 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




30.68 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




30.69 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.88	30.2	30	Pass



30.70 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




30.71 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




30.72 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.98	30.56	30	Pass




30.73 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




30.74 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)



30.75 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




30.76 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




30.77 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.73	41.32	40	Pass




30.78 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.74	41.29	40	Pass



30.79 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




30.80 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.71	44.37	40	Pass




30.81 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




30.82 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)



30.83 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




30.84 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




31. n71 15kHz

31.1 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




31.2 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	5.28	5	Pass




31.3 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	5.27	5	Pass




31.4 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




31.5 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	5.17	5	Pass




31.6 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




31.7 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.26	5	Pass



31.8 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




31.9 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




31.10 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.51	5.31	5	Pass




31.11 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.29	5	Pass




31.12 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.51	5.26	5	Pass




31.14 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.25	9.85	10	Pass




31.15 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.25	9.75	10	Pass




31.16 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.25	9.75	10	Pass




31.17 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.26	9.83	10	Pass




31.18 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)



31.19 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)



31.20 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




31.21 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




31.22 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.27	9.77	10	Pass



31.23 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.27	9.84	10	Pass




31.24 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




31.25 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.07	14.72	15	Pass




31.26 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.07	14.77	15	Pass




31.27 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




31.28 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)



31.29 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




31.31 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




31.32 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.07	14.64	15	Pass




31.33 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.09	14.68	15	Pass



31.34 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




31.35 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




31.36 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.09	14.67	15	Pass



31.37 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




31.38 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)



31.39 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.87	19.57	20	Pass



31.40 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

