



34.85 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.81	60.85	60	Pass




34.86 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)



34.87 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)




34.88 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)




34.89 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.96	61.42	60	Pass




34.90 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)




34.91 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)



34.92 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




34.93 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




34.94 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Band width (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	58.01	61.06	60	Pass




34.95 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)




34.96 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)




34.98 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




34.99 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)



34.100 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




34.101 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




34.102 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.52	70.87	70	Pass




34.103 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




34.104 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.52	70.94	70	Pass




34.105 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.53	70.92	70	Pass




34.106 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.22	70.82	70	Pass




34.107 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.24	70.79	70	Pass




34.108 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.27	70.78	70	Pass




34.109 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




34.111 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




34.112 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




34.113 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



34.114 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




34.115 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




34.116 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.47	80.87	80	Pass



34.117 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




34.119 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




34.120 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.49	80.9	80	Pass




34.121 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.36	90.9	90	Pass




34.122 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




34.123 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




34.124 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




34.125 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




34.126 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




34.127 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)



34.128 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




34.129 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




34.130 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.42	90.93	90	Pass




34.131 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)




34.132 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.43	91.05	90	Pass




34.133 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)



34.134 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




34.135 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




34.136 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.5	100.78	100	Pass




35. n78 30kHz(3700-3800)

35.1 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




35.2 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.2	19.27	20	Pass




35.3 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.18	18.88	20	Pass




35.4 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.22	19.28	20	Pass




35.5 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.17	18.89	20	Pass




35.6 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.15	18.85	20	Pass




35.7 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3712.5	99	26	1	Peak	23.67	26.21	25	Pass




35.8 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	23.64	26.28	25	Pass




35.9 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3787.5	99	26	1	Peak	23.67	26.38	25	Pass




35.10 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3712.5	99	26	1	Peak	23.73	26.31	25	Pass




35.11 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	23.72	26.29	25	Pass




35.12 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3787.5	99	26	1	Peak	23.73	26.15	25	Pass




35.13 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3712.5	99	26	1	Peak	23.56	26.39	25	Pass




35.14 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	23.55	26.3	25	Pass




35.15 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3787.5	99	26	1	Peak	23.57	26.18	25	Pass




35.16 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3712.5	99	26	1	Peak	23.58	26.05	25	Pass




35.17 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	23.57	25.95	25	Pass




35.18 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3787.5	99	26	1	Peak	23.58	26.03	25	Pass




35.19 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.29	30.94	30	Pass




35.20 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.27	30.94	30	Pass




35.21 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.19	30.8	30	Pass




35.22 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.19	30.79	30	Pass




35.23 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.2	30.84	30	Pass




35.24 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.21	30.91	30	Pass




35.25 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.26	31.2	30	Pass




35.26 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.25	31.34	30	Pass




35.27 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.27	31.09	30	Pass




35.28 Occupied Bandwidth for SA_Part96(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.23	31.13	30	Pass




35.29 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.23	31.14	30	Pass




35.30 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.24	31.13	30	Pass




35.31 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.04	40.95	40	Pass




35.32 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.02	40.77	40	Pass




35.33 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.04	41.04	40	Pass




35.34 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.12	41.14	40	Pass




35.35 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.05	41.18	40	Pass




35.36 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.1	41.09	40	Pass




35.37 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.17	41.08	40	Pass




35.38 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.17	41.15	40	Pass




35.39 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.17	41.21	40	Pass




35.40 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.04	41.13	40	Pass




35.41 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.05	41.04	40	Pass




35.42 Occupied Bandwidth for SA_Part96(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.06	41.05	40	Pass




35.43 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.59	50.7	50	Pass




35.44 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.57	50.63	50	Pass




35.45 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.54	50.63	50	Pass




35.46 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.7	50.77	50	Pass




35.47 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.74	50.55	50	Pass




35.48 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.68	50.83	50	Pass




35.49 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.67	50.55	50	Pass




35.50 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.67	50.76	50	Pass




35.51 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.63	50.66	50	Pass




35.52 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.65	50.83	50	Pass




35.53 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.65	50.74	50	Pass




35.54 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.6	50.82	50	Pass




35.55 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.88	61.02	60	Pass




35.56 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.86	61.13	60	Pass




35.57 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.81	61.14	60	Pass




35.58 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.93	61.67	60	Pass




35.59 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.88	61.33	60	Pass




35.60 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.82	61.04	60	Pass




35.61 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.84	61.48	60	Pass




35.62 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.81	61.32	60	Pass




35.63 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.77	61.42	60	Pass




35.64 Occupied Bandwidth for SA_Part96(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.99	61.06	60	Pass




35.65 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.99	61.12	60	Pass




35.66 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.94	61.1	60	Pass




35.67 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.46	70.92	70	Pass




35.68 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.43	70.83	70	Pass




35.69 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.42	70.66	70	Pass




35.70 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.53	70.89	70	Pass




35.71 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.5	70.79	70	Pass




35.72 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.48	70.73	70	Pass




35.73 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.52	70.9	70	Pass




35.74 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.48	70.88	70	Pass




35.75 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.45	70.85	70	Pass




35.76 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.23	70.71	70	Pass




35.77 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.22	70.77	70	Pass




35.78 Occupied Bandwidth for SA_Part96(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.18	70.74	70	Pass




35.79 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.37	81.03	80	Pass




35.80 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.47	81.08	80	Pass




35.81 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.46	80.88	80	Pass




35.82 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.36	80.87	80	Pass




35.83 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.31	80.8	80	Pass




35.84 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.36	80.8	80	Pass




35.85 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.44	80.95	80	Pass




35.86 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.39	80.82	80	Pass




35.87 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.39	81	80	Pass




35.88 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.43	80.81	80	Pass




35.90 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.44	80.95	80	Pass




35.91 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.32	90.87	90	Pass




35.92 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.34	90.99	90	Pass




35.93 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.33	91.11	90	Pass




35.94 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.61	91.05	90	Pass




35.95 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.61	90.85	90	Pass




35.96 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.62	90.94	90	Pass




35.97 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.43	91.2	90	Pass




35.98 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.42	91.05	90	Pass




35.99 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.44	91.08	90	Pass




35.100 Occupied Bandwidth for SA_Part96(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.39	90.95	90	Pass




35.101 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.36	90.99	90	Pass




35.102 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.41	91.07	90	Pass




35.103 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.31	101.2	100	Pass




35.104 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.36	101.08	100	Pass




35.105 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.35	100.93	100	Pass



35.106 Occupied Bandwidth for SA_Part96(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.51	100.82	100	Pass



--BLANK BELOW--